

## Universal Golf Bag Holder Bracket for Golf Cart

We are striving to build a reliable brand of golf carts parts and accessories.

Hope this manual can assist you to easier install.

For more technical support, please reach us via

Website: www.10l0l.com

Email: sale\_service@10l0l.com

Facebook : zhong zaiyang

Youtube: 10L0L

Contents	Qty
Bag Rack for Golf Cart Rear Grab Bar	:.1
50mm Bolt	2
49mm Bolt	4
24mm Bolt	6
Washer	.14
Nut	8

Installation Tools	Qty
10mm Hex Wrench	1
14mm Hex Wrench	2
4.4mm Hexagon	1






## **Installation Tools**




1. Screws installation position diagram.



2. Align the position with the matched frame part.



See figure 2





See figure 3

4. Insert the left frame part into the middle frame part.



7. Tighten with two 14mm wrenches.



See figure 4

5. The length of the frame member can be adjusted, as shown in the figure.



8. Tighten both ends with two

convenient screws.

See figure 7




See figure 5

6. Take out the 50mm large screw.



See figure 8





See figure 9

See figure 6

10. Fix the attachment part onto the frame with a 49mm screwdriver.



13. Match the holds on the reinforcement iron plate.



See figure 10

11. Tighten the screw with a 10mm wrench.



14. Tighten the 24mm screw with a 10mm wrench and 4.4mm torx key.

See figure 13



See figure 11

12. Fix the right side onto the frame with the same method.



15. Drill through the rubber layer with



See figure 12

See figure 15

See figure 14

the torx key.

16. Tighten the 24mm screw with a 10mm wrench and 4.4mm torx key.



19. Installation complete. As shown in the figure.




See figure 16

17. Drill the rubber part close to its end and match the holes.



20. Installation dispaly as shown in the figure.

See figure 19



18. Tighten the 24mm screw with a 10mm wrench and 4.4mm hex key.



See figure 18

