Nanopia KL-6 Buffer Solution (1)

2017/04/07

# **Safety Data Sheet**

#### 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product name

SDS\_number: 18-28-01

Nanopia KL-6 Buffer Solution (1) (in vitro diagnostic)

Company name

SEKISUI MEDICAL CO., LTD.

Address

2-1-3 Nihonbashi, Chuo-ku, Tokyo, Japan

Supplier

Fax

Address Division in charge 3-3-1 Koyodai, Ryugasaki, Ibaraki, Japan Quality Assurance Unit, Tsukuba Plant

Telephone

+81-297-62-7551 +81-297-62-5238

Reference No.

18-28-01

### 2. HAZARDS IDENTIFICATION

**GHS** classification

Out of the classification criteria

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical or mixture

Mixture (this product does not contain any hazardous substances at concentrations which are higher than those specified by laws and regulations).

#### 4. FIRST AID MEASURES

Inhalation

Remove the victim to a place with fresh air. Let him gargle and keep him quiet and warm. If the victim feels ill, get medical advice.

Skin contact

Wash the skin immediately with large quantities of water. If itching, inflammation, or other symptoms occur, get medical advice. Remove contaminated clothes and wash them before reuse.

Eye contact

Wash the eye immediately with large quantities of water for at least 15 min and get medical advice. Remove the contact lens if it can be removed easily. Continue the eye

washing subsequently.

**Swallowing** 

Rinse mouth and dilute this product by letting the victim drink large quantities of water. Immediately get medical

advice.

Protection of first aid givers

Wear protective gear, such as globes, to avoid contact with

harmful substances.

Special precautions for doctors

None.

#### 5. FIREFIGHTING MEASURES

Extinguishing media

This product is incombustible, because it is available as a solution. Use powder, carbon dioxide, dry sand, or other materials depending on the type of fire in the surrounding area.

Prohibited extinguishing media

the

Pouring straight streams of water.

Special hazards arising from the

Container breakage may occur due to heat. Irritant,

product

corrosive, and toxic gases may be produced due to the fire.

Nanopia KL-6 Buffer Solution (1)

2017/04/07

Specific methods of fire fighting

If it is not dangerous, remove the containers from the fire. Even after extinguishment, cool the containers sufficiently

with large quantities of water.

Protection of fire fighters

SDS number: 18-28-01

Perform fire fighting from the windward. Wear appropriate protective gear depending on the case.

# **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Isolate the people immediately from the leakage zone which should be appropriately separated in all directions from the origin of the leakage.

If leakage occurs indoors, continue adequate ventilation until the place is cleared up completely.

Take appropriate measures, such as stretching a rope around the leakage zone, to forbid persons except authorized

personnel to enter the leakage zone.

Take measures for leakage from the windward, and remove the people from the lee.

Caution should be observed to prevent slipping on the leaks.

Keep out people except authorized personnel.

Let the operators wear appropriate protective gear (see the "8. EXPOSURE CONTROLS/PERSONAL PROTECTION" section) to prevent contact with eyes and skin and inhalation.

Forbid the operators without appropriate protective gear to

touch broken containers or leaks.

Ventilate closed places.

**Environmental precautions** 

Caution must be exercised to prevent the outflow of drug leaks or concentrated effluents into rivers or other places. When leaks are diluted with large quantities of water, caution must be exercised to avoid the outflow of contaminated water which has failed to be treated adequately into the environment.

Collection and neutralization

Wipe the leaks with rags or the like and then clean the

affected area with a damp cloth.

Methods and materials for containment and cleaning up

Stop the leakage, if it is not dangerous.

Measures against secondary disasters

Prevent inflow into sewers, drains, basements, or closed places.

# 7. HANDLING AND STORAGE

# Handling

Technical measures (Local ventilation/general Ventilation)

Take the facility measures mentioned in the "8. EXPOSURE CONTROLS/PERSONAL PROTECTION" section and wear appropriate protective gear. Ventilate closed places.

Precautions for safe handling

Avoid contact with eyes and skin.

Avoid swallowing.

Avoid breathing mist, vapor, and spray. After use, seal the container tightly.

Nanopia KL-6 Buffer Solution (1)

2017/04/07

Avoid leakage, overflow, and scattering.

Avoid rough handling of containers, such as inverting,

dropping, strongly pressurizing, and pulling.

Avoidance of contact

SDS\_number: 18-28-01

See the "10. STABILITY AND REACTIVITY" section.

Sanitation measures After handling, wash the hands thoroughly.

Avoid eating and drinking or smoking when this product is

used.

Storage

Conditions for safe storage Place in a tightly closed container and store in a cool place

(2-10°C), protected from direct sunlight. Store separately

from oxidants, acidic substances, and metals.

Prohibit the use of frozen product, because accurate results

may not be obtained due to qualitative change.

Safe container and package

materials

Keep in the dedicated containers.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Facility measures When using indoors, ventilate the workplace. Install a

restroom with washbasins in the workrooms where this product is stored or handled and show clearly where it is.

Control parameters

Not specified

Acceptable concentration

Japan Society for Occupational

Not specified

Helth

ACGIH

Not specified

Personal protective equipment

Respiratory protection

Wear appropriate personal protective gear for breathing as

necessary.

Hand protection

Wear appropriate personal protective globes.

Eye protection

Wear appropriate personal safety goggles.

Skin/body protection

Wear appropriate personal protective gear, such as

protective clothing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance				Upper/lower	Specific gravity	
Physical state	Color	pН	Flashing point	flammability or explosive limits	(relative	Solubility
Liquid	Clear pale yellow	5.1 (25°C)	Non flammable	Non explosive	1.051	This product is available as a solution.

# **10. STABILITY AND REACTIVITY**

Chemical stability

Stable under usual handling conditions.

Possibility of hazardous reactions

Nonreactive under usual conditions.

Conditions to avoid

Direct sunlight, heat, and air.

Incompatible materials

Data not available.

Hazardous decomposition products

Data not available.

2017/04/07

#### 11. TOXICOLOGICAL INFORMATION

SDS\_number: 18-28-01

This product does not contain any hazardous substances at concentrations which are higher than those specified by laws and regulations.

# 12. ECOLOGICAL INFORMATION

Ecotoxicity Data not available.
Persistence and degradability Data not available.
Bioaccumulative potential Data not available.

Mobility in soil Because this product is available as a liquid, its ingredients

could be transported into water and soil.

Results of PBT and vPvB assessment Data not available.

#### 13. DISPOSAL CONSIDERATIONS

Surplus or waste (residues) When extremely small quantities of waste is discarded

through a drainage outlet, let it flow together with large quantities of water to avoid damage to water pipes. When large quantities of waste is discarded, commission their disposal to a waste disposal company licensed by the

prefectural governor.

Contaminated containers and

packaging

Rinse contaminated containers thoroughly with water,

classify them, and discard.

# 14. TRANSPORT INFORMATION

UN number	UN proper shipping name	Transport hazard class	Packaging group	Environmental hazards
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Special precautions for user In compliance with the "7. HANDLING AND STORAGE"

Not applicable.

Not applicable.

section. Before transportation, confirm the absence of breakage, corrosion, leakage, etc. in the containers. Place the containers on board in a manner that will cause no tumbling, falling, and damage and take reliable measures

against container collapsing on board.

#### 15. REGULATORY INFORMATION

Law concerning Pollutant Release and Transfer Register (PRTR Law)

Industrial Safety and Health Law

Poisonous and Deleterious

Substances Control Law Not applicable.

Pharmaceutical and Medical

Device Act In vitro diagnostic Ship Safety Law Not applicable. Civil Aeronautics Act Not applicable.

#### 16. OTHER INFORMATION

References (1) National Institute of Technology and Evaluation:

http://www.safe.nite.go.jp/ghs/list.html

SDS number: 18-28-01

(2) Ministry of Health, Labour and Welfare Workplace Safety Site: http://anzeninfo.mhlw.go.jp/anzen\_ pg/GHS\_MSD\_FND.aspx

- (3) All data about the substances covered by the Law concerning Pollutant Release and Transfer Register (PRTR) MSDS (The Chemical Daily Co., Ltd.)
- (4) All data about the substances covered by the Industrial Safety and Health Law MSDS (The Chemical Daily Co., Ltd.) The information of this product safety data sheet is based on the present state of our knowledge. It does not include all information. If new information is obtained, it may be added or the original information may be corrected. The information is applicable to the product with regard to appropriate safety precautions and does not represent any guarantee of the properties of the product. It is requested that the user be responsible for ensuring conditions for safe use.

Other

2017/04/07

# Safety Data Sheet

### 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product name

Nanopia KL-6 Latex Reagent (2) (in vitro diagnostic)

Company name

SEKISUI MEDICAL CO., LTD.

Address

SDS\_number: 18-28-02

2-1-3 Nihonbashi, Chuo-ku, Tokyo, Japan

Supplier

Address

3-3-1 Koyodai, Ryugasaki, Ibaraki, Japan Quality Assurance Unit, Tsukuba Plant

Telephone

+81-297-62-7551

Fax

+81-297-62-5238

Reference No.

Division in charge

18-28-02

#### 2. HAZARDS IDENTIFICATION

GHS classification

Out of the classification criteria

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical or mixture

Mixture (this product does not contain any hazardous substances at concentrations which are higher than those

specified by laws and regulations).

# 4. FIRST AID MEASURES

Inhalation Remove the victim to a place with fresh air. Let him gargle

and keep him quiet and warm. If the victim feels ill, get

medical advice.

Skin contact Wash the skin immediately with large quantities of water.

If itching, inflammation, or other symptoms occur, get medical advice. Remove contaminated clothes and wash

them before reuse.

Eye contact Wash the eye immediately with large quantities of water for

at least 15 min and get medical advice. Remove the contact lens if it can be removed easily. Continue the eye

washing subsequently.

Swallowing Rinse mouth and dilute this product by letting the victim

drink large quantities of water. Immediately get medical

advice.

Protection of first aid givers Wear protective gear, such as globes, to avoid contact with

harmful substances.

Special precautions for doctors

None.

# 5. FIREFIGHTING MEASURES

Extinguishing media

This product is incombustible, because it is available as a solution. Use powder, carbon dioxide, dry sand, or other materials depending on the type of fire in the surrounding

area.

Prohibited extinguishing media

Special hazards arising from the

product

Pouring straight streams of water.

Container breakage may occur due to heat. Irritant,

corrosive, and toxic gases may be produced due to the fire.

Nanopia KL-6 Latex Reagent (2)

2017/04/07

Specific methods of fire fighting If it is not dangerous, remove the containers from the fire.

Even after extinguishment, cool the containers sufficiently

with large quantities of water.

Protection of fire fighters Perform fire fighting from the windward. Wear appropriate

protective gear depending on the case.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

SDS\_number: 18-28-02

Isolate the people immediately from the leakage zone which should be appropriately separated in all directions from the origin of the leakage.

If leakage occurs indoors, continue adequate ventilation until the place is cleared up completely.

Take appropriate measures, such as stretching a rope around

the leakage zone, to forbid persons except authorized personnel to enter the leakage zone.

Take measures for leakage from the windward, and remove the people from the lee.

Caution should be observed to prevent slipping on the leaks.

Keep out people except authorized personnel.

Let the operators wear appropriate protective gear (see the "8. EXPOSURE CONTROLS/PERSONAL PROTECTION" section) to prevent contact with eyes and skin and inhalation.

Forbid the operators without appropriate protective gear to touch broken containers or leaks.

Ventilate closed places.

**Environmental precautions** 

Caution must be exercised to prevent the outflow of drug leaks or concentrated effluents into rivers or other places. When leaks are diluted with large quantities of water, caution must be exercised to avoid the outflow of contaminated water which has failed to be treated adequately into the environment.

Collection and neutralization

Wipe the leaks with rags or the like and then clean the

affected area with a damp cloth.

Methods and materials for containment and cleaning up

Stop the leakage, if it is not dangerous.

Measures against secondary disasters

Prevent inflow into sewers, drains, basements, or closed places.

# 7. HANDLING AND STORAGE

Handling

Technical measures

(Local ventilation/general

Ventilation)

Take the facility measures mentioned in the "8. EXPOSURE CONTROLS/PERSONAL PROTECTION" section and wear appropriate protective gear. Ventilate closed places.

Precautions for safe handling

Avoid contact with eyes and skin.

Avoid swallowing.

Avoid breathing mist, vapor, and spray. After use, seal the container tightly.

2017/04/07

Avoid leakage, overflow, and scattering.

Avoid rough handling of containers, such as inverting,

dropping, strongly pressurizing, and pulling.

Avoidance of contact See the "10. STABILITY AND REACTIVITY" section. Sanitation measures After handling, wash the hands thoroughly.

Avoid eating and drinking or smoking when this product is

used.

Storage

Conditions for safe storage Place in a tightly closed container and store in a cool place

(2-10°C), protected from direct sunlight. Store separately

from oxidants, acidic substances, and metals.

Prohibit the use of frozen product, because accurate results

may not be obtained due to qualitative change.

Safe container and package

SDS\_number: 18-28-02

materials

Keep in the dedicated containers.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

When using indoors, ventilate the workplace. Install a Facility measures

> restroom with washbasins in the workrooms where this product is stored or handled and show clearly where it is.

Not specified Control parameters

Acceptable concentration

Japan Society for Occupational

Helth

Not specified

**ACGIH** Not specified

Personal protective equipment

Wear appropriate personal protective gear for breathing as Respiratory protection

necessary.

Hand protection Wear appropriate personal protective globes. Eye protection Wear appropriate personal safety goggles.

Skin/body protection Wear appropriate personal protective gear, such as

protective clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance				Upper/lower	Specific gravity	
Physical state	Color	рН	Flashing point	flammability or explosive limits	(relative density)	Solubility
Liquid	White	Data not available.	Non flammable	Non explosive	-	This product is available as a solution.

# 10. STABILITY AND REACTIVITY

Chemical stability Stable under usual handling conditions. Possibility of hazardous reactions Nonreactive under usual conditions.

Conditions to avoid Direct sunlight, heat, and air.

Incompatible materials Data not available. Hazardous decomposition products Data not available.

Nanopia KL-6 Latex Reagent (2)

2017/04/07

#### 11. TOXICOLOGICAL INFORMATION

SDS number: 18-28-02

This product does not contain any hazardous substances at concentrations which are higher than those specified by laws and regulations.

# 12. ECOLOGICAL INFORMATION

Data not available. **Ecotoxicity** 

Persistence and degradability Data not available. Data not available. Bioaccumulative potential

Because this product is available as a liquid, its ingredients Mobility in soil

could be transported into water and soil.

Results of PBT and vPvB assessment Data not available.

#### 13. DISPOSAL CONSIDERATIONS

Surplus or waste (residues) When extremely small quantities of waste is discarded

> through a drainage outlet, let it flow together with large quantities of water to avoid damage to water pipes. When large quantities of waste is discarded, commission their disposal to a waste disposal company licensed by the

prefectural governor.

Contaminated containers and

packaging

Rinse contaminated containers thoroughly with water,

classify them, and discard.

#### 14. TRANSPORT INFORMATION

UN number	UN proper shipping name	Transport hazard class	Packaging group	Environmental hazards
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

In compliance with the "7. HANDLING AND STORAGE" Special precautions for user

> section. Before transportation, confirm the absence of breakage, corrosion, leakage, etc. in the containers. Place the containers on board in a manner that will cause no tumbling, falling, and damage and take reliable measures

against container collapsing on board.

# 15. REGULATORY INFORMATION

Law concerning Pollutant Release and Transfer Register (PRTR Law)

Industrial Safety and Health Law

Poisonous and Deleterious Substances Control Law

Pharmaceutical and Medical

Device Act Ship Safety Law Civil Aeronautics Act Not applicable. Not applicable.

Not applicable.

In vitro diagnostic Not applicable. Not applicable.

#### 16. OTHER INFORMATION

References (1) National Institute of Technology and Evaluation:

http://www.safe.nite.go.jp/ghs/list.html

SDS number: 18-28-02

- (2) Ministry of Health, Labour and Welfare Workplace Safety Site: http://anzeninfo.mhlw.go.jp/anzen\_ pg/GHS\_MSD\_FND.aspx
- (3) All data about the substances covered by the Law concerning Pollutant Release and Transfer Register (PRTR) MSDS (The Chemical Daily Co., Ltd.)
- (4) All data about the substances covered by the Industrial Safety and Health Law MSDS (The Chemical Daily Co., Ltd.) The information of this product safety data sheet is based on the present state of our knowledge. It does not include all information. If new information is obtained, it may be added or the original information may be corrected. The information is applicable to the product with regard to appropriate safety precautions and does not represent any guarantee of the properties of the product. It is requested that the user be responsible for ensuring conditions for safe use.

Other