

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 1/30/2020 Revision date: 2/13/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture Product name : Sweet Grace

UFI : 3GTV-V3HW-R008-WY3G

Product code : Fragrance Oil Type of product : Perfumes, fragrances Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Eco Candle Project by Vegteam Rua Quinta de Santa Marta nº 4 Escritorios EF 1495-171 Algés -Portugal T +351 911 749 753 info@ecocandleproject.com

1.4. Emergency telephone number

Emergency number : T+351 911 749 753 ou CIAV 800 250 250

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Skin sensitisation, Category 1 H317 Reproductive toxicity, Category 2 H361 Aspiration hazard, Category 1 H304 Hazardous to the aquatic environment - Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of damaging fertility or the unborn child. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



GHS07 GHS08 GHS09

Signal word (CLP) : Danger

Contains : Bergamot oil, beta-Caryophyllene, Citronellol Pure, Citral, COUMARIN, Cuminic aldehyde,

Cyclamal, delta-Damascone, d-Limonene, Floralozone, Geraniol, Ginger oil, Linalool, Linalyl

acetate, Lemon oil, Patchouli oil, Triplal (Vertocitral), Vertofix

Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H361 - Suspected of damaging fertility or the unborn child. H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

: For professional users only.

2.3. Other hazards

Extra phrases

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL)	CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699-	12.05 – 24.1	Not classified
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	4.725 – 9.45	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789-	3.525 – 7.05	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	3 – 6	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411

Safety Data Sheet



ECO CANDLE PROJECT

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lemon oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8;616-925-3	2.625 – 5.25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	2.1 – 4.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	2.025 – 4.05	Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Bergamot oil	CAS-No.: 8007-75-8 EC-No.: 289-612-9	1.8 – 3.6	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.74925 – 1.4985	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.675 – 1.35	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Floralozone	CAS-No.: 67634-15-5 EC-No.: 266-819-2 REACH-no: 01-2120758796- 34	0.675 – 1.35	Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.6 – 1.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
zingiber officinale (ginger) root oil	CAS-No.: 8007-08-7 EC-No.: 283-634-2, 616-904- 9	0.45 – 0.9	Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.375 – 0.75	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.375 – 0.75	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
acetyl cedrene	CAS-No.: 32388-55-9 EC-No.: 251-020-3 REACH-no: 01-2119969651- 28	0.375 – 0.75	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
delta-Damascone	CAS-No.: 57378-68-4 EC-No.: 260-709-8	0.3 – 0.6	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	0.225 – 0.45	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.15 – 0.3	Skin Sens. 1B, H317 Asp. Tox. 1, H304
Cuminic aldehyde	CAS-No.: 122-03-2 EC-No.: 204-516-9	0.075 – 0.15	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
Isobutyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH)	CAS-No.: 110-19-0 EC-No.: 203-745-1 EC Index-No.: 607-026-00-7	0 – 0.0015	Flam. Liq. 2, H225 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.
Symptoms/effects after ingestion : Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2/13/2023 (Revision date) US - en 5/21





Citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m³ (vapor and aerosol)	
OEL TWA [ppm]	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	5 ppm	
OEL STEL [ppm]	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	5 ppm	
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
-L		

Safety Data Sheet



VIA.ED (OEL TWA) [1] 168 mg/m² VIA.ED (OEL TWA) [2] 30 ppm OEL chemical category Sensitizar, skin - potential for cutaneous absorption OEL chemical category Sensitizar, skin - potential for cutaneous absorption OEL chemical category OEL TWA) [1] 140 mg/m² OEL chemical category OEL TWA) [2] 25 ppm OEL chemical category OEL STEL) 175 mg/m² (value calculated) OEL chemical category Allergenic substance OEL TWA) [1] 40 mg/m² OEL chemical category Allergenic substance OEL TWA) [1] 40 mg/m² OEL CHAN) [1] 40 mg/m² OEL CHAN) [2] 7 ppm OEL CHAN) [2] OEL CHAN) OEL OEL CHAN) OEL CHAN) OEL OEL CHAN) OEL OEL CHAN) OEL CHAN) OE	d-Limonene (5989-27-5)		
VILAED (OEL TWA) [2] 30 ppm	Spain - Occupational Exposure Limits		
Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverd (OEL TWA) [1] 140 mg/m² Grenseverd (OEL TWA) [2] 25 ppm Kortitidsverd (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Aliergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [2] 40 mg/m² MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m² KZGW (OEL STEL) 80 mg/m² KZGW (OEL STEL) 80 mg/m² MAK (OEL TWA) [1] 14 ppm OEL chemical category Sensitizer Sensitiz	VLA-ED (OEL TWA) [1]	168 mg/m³	
Norway - Occupational Exposure Limits 140 mg/m²	VLA-ED (OEL TWA) [2]	30 ppm	
Grenseverdi (OEL TWA) [1]	OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Sepan	Norway - Occupational Exposure Limits		
Nortidayerdi (OEL STEL) 175 mg/m³ (value calculated)	Grenseverdi (OEL TWA) [1]	140 mg/m³	
Allergenic substance	Grenseverdi (OEL TWA) [2]	25 ppm	
Allergenic substance	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m² MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Isobutyl acctate (110-19-0) 4 ppm Austria - Occupational Exposure Limits 240 mg/m² (Bulyl acetates) MAK (OEL TWA) 50 ppm (Butyl acetates) MAK (OEL STEL) 480 mg/m² (Bulyl acetate) MAK (OEL STEL) [ppm] 100 ppm (Butyl acetate) Belgium - Occupational Exposure Limits 0EL TWA OEL TWA [ppm] 50 ppm OEL STEL 712 mg/m² OEL STEL [ppm] 150 ppm Bulgaria - Occupational Exposure Limits 0EL TWA [ppm] OEL TWA [ppm] 50 ppm OEL STEL [ppm] 50 ppm OEL STEL [ppm] 150 ppm OEL STEL [ppm] 150 ppm OEL STEL [ppm] 50 ppm OEL STEL [ppm] 50 ppm OEL STEL [ppm] 150 ppm Croatia - Occupational Exposure Limits 723 mg/m²	Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
MAK (OEL TWA) [1]	OEL chemical category	Allergenic substance	
MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m² KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Isobutyl acetate (110-19-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 240 mg/m² (Butyl acetates) MAK (OEL TWA) [ppm] 50 ppm (Butyl acetate) MAK (OEL STEL) [ppm] 100 ppm (Butyl acetate) MAK (OEL STEL) [ppm] 100 ppm (Butyl acetate) MAK (OEL STEL) [ppm] 50 ppm DEL TWA 238 mg/m² OEL TWA 238 mg/m² OEL TWA [ppm] 50 ppm DEL STEL 712 mg/m² OEL STEL [ppm] 150 ppm Bulgaria - Occupational Exposure Limits OEL TWA 241 mg/m² OEL TWA 241 mg/m² OEL TWA [ppm] 50 ppm COEL TWA [ppm] 50 ppm OEL STEL [ppm] 150 ppm OEL STEL [ppm] 50 ppm COEL TWA [ppm] 50 ppm OEL STEL [ppm] 50 ppm OEL STEL [ppm] 50 ppm COEL STEL [ppm] 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m² GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m² KGVI (OEL STEL) 723 mg/m² KGVI (OEL STEL) 723 mg/m² KGVI (OEL STEL) [ppm] 150 ppm Cryprus - Occupational Exposure Limits	Switzerland - Occupational Exposure Limits		
RZGW (OEL STEL) 80 mg/m²	MAK (OEL TWA) [1]	40 mg/m³	
Marcon M	MAK (OEL TWA) [2]	7 ppm	
Sensitizer	KZGW (OEL STEL)	80 mg/m³	
Sobutyl acetate (110-19-0)	KZGW (OEL STEL) [ppm]	14 ppm	
Austria - Occupational Exposure Limits MAK (OEL TWA) 240 mg/m³ (Butyl acetates) MAK (OEL TWA) (ppm] 50 ppm (Butyl acetates) MAK (OEL STEL) 480 mg/m³ (Butyl acetate) MAK (OEL STEL) [ppm] 100 ppm (Butyl acetate) Belgium - Occupational Exposure Limits OEL TWA 238 mg/m³ OEL TWA [ppm] 50 ppm OEL STEL 712 mg/m³ OEL STEL [ppm] 150 ppm Bulgaria - Occupational Exposure Limits OEL TWA 241 mg/m³ OEL TWA [ppm] 50 ppm OEL STEL 723 mg/m³ OEL STEL 723 mg/m³ OEL STEL 723 mg/m³ OEL STEL 723 mg/m³ OEL STEL [ppm] 50 ppm OEL STEL 723 mg/m³ OEL STEL [ppm] 50 ppm Groatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) [ppm] 150 ppm GVprus - Occupational Exposure Limits	OEL chemical category	Sensitizer	
MAK (OEL TWA) 240 mg/m³ (Butyl acetates) MAK (OEL TWA) [ppm] 50 ppm (Butyl acetates) MAK (OEL STEL) 480 mg/m³ (Butyl acetate) MAK (OEL STEL) [ppm] 100 ppm (Butyl acetate) Belgium - Occupational Exposure Limits OEL TWA 238 mg/m³ OEL TWA [ppm] 50 ppm OEL STEL 712 mg/m³ OEL STEL [ppm] 150 ppm Bulgaria - Occupational Exposure Limits OEL TWA 241 mg/m³ OEL TWA 241 mg/m³ OEL STEL 723 mg/m³ OEL STEL 723 mg/m³ OEL STEL 723 mg/m³ OEL TWA 241 mg/m³ OEL TWA [ppm] 50 ppm OEL STEL 723 mg/m³ OEL STEL 723 mg/m³ OEL STEL [ppm] 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) [ppm] 150 ppm Cryprus - Occupational Exposure Limits	Isobutyl acetate (110-19-0)		
MAK (OEL TWA) [ppm] 50 ppm (Butyl acetates) MAK (OEL STEL) 480 mg/m³ (Butyl acetate) MAK (OEL STEL) [ppm] 100 ppm (Butyl acetate) Belgium - Occupational Exposure Limits OEL TWA 238 mg/m³ OEL TWA [ppm] 50 ppm OEL STEL 712 mg/m³ OEL STEL [ppm] 150 ppm Bulgaria - Occupational Exposure Limits OEL TWA 241 mg/m³ OEL TWA 241 mg/m³ OEL TWA 150 ppm OEL STEL 723 mg/m³ OEL TWA 241 mg/m³ OEL TWA 150 ppm OEL STEL 723 mg/m³ OEL TWA 150 ppm OEL STEL 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) [ppm] 150 ppm Cryprus - Occupational Exposure Limits	Austria - Occupational Exposure Limits		
MAK (OEL STEL) [ppm] 100 ppm (Butyl acetate) Belgium - Occupational Exposure Limits OEL TWA 238 mg/m² OEL TWA [ppm] 50 ppm OEL STEL 712 mg/m³ OEL STEL [ppm] 150 ppm Bulgaria - Occupational Exposure Limits OEL TWA [ppm] 50 ppm CEL TWA 241 mg/m³ OEL TWA [ppm] 50 ppm COEL TWA 241 mg/m³ OEL TWA [ppm] 50 ppm COEL TWA [ppm] 50 ppm COEL STEL 723 mg/m³ OEL STEL 723 mg/m³ OEL STEL [ppm] 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) [ppm] 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) [ppm] 150 ppm	MAK (OEL TWA)	240 mg/m³ (Butyl acetates)	
MAK (OEL STEL) [ppm] 100 ppm (Butyl acetate) Belgium - Occupational Exposure Limits OEL TWA 238 mg/m³ OEL TWA [ppm] 50 ppm OEL STEL 712 mg/m³ OEL STEL [ppm] 150 ppm Bulgaria - Occupational Exposure Limits OEL TWA [ppm] 50 ppm OEL TWA [ppm] 50 ppm OEL TWA [ppm] 50 ppm OEL STEL 723 mg/m³ OEL STEL 723 mg/m³ OEL STEL [ppm] 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) 50 ppm KGVI (OEL STEL) 50 ppm Croatia - Occupational Exposure Limits GVI (OEL STEL) 50 ppm KGVI (OEL STEL) [ppm] 150 ppm Croatia - Occupational Exposure Limits	MAK (OEL TWA) [ppm]	50 ppm (Butyl acetates)	
Del TWA 238 mg/m³ 238 mg	MAK (OEL STEL)	480 mg/m³ (Butyl acetate)	
OEL TWA 238 mg/m³ OEL TWA [ppm] 50 ppm OEL STEL 712 mg/m³ OEL STEL [ppm] 150 ppm Bulgaria - Occupational Exposure Limits OEL TWA 241 mg/m³ OEL TWA [ppm] 50 ppm OEL STEL 723 mg/m³ OEL STEL [ppm] 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) [ppm] 150 ppm Cyprus - Occupational Exposure Limits	MAK (OEL STEL) [ppm]	100 ppm (Butyl acetate)	
OEL TWA [ppm] 50 ppm OEL STEL 712 mg/m³ OEL STEL [ppm] 150 ppm Bulgaria - Occupational Exposure Limits OEL TWA [ppm] 50 ppm OEL TWA [ppm] 50 ppm OEL STEL 723 mg/m³ OEL STEL 723 mg/m³ OEL STEL 723 mg/m³ OEL STEL 724 mg/m³ OEL STEL 725 mg/m³ OEL STEL 725 mg/m³ OEL STEL 725 mg/m³ OEL STEL 725 mg/m³ OEL STEL [ppm] 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) [ppm] 150 ppm Cyprus - Occupational Exposure Limits	Belgium - Occupational Exposure Limits		
OEL STEL 712 mg/m³ OEL STEL [ppm] 150 ppm Bulgaria - Occupational Exposure Limits OEL TWA 241 mg/m³ OEL TWA [ppm] 50 ppm OEL STEL 723 mg/m³ OEL STEL [ppm] 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) [ppm] 150 ppm Cyprus - Occupational Exposure Limits	OEL TWA	238 mg/m³	
OEL STEL [ppm] 150 ppm Bulgaria - Occupational Exposure Limits OEL TWA 241 mg/m³ OEL TWA [ppm] 50 ppm OEL STEL 723 mg/m³ OEL STEL [ppm] 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) [ppm] 150 ppm Cyprus - Occupational Exposure Limits	OEL TWA [ppm]	50 ppm	
Sulgaria - Occupational Exposure Limits Sulfamiliary Sulfami	OEL STEL	712 mg/m³	
OEL TWA 241 mg/m³ OEL TWA [ppm] 50 ppm OEL STEL 723 mg/m³ OEL STEL [ppm] 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) [ppm] 150 ppm Cyprus - Occupational Exposure Limits	OEL STEL [ppm]	150 ppm	
OEL TWA [ppm] 50 ppm OEL STEL 723 mg/m³ OEL STEL [ppm] 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) [ppm] 150 ppm Cyprus - Occupational Exposure Limits	Bulgaria - Occupational Exposure Limits		
OEL STEL 723 mg/m³ OEL STEL [ppm] 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) [ppm] 150 ppm Cyprus - Occupational Exposure Limits	OEL TWA	241 mg/m³	
OEL STEL [ppm] 150 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) [ppm] 150 ppm Cyprus - Occupational Exposure Limits	OEL TWA [ppm]	50 ppm	
Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) [ppm] 150 ppm Cyprus - Occupational Exposure Limits 150 ppm	OEL STEL	723 mg/m³	
GVI (OEL TWA) [1] 241 mg/m³ GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) [ppm] 150 ppm Cyprus - Occupational Exposure Limits	OEL STEL [ppm]	150 ppm	
GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 723 mg/m³ KGVI (OEL STEL) [ppm] 150 ppm Cyprus - Occupational Exposure Limits	Croatia - Occupational Exposure Limits		
KGVI (OEL STEL) KGVI (OEL STEL) [ppm] Cyprus - Occupational Exposure Limits	GVI (OEL TWA) [1]	241 mg/m³	
KGVI (OEL STEL) [ppm] 150 ppm Cyprus - Occupational Exposure Limits	GVI (OEL TWA) [2]	50 ppm	
Cyprus - Occupational Exposure Limits	KGVI (OEL STEL)	723 mg/m³	
	KGVI (OEL STEL) [ppm]	150 ppm	
OEL TWA 241 mg/m³	Cyprus - Occupational Exposure Limits		
	OEL TWA	241 mg/m³	

Safety Data Sheet



OEL TWA [ppm] 50 ppm OEL STEL 723 mg/m³ OEL STEL [ppm] 150 ppm Czech Republic - Occupational Exposure Limits PEL (OEL TWA) 241 mg/m³ Denmark - Occupational Exposure Limits OEL TWA [1] 241 mg/m³ (Butyl acetate, all isomers) OEL TWA [2] 50 ppm (Butyl acetate, all isomers) Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 240 mg/m³ (Butyl acetate) HTP (OEL STEL) [ppm] 150 ppm (Butyl acetate) HTP (OEL STEL) [ppm] 150 ppm (Butyl acetate) Finance - Occupational Exposure Limits VME (OEL TWA) (ppm] 150 ppm (Butyl acetate) Finance - Occupational Exposure Limits VME (OEL TWA) (ppm] 150 ppm (m² VME (OEL TWA) (ppm] 150 ppm Occupational Exposure Limits (TRGS 90) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Gerece - Occupational Exposure Limits OCEL TWA) [2] 62 ppm	Isobutyl acetate (110-19-0)	
Czech Republic - Occupational Exposure Limits PEL (OEL TWA) Denmark - Occupational Exposure Limits OEL TWA [1] OEL TWA [2] Finland - Occupational Exposure Limits HTP (OEL TWA) [1] AUM [1] 240 mg/m³ (Butyl acetate, all isomers) Finland - Occupational Exposure Limits HTP (OEL TWA) [1] AUM [1] 240 mg/m³ (Butyl acetate) HTP (OEL TWA) [2] 50 ppm (Butyl acetate) HTP (OEL TWA) [2] 50 ppm (Butyl acetate) HTP (OEL STEL) France - Occupational Exposure Limits France - Occupational Exposure Limits VME (OEL TWA) [ppm] 150 ppm 150 ppm VLE (OEL TWA) [ppm] 150 ppm VLE (OEL C/STEL) [ppm] 200 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] BOW mg/m³ (OEL TWA) [1] BOW mg/m³ (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits OEL TWA 241 mg/m³	OEL TWA [ppm]	50 ppm
Czech Republic - Occupational Exposure Limits PEL (OEL TWA) Denmark - Occupational Exposure Limits OEL TWA [1] OEL TWA [2] 50 ppm (Butyl acetate, all isomers) Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 240 mg/m³ (Butyl acetate, all isomers) Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 240 mg/m³ (Butyl acetate) HTP (OEL TWA) [2] 50 ppm (Butyl acetate) HTP (OEL STEL) HTP (OEL STEL) [ppm] 150 ppm (Butyl acetate) France - Occupational Exposure Limits VME (OEL TWA) VME (OEL TWA) VME (OEL TWA) [ppm] 150 ppm VLE (OEL C/STEL) [ppm] 200 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits OEL TWA 241 mg/m³	OEL STEL	723 mg/m³
PEL (OEL TWA) Denmark - Occupational Exposure Limits OEL TWA [1] 241 mg/m³ (Butyl acetate, all isomers) OEL TWA [2] 50 ppm (Butyl acetate, all isomers) Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 240 mg/m³ (Butyl acetate) HTP (OEL TWA) [2] 50 ppm (Butyl acetate) HTP (OEL STEL) HTP (OEL STEL) T25 mg/m³ (Butyl acetate) HTP (OEL STEL) [ppm] 150 ppm (Butyl acetate) France - Occupational Exposure Limits VME (OEL TWA) 710 mg/m³ VME (OEL TWA) VME (OEL TWA) VME (OEL TWA) Paper Pap	OEL STEL [ppm]	150 ppm
Denmark - Occupational Exposure Limits OEL TWA [1] 241 mg/m³ (Butyl acetate, all isomers) OEL TWA [2] 50 ppm (Butyl acetate, all isomers) Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 240 mg/m³ (Butyl acetate) HTP (OEL TWA) [2] 50 ppm (Butyl acetate) HTP (OEL STEL) 725 mg/m³ (Butyl acetate) HTP (OEL STEL) [ppm] 150 ppm (Butyl acetate) France - Occupational Exposure Limits VME (OEL TWA) 710 mg/m³ VME (OEL TWA) 710 mg/m³ VME (OEL TWA) [ppm] 150 ppm VLE (OEL C/STEL) 940 mg/m³ VLE (OEL C/STEL) [ppm] 200 ppm Germany - Occupational Exposure Limits (TRGS 90) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits Greece - Occupational Exposure Limits OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	Czech Republic - Occupational Exposure Limits	
OEL TWA [1] 241 mg/m³ (Butyl acetate, all isomers) OEL TWA [2] 50 ppm (Butyl acetate, all isomers) Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 240 mg/m³ (Butyl acetate) HTP (OEL TWA) [2] 50 ppm (Butyl acetate) HTP (OEL STEL) 725 mg/m³ (Butyl acetate) HTP (OEL STEL) [ppm] 150 ppm (Butyl acetate) France - Occupational Exposure Limits VME (OEL TWA) 710 mg/m³ VME (OEL TWA) [ppm] 150 ppm VLE (OEL C/STEL) 940 mg/m³ VLE (OEL C/STEL) [ppm] 200 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits OCEL TWA) 241 mg/m³	PEL (OEL TWA)	241 mg/m³
OEL TWA [2] 50 ppm (Butyl acetate, all isomers) Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 240 mg/m³ (Butyl acetate) HTP (OEL TWA) [2] 50 ppm (Butyl acetate) HTP (OEL STEL) 725 mg/m³ (Butyl acetate) HTP (OEL STEL) [ppm] 150 ppm (Butyl acetate) France - Occupational Exposure Limits VME (OEL TWA) [ppm] 150 ppm VME (OEL TWA) [ppm] 150 ppm VLE (OEL C/STEL) 940 mg/m³ VLE (OEL C/STEL) [ppm] 200 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits Greece - Occupational Exposure Limits 241 mg/m³	Denmark - Occupational Exposure Limits	
Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 240 mg/m³ (Butyl acetate) HTP (OEL TWA) [2] 50 ppm (Butyl acetate) HTP (OEL STEL) 725 mg/m³ (Butyl acetate) HTP (OEL STEL) [ppm] 150 ppm (Butyl acetate) France - Occupational Exposure Limits VME (OEL TWA) 710 mg/m³ VME (OEL TWA) [50 ppm] 150 ppm VLE (OEL C/STEL) 940 mg/m³ VLE (OEL C/STEL) 940 mg/m³ VLE (OEL C/STEL) [ppm] 200 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits Get TWA 241 mg/m³	OEL TWA [1]	241 mg/m³ (Butyl acetate, all isomers)
HTP (OEL TWA) [1] 240 mg/m³ (Butyl acetate) HTP (OEL STEL) 725 mg/m² (Butyl acetate) HTP (OEL STEL) 150 ppm (Butyl acetate) HTP (OEL STEL) [ppm] 150 ppm (Butyl acetate) France - Occupational Exposure Limits VME (OEL TWA) 710 mg/m³ VME (OEL TWA) [ppm] 150 ppm VLE (OEL C/STEL) 940 mg/m³ VLE (OEL C/STEL) 940 mg/m³ VLE (OEL C/STEL) [ppm] 200 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits Greece - Occupational Exposure Limits	OEL TWA [2]	50 ppm (Butyl acetate, all isomers)
HTP (OEL TWA) [2] 50 ppm (Butyl acetate) HTP (OEL STEL) 725 mg/m³ (Butyl acetate) HTP (OEL STEL) [ppm] 150 ppm (Butyl acetate) France - Occupational Exposure Limits VME (OEL TWA) 710 mg/m³ VME (OEL TWA) [ppm] 150 ppm VLE (OEL C/STEL) 940 mg/m³ VLE (OEL C/STEL) [ppm] 200 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits OEL TWA 241 mg/m³	Finland - Occupational Exposure Limits	
HTP (OEL STEL) [ppm] 150 ppm (Butyl acetate) France - Occupational Exposure Limits VME (OEL TWA) 710 mg/m³ VME (OEL TWA) [ppm] 150 ppm VLE (OEL C/STEL) [ppm] 200 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits OEL TWA 241 mg/m³	HTP (OEL TWA) [1]	240 mg/m³ (Butyl acetate)
HTP (OEL STEL) [ppm] 150 ppm (Butyl acetate) France - Occupational Exposure Limits VME (OEL TWA) 710 mg/m³ VME (OEL TWA) [ppm] 150 ppm VLE (OEL C/STEL) 940 mg/m³ VLE (OEL C/STEL) [ppm] 200 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits OEL TWA 241 mg/m³	HTP (OEL TWA) [2]	50 ppm (Butyl acetate)
VME (OEL TWA) 710 mg/m³ VME (OEL TWA) [ppm] 150 ppm VLE (OEL C/STEL) 940 mg/m³ VLE (OEL C/STEL) [ppm] 200 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits OEL TWA 241 mg/m³	HTP (OEL STEL)	725 mg/m³ (Butyl acetate)
VME (OEL TWA) [ppm] 150 ppm 150 ppm 150 ppm 150 ppm 940 mg/m³ VLE (OEL C/STEL) 940 mg/m³ 200 ppm 200 ppm 200 ppm 36W (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW calues are observed) 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 241 mg/m³	HTP (OEL STEL) [ppm]	150 ppm (Butyl acetate)
VME (OEL TWA) [ppm] 150 ppm VLE (OEL C/STEL) 940 mg/m³ VLE (OEL C/STEL) [ppm] 200 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits OEL TWA 241 mg/m³	France - Occupational Exposure Limits	
VLE (OEL C/STEL) [ppm] 200 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits OEL TWA 241 mg/m³	VME (OEL TWA)	710 mg/m³
VLE (OEL C/STEL) [ppm] Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits OEL TWA 241 mg/m³	VME (OEL TWA) [ppm]	150 ppm
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits OEL TWA 241 mg/m³	VLE (OEL C/STEL)	940 mg/m³
AGW (OEL TWA) [1] 300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits OEL TWA 241 mg/m³	VLE (OEL C/STEL) [ppm]	200 ppm
BGW values are observed) AGW (OEL TWA) [2] 62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece - Occupational Exposure Limits OEL TWA 241 mg/m³	Germany - Occupational Exposure Limits (TRGS 90	00)
values are observed) Greece - Occupational Exposure Limits OEL TWA 241 mg/m³	AGW (OEL TWA) [1]	
OEL TWA 241 mg/m³	AGW (OEL TWA) [2]	62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	Greece - Occupational Exposure Limits	
OEL TWA [ppm] 50 ppm	OEL TWA	241 mg/m³
	OEL TWA [ppm]	50 ppm
OEL STEL 723 mg/m³	OEL STEL	723 mg/m³
OEL STEL [ppm] 150 ppm	OEL STEL [ppm]	150 ppm
Hungary - Occupational Exposure Limits	Hungary - Occupational Exposure Limits	
AK (OEL TWA) 241 mg/m³	AK (OEL TWA)	241 mg/m³
CK (OEL STEL) 723 mg/m³	CK (OEL STEL)	723 mg/m³
OEL chemical category Sensitizer	OEL chemical category	Sensitizer
Ireland - Occupational Exposure Limits	Ireland - Occupational Exposure Limits	
OEL TWA [1] 241 mg/m³	OEL TWA [1]	241 mg/m³
OEL TWA [2] 50 ppm	OEL TWA [2]	50 ppm
OEL STEL 723 mg/m³ (calculated)	OEL STEL	723 mg/m³ (calculated)
OEL STEL [ppm] 150 ppm (calculated)	OEL STEL [ppm]	150 ppm (calculated)
Italy - Occupational Exposure Limits	Italy - Occupational Exposure Limits	
OEL TWA 241 mg/m³	OEL TWA	241 mg/m³
OEL TWA [ppm] 50 ppm	OEL TWA [ppm]	50 ppm

Safety Data Sheet



Isobutyl acetate (110-19-0)	
OEL STEL	723 mg/m³
OEL STEL [ppm]	150 ppm
Latvia - Occupational Exposure Limits	
OEL TWA	241 mg/m³
OEL TWA [ppm]	50 ppm
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	241 mg/m³
IPRV (OEL TWA) [ppm]	50 ppm
TPRV (OEL STEL)	723 mg/m³
TPRV (OEL STEL) [ppm]	150 ppm
Malta - Occupational Exposure Limits	
OEL TWA	241 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	723 mg/m³
OEL STEL [ppm]	150 ppm
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	241 mg/m³
TGG-15min (OEL STEL)	723 mg/m³
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	240 mg/m³
NDSCh (OEL STEL)	720 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	241 mg/m³ (indicative limit value)
OEL TWA [ppm]	50 ppm (indicative limit value)
OEL STEL	723 mg/m³ (indicative limit value)
OEL STEL [ppm]	150 ppm (indicative limit value)
Romania - Occupational Exposure Limits	
OEL TWA	715 mg/m³
OEL TWA [ppm]	150 ppm
OEL STEL	950 mg/m³
OEL STEL [ppm]	200 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA) [1]	480 mg/m³
NPHV (OEL TWA) [2]	100 ppm
NPHV (OEL C)	700 mg/m³
Slovenia - Occupational Exposure Limits	
OEL TWA	241 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	723 mg/m³

Safety Data Sheet





Isobutyl acetate (110-19-0)		
OEL STEL [ppm]	150 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	724 mg/m³	
VLA-ED (OEL TWA) [2]	150 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	241 mg/m³ (Butyl acetates)	
NGV (OEL TWA) [ppm]	50 ppm (Butyl acetates)	
KTV (OEL STEL)	723 mg/m³ (Butyl acetates)	
KTV (OEL STEL) [ppm]	150 ppm (Butyl acetates)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	724 mg/m³	
WEL TWA (OEL TWA) [2]	150 ppm	
WEL STEL (OEL STEL)	903 mg/m³	
WEL STEL (OEL STEL) [ppm]	187 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	241 mg/m³	
Grenseverdi (OEL TWA) [2]	50 ppm	
Korttidsverdi (OEL STEL)	723 mg/m³ (value from the regulation)	
Korttidsverdi (OEL STEL) [ppm]	150 ppm (value from the regulation)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	240 mg/m³	
MAK (OEL TWA) [2]	50 ppm	
KZGW (OEL STEL)	720 mg/m³	
KZGW (OEL STEL) [ppm]	150 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	50 ppm (Butyl acetates, all isomers)	
ACGIH OEL STEL [ppm]	150 ppm (Butyl acetates, all isomers)	
Bis(2-ethylhexyl) adipate (103-23-1)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	400 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber.

Odour : characteristic. characteristic.

Odour threshold : Not available : Not applicable Melting point : Not available Freezing point : Not available Boiling point Flammability : Not available **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : 70 °C (closed cup) ASTM D7094

: Not available Auto-ignition temperature : Not available Decomposition temperature : Not available pН : Not available Viscosity, kinematic Solubility · Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : Not available Relative density : 0.976

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified
Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.
Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Carolinogoriloity .	Not diagonica	
COUMARIN (91-64-5)		
IARC group 3 - Not classifiable		
d-Limonene (5989-27-5)		
IARC group 3 - Not classifiable		
Bis(2-ethylhexyl) adipate (103-23-1)		
IARC group 3 - Not classifiable		

ECO CANDLE PROJECT

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

STOT-single exposure : Not classified

Isobutyl acetate (110-19-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified

Safety Data Sheet



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard : May be fatal if swallowed and enters airways.

Benzyl benzoate (120-51-4)

Viscosity, kinematic 7.456 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

: Not classified

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term :

(chronic)

: Toxic to aquatic life with long lasting effects.

Safety Data Sheet



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
beta-Caryophyllene (87-44-5)		
Partition coefficient n-octanol/water (Log Pow) 6.23 (at 25 °C (at pH 7)		
Citronellol Pure (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)	
Citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	

Safety Data Sheet



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

uminic aldehyde (122-03-2)	
Partition coefficient n-octanol/water (Log Pow)	2.8 (at 35 °C (at pH 7)
Cyclamal (103-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)
d-Limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
Geraniol (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)
Isobutyl acetate (110-19-0)	
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 7)
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
Bis(2-ethylhexyl) adipate (103-23-1)	
Partition coefficient n-octanol/water (Log Pow)	8.94 (at 25 °C)
acetyl cedrene (32388-55-9)	
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



HP Code

- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 $^{\circ}\text{C}$ and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP10 - "Toxic for reproduction:" waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Vertofix)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Vertofix)	Environmentally hazardous substance, liquid, n.o.s. (Vertofix)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Vertofix)	(Vertofix)
Fransport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Vertofix), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Vertofix), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Vertofix), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Vertofix), 9, III	UN 3082 (Vertofix)
14.3. Transport hazard o	class(es)			
9	9	9	9	Not applicable

14.4. Packing group				
III	III	III	III	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available	1		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 : T4 Tank instructions (IMDG) Tank special provisions (IMDG) : TP2, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

No data available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	Bergamot oil ; d- Limonene ; Isobutyl acetate ; Lemon oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	Sweet Grace ; Benzyl benzoate; Bergamot oil; Citronellol Pure; Citral; Cuminic aldehyde; Cyclamal; delta-Damascone; d- Limonene; Floralozone; Geraniol; zingiber officinale (ginger) root oil; Isobutyl acetate; Linalool; Linalyl acetate; Lemon oil; Patchouli oil; Triplal (Vertocitral); acetyl cedrene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	Sweet Grace ; Benzyl benzoate; Bergamot oil; Cyclamal; delta-Damascone; d- Limonene; Floralozone; zingiber officinale (ginger) root oil; Lemon oil; Patchouli oil; Triplal (Vertocitral); acetyl cedrene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Bergamot oil ; d- Limonene ; Isobutyl acetate ; Lemon oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 10 - Combustible liquids.

Joint storage table

:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

: LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7. Joint storage not permitted for

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2.

Joint storage permitted for : LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B,

LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Bergamot oil, Floralozone, Ginger oil, Lemon oil , Triplal (Vertocitral) are listed

SZW-lijst van mutagene stoffen : Bergamot oil, Floralozone, Ginger oil, Lemon oil , Triplal (Vertocitral) are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

: None of the components are listed

SZW-lijst van reprotoxische stoffen -

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

Denmark

Vruchtbaarheid

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 6.1 - Toxic materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3





according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUI	H-statements:
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.