

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : ENGLISH PEAR & FREESIA @ 10%

Product code : FRAGRANCE OIL @10% Type of product : Perfumes, fragrances

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

No additional information available

#### 1.4. Emergency telephone number

No additional information available

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements : EUH208 - Contains Hexyl salicylate, Linalool, Geraniol, Nerol, Linalyl acetate, Helional. May

produce an allergic reaction.

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

EN (English) 1/13



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# 3.2. Mixtures

Nama	Product identifies	0/	Classification according to
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	1.45 – 2.9	Aquatic Chronic 2, H411
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	1.26 – 2.518	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.2528 – 0.56187	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.23 – 0.46	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.16 – 0.32	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	0.11 – 0.308	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.066 – 0.22	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.11 – 0.22	Aquatic Chronic 3, H412
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.09 – 0.18	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
p-Cymene substance with national workplace exposure limit(s) (DK, EE, LT, LV, SE)	CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1	0.01 – 0.024	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.0022 – 0.0132	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

EN (English) 2/13



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

# 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

# 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

EN (English) 3/13



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent  $% \left( 1\right) =\left( 1\right) \left( 1\right$ 

formation of vapour.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

# 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

Citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m³ (vapor and aerosol)	
OEL TWA [ppm]	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	5 ppm	
OEL STEL [ppm]	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	

EN (English) 4/13



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Decl. TWA [pm]   10 ppm	Benzyl acetate (140-11-4)		
Denmark - Occupational Exposure Limits   61 mg/m²   10 ppm		10 nom	
OEL TWA [1]   61 mg/m²		10 ppm	
OEL TWA [2]   10 ppm   20 ppm   pp			
CEL STEL   122 mg/m²   20 ppm   10 ppm   20 ppm   10 ppm   20 ppm   10 ppm   20 pp		-	
DEL STEL [ppm]   20 ppm			
Ireland - Occupational Exposure Limits		-	
OEL TWA [2]   10 ppm   30 ppm (calculated)   144 via - Occupational Exposure Limits   5 mg/m²   10 ppm   10 p		20 ppm	
OEL STEL (ppm)         30 ppm (calculated)           Latvia - Occupational Exposure Limits         5 mg/m²           Lithuania - Occupational Exposure Limits         5 mg/m²           IPRV (OEL TWA)         5 mg/m²           Portugal - Occupational Exposure Limits         6 mg/m²           OEL TWA (ppm)         10 ppm           OEL TWA (ppm)         44 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         60 mg/m³           OEL TWA         50 mg/m³           OEL TWA (ppm)         8 ppm           OEL STEL         80 mg/m³           OEL STEL (ppm)         13 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           ACGIH OCL TWA (ppm)         10 ppm           ACGIH - Occupational Exposure Limits           ACGIH - Occupational Exposure Limits           OEL TWA (1]         135 mg/m³ (Methylisopropylbenzenes)           Denmark - Occupational Exposure Limits         135 mg/m³ (Methylisopropylbenzenes)           OEL TWA [2]         25 ppm (Methylisopropylbenzenes)           OEL STEL         270 mg/m² (Methylisopropylbenzenes)           OEL STEL [ppm]         50 ppm (Methylisopropylbenzenes)           <	Ireland - Occupational Exposure Limits		
Latvia - Occupational Exposure Limits         5 mg/m³           Lithuania - Occupational Exposure Limits         5 mg/m³           IPRV (OEL TWA)         5 mg/m³           Portugal - Occupational Exposure Limits         0EL TWA [pm]           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         50 mg/m³           OEL TWA [pm]         8 ppm           OEL TWA [pm]         13 ppm           OEL STEL         80 mg/m³           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits         VLA-ED (OEL TWA) [1]           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits         ACGIH OLL TWA [ppm]         10 ppm           ACGIH OLL TWA [ppm]         10 ppm           ACGIH chemical category         Not Classifiable as a Human Carcinogen           P-Cymene (99-87-6)         Denmark - Occupational Exposure Limits           OEL TWA [1]         135 mg/m² (Methylisopropylbenzenes)           OEL TWA [2]         25 ppm (Methylisopropylbenzenes)           OEL STEL [ppm]         50 ppm (Methylisopropylbenzenes)           OEL STEL [ppm]         50 ppm (Methylisopropylbenzenes)           OEL TWA         140 mg/m³           OEL TWA [ppm] <td>OEL TWA [2]</td> <td>10 ppm</td>	OEL TWA [2]	10 ppm	
OEL TWA         5 mg/m³           Lithuania - Occupational Exposure Limits         5 mg/m³           Portugal - Occupational Exposure Limits         6 mg/m³           OEL TWA [ppm]         10 ppm           OEL TWA [ppm]         44 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         50 mg/m³           OEL TWA [ppm]         8 ppm           OEL STEL         80 mg/m³           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits         VLA-ED (OEL TWA) [1]           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits         ACGIH OEL TWA [ppm]           ACGIH OEL TWA [ppm]         10 ppm           ACGIH Oemical category         Not Classifiable as a Human Carcinogen           P-Cymene (99-87-6)         Denmark - Occupational Exposure Limits           OEL TWA [1]         135 mg/m² (Methylisopropylbenzenes)           OEL TWA [2]         25 ppm (Methylisopropylbenzenes)           OEL STEL         270 mg/m² (Methylisopropylbenzenes)           SEtonia - Occupational Exposure Limits           OEL TWA [ppm]         25 ppm (Methylisopropylbenzenes)           OEL TWA [ppm]         25 ppm           OEL TWA [ppm]         25 ppm           OEL TWA [ppm	OEL STEL [ppm]	30 ppm (calculated)	
Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m²  Portugal - Occupational Exposure Limits  OEL TWA (ppm] 10 ppm  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits  OEL TWA  OEL TWA [ppm] 8 ppm  OEL STEL 80 mg/m²  OEL STEL (ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m²  VLA-ED (OEL TWA) [2] 10 ppm  ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm  ACGIH chemical category Not Classifiable as a Human Carcinogen  P-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m² (Methylisopropylbenzenes)  OEL STEL 270 mg/m² (Methylisopropylbenzenes)  OEL STEL 270 mg/m² (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA [1] 140 mg/m³  OEL TWA [1] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA [10] 190 mg/m³  OEL TWA [10] 190 mg/m³	Latvia - Occupational Exposure Limits		
PRV (OEL TWA)   5 mg/m²	OEL TWA	5 mg/m³	
Portugal - Occupational Exposure Limits   OEL TWA [ppm]	Lithuania - Occupational Exposure Limits		
OEL TWA (ppm)         10 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         50 mg/m²           OEL TWA         59 mg/m²           OEL STEL         80 mg/m²           OEL STEL (ppm)         13 ppm           Spain - Occupational Exposure Limits         VLA-ED (OEL TWA) [1]         62 mg/m²           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits         ACGIH OEL TWA (ppm)         10 ppm           ACGIH chemical category         Not Classifiable as a Human Carcinogen           P-Cymene (99-87-6)         Denmark - Occupational Exposure Limits           OEL TWA [1]         135 mg/m² (Methylisopropylbenzenes)           OEL TWA [2]         25 ppm (Methylisopropylbenzenes)           OEL STEL         270 mg/m² (Methylisopropylbenzenes)           Estonia - Occupational Exposure Limits         50 ppm (Methylisopropylbenzenes)           OEL TWA         140 mg/m²           OEL TWA [ppm]         25 ppm           OEL TWA [ppm]         25 ppm           OEL TWA [ppm]         25 ppm           OEL STEL         190 mg/m²	IPRV (OEL TWA)	5 mg/m³	
OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         50 mg/m²           OEL TWA         50 mg/m²           OEL STEL         80 mg/m²           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits         VLA-ED (OEL TWA) [1]           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits         ACGIH OEL TWA [ppm]           ACGIH OEL TWA [ppm]         10 ppm           ACGIH chemical category         Not Classifiable as a Human Carcinogen           P-Cymene (99-87-6)         Denmark - Occupational Exposure Limits           OEL TWA [1]         135 mg/m³ (Methylisopropylbenzenes)           OEL TWA [2]         25 ppm (Methylisopropylbenzenes)           OEL STEL         270 mg/m³ (Methylisopropylbenzenes)           Estonia - Occupational Exposure Limits         50 ppm (Methylisopropylbenzenes)           Estonia - Occupational Exposure Limits         25 ppm           OEL TWA [ppm]         25 ppm           OEL TWA [ppm]         25 ppm           OEL STEL         190 mg/m³	Portugal - Occupational Exposure Limits		
Romania - Occupational Exposure Limits	OEL TWA [ppm]	10 ppm	
OEL TWA         50 mg/m³           OEL TWA [ppm]         8 ppm           OEL STEL         80 mg/m³           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m³           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           ACGIH OEL TWA [ppm]         10 ppm           ACGIH chemical category         Not Classifiable as a Human Carcinogen           p-Cymene (99-87-6)         Denmark - Occupational Exposure Limits           OEL TWA [1]         135 mg/m³ (Methylisopropylbenzenes)           OEL TWA [2]         25 ppm (Methylisopropylbenzenes)           OEL STEL         270 mg/m³ (Methylisopropylbenzenes)           OEL STEL [ppm]         50 ppm (Methylisopropylbenzenes)           Estonia - Occupational Exposure Limits         50 ppm (Methylisopropylbenzenes)           OEL TWA [ppm]         25 ppm           OEL TWA [ppm]         25 ppm           OEL STEL         190 mg/m³	OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
OEL TWA [ppm]         8 ppm           OEL STEL         80 mg/m³           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m²           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           ACGIH OEL TWA [ppm]         10 ppm           ACGIH chemical category         Not Classifiable as a Human Carcinogen           p-Cymene (99-87-6)           Denmark - Occupational Exposure Limits           OEL TWA [1]         135 mg/m³ (Methylisopropylbenzenes)           OEL TWA [2]         25 ppm (Methylisopropylbenzenes)           OEL STEL         270 mg/m³ (Methylisopropylbenzenes)           OEL STEL [ppm]         50 ppm (Methylisopropylbenzenes)           Estonia - Occupational Exposure Limits           OEL TWA         140 mg/m³           OEL TWA [ppm]         25 ppm           OEL TWA [ppm]         25 ppm           OEL STEL         190 mg/m³	Romania - Occupational Exposure Limits		
OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm  ACGIH chemical category Not Classifiable as a Human Carcinogen  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  DEL STEL 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA 140 mg/m³  OEL TWA [ppm] 25 ppm  OEL TWA [ppm] 25 ppm  OEL STEL 190 mg/m³  OEL TWA [ppm] 25 ppm  OEL STEL 190 mg/m³	OEL TWA	50 mg/m³	
DEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm  ACGIH chemical category Not Classifiable as a Human Carcinogen  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  DEL STEL 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA [140 mg/m³  OEL TWA [150 ppm] 25 ppm  OEL STEL 190 mg/m³	OEL TWA [ppm]	8 ppm	
Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm  ACGIH chemical category Not Classifiable as a Human Carcinogen  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA [1] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA [19pm] 25 ppm  OEL TWA [19pm] 25 ppm  OEL STEL 190 mg/m³	OEL STEL	80 mg/m³	
VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm  ACGIH chemical category Not Classifiable as a Human Carcinogen  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA 140 mg/m³  OEL TWA [ppm] 25 ppm  OEL STEL 190 mg/m³	OEL STEL [ppm]	13 ppm	
VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm  ACGIH chemical category Not Classifiable as a Human Carcinogen  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA 140 mg/m³  OEL TWA 190 mg/m³  OEL TWA [ppm] 25 ppm  OEL STEL 190 mg/m³	Spain - Occupational Exposure Limits		
USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm  ACGIH chemical category Not Classifiable as a Human Carcinogen  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA 140 mg/m³  OEL TWA 140 mg/m³  OEL TWA [ppm] 25 ppm  OEL STEL 190 mg/m³	VLA-ED (OEL TWA) [1]	62 mg/m³	
ACGIH OEL TWA [ppm] 10 ppm  ACGIH chemical category Not Classifiable as a Human Carcinogen  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA 140 mg/m³  OEL TWA [ppm] 25 ppm  OEL STEL 190 mg/m³	VLA-ED (OEL TWA) [2]	10 ppm	
ACGIH chemical category  P-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA 140 mg/m³  OEL TWA [190 mg/m³  OEL STEL 190 mg/m³	USA - ACGIH - Occupational Exposure Limits		
p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA 140 mg/m³  OEL TWA [ppm] 25 ppm  OEL STEL 190 mg/m³	ACGIH OEL TWA [ppm]	10 ppm	
Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA 140 mg/m³  OEL TWA [ppm] 25 ppm  OEL STEL 190 mg/m³	ACGIH chemical category	Not Classifiable as a Human Carcinogen	
OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA 140 mg/m³  OEL TWA [ppm] 25 ppm  OEL STEL 190 mg/m³	p-Cymene (99-87-6)		
OEL TWA [2]  25 ppm (Methylisopropylbenzenes)  OEL STEL  270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm]  50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA  140 mg/m³  OEL TWA [ppm]  25 ppm  OEL STEL  190 mg/m³	Denmark - Occupational Exposure Limits		
OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA 140 mg/m³  OEL TWA [ppm] 25 ppm  OEL STEL 190 mg/m³	OEL TWA [1]	135 mg/m³ (Methylisopropylbenzenes)	
OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL TWA 140 mg/m³  OEL TWA [ppm] 25 ppm  OEL STEL 190 mg/m³	OEL TWA [2]	25 ppm (Methylisopropylbenzenes)	
Estonia - Occupational Exposure Limits  OEL TWA 140 mg/m³  OEL TWA [ppm] 25 ppm  OEL STEL 190 mg/m³	OEL STEL	270 mg/m³ (Methylisopropylbenzenes)	
OEL TWA       140 mg/m³         OEL TWA [ppm]       25 ppm         OEL STEL       190 mg/m³	OEL STEL [ppm]	50 ppm (Methylisopropylbenzenes)	
OEL TWA [ppm]         25 ppm           OEL STEL         190 mg/m³	Estonia - Occupational Exposure Limits		
OEL STEL 190 mg/m³	OEL TWA	140 mg/m³	
	OEL TWA [ppm]	25 ppm	
OEL STEL [ppm] 35 ppm	OEL STEL	190 mg/m³	
	OEL STEL [ppm]	35 ppm	

EN (English) 5/13



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

p-Cymene (99-87-6)		
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³ (Cymene (2, 3, 4-isomers mixture))	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	140 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	190 mg/m³	
TPRV (OEL STEL) [ppm]	35 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	140 mg/m³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	190 mg/m³	
KTV (OEL STEL) [ppm]	35 ppm	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

# Personal protective equipment symbol(s):



# 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

# Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

# 8.2.2.4. Thermal hazards

No additional information available

EN (English) 6/13



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

: Liquid Physical state Colour Standard. Odour characteristic. Odour threshold No data available No data available рΗ Relative evaporation rate (butylacetate=1) No data available Melting point No data available Freezing point : No data available Boiling point : No data available

Flash point : > 93 °C

Auto-ignition temperature : No data available Decomposition temperature No data available Flammability (solid, gas) : Non flammable. : No data available Vapour pressure Relative vapour density at 20°C No data available Relative density No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

# 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

# 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

EN (English) 7/13



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified Not classified Acute toxicity (dermal) Acute toxicity (inhalation) Not classified Skin corrosion/irritation Not classified

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified

Based on available data, the classification criteria are not met Additional information

Respiratory or skin sensitisation Not classified

Additional information Based on available data, the classification criteria are not met

Germ cell mutagenicity Not classified

Additional information Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information Based on available data, the classification criteria are not met

# Benzyl acetate (140-11-4)

3 - Not classifiable IARC group Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met : Not classified

STOT-repeated exposure Based on available data, the classification criteria are not met

Additional information Aspiration hazard : Not classified

Additional information Based on available data, the classification criteria are not met

#### Benzyl benzoate (120-51-4)

Viscosity, kinematic 7.456 mm<sup>2</sup>/s

Based on available data, the classification criteria are not met Potential adverse human health effects and

symptoms

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(chronic)

#### 12.2. Persistence and degradability

PEAR (	X FR	EESIA	#EUDS	SOIL	10%

Not established. Persistence and degradability

# Benzyl benzoate (120-51-4)

Persistence and degradability May cause long-term adverse effects in the environment.

# 12.3. Bioaccumulative potential

### **ENGLISH PEAR & FREESIA @ 10%**

Not established. Bioaccumulative potential

> EN (English) 8/13



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethylene brassylate (105-95-3)	
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Hexyl salicylate (6259-76-3)	
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)
Geraniol (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)
Nerol (106-25-2)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)
Citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
Helional (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)
p-Cymene (99-87-6)	
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 20 °C (at pH 7)
Partition coefficient n-octanol/water (Log Kow)	0

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

EN (English) 9/13



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

HP Code

- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20  $^{\circ}\text{C}$  and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
4.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
4.2. UN proper shipping	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
4.3. Transport hazard c	lass(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
4.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
4.5. Environmental haza	ards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

# Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

EN (English) 10/13



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	p-Cymene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Benzyl benzoate; Hexyl salicylate; Linalool; Geraniol; Nerol; Citral; Linalyl acetate; Helional; p-Cymene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	PEAR & FREESIA #EU55381F 10%; Ethylene brassylate; Benzyl benzoate; Hexyl salicylate; Benzyl acetate; Helional; p-Cymene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	p-Cymene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

# Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

# **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids.

EN (English) 11/13



# Safety Data Sheet

Joint storage table

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

LGK 2A LGK 2B LGK 3 LGK 4.1A GK 1 LGK 4.1B LGK 4.2 LGK 4.3 **LGK 5.1A** LGK 5.1B **LGK 5.1C** LGK 5.2 **LGK 6.1A** LGK 6.1B LGK 6.1C **LGK 6.1D** \_GK 6.2 LGK 7 LGK 8A LGK 8B LGK 12 **LGK 11 LGK 13 LGK 10** LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for LGK 4.1A, LGK 4.3, LGK 5.1C.

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, Joint storage permitted for

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : None of the components are listed : None of the components are listed

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen - Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen -: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

**Denmark** 

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE Data sources

> COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains Hexyl salicylate, Linalool, Geraniol, Nerol, Linalyl acetate, Helional. May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	

EN (English) 12/13



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 13/13