

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/19/2020 Revision date: 2/15/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

: Mixture Product form Product name : The Bright Side

UFI : NH9X-53GP-W00H-GXF2

Product code : Fragrance Oil Type of product : Perfumes, fragrances Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec : Industrial

> For professional use only : Perfumes, fragrances

Use of the substance/mixture Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Eco Candle Project by Vegteam

Rua Quinta de Santa Marta nº 4 escritórios EF- 1495-171 Algés-Portugal

T 351-911 749 753

info@ecocandleproject.com www.ecocandleproject.com

1.4. Emergency telephone number

Emergency number : 351-911 749 753 or CIAV 800 250 250

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 Skin sensitization, Category 1 H317 Hazardous to the aquatic environment - Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Contains : Iso E Super, Hexyl cinnamic aldehyde, Orange oil , Lemon oil , Linalool, Triplal (Vertocitral),

Amberwood F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ECO CANDLE PROJECT

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	6.6 – 13.1223	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL)	CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699-	6.2 – 12.327	Not classified
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	4.8 – 9.5435	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	2.8 – 5.567	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	2.4 – 4.7718	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	2 – 3.9765	Aquatic Chronic 2, H411

Safety Data Sheet

ECO CANDLE PROJECT

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	1.4 – 2.7835	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Lemon oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8;616-925-3	0.8 – 1.5906	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	0.6 – 1.1929	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Cedarwood oil, Virginia	CAS-No.: 8000-27-9 EC-No.: 285-370-3;616-769-6	0.6 – 1.1929	Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Butylated hydroxytoluene (BHT) crystals substance with national workplace exposure limit(s) (AT, BE, BG, DE, DK, ES, FI, FR, GB, GR, HR, IE, PT, SI, CH)	CAS-No.: 128-37-0 EC-No.: 204-881-4 REACH-no: 01-2119480433-	0.4 – 0.7953	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Amberwood F	CAS-No.: 58567-11-6 EC-No.: 261-332-1	0.2 – 0.3976	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.1 – 0.1966	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0 – 0.0398	Not classified
decyl alcohol substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0033	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.0008	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product. Contaminated work clothing should

not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

Safety Data Sheet



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Bis(2-ethylhexyl) adipate (103-23-1) Poland - Occupational Exposure Limits NDS (OEL TWA) 400 mg/m² Butylated hydroxytoluene (BHT) crystals (128-37-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 10 mg/m² Belgium - Occupational Exposure Limits OEL TWA 2 mg/m² (aerosol and vapor) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m² OEL STEL 50 mg/m² Croatia - Occupational Exposure Limits OEL TWA 11 10 mg/m² Denmark - Occupational Exposure Limits OEL TWA [1] 10 mg/m² Denmark - Occupational Exposure Limits OEL TWA [1] 10 mg/m² Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 10 mg/m² HTP (OEL TWA) [1] 10 mg/m² Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m² Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 2 mg/m² Greece - Occupational Exposure Limits OEL TWA 10 mg/m² Ireland - Occupational Exposure Limits OEL TWA 10 mg/m² OFF (CEL TWA) 11 10 mg/m² OFF (CEL TWA) 11 10 mg/m² Greece - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 11 2 mg/m² OFF (CEL TWA) 11 2 mg/m² OFF (CEL TWA) 11 10 mg/m² Ireland - Occupational Exposure Limits OEL TWA 10 mg/m² Ireland - Occupational Exposure Limits OEL TWA 11 2 mg/m² OEL STEL 6 mg/m² (calculated) Portugal - Occupational Exposure Limits	6.1.1 National occupational exposure and biological limit values		
NDS (OEL TWA) Butylated hydroxytoluene (BHT) crystals (128-37-0) Austria - Occupational Exposure Limits MAK (OEL TWA) Belgium - Occupational Exposure Limits OEL TWA 2 mg/m² (serosol and vapor) Butgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ OEL STEL 50 mg/m³ Crostia - Occupational Exposure Limits GVI (OEL TWA) [1] 10 mg/m³ Denmark - Occupational Exposure Limits OEL TWA [1] 10 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 10 mg/m³ France - Occupational Exposure Limits OEL TWA) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ Greece - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ 10	Bis(2-ethylhexyl) adipate (103-23-1)		
Butylated hydroxytoluene (BHT) crystals (128-37-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 10 mg/m³ Belgium - Occupational Exposure Limits OEL TWA 2 mg/m³ (aerosol and vapor) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ OEL STEL 50 mg/m³ Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 10 mg/m³ Denmark - Occupational Exposure Limits OEL TWA [1] 10 mg/m³ HTP (OEL TWA)[1] 10 mg/m³ Finland - Occupational Exposure Limits WE (OEL TWA)[1] 10 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 11 00 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 11 00 mg/m³ OEL TWA 11 00 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 11 00 mg/m³ OEL TWA 11 00 mg/m³ OEL TWA 11 00 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 11 00 mg/m³ OEL TWA 11 00	Poland - Occupational Exposure Limits		
Austria - Occupational Exposure Limits MAK (OEL TWA) 10 mg/m³ Belgium - Occupational Exposure Limits OEL TWA 2 mg/m³ (aerosol and vapor) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ OEL STEL 50 mg/m³ Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 10 mg/m³ Denmark - Occupational Exposure Limits OEL TWA [1] 10 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL STEL) 20 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ Gerece - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 20 mg/m³ In mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 11 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor)	NDS (OEL TWA)	400 mg/m³	
MAK (OEL TWA) 10 mg/m³ Belgium - Occupational Exposure Limits OEL TWA 2 mg/m³ (aerosol and vapor) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ OEL STEL 50 mg/m³ Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 10 mg/m³ Denmark - Occupational Exposure Limits OEL TWA [1] 10 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL TWA) [1] 10 mg/m³ GET and - Occupational Exposure Limits VME (OEL TWA) [1] 10 mg/m³ Germany - Occupational Exposure Limits VME (OEL TWA) [1] 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 20 mg/m³ In mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 11 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL Chemical category A4 - Not Classifiable as a Human Carcinogen	Butylated hydroxytoluene (BHT) crystals (128	-37-0)	
Belgium - Occupational Exposure Limits OEL TWA 2 mg/m³ (aerosol and vapor) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ OEL STEL 50 mg/m³ Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 10 mg/m³ Denmark - Occupational Exposure Limits OEL TWA [1] 10 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL STEL) 20 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) [1] 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 11 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL Chemical category A4 - Not Classifiable as a Human Carcinogen	Austria - Occupational Exposure Limits		
DEL TWA 2 mg/m³ (aerosol and vapor) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ OEL STEL 50 mg/m³ Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 10 mg/m³ Denmark - Occupational Exposure Limits OEL TWA [1] 10 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL STEL) 20 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 11 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL Chemical category A4 - Not Classifiable as a Human Carcinogen	MAK (OEL TWA)	10 mg/m³	
Bulgaria - Occupational Exposure Limits OEL TWA OEL STEL 50 mg/m³ Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] Denmark - Occupational Exposure Limits OEL TWA [1] In mg/m³ Finiand - Occupational Exposure Limits HTP (OEL TWA) [1] In mg/m³ France - Occupational Exposure Limits VME (OEL TWA) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] AGW (OEL TWA) [1] In mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA In mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] OEL STEL Germany - Occupational Exposure Limits OEL TWA [1] OEL TWA [1] OEL TWA [1] OEL STEL Germany - Occupational Exposure Limits OEL TW	Belgium - Occupational Exposure Limits		
DEL TWA 10 mg/m³ OEL STEL 50 mg/m³ OEL STEL 50 mg/m³ GVI (OEL TWA) [1] 10 mg/m³ Denmark - Occupational Exposure Limits OEL TWA [1] 10 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL STEL) 20 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 11 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 11 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL Chemical category A4 - Not Classifiable as a Human Carcinogen	OEL TWA	2 mg/m³ (aerosol and vapor)	
Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 10 mg/m³ Denmark - Occupational Exposure Limits OEL TWA [1] 10 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL TWA) [1] 10 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 11 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 11 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL Chemical category A4 - Not Classifiable as a Human Carcinogen	Bulgaria - Occupational Exposure Limits		
Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 10 mg/m³ Denmark - Occupational Exposure Limits OEL TWA [1] 10 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL STEL) 20 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL Chemical category A4 - Not Classifiable as a Human Carcinogen	OEL TWA	10 mg/m³	
GVI (OEL TWA) [1] 10 mg/m³ Denmark - Occupational Exposure Limits OEL TWA [1] 10 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL STEL) 20 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ Greece - Occupational Exposure Limits (TRGS 900) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL Chemical category A4 - Not Classifiable as a Human Carcinogen	OEL STEL	50 mg/m³	
Denmark - Occupational Exposure Limits OEL TWA [1] 10 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL STEL) 20 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor)	Croatia - Occupational Exposure Limits		
DEL TWA [1] 10 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL STEL) 20 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL TWA 2 ng/m³ (inhalable fraction, aerosol and vapor) OEL Chemical category A4 - Not Classifiable as a Human Carcinogen	GVI (OEL TWA) [1]	10 mg/m³	
Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL STEL) 20 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL Chemical category A4 - Not Classifiable as a Human Carcinogen	Denmark - Occupational Exposure Limits		
HTP (OEL TWA) [1] 10 mg/m³ HTP (OEL STEL) 20 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL Chemical category A4 - Not Classifiable as a Human Carcinogen	OEL TWA [1]	10 mg/m³	
HTP (OEL STEL) 20 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL chemical category A4 - Not Classifiable as a Human Carcinogen	Finland - Occupational Exposure Limits		
France - Occupational Exposure Limits VME (OEL TWA) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL chemical category A4 - Not Classifiable as a Human Carcinogen	HTP (OEL TWA) [1]	10 mg/m³	
VME (OEL TWA) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL chemical category A4 - Not Classifiable as a Human Carcinogen	HTP (OEL STEL)	20 mg/m³	
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL Chemical category A4 - Not Classifiable as a Human Carcinogen	France - Occupational Exposure Limits		
AGW (OEL TWA) [1] 10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL Chemical category A4 - Not Classifiable as a Human Carcinogen	VME (OEL TWA)	10 mg/m³	
BGW values are observed-inhalable fraction) Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL TWA 2 A4 - Not Classifiable as a Human Carcinogen	Germany - Occupational Exposure Limits (TRGS 90	0)	
DEL TWA 10 mg/m³	AGW (OEL TWA) [1]		
Ireland - Occupational Exposure Limits 2 mg/m³ OEL STEL 6 mg/m³ (calculated)	Greece - Occupational Exposure Limits		
OEL TWA [1] 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL chemical category A4 - Not Classifiable as a Human Carcinogen	OEL TWA	10 mg/m³	
OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL chemical category A4 - Not Classifiable as a Human Carcinogen	Ireland - Occupational Exposure Limits		
Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL chemical category A4 - Not Classifiable as a Human Carcinogen	OEL TWA [1]	2 mg/m³	
OEL TWA 2 mg/m³ (inhalable fraction, aerosol and vapor) OEL chemical category A4 - Not Classifiable as a Human Carcinogen	OEL STEL	6 mg/m³ (calculated)	
OEL chemical category A4 - Not Classifiable as a Human Carcinogen	Portugal - Occupational Exposure Limits		
	OEL TWA	2 mg/m³ (inhalable fraction, aerosol and vapor)	
Slovenia - Occupational Exposure Limits	OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
	Slovenia - Occupational Exposure Limits		
OEL TWA 10 mg/m³ (inhalable fraction)	OEL TWA	10 mg/m³ (inhalable fraction)	
OEL STEL 40 mg/m³ (inhalable fraction)	OEL STEL	40 mg/m³ (inhalable fraction)	





according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Butylated hydroxytoluene (BHT) crystals (128	-37-0)
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	10 mg/m³
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	10 mg/m³
WEL STEL (OEL STEL)	30 mg/m³ (calculated)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)
KZGW (OEL STEL)	40 mg/m³ (aerosol, inhalable dust, vapour)
OEL chemical category	Category C1B carcinogen carcinogenic with threshold value
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	2 mg/m³ (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
decyl alcohol (112-30-1)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	10 mg/m³
Germany - Occupational Exposure Limits (TRGS 90	0)
AGW (OEL TWA) [1]	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Latvia - Occupational Exposure Limits	
OEL TWA	10 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	10 mg/m³
Romania - Occupational Exposure Limits	
OEL TWA	100 mg/m³
OEL TWA [ppm]	15 ppm
OEL STEL	200 mg/m³
OEL STEL [ppm]	30 ppm
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	66 mg/m³ (aerosol, vapour)
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)
KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)
Ethyl acetoacetate (141-97-9)	
Romania - Occupational Exposure Limits	
OEL TWA	100 mg/m³
OEL TWA [ppm]	19 ppm
OEL STEL	200 mg/m³
t	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Ethyl acetoacetate (141-97-9)	
OEL STEL [ppm]	38 ppm
Aldehyde C-6 (66-25-1)	
Finland - Occupational Exposure Limits	
HTP (OEL STEL)	42 mg/m³
HTP (OEL STEL) [ppm]	10 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	40 mg/m³
NDSCh (OEL STEL)	80 mg/m³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber.

Odour : characteristic. characteristic.

Odour threshold : Not available Melting point : Not applicable : Not available Freezing point **Boiling** point : Not available Flammability : Not available **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : 85 °C (closed cup) ASTM D7094

: Not available Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : ≈ 0.94 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified
Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Bis(2-eth	ylhexyl) adipate ((103-23-1)	
-----------	---------	-------------	------------	--

IARC group 3 - Not classifiable

Butylated hydroxytoluene (BHT) crystals (128-37-0)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Orange oil (8008-57-9)

Hydrocarbon Yes

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long–term : Toxic to aquatic life with long lasting effects.

(chronic)



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



12.2. Persistence and degradability

Amberwood F (58567-11-6)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential decyl alcohol (112-30-1)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)
Ethyl acetoacetate (141-97-9)	
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)
Aldehyde C-6 (66-25-1)	
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and \leq 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 $^{\circ}$ C and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
 - HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
 - HP13 "Sensitizing:" waste which contains one or more substances known to cause sensitizing effects to the skin or the respiratory organs.
 - HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III
14.3. Transport hazard of	class(es)			
9	9	9	9	9
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	n available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Special provisions for carriage - Loading, unloading : CV13

Orange plates

90 3082

Tunnel restriction code (ADR) EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 : T4 Tank instructions (IMDG) Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F : A Stowage category (IMDG)

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y964 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 964 PCA max net quantity (IATA) : 450L CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L : E1 Excepted quantities (ADN) : PP Equipment required (ADN) Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID)

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

: PP1 Special packing provisions (RID) Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions (RID) : T4 : TP1, TP29

Portable tank and bulk container special provisions

(RID)

: LGBV Tank codes for RID tanks (RID) : 3 Transport category (RID) Special provisions for carriage - Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) : 90

ECO CANDLE PROJECT

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	Orange oil ; Lemon oil ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	The Bright Side Iso E Super ; Hexyl cinnamic aldehyde ; Orange oil; Dihydromyrcenol; Cedarwood oil, Virginia; Lemon oil; Linalool; Triplal (Vertocitral); Amberwood F	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	The Bright Side; Iso E Super ; Hexyl cinnamic aldehyde ; Hexamethylindanopyran ; Orange oil ; Ethylene brassylate ; Cedarwood oil, Virginia ; Lemon oil ; Triplal (Vertocitral) ; Amberwood F ; decyl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Orange oil ; Lemon oil ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Orange oil ,Cedarwood oil, Virginia,Lemon oil ,Triplal (Vertocitral) are listed

SZW-lijst van mutagene stoffen : Orange oil ,Cedarwood oil, Virginia,Lemon oil ,Triplal (Vertocitral) are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.





according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUI	Full text of H- and EUH-statements:	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.