

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

| | |
|-----------------|----------------------------|
| Product form | : Mixture |
| Trade name | : VIOLET BLACK FIG & TONKA |
| UFI | : S1XX-080E-D000-5C5G |
| Product code | : FRAGRANCE OIL |
| Type of product | : Perfumes, fragrances |
| Product group | : Trade product |

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

| | |
|----------------------------------|---|
| Main use category | : Professional use, Industrial use |
| Industrial/Professional use spec | : Industrial For professional use only |
| Use of the substance/mixture | : Perfumes, fragrances |
| Function or use category | : Odour agents |

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Eco Candle Project by Vegteam
Rua Quinta de Santa Marta nº 4 Escritórios EF
1495-171 Algés -Portugal
T +351 911 749 753 info@ecocandleproject.com

1.4. Emergency telephone number

Emergency number : T +351 911 749 753 business hours CIAV 800 250 250

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

| | |
|---|------|
| Skin corrosion/irritation, Category 2 | H315 |
| Skin sensitization, Category 1 | H317 |
| Hazardous to the aquatic environment – Chronic Hazard, Category 2 | H411 |
| Full text of H- and EUH-statements: see section 16 | |

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) :

Warning

Contains

: Vertenex, Iso E Super, Cyclamal, COUMARIN, Triplal (Vertocitral)

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

| | |
|--------------------------------|--|
| Hazard statements (CLP) | : H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H411 - Toxic to aquatic life with long lasting effects. |
| Precautionary statements (CLP) | : P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. |
| Extra phrases | : For professional users only. |

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-------------------|--|--------------|--|
| Vertenex | CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286-24 | 7.4 – 14.8 | Skin Sens. 1B, H317 |
| Iso E Super | CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989-04 | 5.9 – 11.8 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410 |
| GAMMA-OCTALACTONE | CAS-No.: 104-50-7 EC-No.: 203-208-1 REACH-no: 01-2120793635-41 | 2.6 – 5.2 | Skin Irrit. 2, H315 |
| Stemone | CAS-No.: 22457-23-4 EC-No.: 245-010-8 | 2.5 – 4.9028 | Aquatic Chronic 3, H412 |
| Jasmal | CAS-No.: 18871-14-2 EC-No.: 242-640-5 | 0.7 – 1.3 | Aquatic Chronic 3, H412 |
| COUMARIN | CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756-26 | 0.5 – 1.05 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| Cyclamal | CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582-32 | 0.5 – 1 | Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411 |

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|--------------|--|
| Triplal (Vertocitral) | CAS-No.: 68039-49-6 EC-No.: 268-264-1 | 0.5 – 0.9575 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412 |
| acetophenone substance with national workplace exposure limit(s) (BE, BG, DK, ES, FI, HU, IE, LT, LV, PL, PT, RO) | CAS-No.: 98-86-2 EC-No.: 202-708-7 EC Index-No.: 606-042-00-1 REACH-no: 01-2119533169-37 | 0.2 – 0.3 | Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 |
| Benzyl benzoate | CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371-33 | 0.1 – 0.22 | Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| decyl alcohol substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH) | CAS-No.: 112-30-1 EC-No.: 203-956-9 | 0 – 0.014 | Aquatic Chronic 3, H412 |
| Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL) | CAS-No.: 66-25-1 EC-No.: 200-624-5 | 0 – 0.0035 | Flam. Liq. 3, H226 |
| Caproic acid substance with national workplace exposure limit(s) (BG, LT, LV) | CAS-No.: 142-62-1 EC-No.: 205-550-7 | 0 – 0.0002 | Eye Dam. 1, H318 Skin Corr. 1C, H314 |
| Butyric acid substance with national workplace exposure limit(s) (BG, LT, LV, RO) | CAS-No.: 107-92-6 EC-No.: 203-532-3 EC Index-No.: 607-135-00-X | 0 – 0.0001 | Skin Corr. 1B, H314 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
|-------------------------------------|--|

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

5.2. Special hazards arising from the substance or mixture

| | |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.
Storage temperature : 25 °C
Storage area : Store in a well-ventilated place. Store away from heat.
Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Butyric acid (107-92-6) | |
|---|----------------------|
| Bulgaria - Occupational Exposure Limits | |
| OEL TWA | 10 mg/m ³ |

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

| Butyric acid (107-92-6) | |
|--|---|
| Latvia - Occupational Exposure Limits | |
| OEL TWA | 10 mg/m ³ |
| Lithuania - Occupational Exposure Limits | |
| IPRV (OEL TWA) | 10 mg/m ³ |
| Romania - Occupational Exposure Limits | |
| OEL TWA | 15 mg/m ³ |
| OEL TWA [ppm] | 4 ppm |
| OEL STEL | 30 mg/m ³ |
| OEL STEL [ppm] | 8 ppm |
| decyl alcohol (112-30-1) | |
| Bulgaria - Occupational Exposure Limits | |
| OEL TWA | 10 mg/m ³ |
| Germany - Occupational Exposure Limits (TRGS 900) | |
| AGW (OEL TWA) [1] | 66 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| AGW (OEL TWA) [2] | 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| Latvia - Occupational Exposure Limits | |
| OEL TWA | 10 mg/m ³ |
| Lithuania - Occupational Exposure Limits | |
| IPRV (OEL TWA) | 10 mg/m ³ |
| Romania - Occupational Exposure Limits | |
| OEL TWA | 100 mg/m ³ |
| OEL TWA [ppm] | 15 ppm |
| OEL STEL | 200 mg/m ³ |
| OEL STEL [ppm] | 30 ppm |
| Switzerland - Occupational Exposure Limits | |
| MAK (OEL TWA) [1] | 66 mg/m ³ (aerosol, vapour) |
| MAK (OEL TWA) [2] | 10 ppm (aerosol, vapour) |
| KZGW (OEL STEL) | 66 mg/m ³ (aerosol, vapour) |
| KZGW (OEL STEL) [ppm] | 10 ppm (aerosol, vapour) |
| Caproic acid (142-62-1) | |
| Bulgaria - Occupational Exposure Limits | |
| OEL TWA | 5 mg/m ³ |
| Latvia - Occupational Exposure Limits | |
| OEL TWA | 5 mg/m ³ |
| Lithuania - Occupational Exposure Limits | |
| IPRV (OEL TWA) | 5 mg/m ³ |

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

| Aldehyde C-6 (66-25-1) | |
|---|------------------------------------|
| Finland - Occupational Exposure Limits | |
| HTP (OEL STEL) | 42 mg/m ³ |
| HTP (OEL STEL) [ppm] | 10 ppm |
| Poland - Occupational Exposure Limits | |
| NDS (OEL TWA) | 40 mg/m ³ |
| NDSch (OEL STEL) | 80 mg/m ³ |
| acetophenone (98-86-2) | |
| Belgium - Occupational Exposure Limits | |
| OEL TWA | 50 mg/m ³ |
| OEL TWA [ppm] | 10 ppm |
| Bulgaria - Occupational Exposure Limits | |
| OEL TWA | 5 mg/m ³ |
| Denmark - Occupational Exposure Limits | |
| OEL TWA [1] | 49 mg/m ³ |
| OEL TWA [2] | 10 ppm |
| Finland - Occupational Exposure Limits | |
| HTP (OEL TWA) [1] | 25 mg/m ³ |
| HTP (OEL TWA) [2] | 5 ppm |
| Hungary - Occupational Exposure Limits | |
| AK (OEL TWA) | 50 mg/m ³ |
| Ireland - Occupational Exposure Limits | |
| OEL TWA [1] | 49 mg/m ³ |
| OEL TWA [2] | 10 ppm |
| OEL STEL | 147 mg/m ³ (calculated) |
| OEL STEL [ppm] | 30 ppm (calculated) |
| Latvia - Occupational Exposure Limits | |
| OEL TWA | 5 mg/m ³ |
| Lithuania - Occupational Exposure Limits | |
| IPRV (OEL TWA) | 5 mg/m ³ |
| OEL chemical category | Skin notation |
| Poland - Occupational Exposure Limits | |
| NDS (OEL TWA) | 50 mg/m ³ |
| NDSch (OEL STEL) | 100 mg/m ³ |
| Portugal - Occupational Exposure Limits | |
| OEL TWA [ppm] | 10 ppm |
| Romania - Occupational Exposure Limits | |
| OEL TWA | 100 mg/m ³ |
| OEL TWA [ppm] | 20 ppm |
| OEL STEL | 200 mg/m ³ |

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

acetophenone (98-86-2)

| | |
|----------------|--------|
| OEL STEL [ppm] | 41 ppm |
|----------------|--------|

Spain - Occupational Exposure Limits

| | |
|----------------------|----------------------|
| VLA-ED (OEL TWA) [1] | 50 mg/m ³ |
|----------------------|----------------------|

| | |
|----------------------|--------|
| VLA-ED (OEL TWA) [2] | 10 ppm |
|----------------------|--------|

USA - ACGIH - Occupational Exposure Limits

| | |
|---------------------|--------|
| ACGIH OEL TWA [ppm] | 10 ppm |
|---------------------|--------|

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|------------------------|
| Physical state | : Liquid |
| Colour | : light yellow. amber. |
| Odour | : characteristic. |
| Odour threshold | : Not available |
| Melting point | : Not applicable |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Not available |
| Explosive limits | : Not available |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : 106 °C |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : Not available |
| Viscosity, kinematic | : Not available |
| Solubility | : Not available |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : Not available |
| Relative density | : Not available |
| Relative vapour density at 20°C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------------|--|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |

COUMARIN (91-64-5)

| | |
|------------------------|----------------------|
| IARC group | 3 - Not classifiable |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

Benzyl benzoate (120-51-4)

| | |
|----------------------|--------------------------|
| Viscosity, kinematic | 7.456 mm ² /s |
|----------------------|--------------------------|

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|--|
| Ecology - general | : Toxic to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Toxic to aquatic life with long lasting effects. |

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

12.2. Persistence and degradability

Benzyl benzoate (120-51-4)

| | |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |
|-------------------------------|---|

12.3. Bioaccumulative potential

Vertenex (32210-23-4)

| | |
|---|----------------|
| Partition coefficient n-octanol/water (Log Pow) | 4.8 (at 25 °C) |
|---|----------------|

GAMMA-OCTALACTONE (104-50-7)

| | |
|---|-----------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 1.89 (at 25 °C (at pH 6.4)) |
|---|-----------------------------|

Stemone (22457-23-4)

| | |
|---|--------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 2.4 (at 30 °C (at pH 7)) |
|---|--------------------------|

Cyclamal (103-95-7)

| | |
|---|----------------|
| Partition coefficient n-octanol/water (Log Pow) | 3.4 (at 35 °C) |
|---|----------------|

Jasmal (18871-14-2)

| | |
|---|----------------------|
| Partition coefficient n-octanol/water (Log Pow) | 3.2 – 3.7 (at 25 °C) |
|---|----------------------|

Butyric acid (107-92-6)

| | |
|---|--------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 1.1 (at 25 °C (at pH 3)) |
|---|--------------------------|

decyl alcohol (112-30-1)

| | |
|---|--------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 4.5 (at 25 °C (at pH 6)) |
|---|--------------------------|

Caproic acid (142-62-1)

| | |
|---|------|
| Partition coefficient n-octanol/water (Log Pow) | 1.88 |
|---|------|

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

Aldehyde C-6 (66-25-1)

Partition coefficient n-octanol/water (Log Pow) 2.3 (at 25 °C (at pH 5))

acetophenone (98-86-2)

Partition coefficient n-octanol/water (Log Pow) 1.63 – 1.65

Benzyl benzoate (120-51-4)

Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C)

Bioaccumulative potential Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

HP Code

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: HP3 - "Flammable:"

– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;

– flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

– flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;

– flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;

– water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

– other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|-------------------------------------|---------|---------|---------|---------|
| 14.1. UN number or ID number | | | | |
| UN 3082 | UN 3082 | UN 3082 | UN 3082 | UN 3082 |

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878




ECO CANDLE PROJECT

| ADR | IMDG | IATA | ADN | RID |
|--|---|---|---|---|
| 14.2. UN proper shipping name | | | | |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super) | Environmentally hazardous substance, liquid, n.o.s. (Iso E Super) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super) |
| Transport document description | | | | |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, (-) | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, MARINE POLLUTANT | UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Iso E Super), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III |
| 14.3. Transport hazard class(es) | | | | |
| 9 | 9 | 9 | 9 | 9 |
| | | | | |
| 14.4. Packing group | | | | |
| III | III | III | III | III |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment: Yes | Dangerous for the environment: Yes Marine pollutant: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6
 Special provisions (ADR) : 274, 335, 375, 601
 Limited quantities (ADR) : 5I
 Excepted quantities (ADR) : E1
 Packing instructions (ADR) : P001, IBC03, LP01, R001
 Special packing provisions (ADR) : PP1
 Mixed packing provisions (ADR) : MP19
 Portable tank and bulk container instructions (ADR) : T4
 Portable tank and bulk container special provisions (ADR) : TP1, TP29
 Tank code (ADR) : LGBV
 Vehicle for tank carriage : AT
 Transport category (ADR) : 3
 Special provisions for carriage - Packages (ADR) : V12
 Special provisions for carriage - Loading, unloading and handling (ADR) : CV13
 Hazard identification number (Kemler No.) : 90
 Orange plates :



Tunnel restriction code (ADR) : -
 EAC code : •3Z

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

Transport by sea

| | |
|-----------------------------------|-----------------|
| Special provisions (IMDG) | : 274, 335, 969 |
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : LP01, P001 |
| Special packing provisions (IMDG) | : PP1 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T4 |
| Tank special provisions (IMDG) | : TP1, TP29 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-F |
| Stowage category (IMDG) | : A |

Air transport

| | |
|--|-------------------------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y964 |
| PCA limited quantity max net quantity (IATA) | : 30kgG |
| PCA packing instructions (IATA) | : 964 |
| PCA max net quantity (IATA) | : 450L |
| CAO packing instructions (IATA) | : 964 |
| CAO max net quantity (IATA) | : 450L |
| Special provisions (IATA) | : A97, A158, A197, A215 |
| ERG code (IATA) | : 9L |

Inland waterway transport

| | |
|-----------------------------------|----------------------|
| Classification code (ADN) | : M6 |
| Special provisions (ADN) | : 274, 335, 375, 601 |
| Limited quantities (ADN) | : 5 L |
| Excepted quantities (ADN) | : E1 |
| Carriage permitted (ADN) | : T |
| Equipment required (ADN) | : PP |
| Number of blue cones/lights (ADN) | : 0 |

Rail transport

| | |
|---|---------------------------|
| Classification code (RID) | : M6 |
| Special provisions (RID) | : 274, 335, 375, 601 |
| Limited quantities (RID) | : 5L |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P001, IBC03, LP01, R001 |
| Special packing provisions (RID) | : PP1 |
| Mixed packing provisions (RID) | : MP19 |
| Portable tank and bulk container instructions (RID) | : T4 |
| Portable tank and bulk container special provisions (RID) | : TP1, TP29 |
| Tank codes for RID tanks (RID) | : LGBV |
| Transport category (RID) | : 3 |
| Special provisions for carriage – Packages (RID) | : W12 |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW13, CW31 |
| Colis express (express parcels) (RID) | : CE8 |
| Hazard identification number (RID) | : 90 |

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | | |
|--|---|--|
| Reference code | Applicable on | Entry title or description |
| 3(a) | Aldehyde C-6 | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F |
| 3(b) | VIOLET BLACK FIG & TONKA ; Vertenex ; GAMMA-OCTALACTONE ; Iso E Super ; Cyclamal ; Triplal (Vertocitral) ; Butyric acid ; Caproic acid ; acetophenone ; Benzyl benzoate | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |
| 3(c) | VIOLET BLACK FIG & TONKA ; Stemone ; Iso E Super ; Cyclamal ; Jasmal ; Triplal (Vertocitral) ; decyl alcohol ; Benzyl benzoate | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 |
| 40. | Aldehyde C-6 | Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK)

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510)

: LGK 10 - Combustible liquids.

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

Joint storage table

| | | | | |
|----------|---------|----------|----------|-----------|
| LGK 1 | LGK 2A | LGK 2B | LGK 3 | LGK 4.1A |
| LGK 4.1B | LGK 4.2 | LGK 4.3 | LGK 5.1A | LGK 5.1B |
| LGK 5.1C | LGK 5.2 | LGK 6.1A | LGK 6.1B | LGK 6.1C |
| LGK 6.1D | LGK 6.2 | LGK 7 | LGK 8A | LGK 8B |
| LGK 10 | LGK 11 | LGK 12 | LGK 13 | LGK 10-13 |

Joint storage not permitted for

: LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for

: LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2.

Joint storage permitted for

: LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category

: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment

SZW-lijst van kankerverwekkende stoffen

: Triplal (Vertocitral) is listed

SZW-lijst van mutagene stoffen

: Triplal (Vertocitral) is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen –

: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

Denmark

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Switzerland

Storage class (LK)

: LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H226 | Flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |

VIOLET BLACK FIG & TONKA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ECO CANDLE PROJECT

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1, Sub-Category 1C |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.