



# envy CBD Soft Chew

**Sample ID:** 1903CSALA2248.7826  
**Strain:** envy CBD Soft Chew  
**Matrix:** Ingestible  
**Type:** Soft Chew  
**Sample Size:** 1 units; Batch:

**Produced:** N/A  
**Collected:** 03/28/2019  
**Received:** 03/29/2019  
**Completed:** 04/04/2019  
**Batch#:** 10 mg per soft chew

**Client:**  
**Envy, LLC**  
**Lic. #**  
 1718 Potrero Ave  
 South El Monte, CA 91733

## Pesticides

Test Method: LCMS &amp; GCMS-SOP 301

**Pass**

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.018	0.059	0.3	ND	Pass	Fludioxonil	0.007	0.024	30	ND	Pass
Acephate	0.009	0.029	5	ND	Pass	Hexythiazox	0.007	0.024	2	ND	Pass
Acequinocyl	0.005	0.018	4	ND	Pass	Imazalil	0.004	0.012	0.004	ND	Pass
Acetamiprid	0.004	0.013	5	ND	Pass	Imidacloprid	0.039	0.129	3	ND	Pass
Aldicarb	0.004	0.013	0.004	ND	Pass	Kresoxim Methyl	0.005	0.017	1	ND	Pass
Azoxystrobin	0.006	0.019	40	ND	Pass	Malathion	0.01	0.032	5	ND	Pass
Bifenazate	0.004	0.014	5	ND	Pass	Metaxyl	0.003	0.01	15	ND	Pass
Bifenthrin	0.008	0.027	0.5	ND	Pass	Methiocarb	0.006	0.02	0.006	ND	Pass
Boscalid	0.006	0.019	10	ND	Pass	Methomyl	0.009	0.03	0.1	ND	Pass
Captan	0.0789	0.2631	5	ND	Pass	Methyl Parathion	0.007	0.0233	0.007	ND	Pass
Carbaryl	0.005	0.015	0.5	ND	Pass	Mevinphos	0.003	0.011	0.003	ND	Pass
Carbofuran	0.005	0.018	0.005	ND	Pass	Myclobutanil	0.017	0.058	9	ND	Pass
Chlorantraniliprole	0.007	0.024	40	ND	Pass	Naled	0.007	0.024	0.5	ND	Pass
Chlordane	0.0291	0.0969	0.0291	ND	Pass	Oxamyl	0.003	0.009	0.2	ND	Pass
Chlorfenapyr	0.01	0.033	0.01	ND	Pass	Paclobutrazol	0.013	0.044	0.013	ND	Pass
Chlorpyrifos	0.005	0.017	0.005	ND	Pass	Pentachloronitrobenzene	0.0046	0.0152	0.2	ND	Pass
Clofentezine	0.006	0.019	0.5	ND	Pass	Permethrin	0.011	0.036	20	ND	Pass
Coumaphos	0.009	0.028	0.009	ND	Pass	Phosmet	0.007	0.025	0.2	ND	Pass
Cyfluthrin	0.008	0.026	1	ND	Pass	Piperonyl Butoxide	0.005	0.018	8	ND	Pass
Cypermethrin	0.013	0.044	1	ND	Pass	Prallethrin	0.007	0.024	0.4	ND	Pass
Daminozide	0.021	0.07	0.021	ND	Pass	Propiconazole	0.008	0.026	20	ND	Pass
DDVP	0.004	0.012	0.004	ND	Pass	Propoxur	0.004	0.013	0.004	ND	Pass
Diazinon	0.005	0.017	0.2	ND	Pass	Pyrethrins	0.003	0.01	1	ND	Pass
Dimethoate	0.003	0.011	0.003	ND	Pass	Pyridaben	0.008	0.027	3	ND	Pass
Dimethomorph	0.007	0.023	20	ND	Pass	Spinetoram	0.007	0.022	3	ND	Pass
Ethoprophos	0.004	0.013	0.004	ND	Pass	Spirosad	0.005	0.016	3	ND	Pass
Etofenprox	0.005	0.017	0.005	ND	Pass	Spiromesifen	0.007	0.023	12	ND	Pass
Etoxazole	0.006	0.018	1.5	ND	Pass	Spirotetramat	0.009	0.03	13	ND	Pass
Fenhexamid	0.009	0.03	10	ND	Pass	Spiroxamine	0.006	0.019	0.006	ND	Pass
Fenoxycarb	0.007	0.022	0.007	ND	Pass	Tebuconazole	0.013	0.042	2	ND	Pass
Fenpyroximate	0.009	0.03	2	ND	Pass	Thiacloprid	0.007	0.023	0.007	ND	Pass
Fipronil	0.017	0.056	0.017	ND	Pass	Thiamethoxam	0.004	0.013	4.5	ND	Pass
Flonicamid	0.0244	0.0814	2	ND	Pass	Trifloxystrobin	0.004	0.014	30	ND	Pass

Date Tested: 04/02/2019  
 LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653

Mallory Speakman  
 Laboratory Director - LA  
 04/04/2019

Anya Engen  
 Quality Manager  
 04/04/2019



## envy CBD Soft Chew

**Sample ID:** 1903CSALA2248.7826  
**Strain:** envy CBD Soft Chew  
**Matrix:** Ingestible  
**Type:** Soft Chew  
**Sample Size:** 1 units; Batch:

**Produced:** N/A  
**Collected:** 03/28/2019  
**Received:** 03/29/2019  
**Completed:** 04/04/2019  
**Batch#:** 10 mg per soft chew

**Client:**  
**Envy, LLC**  
**Lic. #**  
 1718 Potrero Ave  
 South El Monte, CA 91733

### Residual Solvents

Testing method: HSGCMS-SOP 202

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.024	0.24	1	ND	Pass
Acetone	0.112	1.12	5000	ND	Pass
Acetonitrile	0.0196	0.196	410	ND	Pass
Benzene	0.0096	0.096	1	ND	Pass
Butane	0.2	2	5000	ND	Pass
Chloroform	0.0288	0.288	1	ND	Pass
Ethanol	0.112	1.12	5000	ND	Pass
Ethyl-Acetate	0.112	1.12	5000	ND	Pass
Ethyl-Ether	0.112	1.12	5000	ND	Pass
Ethylene Oxide	0.024	0.24	1	ND	Pass
Heptane	0.112	1.12	5000	ND	Pass
Isopropanol	0.112	1.12	5000	ND	Pass
Methanol	0.144	1.44	3000	ND	Pass
Methylene-Chloride	0.0288	0.288	1	ND	Pass
n-Hexane	0.1392	1.392	290	ND	Pass
Pentane	0.112	1.12	5000	ND	Pass
Propane	0.08	0.8	5000	ND	Pass
Toluene	0.4272	4.272	890	ND	Pass
Trichloroethene	0.0384	0.384	1	ND	Pass
Xylenes	1.0416	10.416	2170	ND	Pass

Date Tested: 04/02/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653



 Mally Speakman  
 Laboratory Director - LA  
 04/04/2019



 Anya Engen  
 Quality Manager  
 04/04/2019


The values reported pertain only to the product tested. R&amp;D sample only. Tested as-is/received from client. Unless otherwise stated all Laboratory Quality Control (LQC) samples performed within specifications established by the BCC in 16 CCR section 5730. Sample tested per CALIFORNIA CODE OF REGULATIONS, TITLE 16, DIVISION 42. BUREAU OF CANNABIS CONTROL.

## envy CBD Soft Chew

**Sample ID:** 1903CSALA2248.7826  
**Strain:** envy CBD Soft Chew  
**Matrix:** Ingestible  
**Type:** Soft Chew  
**Sample Size:** 1 units; Batch:

**Produced:** N/A  
**Collected:** 03/28/2019  
**Received:** 03/29/2019  
**Completed:** 04/04/2019  
**Batch#:** 10 mg per soft chew

**Client:**  
**Envy, LLC**  
**Lic. #**  
 1718 Potrero Ave  
 South El Monte, CA 91733

### Microbials

Test method: PCR-SOP 401

#### Analyte

Analyte	Result	Status
Shiga toxin-producing E. Coli	Not Detected	Pass
Salmonella	Not Detected	Pass

Date Tested: 04/03/2019  
 LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Mycotoxins

Test method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.001	0.005		ND	Tested
B2	0.007	0.022		ND	Tested
G1	0.007	0.022		ND	Tested
G2	0.006	0.021		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.013	0.045	20	ND	Pass

Date Tested: 04/02/2019  
 LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Heavy Metals

Testing method: ICPMS-SOP 501

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.001	0.01	1.5	<LOQ	Pass
Cadmium	0.001	0.01	0.5	<LOQ	Pass
Lead	0.001	0.01	0.5	0.054	Pass
Mercury	0.001	0.01	3	<LOQ	Pass

Date Tested: 04/02/2019  
 LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653



Mallery Speakman  
 Laboratory Director - LA  
 04/04/2019



Anya Engen  
 Quality Manager  
 04/04/2019



# envy cbd Sour Soft Chew

**Sample ID:** 1903CSALA2248.7827  
**Strain:** envy cbd Sour Soft Chew  
**Matrix:** Ingestible  
**Type:** Soft Chew  
**Sample Size:** 1 units; Batch:

**Produced:** N/A  
**Collected:** 03/28/2019  
**Received:** 03/29/2019  
**Completed:** 04/04/2019  
**Batch#:** 10mg per soft chew

**Client:**  
**Envy, LLC**  
**Lic. #**  
 1718 Potrero Ave  
 South El Monte, CA 91733



## Summary Pass

<b>9.21 mg/unit</b> Total Cannabinoids	<b>Pass</b> Pesticides	<b>Pass</b> Residual Solvents
<b>Pass</b> Microbials	<b>Pass</b> Mycotoxins	<b>Pass</b> Heavy Metals

## Cannabinoids

Testing method: HPLC-SOP 101

Analyte	LOD		LOQ		Mass	Mass
	mg/unit	mg/unit	mg/unit	mg/g		
THCa	0.00102	0.0046	ND	ND	ND	ND
Δ9-THC	0.00193	0.0046	ND	ND	ND	ND
Δ8-THC	0.00192	0.0046	ND	ND	ND	ND
THCV	0.00179	0.0046	ND	ND	ND	ND
CBDa	0.00093	0.0046	ND	ND	ND	ND
CBD	0.00170	0.0046	9.03	1.98	9.03	1.98
CBDV	0.00046	0.0046	0.18	0.04	0.18	0.04
CBN	0.00074	0.0046	ND	ND	ND	ND
CBGa	0.00089	0.0046	ND	ND	ND	ND
CBG	0.00170	0.0046	ND	ND	ND	ND
CBC	0.00065	0.0046	ND	ND	ND	ND
<b>Total</b>			<b>9.21</b>	<b>2.02</b>		

## Complete

## Terpenes

Testing method: HS-GC-FID - SOP 201

Analyte	LOD		LOQ		Mass	Mass
	mg/unit	mg/unit	mg/unit	mg/g		
Not Tested						

## Not Tested

<b>ND</b> Total THC	<b>9.03 mg/unit</b> Total CBD
------------------------	----------------------------------

1 Unit = 1 Soft Chew, 4.56g; 20 servings per container; 0.00 mg/unit THC per container

Date Tested: 04/03/2019  
 Total THC = THCa \* 0.877 + d9-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 LOQ = Limit of Quantitation; LOD = Limit of Detection; NR = Not Reported; NT = Not Tested;  
 ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample;

<b>NT</b> Moisture Moisture Analyzer SOP-103 Date Tested:	<b>0.685 aw</b> Water Activity Water Activity Meter SOP-102 Date Tested: 04/02/2019	<b>Pass</b> Foreign Matter Visual Inspection SOP-001 Date Tested: 03/30/2019
--	--	---



ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653



Mallory Speakman  
 Laboratory Director - LA  
 04/04/2019



Anya Engen  
 Quality Manager  
 04/04/2019



# envy cbd Sour Soft Chew

**Sample ID:** 1903CSALA2248.7827  
**Strain:** envy cbd Sour Soft Chew  
**Matrix:** Ingestible  
**Type:** Soft Chew  
**Sample Size:** 1 units; Batch:

**Produced:** N/A  
**Collected:** 03/28/2019  
**Received:** 03/29/2019  
**Completed:** 04/04/2019  
**Batch#:** 10mg per soft chew

**Client:**  
**Envy, LLC**  
**Lic. #**  
 1718 Potrero Ave  
 South El Monte, CA 91733

## Pesticides

Test Method: LCMS &amp; GCMS-SOP 301

**Pass**

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.018	0.059	0.3	ND	Pass	Fludioxonil	0.007	0.024	30	ND	Pass
Acephate	0.009	0.029	5	ND	Pass	Hexythiazox	0.007	0.024	2	ND	Pass
Acequinocyl	0.005	0.018	4	ND	Pass	Imazalil	0.004	0.012	0.004	ND	Pass
Acetamiprid	0.004	0.013	5	ND	Pass	Imidacloprid	0.039	0.129	3	ND	Pass
Aldicarb	0.004	0.013	0.004	ND	Pass	Kresoxim Methyl	0.005	0.017	1	ND	Pass
Azoxystrobin	0.006	0.019	40	ND	Pass	Malathion	0.01	0.032	5	ND	Pass
Bifenazate	0.004	0.014	5	ND	Pass	Metaxyl	0.003	0.01	15	ND	Pass
Bifenthrin	0.008	0.027	0.5	ND	Pass	Methiocarb	0.006	0.02	0.006	ND	Pass
Boscalid	0.006	0.019	10	ND	Pass	Methomyl	0.009	0.03	0.1	ND	Pass
Captan	0.0789	0.2631	5	ND	Pass	Methyl Parathion	0.007	0.0233	0.007	ND	Pass
Carbaryl	0.005	0.015	0.5	ND	Pass	Mevinphos	0.003	0.011	0.003	ND	Pass
Carbofuran	0.005	0.018	0.005	ND	Pass	Myclobutanil	0.017	0.058	9	ND	Pass
Chlorantraniliprole	0.007	0.024	40	ND	Pass	Naled	0.007	0.024	0.5	ND	Pass
Chlordane	0.0291	0.0969	0.0291	ND	Pass	Oxamyl	0.003	0.009	0.2	ND	Pass
Chlorfenapyr	0.01	0.033	0.01	ND	Pass	Paclobutrazol	0.013	0.044	0.013	ND	Pass
Chlorpyrifos	0.005	0.017	0.005	ND	Pass	Pentachloronitrobenzene	0.0046	0.0152	0.2	ND	Pass
Clofentezine	0.006	0.019	0.5	ND	Pass	Permethrin	0.011	0.036	20	ND	Pass
Coumaphos	0.009	0.028	0.009	ND	Pass	Phosmet	0.007	0.025	0.2	ND	Pass
Cyfluthrin	0.008	0.026	1	ND	Pass	Piperonyl Butoxide	0.005	0.018	8	ND	Pass
Cypermethrin	0.013	0.044	1	ND	Pass	Prallethrin	0.007	0.024	0.4	ND	Pass
Daminozide	0.021	0.07	0.021	ND	Pass	Propiconazole	0.008	0.026	20	ND	Pass
DDVP	0.004	0.012	0.004	ND	Pass	Propoxur	0.004	0.013	0.004	ND	Pass
Diazinon	0.005	0.017	0.2	ND	Pass	Pyrethrins	0.003	0.01	1	ND	Pass
Dimethoate	0.003	0.011	0.003	ND	Pass	Pyridaben	0.008	0.027	3	ND	Pass
Dimethomorph	0.007	0.023	20	ND	Pass	Spinetoram	0.007	0.022	3	ND	Pass
Ethoprophos	0.004	0.013	0.004	ND	Pass	Spirosad	0.005	0.016	3	ND	Pass
Etofenprox	0.005	0.017	0.005	ND	Pass	Spiromesifen	0.007	0.023	12	ND	Pass
Etoxazole	0.006	0.018	1.5	ND	Pass	Spirotetramat	0.009	0.03	13	ND	Pass
Fenhexamid	0.009	0.03	10	ND	Pass	Spiroxamine	0.006	0.019	0.006	ND	Pass
Fenoxycarb	0.007	0.022	0.007	ND	Pass	Tebuconazole	0.013	0.042	2	ND	Pass
Fenpyroximate	0.009	0.03	2	ND	Pass	Thiacloprid	0.007	0.023	0.007	ND	Pass
Fipronil	0.017	0.056	0.017	ND	Pass	Thiamethoxam	0.004	0.013	4.5	ND	Pass
Flonicamid	0.0244	0.0814	2	ND	Pass	Trifloxystrobin	0.004	0.014	30	ND	Pass

Date Tested: 04/02/2019  
 LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653

Mallory Speakman  
 Laboratory Director - LA  
 04/04/2019

Anya Engen  
 Quality Manager  
 04/04/2019



## envy cbd Sour Soft Chew

**Sample ID:** 1903CSALA2248.7827  
**Strain:** envy cbd Sour Soft Chew  
**Matrix:** Ingestible  
**Type:** Soft Chew  
**Sample Size:** 1 units; Batch:

**Produced:** N/A  
**Collected:** 03/28/2019  
**Received:** 03/29/2019  
**Completed:** 04/04/2019  
**Batch#:** 10mg per soft chew

**Client**  
**Envy, LLC**  
**Lic. #**  
 1718 Potrero Ave  
 South El Monte, CA 91733

### Residual Solvents

Testing method: HSGCMS-SOP 202

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.024	0.24	1	ND	Pass
Acetone	0.112	1.12	5000	ND	Pass
Acetonitrile	0.0196	0.196	410	ND	Pass
Benzene	0.0096	0.096	1	ND	Pass
Butane	0.2	2	5000	ND	Pass
Chloroform	0.0288	0.288	1	ND	Pass
Ethanol	0.112	1.12	5000	ND	Pass
Ethyl-Acetate	0.112	1.12	5000	ND	Pass
Ethyl-Ether	0.112	1.12	5000	ND	Pass
Ethylene Oxide	0.024	0.24	1	ND	Pass
Heptane	0.112	1.12	5000	ND	Pass
Isopropanol	0.112	1.12	5000	ND	Pass
Methanol	0.144	1.44	3000	ND	Pass
Methylene-Chloride	0.0288	0.288	1	ND	Pass
n-Hexane	0.1392	1.392	290	ND	Pass
Pentane	0.112	1.12	5000	ND	Pass
Propane	0.08	0.8	5000	ND	Pass
Toluene	0.4272	4.272	890	ND	Pass
Trichloroethene	0.0384	0.384	1	ND	Pass
Xylenes	1.0416	10.416	2170	ND	Pass

Date Tested: 04/02/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653



 Mally Speakman  
 Laboratory Director - LA  
 04/04/2019



 Anya Engen  
 Quality Manager  
 04/04/2019


The values reported pertain only to the product tested. R&amp;D sample only. Tested as-is/received from client. Unless otherwise stated all Laboratory Quality Control (LQC) samples performed within specifications established by the BCC in 16 CCR section 5730. Sample tested per CALIFORNIA CODE OF REGULATIONS, TITLE 16, DIVISION 42. BUREAU OF CANNABIS CONTROL.

## envy cbd Sour Soft Chew

**Sample ID:** 1903CSALA2248.7827  
**Strain:** envy cbd Sour Soft Chew  
**Matrix:** Ingestible  
**Type:** Soft Chew  
**Sample Size:** 1 units; Batch:

**Produced:** N/A  
**Collected:** 03/28/2019  
**Received:** 03/29/2019  
**Completed:** 04/04/2019  
**Batch#:** 10mg per soft chew

**Client:**  
**Envy, LLC**  
**Lic. #**  
 1718 Potrero Ave  
 South El Monte, CA 91733

### Microbials

Test method: PCR-SOP 401

#### Analyte

Analyte	Result	Status
Shiga toxin-producing E. Coli	Not Detected	Pass
Salmonella	Not Detected	Pass

Date Tested: 04/01/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Mycotoxins

Test method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.001	0.005		ND	Tested
B2	0.007	0.022		ND	Tested
G1	0.007	0.022		ND	Tested
G2	0.006	0.021		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.013	0.045	20	ND	Pass

Date Tested: 04/02/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.;

### Heavy Metals

Testing method: ICPMS-SOP 501

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.001	0.01	1.5	0.010	Pass
Cadmium	0.001	0.01	0.5	ND	Pass
Lead	0.001	0.01	0.5	0.064	Pass
Mercury	0.001	0.01	3	<LOQ	Pass

Date Tested: 04/02/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653

**Mallery Speakman**  
 Laboratory Director - LA  
 04/04/2019

**Anya Engen**  
 Quality Manager  
 04/04/2019

