


LL19072901

Sample ID: 1908ELB0491.1542
Strain: LL19072901
Matrix: Ingestible
Type: Other
Sample Size: ; Batch:

Created: 08/01/2019
Collected: 07/31/2019
Received: 08/01/2019
Completed: 08/14/2019
Batch#:

Client
CRG Labs LLC
Lic. #
3955 Industrial Way Ste A
Concord, CA 94520

Cultivator/Manufacturer

	ND	11.252%	11.252%
	Total THC	Total CBD	Total Cannabinoids
	NT	NT	Not Tested
	Water Activity	Moisture	Foreign Matter

Safety

Batch Status: Pass

Pass Pesticides	Pass Microbials	Pass Mycotoxins	Pass Solvents	Pass Metals	Not Tested Foreign Matter
---------------------------	---------------------------	---------------------------	-------------------------	-----------------------	-------------------------------------

Cannabinoids

Complete

Analyte	LOD	LOQ	Mass	Mass	Mass	Mass	Mass
	%	%	%	mg/g	mg/mL	mg/serving	mg/container
THCa	0.0199	0.0199	ND	ND	ND	ND	ND
Δ9-THC	0.0199	0.0199	ND	ND	ND	ND	ND
Δ8-THC	0.0199	0.0199	ND	ND	ND	ND	ND
CBDa	0.0199	0.0199	ND	ND	ND	ND	ND
CBD	0.0199	0.0199	11.2521	112.521	128.341	ND	ND
CBDV	0.0199	0.0199	ND	ND	ND	ND	ND
CBN	0.0199	0.0199	ND	ND	ND	ND	ND
CBGa	0.0199	0.0199	ND	ND	ND	ND	ND
CBG	0.0199	0.0199	ND	ND	ND	ND	ND
CBC	0.0199	0.0199	ND	ND	ND	ND	ND
Total THC			ND	ND	ND	ND	ND
Total CBD			11.2521	112.521	128.341	NaN	NaN
Total			11.2521	112.521	128.341	0.000	0

Moisture

Date Tested:

Equipment Used: NT = Not tested; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu MOC63U; EVIO SOPT.40.010

Foreign Matter

Date Tested:

Equipment Used: Analytical Instrumentation: Stereo Microscope SH-2B/T; EVIO SOPT.40.013

Water Activity

Date Tested:

Equipment Used: NT = Not tested; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Rotronic HC2-AW; EVIO SOPT.40.011.CA

Total CBD = (CBDa x 0.877) + CBD, Total THC = (THCa x 0.877) + Δ9-THC

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Cured plant material reported as moisture-corrected % dry weight, other sample types reported 'as is'; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu Nexera HPLC. EVIO SOPT.30.050.CA, SOPT.40.023.CA



David Egerton

David Egerton
Lab Director
08/14/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.



EVIO Labs - Berkeley
1200 5th St.
Berkeley, CA 94710

(510) 356-4248
eviolabs.com/
Lic# C8-17-0000010-TEMP

**R&D TESTING ONLY
NOT FOR RESALE**

QA Testing

2 of 6

LL19072901

Sample ID: 1908ELB0491.1542
Strain: LL19072901
Matrix: Ingestible
Type: Other
Sample Size: ; Batch:

Created: 08/01/2019
Collected: 07/31/2019
Received: 08/01/2019
Completed: 08/14/2019
Batch#:

Client
CRG Labs LLC
Lic. #
3955 Industrial Way Ste A
Concord, CA 94520

Cultivator/Manufacturer

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.024	0.08	0.3	ND	Pass	Fludioxonil	0.014	0.075	30	ND	Pass
Acephate	0.004	0.075	5	ND	Pass	Hexythiazox	0.003	0.075	2	ND	Pass
Acequinocyl	0.018	0.075	4	ND	Pass	Imazalil	0.01	0.075	0.01	ND	Pass
Acetamiprid	0.007	0.075	0.5	ND	Pass	Imidacloprid	0.01	0.075	3	ND	Pass
Aldicarb	0.015	0.075	0.015	ND	Pass	Kresoxim Methyl	0.008	0.075	1	ND	Pass
Azoxystrobin	0.007	0.075	40	ND	Pass	Malathion	0.005	0.075	5	ND	Pass
Bifenazate	0.006	0.075	5	ND	Pass	Metalaxyl	0.006	0.075	15	ND	Pass
Bifenthrin	0.008	0.075	0.5	ND	Pass	Methiocarb	0.008	0.075	0.008	ND	Pass
Boscalid	0.009	0.075	10	ND	Pass	Methomyl	0.008	0.075	0.1	ND	Pass
Captan	0.035	0.116	5	ND	Pass	Methyl Parathion	0.016	0.075	0.016	ND	Pass
Carbaryl	0.008	0.075	0.5	ND	Pass	Mevinphos	0.01	0.075	0.01	ND	Pass
Carbofuran	0.004	0.075	0.004	ND	Pass	Myclobutanil	0.008	0.075	9	ND	Pass
Chlorantraniliprole	0.013	0.075	40	ND	Pass	Naled	0.009	0.075	0.5	ND	Pass
Chlordane	0.003	0.075	0.003	ND	Pass	Oxamyl	0.005	0.075	0.2	ND	Pass
Chlorfenapyr	0.008	0.075	0.008	ND	Pass	Paclobutrazol	0.006	0.075	0.006	ND	Pass
Chlorpyrifos	0.003	0.075	0.003	ND	Pass	Pentachloronitrobenzene	0.015	0.075	0.2	ND	Pass
Clofentezine	0.004	0.075	0.5	ND	Pass	Permethrin	0.01	0.075	20	ND	Pass
Coumaphos	0.004	0.075	0.004	ND	Pass	Phosmet	0.008	0.075	0.2	ND	Pass
Cyfluthrin	0.064	0.21	1	ND	Pass	Piperonyl Butoxide	0.003	0.075	8	ND	Pass
Cypermethrin	0.012	0.075	1	ND	Pass	Prallethrin	0.009	0.075	0.4	ND	Pass
Daminozide	0.007	0.075	0.007	ND	Pass	Propiconazole	0.009	0.075	20	ND	Pass
Diazinon	0.005	0.075	0.2	ND	Pass	Propoxur	0.008	0.075	0.008	ND	Pass
Dichlorvos	0.005	0.075	0.005	ND	Pass	Pyrethrins	0.008	0.075	1	ND	Pass
Dimethoate	0.007	0.075	0.007	ND	Pass	Pyridaben	0.005	0.075	3	ND	Pass
Dimethomorph	0.007	0.075	20	ND	Pass	Spinetoram	0.006	0.075	3	ND	Pass
Ethoprophos	0.005	0.075	0.005	ND	Pass	Spinosad	0.004	0.075	3	ND	Pass
Etofenprox	0.005	0.075	0.005	ND	Pass	Spiromesifen	0.008	0.075	12	ND	Pass
Etoxazole	0.004	0.075	1.5	ND	Pass	Spirotetramat	0.01	0.075	13	ND	Pass
Fenhexamid	0.005	0.075	10	ND	Pass	Spiroxamine	0.003	0.075	0.003	ND	Pass
Fenoxycarb	0.007	0.075	0.007	ND	Pass	Tebuconazole	0.008	0.075	2	ND	Pass
Fenpyroximate	0.004	0.075	2	ND	Pass	Thiacloprid	0.008	0.075	0.008	ND	Pass
Fipronil	0.01	0.075	0.01	ND	Pass	Thiamethoxam	0.007	0.075	4.5	ND	Pass
Flonicamid	0.007	0.075	2	ND	Pass	Trifloxystrobin	0.005	0.075	30	ND	Pass

Date Tested: 08/05/2019

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND - Not Detected; The reported result is based on as-is sample mass, e.g., wet-weight; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Perkin Elmer QSight 420 LC-MS/MS; SOPT.40.051.CA



David Egerton
Lab Director
08/14/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.



EVIO Labs - Berkeley
1200 5th St.
Berkeley, CA 94710

(510) 356-4248
eviolabs.com/
Lic# C8-17-0000010-TEMP

**R&D TESTING ONLY
NOT FOR RESALE**

QA Testing

3 of 6

LL19072901

Sample ID: 1908ELB0491.1542
Strain: LL19072901
Matrix: Ingestible
Type: Other
Sample Size: ; Batch:

Created: 08/01/2019
Collected: 07/31/2019
Received: 08/01/2019
Completed: 08/14/2019
Batch#:

Client
CRG Labs LLC
Lic. #
3955 Industrial Way Ste A
Concord, CA 94520

Cultivator/Manufacturer

Residual Solvents

Analyte	LOD	LOQ	Limit	Concentration	Status
	µg/g	µg/g	µg/g	µg/g	Fail
1,2-Dichloro-Ethane	0.08	0.25	1	ND	Pass
Benzene	0.03	0.12	1	ND	Pass
Chloroform	0.11	0.37	1	ND	Pass
Ethylene Oxide	0.12	0.41	1	ND	Pass
Methylene-Chloride	0.66	0.75	1	ND	Pass
Trichloroethene	0.4	0.4	1	ND	Pass
Acetone	5.46	36	5000	ND	Pass
Acetonitrile	0.41	1.37	410	ND	Pass
Butane	41.96	230.4	5000	ND	Pass
Ethanol	6.39	48	5000	>MAX	Pass
Ethyl-Acetate	2.61	19.2	5000	<LOQ	Pass
Ethyl-Ether	3.19	10.51	5000	ND	Pass
Heptane	2.99	24	5000	ND	Pass
Hexanes	0.31	1.03	290	ND	Pass
Isopropanol	3.3	24	5000	<LOQ	Pass
Methanol	2.76	9.12	3000	ND	Pass
Pentane	6.29	36	5000	ND	Pass
Propane	7.93	26.16	5000	ND	Pass
Toluene	0.98	3.24	890	ND	Pass
Xylenes	1.04	1.04	2170	ND	Pass

EVIO LABS

Date Tested: 08/05/2019

LOD=Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on nominal sample weight, and reported 'as is'; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu QP2020 GCMS; EVIO SOP.T.40.031.CA



David Egerton
Lab Director
08/14/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.



EVIO Labs - Berkeley
1200 5th St.
Berkeley, CA 94710

(510) 356-4248
eviolabs.com/
Lic# C8-17-0000010-TEMP

**R&D TESTING ONLY
NOT FOR RESALE**

QA Testing

4 of 6

LL19072901

Sample ID: 1908ELB0491.1542
Strain: LL19072901
Matrix: Ingestible
Type: Other
Sample Size: ; Batch:

Created: 08/01/2019
Collected: 07/31/2019
Received: 08/01/2019
Completed: 08/14/2019
Batch#:

Client
CRG Labs LLC
Lic. #
3955 Industrial Way Ste A
Concord, CA 94520

Cultivator/Manufacturer

Microbials

Pass

Analyte

Result

Aspergillus (A. flavus, A. fumigatus, A. niger, A. terreus)	None Detected in 1g
Aspergillus flavus	None Detected in 1g
Aspergillus fumigatus	None Detected in 1g
Aspergillus niger	None Detected in 1g
Aspergillus terreus	None Detected in 1g
Shiga toxin-producing E. coli	None Detected in 1g
Salmonella SPP	None Detected in 1g



EVIO LABS

Date Tested: 08/08/2019

NT = Not tested; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: BIO-RAD QPCR CFX96; EVIO SOPT.40.043



David Egerton
Lab Director
08/14/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.



EVIO Labs - Berkeley
1200 5th St.
Berkeley, CA 94710

(510) 356-4248
eviolabs.com/
Lic# C8-17-0000010-TEMP

**R&D TESTING ONLY
NOT FOR RESALE**

QA Testing

5 of 6

LL19072901

Sample ID: 1908ELB0491.1542
Strain: LL19072901
Matrix: Ingestible
Type: Other
Sample Size: ; Batch:

Created: 08/01/2019
Collected: 07/31/2019
Received: 08/01/2019
Completed: 08/14/2019
Batch#:

Client
CRG Labs LLC
Lic. #
3955 Industrial Way Ste A
Concord, CA 94520

Cultivator/Manufacturer

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Ochratoxin A	4.5	14.8	20	ND	Pass
Total Aflatoxins	4.4	14.6	20	ND	Pass



EVIO LABS

Date Tested: 08/05/2019

LOD - Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Perkin Elmer QSight 420 LC-MS/MS; SOP.T.40.051.CA



David Egerton
Lab Director
08/14/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.



EVIO Labs - Berkeley
1200 5th St.
Berkeley, CA 94710

(510) 356-4248
eviolabs.com/
Lic# C8-17-0000010-TEMP

**R&D TESTING ONLY
NOT FOR RESALE**

QA Testing

6 of 6

LL19072901

Sample ID: 1908ELB0491.1542
Strain: LL19072901
Matrix: Ingestible
Type: Other
Sample Size: ; Batch:

Created: 08/01/2019
Collected: 07/31/2019
Received: 08/01/2019
Completed: 08/14/2019
Batch#:


Client
CRG Labs LLC
Lic. #
3955 Industrial Way Ste A
Concord, CA 94520

Cultivator/Manufacturer

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Concentration	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.029	0.088	1.5	ND	Pass
Cadmium	0.02	0.059	0.5	ND	Pass
Lead	0.016	0.047	0.5	<LOQ	Pass
Mercury	0.023	0.07	3	ND	Pass



EVIO LABS

Date Tested: 08/14/2019

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on sample weight, and reported 'as is'; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu ICP/MS. EVIO SOPT.30.070.CA, SOPT.40.060.CA



David Egerton
Lab Director
08/14/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.


LL19073001

Sample ID: 1908ELB0491.1543
Strain: LL19073001
Matrix: Ingestible
Type: Other
Sample Size: ; Batch:

Created: 08/01/2019
Collected: 07/31/2019
Received: 08/01/2019
Completed: 08/14/2019
Batch#:

Client
CRG Labs LLC
Lic. #
3955 Industrial Way Ste A
Concord, CA 94520

Cultivator/Manufacturer

	ND	11.473%	11.473%
	Total THC	Total CBD	Total Cannabinoids
	NT	NT	Not Tested
	Water Activity	Moisture	Foreign Matter

Safety

Batch Status: Pass

Pass Pesticides	Pass Microbials	Pass Mycotoxins	Pass Solvents	Pass Metals	Not Tested Foreign Matter
---------------------------	---------------------------	---------------------------	-------------------------	-----------------------	-------------------------------------

Cannabinoids

Complete

Analyte	LOD	LOQ	Mass	Mass	Mass	Mass	Mass
	%	%	%	mg/g	mg/mL	mg/serving	mg/container
THCa	0.0195	0.0195	ND	ND	ND	ND	ND
Δ9-THC	0.0195	0.0195	ND	ND	ND	ND	ND
Δ8-THC	0.0195	0.0195	ND	ND	ND	ND	ND
CBDa	0.0195	0.0195	ND	ND	ND	ND	ND
CBD	0.0195	0.0195	11.4731	114.731	125.941	ND	ND
CBDV	0.0195	0.0195	ND	ND	ND	ND	ND
CBN	0.0195	0.0195	ND	ND	ND	ND	ND
CBGa	0.0195	0.0195	ND	ND	ND	ND	ND
CBG	0.0195	0.0195	ND	ND	ND	ND	ND
CBC	0.0195	0.0195	ND	ND	ND	ND	ND
Total THC			ND	ND	ND	ND	ND
Total CBD			11.4731	114.731	125.941	NaN	NaN
Total			11.4731	114.731	125.941	0.000	0

Moisture

Date Tested:

Equipment Used: NT = Not tested; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu MOC63U; EVIO SOPT.40.010

Foreign Matter

Date Tested:

Equipment Used: Analytical Instrumentation: Stereo Microscope SH-2B/T; EVIO SOPT.40.013

Water Activity

Date Tested:

Equipment Used: NT = Not tested; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Rotronic HC2-AW; EVIO SOPT.40.011.CA

Total CBD = (CBDa x 0.877) + CBD, Total THC = (THCa x 0.877) + Δ9-THC

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Cured plant material reported as moisture-corrected % dry weight, other sample types reported 'as is'; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu Nexera HPLC. EVIO SOPT.30.050.CA, SOPT.40.023.CA



David Egerton

David Egerton
Lab Director
08/14/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.



EVIO Labs - Berkeley
1200 5th St.
Berkeley, CA 94710

(510) 356-4248
eviolabs.com/
Lic# C8-17-0000010-TEMP

**R&D TESTING ONLY
NOT FOR RESALE**

QA Testing

2 of 6

LL19073001

Sample ID: 1908ELB0491.1543
Strain: LL19073001
Matrix: Ingestible
Type: Other
Sample Size: ; Batch:

Created: 08/01/2019
Collected: 07/31/2019
Received: 08/01/2019
Completed: 08/14/2019
Batch#:

Client
CRG Labs LLC
Lic. #
3955 Industrial Way Ste A
Concord, CA 94520

Cultivator/Manufacturer

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.024	0.08	0.3	ND	Pass	Fludioxonil	0.014	0.075	30	ND	Pass
Acephate	0.004	0.075	5	ND	Pass	Hexythiazox	0.003	0.075	2	ND	Pass
Acequinocyl	0.018	0.075	4	ND	Pass	Imazalil	0.01	0.075	0.01	ND	Pass
Acetamiprid	0.007	0.075	0.5	ND	Pass	Imidacloprid	0.01	0.075	3	ND	Pass
Aldicarb	0.015	0.075	0.015	ND	Pass	Kresoxim Methyl	0.008	0.075	1	ND	Pass
Azoxystrobin	0.007	0.075	40	ND	Pass	Malathion	0.005	0.075	5	ND	Pass
Bifenazate	0.006	0.075	5	ND	Pass	Metalaxyl	0.006	0.075	15	ND	Pass
Bifenthrin	0.008	0.075	0.5	ND	Pass	Methiocarb	0.008	0.075	0.008	ND	Pass
Boscalid	0.009	0.075	10	ND	Pass	Methomyl	0.008	0.075	0.1	ND	Pass
Captan	0.035	0.116	5	ND	Pass	Methyl Parathion	0.016	0.075	0.016	ND	Pass
Carbaryl	0.008	0.075	0.5	ND	Pass	Mevinphos	0.01	0.075	0.01	ND	Pass
Carbofuran	0.004	0.075	0.004	ND	Pass	Myclobutanil	0.008	0.075	9	ND	Pass
Chlorantraniliprole	0.013	0.075	40	ND	Pass	Naled	0.009	0.075	0.5	ND	Pass
Chlordane	0.003	0.075	0.003	ND	Pass	Oxamyl	0.005	0.075	0.2	ND	Pass
Chlorfenapyr	0.008	0.075	0.008	ND	Pass	Paclobutrazol	0.006	0.075	0.006	ND	Pass
Chlorpyrifos	0.003	0.075	0.003	ND	Pass	Pentachloronitrobenzene	0.015	0.075	0.2	ND	Pass
Clofentezine	0.004	0.075	0.5	ND	Pass	Permethrin	0.01	0.075	20	ND	Pass
Coumaphos	0.004	0.075	0.004	ND	Pass	Phosmet	0.008	0.075	0.2	ND	Pass
Cyfluthrin	0.064	0.21	1	ND	Pass	Piperonyl Butoxide	0.003	0.075	8	ND	Pass
Cypermethrin	0.012	0.075	1	ND	Pass	Prallethrin	0.009	0.075	0.4	ND	Pass
Daminozide	0.007	0.075	0.007	ND	Pass	Propiconazole	0.009	0.075	20	ND	Pass
Diazinon	0.005	0.075	0.2	ND	Pass	Propoxur	0.008	0.075	0.008	ND	Pass
Dichlorvos	0.005	0.075	0.005	ND	Pass	Pyrethrins	0.008	0.075	1	ND	Pass
Dimethoate	0.007	0.075	0.007	ND	Pass	Pyridaben	0.005	0.075	3	ND	Pass
Dimethomorph	0.007	0.075	20	ND	Pass	Spinetoram	0.006	0.075	3	ND	Pass
Ethoprophos	0.005	0.075	0.005	ND	Pass	Spinosad	0.004	0.075	3	ND	Pass
Etofenprox	0.005	0.075	0.005	ND	Pass	Spiromesifen	0.008	0.075	12	ND	Pass
Etoxazole	0.004	0.075	1.5	ND	Pass	Spirotetramat	0.01	0.075	13	ND	Pass
Fenhexamid	0.005	0.075	10	ND	Pass	Spiroxamine	0.003	0.075	0.003	ND	Pass
Fenoxycarb	0.007	0.075	0.007	ND	Pass	Tebuconazole	0.008	0.075	2	ND	Pass
Fenpyroximate	0.004	0.075	2	ND	Pass	Thiacloprid	0.008	0.075	0.008	ND	Pass
Fipronil	0.01	0.075	0.01	ND	Pass	Thiamethoxam	0.007	0.075	4.5	ND	Pass
Flonicamid	0.007	0.075	2	ND	Pass	Trifloxystrobin	0.005	0.075	30	ND	Pass

Date Tested: 08/05/2019

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND - Not Detected; The reported result is based on as-is sample mass, e.g., wet-weight; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Perkin Elmer QSight 420 LC-MS/MS; SOPT.40.051.CA



David Egerton
Lab Director
08/14/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.



EVIO Labs - Berkeley
1200 5th St.
Berkeley, CA 94710

(510) 356-4248
eviolabs.com/
Lic# C8-17-0000010-TEMP

**R&D TESTING ONLY
NOT FOR RESALE**

QA Testing

3 of 6

LL19073001

Sample ID: 1908ELB0491.1543
Strain: LL19073001
Matrix: Ingestible
Type: Other
Sample Size: ; Batch:

Created: 08/01/2019
Collected: 07/31/2019
Received: 08/01/2019
Completed: 08/14/2019
Batch#:

Client
CRG Labs LLC
Lic. #
3955 Industrial Way Ste A
Concord, CA 94520

Cultivator/Manufacturer

Residual Solvents

Analyte	LOD	LOQ	Limit	Concentration	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.08	0.25	1	ND	Pass
Benzene	0.03	0.12	1	ND	Pass
Chloroform	0.11	0.37	1	ND	Pass
Ethylene Oxide	0.12	0.41	1	ND	Pass
Methylene-Chloride	0.66	0.75	1	ND	Pass
Trichloroethene	0.4	0.4	1	ND	Pass
Acetone	5.46	36	5000	ND	Pass
Acetonitrile	0.41	1.37	410	ND	Pass
Butane	41.96	230.4	5000	ND	Pass
Ethanol	6.39	48	5000	ND	Pass
Ethyl-Acetate	2.61	19.2	5000	168.81	Pass
Ethyl-Ether	3.19	10.51	5000	ND	Pass
Heptane	2.99	24	5000	ND	Pass
Hexanes	0.31	1.03	290	ND	Pass
Isopropanol	3.3	24	5000	ND	Pass
Methanol	2.76	9.12	3000	ND	Pass
Pentane	6.29	36	5000	ND	Pass
Propane	7.93	26.16	5000	ND	Pass
Toluene	0.98	3.24	890	ND	Pass
Xylenes	1.04	1.04	2170	ND	Pass

EVIO LABS

Date Tested: 08/05/2019

LOD=Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on nominal sample weight, and reported 'as is'; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu QP2020 GCMS; EVIO SOP.T.40.031.CA



David Egerton
Lab Director
08/14/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.



EVIO Labs - Berkeley
1200 5th St.
Berkeley, CA 94710

(510) 356-4248
eviolabs.com/
Lic# C8-17-0000010-TEMP

**R&D TESTING ONLY
NOT FOR RESALE**

QA Testing

4 of 6

LL19073001

Sample ID: 1908ELB0491.1543
Strain: LL19073001
Matrix: Ingestible
Type: Other
Sample Size: ; Batch:

Created: 08/01/2019
Collected: 07/31/2019
Received: 08/01/2019
Completed: 08/14/2019
Batch#:

Client
CRG Labs LLC
Lic. #
3955 Industrial Way Ste A
Concord, CA 94520

Cultivator/Manufacturer

Microbials

Pass

Analyte

Result

Aspergillus (A. flavus, A. fumigatus, A. niger, A. terreus)	None Detected in 1g
Aspergillus flavus	None Detected in 1g
Aspergillus fumigatus	None Detected in 1g
Aspergillus niger	None Detected in 1g
Aspergillus terreus	None Detected in 1g
Shiga toxin-producing E. coli	None Detected in 1g
Salmonella SPP	None Detected in 1g



EVIO LABS

Date Tested: 08/07/2019

NT = Not tested; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: BIO-RAD QPCR CFX96; EVIO SOPT.40.043



David Egerton
Lab Director
08/14/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.



EVIO Labs - Berkeley
1200 5th St.
Berkeley, CA 94710

(510) 356-4248
eviolabs.com/
Lic# C8-17-0000010-TEMP

**R&D TESTING ONLY
NOT FOR RESALE**

QA Testing

5 of 6

LL19073001

Sample ID: 1908ELB0491.1543
Strain: LL19073001
Matrix: Ingestible
Type: Other
Sample Size: ; Batch:

Created: 08/01/2019
Collected: 07/31/2019
Received: 08/01/2019
Completed: 08/14/2019
Batch#:

Client
CRG Labs LLC
Lic. #
3955 Industrial Way Ste A
Concord, CA 94520

Cultivator/Manufacturer

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Ochratoxin A	4.5	14.8	20	ND	Pass
Total Aflatoxins	4.4	14.6	20	ND	Pass



EVIO LABS

Date Tested: 08/05/2019

LOD - Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Perkin Elmer QSight 420 LC-MS/MS; S0PT.40.051.CA



David Egerton
Lab Director
08/14/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.



EVIO Labs - Berkeley
1200 5th St.
Berkeley, CA 94710

(510) 356-4248
eviolabs.com/
Lic# C8-17-0000010-TEMP

**R&D TESTING ONLY
NOT FOR RESALE**

QA Testing

6 of 6

LL19073001

Sample ID: 1908ELB0491.1543
Strain: LL19073001
Matrix: Ingestible
Type: Other
Sample Size: ; Batch:

Created: 08/01/2019
Collected: 07/31/2019
Received: 08/01/2019
Completed: 08/14/2019
Batch#:


Client
CRG Labs LLC
Lic. #
3955 Industrial Way Ste A
Concord, CA 94520

Cultivator/Manufacturer

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Concentration	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.029	0.088	1.5	ND	Pass
Cadmium	0.02	0.059	0.5	ND	Pass
Lead	0.016	0.047	0.5	ND	Pass
Mercury	0.023	0.07	3	ND	Pass



EVIO LABS

Date Tested: 08/14/2019

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on sample weight, and reported 'as is'; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu ICP/MS. EVIO SOPT.30.070.CA, SOPT.40.060.CA



David Egerton
Lab Director
08/14/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.