Profile

Wallmount

Power supply
12x3x2 cm

Wireless
LED programmer

200 mm

600 mm

200 mm

80 mm

600 mm

682 mm

60 mm

10 mm

10 mm

140 mm

200 mm

600 mm

60 mm

70 mm

Installation screws x 4 units

6 mm

80 mm

12 mm

Connections access

60 mm

60 mm

70 mm

80 mm

600 mm

682 mm

Power supply
12x3x2 cm

Flashing LED Pixel Farmacy cross projecting sign / 60x60cm /80x80cm

DATA SHEET

- **Aluminium profile:** Powder coated Green satin (RAL 6016)
- **Wallmount:** Powder coated Light grey satin (Pantone Cool Gray 2).
- **Poster:** Green steel 1 mm (closest to RAL 6016).
- **Dots:** LED Pixels, bright green, IP67, installed and wired inside.
- **LED** wireless LED programmer inside the wallmoount.
- **60x60 cm** sign has 273 x 2 sides = 546 LEDs.
- **80x80 cm** sign has 361 x 2 sides = 722 LEDs.
- **Power consumption 60x60 cm:** 100 W.
- **Power consumption 80x80 cm:** 150 W.

SIGN24H

Profile

Wallmount

Power supply
12x3x2 cm

Wireless
LED programmer

260 mm

800 mm

260 mm

80 mm

800 mm

882 mm

Installation screws x 4 units

6 mm

80 mm

12 mm

60 mm

10 mm

10 mm

200 mm

260 mm

800 mm

60 mm

70 mm

Connections access

60 mm

60 mm

70 mm

800 mm

882 mm

80 mm

Power supply
12x3x2 cm

Flashing LED Pixel Farmacy cross projecting sign / 60x60cm /80x80cm

DATA SHEET

- **Aluminium profile:** Powder coated Green satin (RAL 6016)
- **Wallmount:** Powder coated Light grey satin (Pantone Cool Gray 2).
- **Poster:** Green steel 1 mm (closest to RAL 6016).
- **Dots:** LED Pixels, bright green, IP67, installed and wired inside.
- **LED** wireless LED programmer inside the wallmoount.
- **60x60 cm** sign has 273 x 2 sides = 546 LEDs.
- **80x80 cm** sign has 361 x 2 sides = 722 LEDs.
- **Power consumption 60x60 cm:** 100 W.
- **Power consumption 80x80 cm:** 150 W.

Dots: LED Pixels, bright green, IP67, installed and wired inside.

Steel 1mm

Powder coated aluminium profile

Steel 1mm

Access power supply

Connection cable

Dots LED pixels

Wireless LED programmer

Section A-A

Steel

Profile section

Joint angle

A

A

Flashing LED Pixel Farmacy cross projecting sign / 60x60cm /80x80cm

DATA SHEET

- **Aluminium profile:** Powder coated Green satin (RAL 6016)
- **Wallmount:** Powder coated Light grey satin (Pantone Cool Gray 2).
- **Poster:** Green steel 1 mm (closest to RAL 6016).
- **Dots:** LED Pixels, bright green, IP67, installed and wired inside.
- **LED** wireless LED programmer inside the wallmoount.
- **60x60 cm** sign has 273 x 2 sides = 546 LEDs.
- **80x80 cm** sign has 361 x 2 sides = 722 LEDs.
- **Power consumption 60x60 cm:** 100 W.
- **Power consumption 80x80 cm:** 150 W.

SIGN24H