



Laundry Tower™ Single Unit Front Load 5.1 Cu. Ft. I.E.C Washer and 8 Cu. Ft. Electric Dryer

Laundry Tower

Available Products: ELTE730CAW

Available Colors: White

Version: 11/23

## Product Specifications

|                                  |                 |                                  |               |
|----------------------------------|-----------------|----------------------------------|---------------|
| <b>Washer</b>                    |                 | <b>Washer Cycles</b>             |               |
| Drum Material                    | Stainless Steel | Cycle Count                      | 7             |
| Maximum Spin Speed               | 1100 RPM        | Clean Washer                     | Yes           |
| Water Level Adjustment           | Yes             | Delicates                        | Yes           |
| <b>Washer Options</b>            |                 | Fast Wash                        | Yes           |
| Delay Start Time                 | 1-12 Hours      | Heavy Duty                       | Yes           |
| Extended Refresh                 | Yes             | Normal                           | Yes           |
| Extra Rinse                      | Yes             | Rinse and Spin                   | Yes           |
| Stain Treat                      | Yes             | Towels                           | Yes           |
| <b>Washer Spin Speeds</b>        |                 | <b>Soil Levels</b>               |               |
| Spin Speed Selections            | 4               | Extra Light                      | Yes           |
| Max                              | Yes             | Light                            | Yes           |
| Medium                           | Yes             | Normal                           | Yes           |
| Low                              | Yes             | Heavy                            | Yes           |
| No Spin                          | Yes             | <b>Dryer</b>                     |               |
| <b>Temperature Settings</b>      |                 | Balanced Dry                     | Yes           |
| Eco Cold                         | Yes             | Drum Back Type                   | Painted Steel |
| Cool                             | Yes             | Drum Material                    | Painted Steel |
| Warm                             | Yes             | Dryness Level Selections         | Yes           |
| Hot                              | Yes             | Lint Filter                      | Yes           |
| <b>Dispenser</b>                 |                 | Moisture Sensor                  | Yes           |
| Bleach Dispenser                 | Yes             | <b>Dryer Options</b>             |               |
| Detergent Dispenser              | Yes             | Delay Start Time                 | 1-12 Hours    |
| Fabric Softener Dispenser        | Yes             | Dry Boost                        | Yes           |
| Prewash Detergent Dispenser      | Yes             | Extended Tumble                  | Yes           |
| <b>Dryer Cycles</b>              |                 | Wrinkle Release                  | Yes           |
| Cycle Count                      | 7               | <b>Dryness Level</b>             |               |
| Allergen                         | Yes             | High                             | Yes           |
| Delicates                        | Yes             | Normal                           | Yes           |
| Fast Dry                         | Yes             | Low                              | Yes           |
| Heavy Duty                       | Yes             | Damp                             | Yes           |
| Normal                           | Yes             | <b>Exterior</b>                  |               |
| Timed Dry Time                   | Yes             | Door Latch                       | Yes           |
| Towels                           | Yes             | Reversible Door                  | Yes           |
| <b>Electrical Specifications</b> |                 | <b>Electrical Specifications</b> |               |
|                                  |                 | Minimum Circuit Required         | 30 Amps       |
|                                  |                 | Voltage Rating                   | 120v          |

We reserve the right to change specifications or discontinue models without notice.

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • [electrolux.com/en](http://electrolux.com/en)

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • [electrolux.ca](http://electrolux.ca)

Laundry Tower™ Single Unit Front Load 5.1 Cu. Ft. I.E.C

Laundry Tower

Washer and 8 Cu. Ft. Electric Dryer

Available Products: ELTE730CAW

Available Colors: White

Version: 11/23

### Drying Temperatures

|         |     |
|---------|-----|
| Low     | Yes |
| Normal  | Yes |
| High    | Yes |
| Eco Dry | Yes |

### Controls

|                          |                 |
|--------------------------|-----------------|
| Cancel                   | Yes             |
| Child Lock               | Yes             |
| Cycle Status Lights      | Yes             |
| Delay Start              | Yes             |
| Estimated Time Remaining | Yes             |
| Control Lock             | Yes             |
| How to Cancel            | Key Combination |
| Pause Function           | Yes             |
| Power On/Off             | Yes             |
| Start                    | Yes             |

### Dimensions and Volume

|                                |             |
|--------------------------------|-------------|
| Height                         | 76 1/4"     |
| Width                          | 27"         |
| Depth                          | 32"         |
| Minimum Depth for Installation | 36"         |
| Washer Drum Capacity I.E.C.    | 5.1 Cu. Ft. |
| Dryer Drum Capacity            | 8 Cu. Ft.   |

### Energy Data

|                   |              |
|-------------------|--------------|
| Energy Efficiency | Tier 1       |
| kWh/year          | 50 kWh       |
| Water Usage/Year  | 4154 Gallons |

### General Specifications

|                      |          |
|----------------------|----------|
| Chime On / Chime Off | Yes      |
| Leveling Legs        | Yes      |
| Prop 65 Label        | Yes      |
| Warranty - Labor     | 1 Year   |
| Warranty - Parts     | 1 Year   |
| Warranty - Motor     | 10 Years |
| Warranty - Tub       | Lifetime |

### Performance Certifications and Approvals

|                       |        |
|-----------------------|--------|
| CEE Tier              | Tier 1 |
| ENERGY STAR Certified | Yes    |

### Installation

|                            |     |
|----------------------------|-----|
| Dryer Power Cord Included  | Yes |
| Washer Power Cord Included | Yes |

### Certifications and Approvals

|               |    |
|---------------|----|
| ADA Compliant | No |
|---------------|----|

We reserve the right to change specifications or discontinue models without notice.


Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • [electrolux.com/en](http://electrolux.com/en)

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • [electrolux.ca](http://electrolux.ca)

## Installation Diagram

### Laundry Center Dimensions



<sup>1</sup> Dryer electrical supply on rear of unit.

#### NOTE

- Allow minimum 36" of depth space for proper installation with 90° quick turn elbow for venting.
- Connection of water inlet hose on steam laundry center adds 3/4 in. (2 cm) to installation depth.
- Power supply cord length on washer approximately 60 inches (152.5 cm).
- Drain hose length on washer approximately 59 inches (150 cm).
- Power supply cord length on gas laundry center or electric Canadian laundry center approximately 60 inches (152.5 cm).

| Laundry Center Dimensions                        |                |
|--|----------------|
| 1. Unit width                                    | 27" (69 cm)    |
| 2. Height to gas supply pipe on rear of gas unit | 39.7" (101 cm) |
| 3. Centerline height for rear vent               | 41.8" (106 cm) |
| 4. Floor line                                    | --             |
| 5. Unit height                                   | 76.3" (194 cm) |
| 6. Door clearance                                | 53.9" (137 cm) |
| 7. Unit depth                                    | 31.9" (81 cm)  |
| 8. Width distance to water connections           | 7.8" (20 cm)   |
| 9. Height to water connections                   | 35.7" (91 cm)  |
| 10. Height to washer power connections           | 35.5" (91 cm)  |
| 11. Width distance to washer power connections   | 7.1" (18 cm)   |
| 12. Height to dryer electrical supply            | 48" (122 cm)   |