



5285 Hellyer Avenue, Suite 120  
 San Jose, CA 95138  
 Tel:408.757.5594 Fax: 408.890.4678  
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes  
 President  
 Edison Grain Inc  
 531 Getty Ct. Suite C  
 Benicia, CA 94510

Report # 042421\_39D0427R129  
 Customer # 2010219EGI  
 Received Date 4/24/2021  
 Report Date 4/27/2021  
 Page 1 of 1  
 P.O.# 3168

### Analytical Results

Sample ID	Sample Type	Test	Result
ORGANIC WHITE CORN GRITS	GWC00-1091-US-636-3168	<i>Aerobic Plate Count</i>	<50 CFU/g
ORGANIC WHITE CORN GRITS	GWC00-1091-US-636-3168	<i>Coliform</i>	<10 CFU/g
ORGANIC WHITE CORN GRITS	GWC00-1091-US-636-3168	<i>E.coli</i> ®	<10 CFU/g
ORGANIC WHITE CORN GRITS	GWC00-1091-US-636-3168	<i>Gluten</i>	<5 ppm
ORGANIC WHITE CORN GRITS	GWC00-1091-US-636-3168	<i>Listeria spp.</i>	Negative/25g
ORGANIC WHITE CORN GRITS	GWC00-1091-US-636-3168	<i>Salmonella spp.</i>	Negative/25g
ORGANIC WHITE CORN GRITS	GWC00-1091-US-636-3168	<i>Yeast &amp; Mold</i>	<10 CFU/g

#### Method Reference:

Aerobic Plate Count AOAC 2015.13  
 Coliform AOAC 991.14  
 E.coli PCR(BAM Chp 4)  
 Gluten AOAC 2014.03  
 Listeria spp. PCR(BAM Chp 10)  
 Salmonella spp. PCR(BAM Chp 5)  
 Yeast & Mold AOAC 2014.05

Laboratory Director OR Approved Signatory

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.