

3M Automotive Aftermarket Division.

Product Catalogue.

For more information go to www.3M.co.uk/bodyshop

3M, as an innovation company, continually strives for solutions to the increasing demands of modern paint systems and repair techniques. Innovations such as Cubitron[™] and Trizact[™] and the revolutionary 3M[™] PPS[™] Paint Preparation System endorse 3M's drive to introduce productive solutions in every phase of refinishing.

3M Automotive Aftermarket Division. Product Catalogue.

Contents.



| 5 |
|--------|
| |
| 14 |
| 32 |
| 41 |
| 43 |
| 44 |
| 50 |
| 51 |
| 61 |
| 64 |
| 69 |
| 71 |
| 74 |
| 78 |
| 81 |
| 94 |

Panel Repair

Introduction.



Inspect the damaged area and degrease in accordance with paint company recommendations.



Remove paint from damaged area using a dual action sander with relevant 3M[™] abrasive ranging from P80 to P120.



Apply 3M[™] Dry Guide Coat and hand or machine sand the filler to the desired shape.



Assess the filled area and apply additional fillers or 3M[™] Premium Glaze as required.



Feather around the repair area ensuring that any deep scratches are removed using finer grade abrasives P180.

Health and Safety

such hazards.*

- 3M[™] Respirators
- 3M[™] Hearing Protection

3M[™] Eve Protection

3M Automotive Aftermarket

From its earliest days, when it invented the first practical sanding abrasives, 3M have pioneered a succession of techniques which enable the professional repairer to undertake every aspect of refinishing with the complete trust and confidence that is synonymous with 3M brands.

Today, 3M brands such as Hookit[™], Cubitron[™], Scotch[®], Scotch-Brite[™], Roloc[™], PPS[™] and Perfect-it[™] are trusted by thousands of bodyshops to work faster, last longer and eliminate re-working.

3M's extensive aftermarket range, over 600 items in all, is backed by support, advice and award-winning training from a technical team and an ATA-trained salesforce, along with productivity and profitability training and occupational health advice.

3M

Founded in 1902 in St Paul Minnesota USA, 3M are present today in more than 60 countries, with a turnover in excess of \$20 billion.

3M employ 75,000 people worldwide to deliver more than 55,000 products to customers in 200 countries. These products touch nearly every aspect of modern life, serving markets as diverse as consumer and office, personal and traffic safety, electronics and energy, security and protection services, healthcare, and industrial and transportation.

3M UK and Ireland

The UK and Ireland is one of the largest 3M subsidiaries outside the US, employing more than 3,500 people across 15 locations including 10 manufacturing sites. Products manufactured in the UK include coated abrasives, respirators and adhesive tapes.





Reshape panel as required. Mix and apply body filler to damaged area, avoiding surrounding paintwork.





Apply 3M[™] Dry Guide Coat and hand sand the filler or glaze to the required shape and finish using (finer grade abrasive) P180 abrasive.

Bodyshop repair processes can produce respiratory, hearing and eye hazards. Control measures (such as PPE) should be considered to protect against

Suggested PPE includes:

For more information visit the HSE website www.hse.gov.uk/mvr/bodyshop

*It is ultimately the responsibility of the employer to select the most appropriate control measures, which could include Personal Protective Equipment (PPE) based on a full risk assessment.

2


Primer Preparation



Further key around the repair area

using 3M[™] abrasive discs, grade

P320 and P500.





Apply the appropriate 3M[™] masking products to suit the repair area and move vehicle into the booth.

Masking Options



including seats, steering wheels

and floor coverings, to protect

the car interior throughout the

repair process.

For shallower apertures, use 3M[™]

Use 3M[™] Interior Protection products,



Apply etch primer on any bare metal areas using 3M[™] Accuspray Gun and 1.4mm nozzle.



Apply high build primer to repair area using 3M[™] Accuspray Gun and 1.8mm nozzle.

Health and Safety

Bodyshop repair processes can produce respiratory, hearing and eye hazards. Control measures (such as PPE) should be considered to protect against such hazards.*

- Suggested PPE includes:
- 3M[™] Respirators
- 3M[™] Hearing Protection
- 3M[™] Eye Protection

For more information visit the HSE website www.hse.gov.uk/mvr/bodyshop

*It is ultimately the responsibility of the employer to select the most appropriate control measures, which could include Personal Protective Equipment (PPE) based on a full risk assessment.



Use 3M[™] Masking Film to protect those large areas of the car not to be sprayed during the repair.



Use 3M[™] Trim Lifting Cord or Trim Masking Tape under rubber mouldings to prevent hard paint edges.



Use 3M[™] Trim Masking Tape on windscreens and components to provide complete protection from overspray.



Use 3M[™] Smooth Transition Tape for the prevention of hard edges.

Use 3M[™] Fine Line Masking Tape 471 for accurate masking and detailing.

such hazards.*



Soft Edge Masking Foam Tape PLUS.



Use 3M[™] Soft Edge Masking Foam tapes for standard aperture masking requirements. Foam tape can also be used to fill voids where trim had been previously attached.



Use 3M[™] Scotch[®] Performance Masking Tape for critical areas and for general masking.



Use appropriately sized 3M[™] Pre-taped Masking Film to speed up masking operations and for SMART repairs.

Health and Safety

Bodyshop repair processes can produce respiratory, hearing and eye hazards. Control measures (such as PPE) should be considered to protect against

Suggested PPE includes:

• 3M[™] Respirators

• 3M[™] Hearing Protection

• 3M[™] Eye Protection

For more information visit the HSE website www.hse.gov.uk/mvr/bodyshop

*It is ultimately the responsibility of the employer to select the most appropriate control measures, which could include Personal Protective Equipment (PPE) based on a full risk assessment.

2

Primer Sanding



Apply 3M[™] Dry Guide Coat to primed surface.



Hand sand awkward primed areas and panel edges using 3M[™] Hookit[™] Flexible Abrasive Sheets or 3M[™] alternative.



Hand block or machine sand the repair area using P320 3M[™] Hookit[™] Abrasive Sheets.

Topcoat Preparation



Mix small amount of paint and generate a spray out card using 3M[™] PPS[™] Colour Match Film.

Check colour match film spray out against vehicle.



Reapply 3M[™] Dry Guide Coat to the panel.



Machine sand using fine grade abrasives P400 or P500.



Check repair, blow and wipe all surfaces with 3M[™] Professional Panel Wipes in preparation for topcoat.





Check all masking and tack repair area in preparation for topcoat.

company recommendations.

Health and Safety

Bodyshop repair processes can produce respiratory, hearing and eye hazards. Control measures (such as PPE) should be considered to protect against such hazards.*

- Suggested PPE includes:
- 3M[™] Respirators
- 3M[™] Hearing Protection
- 3M[™] Eye Protection

For more information visit the HSE website www.hse.gov.uk/mvr/bodyshop

 * It is ultimately the responsibility of the employer to select the most appropriate control measures, which could include Personal Protective Equipment (PPE) based on a full risk assessment.

Health and Safety

Bodyshop repair processes can produce respiratory, hearing and eye hazards. Control measures (such as PPE) should be considered to protect against such hazards.*

- Suggested PPE includes:
- 3M[™] Respirators
- 3M[™] Hearing Protection
- 3M[™] Eye Protection


For more information visit the HSE website www.hse.gov.uk/mvr/bodyshop

*It is ultimately the responsibility of the employer to select the most appropriate control measures, which could include Personal Protective Equipment (PPE) based on a full risk assessment.





Mix colour in 3M[™] PPS[™] Liner, selecting the appropriate size for repair area.



Paint Rectification and Compounding Process



Remove paint imperfections using 3M[™] Hookit[™] Purple Finishing Film Discs 260L grades P1200 -P2000 with an interface pad on an appropriate sized sander.



Alternatively, to remove paint imperfections, use 3M[™] Paint Defect Removal Hand System, selecting appropriate block size and grade.



Refine the scratches caused by removing paint imperfections using 3M[™] Trizact 3000 Disc wet.

Plastic Repair - Tab Rebuild





Using 3M[™] Adhesive Cleaner and 3M[™] Professional Panel Wipe, clean the area, removing any oil or grease from surface.

Prepare area with a 3M[™] Roloc Disc P80 reducing the thickness of the plastic.



Wipe away residual dust and apply

3M[™] Polyolefin Adhesion Promoter

to bare plastic area and leave

to dry for 10 minutes.

Cut the 3M[™] Contour Sheet to

about 3 times the size of the tab to be repaired. Equalise and extrude the 3M[™] Superfast Plastic Adhesive onto the 3M[™] Contour Sheet.



After 5 minutes shape tab using a 3M[™] Roloc Disc P80. Drill hole if



To refine scratches further and to achieve a higher quality finish, use 3M[™] Trizact 6000 Disc wet.



Perfect-it III Fast Cut PLUS Compound and Green Compounding Pad. Wipe off the excess compound using a green high performance cloth.



Polish panel using 3M[™] Perfect-it III Extra Fine PLUS Compound and Yellow Polishing Pad. This gives a deeper level of shine. Wipe off excess compound using a yellow ultra soft cloth.



Remove holograms and swirl marks by using 3M[™] Perfect-it III Ultrafina SE Polish on a Blue High Gloss Pad. Wipe off excess compound using a blue ultra soft cloth.

Health and Safety

Bodyshop repair processes can produce respiratory, hearing and eye hazards. Control measures (such as PPE) should be considered to protect against such hazards.*

Suggested PPE includes:

- 3M[™] Respirators
- 3M[™] Hearing Protection
- 3M[™] Eye Protection

For more information visit the HSE website www.hse.gov.uk/mvr/bodyshop

*It is ultimately the responsibility of the employer to select the most appropriate control measures. which could include Personal Protective Equipment (PPE) based on a full risk assessment.



After 5 minutes shape tab using a 3M[™] Roloc Disc P80. Drill hole if required to create a new fixing point.



Drill several holes of 3-6mm in diameter in the remaining part of the tab to increase the strength of the repair.





required to create a new fixing point.



Place 3M[™] Superfast Plastic Adhesive onto damaged area and immediately fold 3M[™] Contour Sheet over to cover both sides of the repair. Hold in place for 1 minute. Remove film once cured.

Health and Safety

Bodyshop repair processes can produce respiratory, hearing and eye hazards. Control measures (such as PPE) should be considered to protect against such hazards.*

Suggested PPE includes:

- 3M[™] Respirators
- 3M[™] Hearing Protection
- 3M[™] Eye Protection

For more information visit the HSE website www.hse.gov.uk/mvr/bodyshop

*It is ultimately the responsibility of the employer to select the most appropriate control measures, which could include Personal Protective Equipment (PPE) based on a full risk assessment.

Plastic Repair - Edge Repair



Using 3M[™] Adhesive Cleaner and 3M[™] Professional Panel Wipe, clean the area removing any oil or grease from surface.



at the base of the tear in order to release stress and prevent extension of damage.



Prepare the area around the tear with a 3M[™] Hookit[™] Abrasive Disc P180. Avoid overheating and melting the plastic.



Wipe away dust and debris and apply 3M[™] Polyolefin Adhesion Promoter to both sides of the repair area. Allow 10 minutes to dry.



 $3M^{\mbox{\tiny TM}}$ Crack Seal Tape and $3M^{\mbox{\tiny TM}}$ Flexible Parts Repair Material to the back side of the repair area.



Once rear side is cured, apply 3M[™] Flexible Parts Repair Material to front side of repair area.



Spread and smooth 3M[™] Flexible Parts Repair Material into the tear and allow to dry for 20 minutes.



Sand over the repaired area using 3M[™] Hookit Abrasive Disc P80 - P180.

Health and Safety

Bodyshop repair processes can produce respiratory, hearing and eye hazards. Control measures (such as PPE) should be considered to protect against such hazards.*

Suggested PPE includes:

- 3M[™] Respirators
- 3M[™] Hearing Protection
- 3M[™] Eye Protection
- For more information visit the HSE website www.hse.gov.uk/mvr/bodyshop

*It is ultimately the responsibility of the employer to select the most appropriate control measures, which could include Personal Protective Equipment (PPE) based on a full risk assessment.

Plastic Repair - Centre Repair



Using 3M[™] Adhesive Cleaner and 3M[™] Professional Panel Wipe, clean the area removing any oil or grease from surface.



the plastic.



Spray 3M[™] Polyolefin Adhesion Promoter on the front side of the bumper around the damaged area. Allow 10 minutes to dry.



allow 5 minutes to dry.



Using 3M Applicator, apply 3M[™] Flexible Plastic Repair Materials to the damaged area. Spread and smooth and allow to dry for 20 minutes.



Hookit Abrasive Disc P80 - 180 and prepare for paint application.

Prepare the area around the damage using a 3M[™] Hookit[™] Abrasive Disc P180. Avoid overheating and melting



Remove excess dust and clean the surface area using 3M[™] Professional Panel Wipe and Surface Cleaner.

Plastic Repair Patch, wipe area with supplied adhesion promoter and



Apply the pre-shaped 3M[™] Instant Plastic Repair Patch to rear side and place firmly over the damaged area.

Health and Safety

Bodyshop repair processes can produce respiratory, hearing and eye hazards. Control measures (such as PPE) should be considered to protect against such hazards.*

Suggested PPE includes:

- 3M[™] Respirators
- 3M[™] Hearing Protection
- 3M[™] Eye Protection

For more information visit the HSE website www.hse.gov.uk/mvr/bodyshop

*It is ultimately the responsibility of the employer to select the most appropriate control measures, which could include Personal Protective Equipment (PPE) based on a full risk assessment.

Paint Preparation System



a 3M[™] PPS[™] Cup on paint mixing

scales at zero.



Measure out paint accordingly for the job.



Use a 3M[™] PPS[™] Mixing Stick to stir the paint thoroughly.



Snap a 3M[™] PPS[™] Lid (with built-in filter) onto the 3M[™] PPS[™] Cup/Liner. Secure the Lid with the locking 3M[™] PPS[™] collar.



Attach 3M[™] PPS [™]to gun by aligning the 3M[™] PPS[™] Lid Legs with the PPS[™] adapter and then twist to lock.



Upon completion of spraying, invert the gun and pull the trigger to return paint to 3M[™] PPS[™] before disconnecting. Dispose of the 3M[™] PPS[™] Lid/Liner and clean the gun and adapter.



To store colours for future use, insert a sealing cap in the top of the 3M[™] PPS[™] Lid.

Health and Safety

Bodyshop repair processes can produce respiratory, hearing and eye hazards. Control measures (such as PPE) should be considered to protect against such hazards.*

Suggested PPE includes:

- 3M[™] Respirators
- 3M[™] Hearing Protection
- 3M[™] Eye Protection

For more information visit the HSE website www.hse.gov.uk/mvr/bodyshop

*It is ultimately the responsibility of the employer to select the most appropriate control measures. which could include Personal Protective Equipment (PPE) based on a full risk assessment.

Panel Bonding



Remove all paint, rust and contamination from surfaces to be bonded using 3M[™] Roloc[™] Bristle or Clean and Strip[™] Discs. Straighten all metal, clamp the part in place



Cleaner (08984).

and check for fit alignment.



Apply adhesive bead on all areas to be bonded (all bare metal surfaces).



Apply primer according to paint avoiding hard edges. Dry to paint company recommendation.



Spray 3M[™] Weld Thru II Coating (50410) to all areas to be welded. Clamp the panel in its proper position.



to seal the outside of the seam all along the bonded edge of the panel.



Clean all areas to be bonded with 3M[™] General Purpose Adhesive



Place duo pack cartridge with adhesive in applicator. Unscrew adhesive cap and dispense enough to equalise the adhesive. Attach and lock the mixing nozzle to the duo pack cartridge.

company recommendations to repairs, keeping spray area to a minimum and



Apply additional adhesive bead to either the replacement panel or the inner structure.



Weld appropriate areas. You may weld as soon as panel is fixed with clamps.



Spray the inside quarter panel and weld the seams with 3M[™] Inner Cavity Wax, Amber (08901) or Transparent (08909).



Clamps can be removed after 4 hours at 23°C and/or if there is any tension, part needs to remain clamped longer. Curing time may be accelerated by applying heat with applicator or IR lamps (do not exceed 120°C for 45 minutes). Allow 24 hours curing before returning the vehicle to service.

Health and Safety

Bodyshop repair processes can produce respiratory, hearing and eye hazards. Control measures (such as PPE) should be considered to protect against such hazards.*

Suggested PPE includes:

- 3M[™] Respirators
- 3M[™] Hearing Protection
- 3M[™] Eye Protection

For more information visit the HSE website www.hse.gov.uk/mvr/bodyshop

*It is ultimately the responsibility of the employer to select the most appropriate control measures, which could include Personal Protective Equipment (PPE) based on a full risk assessment.

From preparation to finish, abrasives play a key role in all bodyshop processes. 3M have developed a full range of abrasives to suit every type of application incorporating innovative technologies for superior performance, anti-loading and consistent finish. From small awkward areas to tough e-coat removal, our abrasives are available in a wide variety of sizes and grades to secure the perfect finish.

Hookit[™] Cubitron[™] II Abrasive Discs



life and consistency.

Applications include paint removal, body filler rough shaping and feather edging.

| Part Number | Item | Grade | Units Per Pack | Units Per Case |
|----------------|--------------------|-------|-------------------|-------------------|
| 51221 | | 80+ | 50 | |
| 51222 | | 120+ | | 5 |
| 51310 | Abrasive Disc 737U | 150+ | | |
| 51311 | | 180+ | 50 | |
| 51312 | | 220+ |] | |

Hookit[™] Purple+ Abrasive Discs



filler sanding.

| Part Number | Item | | Units Per Pack | Units Per Case |
|----------------|--------------------|------|-------------------|-------------------|
| 50524 | | P80 | | |
| 50525 | Abrasive Disc 734U | P120 | 50 | 5 |
| 50527 | | P180 | | |

3M[™] Hookit[™] Purple+ Abrasive Discs Multihole 334U

Finer grades produce finer dust particles. The unique 177 hole design provides the ultimate in dust extraction for fine particles giving you a cleaner, safer working environment, reducing the need for rework. Premium 3M abrasive mineral delivers rapid cut rate. Purple+ discs' unique anti-loading construction allows discs to carry on cutting for longer. Used for paint removal and primer sanding with the best anti-loading and life seen in fine grades.

| Part Number | Item | Grit Grade | Units Per Pack | Units Per Case |
|----------------|--------------------|---------------|-------------------|-------------------|
| 50529 | | P240 | | |
| 50531 | P320 | | | |
| 50532 | | P360 | 50 | 5 |
| 50533 | Abrasive Disc 334U | P400 | | |
| 50534 | | P500 | | |
| 50913 | | P600 | | |

3M[™] Hookit[™] Cubitron[™] II Purple+ Abrasive Discs Multihole 737U

Triangular shaped ceramic grain is electrostatically oriented to form sharp peaks that act like individual cutting tools that slice through paint and body filler, wear evenly and provide long

3M[™] Hookit[™] Purple+ Abrasive Discs Multihole 734U

Coarser grades produce coarser dust particles. The unique 51 hole design captures larger particles through larger holes, optimising extraction whilst increasing cut and improving aggression where you need it most. Premium 3M abrasive mineral delivers rapid cut rate. Purple+ discs' unique anti-loading construction allows discs to carry on cutting for longer. Purple+ discs improve productivity, increasing profitability. Used for paint removal and



3M[™] Hookit[™] Abrasive Discs Multihole 525U

Fast cut and long life are coupled with spiral multihole technology for superior dust extraction when used with our range of universal Back-up Pads.

Available in a range of grades from P80 to P600. Applications include paint removal, filler flattening and primer sanding.

| Part Number | Item | Grit Grade | Units Per Pack | Units Per Case |
|----------------|------------------------------|---------------|-------------------|-------------------|
| 51143 | | P80 | | |
| 51144 | Abrasive Disc Multihole 525U | P100 | 100 | 5 |
| 51145 | | P120 | | |



3M[™] Hookit[™] Abrasive Discs Multihole 325U

| Part Number | Item | Grit Grade | Units Per Pack | Units Per Case |
|----------------|------------------------------|---------------|-------------------|-------------------|
| 51371 | P1 P1 | P80 | - 100 | _ |
| 51373 | | P120 | | |
| 51374 | | P150 | | |
| 51375 | | P180 | | |
| 51376 | | P220 | | |
| 51377 | Abrasive Disc Multihole 325U | P240 | | |
| 51378 | Abrasive Disc Multinole 3250 | P280 | | 100 |
| 51379 | | P320 | | |
| 51380 | | P360 | | |
| 51381 | | P400 | | |
| 51382 | | P500 | | |
| 51383 | | P600 | | |

Hookit[™] Abrasive Discs



3M[™] Hookit[™] Abrasive Discs 15 Hole 255P+

255P+ 15 hole discs and pads achieve better cut, less loading and a reduction in airborne dust. In particular, there are anti-loading benefits, especially with fine grades on difficult to sand top coats and primers.

Available in a range of grades from P80 to P600. Applications include paint removal, filler flattening and primer sanding.

| Part Number | Item | Grit Grade | Units Per Pack | Units Per Case |
|----------------|---------------------|---------------|-------------------|-------------------|
| 50443 | | P80 | | 5 |
| 50445 | | P120 |] | |
| 50446 | | P150 | | |
| 50447 | | P180 | | |
| 50448 | | P220 | | |
| 50449 | Abrasive Disc 255P+ | P240 | | |
| 50450 | Adrasive Disc 255P+ | P280 | 110 | |
| 50451 | | P320 |] | |
| 50452 | | P360 | 1 | |
| 50453 | | P400 |] | |
| 50454 | | P500 | | |
| 50455 | | P600 |] | |



3M[™] Hookit[™] Abrasive Discs 245

These anti-loading discs are available in a wide variety of hole configurations and grades. Coated in aluminium oxide with resin bonding to prevent premature burning, this tough disc is durable for a consistent finish.

Applications include paint removal, shaping and sanding plastic filler, removal of coarser scratches in body filler and scratch refinement of bare metal.

| Part Number | Item | Dimension | Grit Grade | Units Per Pack | Units Per Case |
|----------------|-------------------|-----------|---------------|-------------------|-------------------|
| 01649 | | 150mm | P40 | 50 | 5 |
| 01648 | | | P60 | | |
| 01647 | Abrasive Disc 245 | | P80 | | |
| 00700 | | 203mm | P40 | 25 | |
| 00698 | | 20311111 | P80 | | |

3M[™] Hookit[™] Abrasive Discs 7 Hole 245

| Part Number | Item | Grit Grade | Units Per Pack | Units Per Case |
|----------------|-------------------|---------------|-------------------|-------------------|
| 80350 | | P40 | 50 | 5 |
| 80351 | Abrasive Disc 245 | P60 | | |
| 80352 | | 50 | 5 | |
| 80354 | | P120 |] | |

3M[™] Hookit[™] Abrasive Discs 8 Hole 245



3M[™] Hookit[™] Abrasive Discs 9 Hole 245

| Part Number | Item | Grit Grade | Units Per Pack | Units Per Case |
|----------------|-------------------|---------------|-------------------|-------------------|
| 00317 | | P40 | | |
| 00315 | Abrasive Disc 245 | P80 | 50 | 5 |
| 00313 | | P120 |] | |

Hookit[™] E-Coat Abrasive Disc

Discs were designed to solve the problem of sanding these extremely tough coatings.

Disc 337U



| 3M [™] Hookit [™] Abrasive D |
|--|
| Finish equivalent to P320. No |
| Unique construction. |

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------|-----------|-------------------|-------------------|
| 50535 | Abrasive Disc 337U | 150mm | 25 | 4 |

| | Dimension | Grit Grade | Units Per Case | Units Per Case |
|--|-----------|---------------|-------------------|-------------------|
| | 203mm | P40 | - 25 | |
| | | P60 | | 5 |
| | | P80 | | 5 |
| | | P120 | | |

Automotive E-Coats are electro coated primers providing high protection to new OEM panels. Hookit E-Coat Abrasive

lo need to use coarser grades. Consistent matt finish.

Hookit[™] Hard Clear Coat Disc

European vehicle manufacturers are increasingly utilising ultra hard scratch-resistant paints which are very difficult to key and prepare. The 150mm Hookit[™] Hard Clear Coat Disc from 3M features a premium abrasive which delivers an enhanced cut on scratch resistant paints. Not only does the new 1000 grade disc deliver the fine finish that is essential for effective blending, its durability means that there is a considerable reduction in the number of discs used per panel.



3M[™] Hookit[™] Hard Clear Coat Disc

Specially designed to prepare hard, scratch-resistant paints.

- Uniform finish for enhanced keying.
- Use damp for less dust and loading.
- Extended life for increased efficiency and profitability.
- Premium crystal abrasive used in the disc packs a powerful cutting performance. The abrasive lasts much longer than conventional discs.
- It can be used with or without an interface pad, depending upon the colours of the panel or the amount of pressure required.

| Part Number | Item | Dimension | Grade | Units Per Pack | Units Per Case |
|----------------|----------------------|-----------|-------|-------------------|-------------------|
| 50744 | Hard Clear Coat Disc | 150mm | 1000 | 10 | 5 |

Hookit[™] Abrasive Back-up Pads

The innovative design of the 3M[™] Hookit[™] Multihole Back-up Pad range makes them suitable for all 3M[™] 150mm dust extraction disc ranges; 6 to 15 holes as well as the spiral configuration of multihole discs. The unique multihole configuration allows the disc to be fitted to the pad without concern for the hole alignment.



3M[™] Hookit[™] Multihole Abrasive Disc Accessories

Available in 5/16" and M8 options, both standard and soft, the Back-up Pad Range offers optimum dust removal.

| Part Number | Item | Configuration | Size | Units Per Pack | Units Per Case |
|----------------|--|----------------|-------|-------------------|-------------------|
| 51122 | Back-up Pad | 5/16" Standard | | | |
| 51123 | Back-up Pad | M8 Standard | | 1 | 5 |
| 51124 | Back-up Pad | 5/16" Soft | 150mm | | |
| 51125 | Back-up Pad | M8 Soft | | | |
| 28729 | Clean Sand Back-up Pad – for use with 3M Elite DA sanders | 5/16" LP | | | |
| 51126 | Multihole Soft Interface Pad | | 5mm | 1 | 10 |
| 51127 | Multihole Soft Interface Pad | | 10mm | | |

Hookit[™] Cubitron[™] II Abrasive Sheets

Our innovative sheet range with chevron mulithole extraction combines with a matching accessory range to offer the very best solution for maximum dust extraction and efficient filler sanding.

Haakit M Cubitron M II Ab



| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------|---------------|-------------------|-------------------|-------------------|
| 51386 | | P80+ | | | |
| 51387 | | P120+ | | | |
| 51388 | | P150+ | 70mm x 127mm | | 6 |
| 51389 | | P180+ | | | |
| 51390 | | P220+ | 115mm x 225mm | 50 | |
| 51399 | | P80+ | | | |
| 51400 | | P120+ | | | |
| 51401 | Abrasive Sheet 737U | P150+ | | | |
| 51402 | | P180+ | | | |
| 51403 | | P220+ | | | |
| 51411 | | P80+ | | 1 | |
| 51412 | | P120+ | | | |
| 51413 | | P150+ | 70mm x 396mm | | |
| 51414 | | P180+ |] | | |
| 51415 | 1 | P220+ | 1 | | |

Hookit[™] Purple+ Abrasive Sheets

Innovative abrasive construction with chevron multihole extraction combines superior lasting cut and performance with efficient dust extraction. The 396mm sheet uses Kiss-cut underscore technology which enables the sheet to be easily converted to two 198mm sheets removing the need for two stock numbers and thus reducing stock holding.

3M[™] Hookit[™] Purple+ Abrasive Sheets Multihole 734U

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Cas |
|----------------|---------------------|---------------|---------------|-------------------|------------------|
| 51036 | | P40 | | 25 | |
| 51035 | | P60 | | 25 | |
| 30649 | | P80 | 70 407 | | |
| 30647 | | P120 | 70mm x 127mm | 50 | |
| 30646 | | P150 | | | |
| 30645 | | P180 | | | |
| 51034 | P40 | 05 |] | | |
| 51033 | | P60 | 25 | | |
| 30636 | Abrasive Sheet 734U | P80 | 115mm x 225mm | 50 | 6 |
| 30634 | | P120 | | | |
| 30632 | | P180 | | | |
| 51032 | | P40 | | 25 |] |
| 51031 | | P60 | | 25 | |
| 30623 | | P80 | | |] |
| 30621 | | P120 | 70mm x 396mm | 50 | |
| 30620 | | P150 | 7 | 50 | |
| 30619 | 1 | P180 | | | |

| hrasive | Sheets | Multihole | 737U |
|---------|---------|-----------|------|
| DIASIVE | Slieets | winning | 1310 |

3M[™] Hookit[™] Purple+ Abrasive Sheets Multihole 334U

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------|---------------|-----------------|-------------------|-------------------|
| 30643 | 4 | P240 | | | |
| 30641 | | P320 | 70 m m v 107m m | | |
| 30640 | | P400 | 70mm x 127mm | | 6 |
| 30639 | | P500 | | 50 | |
| 30630 | Abrasive Sheet 334U | P240 | 115mm x 225mm | | |
| 30628 | | P320 | | | |
| 30627 | | P400 | | | |
| 30617 | | P240 | | | |
| 30615 | | P320 | 70mm x 396mm | | |
| 30614 | | P400 |] | | |

Hookit[™] Purple+ Multihole Accessories

The new range of accessories has been ergonomically designed to offer the most comfortable lightweight solution for every application.



3M[™] Hookit[™] Purple+ Multihole Handblocks

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------|---------------|-------------------|-------------------|
| 05170 | | 70mm x 127mm | | |
| 05171 | Handblock | 70mm x 198mm |] | |
| 05172 | Handblock | 70mm x 396mm |]. | . |
| 05173 | | 115mm x 225mm |] | 1 |
| 50728 | Curved Adapter Set | 70mm x 127mm | | |
| 50729 | | 70mm x 198mm | | |



3M[™] Accessories


| Part Number | Item | Dimension | Units Per Pack | Units Per Cas |
|----------------|---------------------------------------|---------------|-------------------|------------------|
| 09316 | Hose and Adapter | 3m | | |
| 50772 | Multihole Handblock Adjustable | 70 000 | | |
| 50773 | Multihole Handblock Flexible | 70mm x 396mm | | |
| 50774 | Multihole Baseplate Rupes RE21AL | 70mm x 198mm | 2 |] |
| 50775 | Multihole Baseplate Rupes SL42A | 70mm x 396mm | | 1 |
| 50776 | Multihole Baseplate Rupes | 115mm x 225mm | | |
| 50777 | Multihole Baseplate Rupes SL41A | | | 1 |
| 50778 | Multihole Baseplate Hutchins 800VADF | 70mm x 396mm | | |
| 50779 | Multihole Baseplate Hutchins 2000VADF | | | |
| 50780 | Multihole Baseplate Festo | | | |
| 50781 | Multihole Baseplate Festo S1C RS100C | 115mm x 225mm | 1 | |
| 50782 | Multihole Baseplate Festo LRB-1AS2 | | | |
| 05174 | Block Hose | 6m | | |
| 05175 | | 70mm x 198mm | | - |
| 50742 | Multihole Soft Interface Pad 10mm | 70mm x 127mm | | 5 |
| 50727 | Blockboard | Blockboard | | |
| 09920 | Replacement Hose | 3m | 1 | 1 |

Dry Sanding

3M[™] Production abrasive paper uses an aluminium oxide mineral with a heavy paper backing. Sold in sheets for hand use and in rolls for cutting and attaching to machines.

3M[™] Abrasive Rolls 255P 04494 04493 04400 Abrasive Roll 255P 04399 04398

3M[™] Abrasive Sheets 255P





3M[™] Abrasive Sheets 10 Hole 255P

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------|---------------|---------------|-------------------|-------------------|
| 05209 | | P40 | | | 10 |
| 05300 | | P60 | | | |
| 05299 | | P80 | 115mm x 280mm | 50 | 20 |
| 05298 | | P100 | | | 20 |
| 05297 | Abrasive Sheet 255P | P120 | | | |
| 05296 | Abrasive Sheet 255P | P150 | | | |
| 05295 | | P180 | | | |
| 05294 | | P220 | | 100 | 10 |
| 05293 | | P240 | | | |
| 02210 | | P280 | | | |

3M[™] Hookit[™] Flexible Abrasive Sheets

For use wet or dry, Flexible Abrasive Sheets have the cut and feel of conventional abrasives with the added benefit of high flexibility in order to access those hard to reach areas such as bumpers, door shuts and panel edges.

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|-------------------------|---------------|--------------------|-------------------|-------------------|
| 34337 | | P400 | - 139mm x 172mm | | |
| 34339 | | P600 | | | |
| 34340 | Flowible Abussius Chart | P800 | | 1 | 5 |
| 34341 | Flexible Abrasive Sheet | P1000 | | | |
| 34342 | | P1200 | | | |
| 34343 | | P1500 | | | 10 |

| Grit Grade | Dimension | Units Per Pack | Units Per Case |
|---------------|-------------|-------------------|-------------------|
| P40 | | | |
| P60 | | | |
| P80 | 115mm x 50m | 1 | 2 |
| P100 | | | |
| P120 | | | |

| Grit Grade | Dimension | Units Per Pack | Units Per Case |
|-------------------|---------------|-------------------|-------------------|
| P40 115mm x 280mm | | 50 | 10 |
| P80 | 115mm x 280mm | 50 | 20 |
| P40 | | 25 | |
| P60 | | | |
| P80 | 230mm x 280mm | 50 | 10 |
| P100 | | 50 | |
| P120 | | | |

Plain dust extraction sheets for half sheet type machines in grade range P40 - P400.



3M[™] Hookit[™] Flexible Abrasive Sheet Accessories

| Part Number | Item | Units Per Pack | Units Per Case |
|----------------|----------------------------|-------------------|-------------------|
| 05742 | Handblock | 1 | 1 |
| 34352 | Flexible Abrasive Foam Pad | 2 | 10 |



3M[™] Softback Sanding Sponges

For awkward areas, shaping and feather edging. Ideal for hand sanding applications, for critical or awkward areas and for final finish before topcoat application. Ultrafine/microfine for critical colours; superfine for finishing primers; medium and fine for sanding before primer applications.

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|-------------------------|---------------|---------------|-------------------|-------------------|
| 03808 | | Medium | | | |
| 03809 | | Fine | | | 10 |
| 03810 | Softback Sanding Sponge | Superfine | 115mm x 140mm | 20 | |
| 02601 | | Ultrafine | | | <u> </u> |
| 02600 | | Microfine | | | 6 |



3M[™] Soft Hand Rolls Perforated 216U

| Part Number | ltem | Colour | Grit Grade | Dimension | Selling Unit | Units Per Pack | Units Per Case |
|----------------|---------------------|--------|---------------|-------------|-----------------|-------------------|-------------------|
| 50331 | | | P180 | 114mm x 25m | Roll | 1 | 4 |
| 50333 | | | P240 | | | | |
| 50335 | Soft Hand Roll 216U | Gold | P320 | | | | |
| 50337 | | | P400 | | | | |
| 50338 | | | P500 | | | | |
| 50339 | | | P600 | | | | |
| 50340 | | | P800 |] | | | |

Plain Sheets

3M[™] Fre-Cut[™] Tri-M-ite[™] abrasive paper is intended to be used by hand, often as a dry sanding alternative to Wetordry[™] abrasive paper.



which can be used on a $3M^{\text{T}}$ block.

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------|---------------|---------------|-------------------|-------------------|
| 02631 | | P80 | | | |
| 02565 | | P100 | | | |
| 02564 | | P120 | | 50 | 10 |
| 02563 | | P150 | 230mm x 280mm | | |
| 02562 | | P180 | | | |
| 02561 | Abrasive Sheet 618 | P220 | | | |
| 02560 | | P240 | | | |
| 02559 | | P280 | | | |
| 02558 | | P320 | | | |
| 02556 | | P400 | | | |
| 02636 | | P500 | | | |

Wet Sanding

Coated in sharp abrasive mineral silicon carbon for long product life and good surface quality, 3M[™] Wetordry[™] can be used for both wet or dry applications. The lightweight, water resistant backing provides flexibility and conformability with a wide range of grades to enable an ultrafine finish to be achieved.



sharp cut.

| Part Number | Item |
|----------------|--------------------|
| 01989 | |
| 01988 | |
| 01987 | |
| 01986 | |
| 01982 | |
| 01981 | |
| 01980 | |
| 01979 | |
| 01978 | Abrasive Paper 734 |
| 01977 | |
| 01976 | |
| 01975 | |
| 01974 | |
| 01973 | |
| 01972 | |
| 01971 | |
| 01970 | |

3M[™] Fre-Cut[™] Tri-M-ite[™] Abrasive Sheets 618

Sheets designed for durable sanding of polyester filler in a repair. With Hookit[™] attachment,

3M[™] Wetordry[™] Abrasive Papers 734

3M[™] Wetordry[™] 734 abrasive paper utilises silicon carbide mineral which gives a particularly

| Grit Grade | Dimension | Units Per Pack | Units Per Case | |
|---------------|---------------|-------------------|-------------------|--|
| P60 | | | | |
| P80 | | | | |
| P100 | | | | |
| P120 | | | | |
| P150 | | | | |
| P180 | 230mm x 280mm | 25 | | |
| P220 | | | | |
| P240 | | | | |
| P280 | | | 10 | |
| P320 | | | | |
| P360 | | | | |
| P400 | | | | |
| P500 | | | | |
| P600 | | | | |
| P800 | | | | |
| P1000 | | | | |
| P1200 | | | | |



3M[™] Perfect-it[™] III Microfine Abrasive Paper 314

3M[™] 314 production abrasive paper utilises aluminium oxide mineral for a superior finish. Areas affected by paint imperfections are removed using our highest quality Perfect-it™ Microfine Wetordry[™] abrasive paper.

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|------------------------------|---------------|---------------|-------------------|-------------------|
| 01967 | Microfine Abrasive Paper 314 | P1200 | 138mm x 230mm | 50 | 10 |



3M[™] Perfect-it[™] III Microfine Abrasives

Abrasive denib and blemish removal. Improvements in paint technology and the demand for ever higher levels of finish quality achieved by the painter has led to superfine Wetordry™ abrasive papers such as Perfect-it[™] Microfine Abrasive.

| Part Number | Item | Grit Grade | Dimension | Configuration | Units Per Pack | Units Per Case |
|----------------|--------------------|---------------|---------------|---------------|-------------------|-------------------|
| 02048 | Microfine Abrasive | P2000 | 138mm x 230mm | 401Q WOD | 50 | 10 |
| 02049 | | P1500 | | | | 10 |



3M[™] Rubber Rubbing Block

Flexible block which holds abrasive sheets securely during wet or dry sanding operations.

| Part Number | ltom | Units Per Pack | Units Per C |
|----------------|----------------------|-------------------|----------------|
| 05519 | Rubber Rubbing Block | 6 | 1 |



3M[™] Rubber Squeegee

Flexible rubber pad for removing slush created when wet sanding.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------|---------------|-------------------|-------------------|
| 05517 | Rubber Squeegee | 21/4" x 41/4" | 50 | 1 |

Cubitron[™] II

to form sharp peaks that:

- Cut 30% faster than premium abrasives.
- Last up to twice as long.
- Deliver finer, more uniform finish.
- Require less pressure, helps reduce operator fatigue.
- Remain cooler to reduce metal deformation.



 \bigcirc

3M[™] Cubitron[™] II Abrasive Fibre Discs – Slotted

construction resists loading whilst generating less heat.

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|-------------------------------|---------------|--------------|-------------------|-------------------|
| 33407 | | 36+ | | | |
| 33409 |] | 60+ | 115mm x 22mm | | |
| 33410 |] | 80+ | | | |
| 33419 | 1 | 36+ | | | 5 |
| 33421 | Abrasive Fibre Disc – Slotted | 60+ | 125mm x 22mm | 5 | |
| 33422 |] | 80+ | 1 | | |
| 33431 | | 36+ | | | |
| 33433 | | 60+ | 180mm x 22mm | | |
| 33434 | 1 | 80+ | | | |

3M[™] Cubitron[™] II Abrasive Fibre Discs – Standard

Designed for cutting off welds and door skin removal. When used for stripping paint its unique construction resists loading whilst generating less heat.

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------------------|---------------|--------------|-------------------|-------------------|
| 33395 | | 36+ | | | |
| 33397 | Abrasive Fibre Disc – Standard | 60+ | 100mm x 16mm | 5 | 5 |
| 33398 |] | 80+ | | | |

3M[™] Cubitron[™] II Roloc[™] Fibre Discs

Designed for heavy duty metalworking applications such as weld grinding and clean up. Features a rigid fibre backing for increased cut performance.

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|------------|---------------|-----------|-------------------|-------------------|
| 33377 | | 36+ | | | |
| 33379 | | 60+ | 50mm | - 15 | 6 |
| 33380 | | 80+ | | | |
| 33389 | Fibre Disc | 36+ | | | |
| 33391 | | 60+ | 75mm | | |
| 33392 | | 80+ | | | |

3M[™] Cubitron[™] II Panel Shop products feature triangular shaped ceramic grain which is electrostatically oriented

Designed for cutting off welds and door skin removal. When used for stripping paint its unique



3M[™] Cubitron[™] II File Belts

A great alternative to spot weld drilling, giving more control and ease of use. Ideal for hard to reach areas.

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------|---------------|---------------------|-------------------|-------------------|
| 33437 | | 36+ | | | |
| 33439 | | 60+ | 10mm x 330mm | | 5 |
| 33440 | | 80+ | | 10 | |
| 33443 | | 36+ | 12.7mm x 457.2mm | | |
| 33445 | File Belt | 60+ | | | |
| 33446 | | 80+ | | | |
| 33449 | | 36+ | | | |
| 33451 | | 60+ | 20mm x 520mm | | |
| 33452 | | 80+ |] | | |



3M[™] Cubitron[™] II Cut-Off Wheels

Used for cutting autobody sheet metal, frame rails, exhaust pipes, clamps and rusted bolts.

Must not be used without guards.

| Part Number | Item | Centre Hole | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------|----------------|--------------|-------------------|-------------------|
| 33456 | | 9.53mm | 75mm x 1mm | | |
| 33455 | Cut-Off Wheel | 9.53mm | 75mm x 1.6mm | 5 | 6 |
| 33467 | | 22.23mm | 115mm x 1mm | | |

Scotch-Brite[™]

Scotch-Brite is a 3-dimensional nylon web, resistant to tearing and loading. It is impregnated with an aluminium oxide mineral attached with resin. Used for cleaning and preparation work including scuffing before applying paint or primer.



3M[™] Scotch-Brite[™] Pre-Cut Rolls

Pre-perforated, ready to use 3M[™] Scotch-Brite[™] Hand Pads, in a choice of three grades, using super sharp 3M abrasives for more aggressive cut without increased coarseness.

- Extra Fine Copper pads for water based and critical colours.
- Longer lasting, more economical.
- Faster, easier scuffing.
- Improved abrasive, ultimate finish.
- Choice of three grades for all scuffing applications.

| Part Number | Item | Colour | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------|--------|------------|---------------|-------------------|-------------------|
| 07903 | | Purple | Very Fine | | | |
| 07904 | Pre-Cut Roll | Grey | Ultra Fine | 115mm x 150mm | 35 | 4 |
| 07905 | | Copper | Extra Fine | | | |



3M[™] Scotch-Brite[™] Multi-Flex Rolls

and clear finishes.

| Part Number | Item | Colour | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------|--------|------------|---------------|-------------------|-------------------|
| 07521 | | Purple | Very Fine | | | |
| 07522 | Multi-Flex Roll | Grey | Ultra Fine | 100mm x 200mm | 60 | 4 |
| 07906 | | Copper | Extra Fine | | | |

64926

64935

07611

PRO Handpad



to the required length. Item 07612 Roll

3M[™] Scotch-Brite[™] Rolls



| Part Number | Item | Colour | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|------------------|--------|------------|-----------|-------------------|-------------------|
| 07614 | Alternative Disa | Red | Very Fine | 450 | 10 | |
| 07613 | Abrasive Disc | Grey | Ultra Fine | 150mm | 10 | 4 |

3M[™] Scotch-Brite[™] Scuff Sponges

| Part Number | ltem | Colour | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------|--------|------------|---------------|-------------------|-------------------|
| 07615 | | Red | Very Fine | | | |
| 07616 | Scuff Sponge | Grey | Ultra Fine | 108mm x 128mm | 6 | 6 |
| 07619 | | Copper | Extra Fine | | | |



Super flexible 3M[™] Scotch-Brite[™] sheets, supplied on a centre pull roll with easy-tear perforations. Multi-Flex sheets are ideal for scuffing contours and difficult to reach areas, for scuffing up to mouldings and lock cylinders and for blending in, especially basecoat

3M[™] Scotch-Brite[™] PRO Handpads

Ideal for every day uses like blend panel preparation, keying new panels for wet on wet primer and general scuffing and prepping of flat or contoured surfaces. Centre perforated for convenience and available in two grades, these pads are flexible enough to get to hard to reach areas and give a more consistent scratch. Specially coated to resist loading.

| Colour | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|--------|------------|---------------|-------------------|-------------------|
| Red | Very Fine | 100mm x 200mm | 20 | 2 |
| Grey | Ultra Fine | 100mm x 200mm | 20 | 3 |

Rolls of 3M[™] Scotch-Brite[™] are 10 metres long in grey or red construction which can be torn

| Colour | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|--------|------------|-------------|-------------------|-------------------|
| Red | Very Fine | 100mm x 10m | 4 | 4 |
| Grey | Ultra Fine | 100mm x 10m | 1 | 4 |

3M[™] Scotch-Brite[™] Abrasive Discs

Disc version for machine application.

Sponge Pad laminated with outer layer of 3M[™] Scotch-Brite[™].



3M[™] Scotch-Brite[™] Multi-Flex Dispenser

| Part | Item | Units | Units |
|--------|----------------------|----------|----------|
| Number | | Per Pack | Per Case |
| 07912 | Multi-Flex Dispenser | 1 | 1 |

Surface Conditioning

Reinforced 3-dimensional non-woven synthetic material that provides a consistent finish. Ideal for cleaning light oxidation and to reduce sanding scratches on aluminium, steel, iron or stainless steel. (NB: Medium grade is recommended for use on aluminium.) Also for cleaning of spot welding and gasketing residue. Can be used with electric mini-grinders, attached using a 3M[™] M14 115mm Back-up Pad.



3M[™] Roloc[™] Surface Conditioning Discs

Roloc[™] Surface Conditioning Discs for smaller areas with the quick Roloc[™] attachment system. Ideal for plastic repair and E-Coat removal. Suitable for fast, safe gasket removal and general cleaning applications.

| Part Number | ltem | Colour | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------------|--------|------------|-----------|-------------------|-------------------|
| 07480 | | Brown | Coarse | | 25 | 4 |
| 07481 | | Red | Medium | 50mm | | |
| 07515 | | Blue | Very Fine | - 76mm | | |
| 07516 | Surface Conditioning Disc | Grey | Superfine | | | |
| 07485 | | Brown | Coarse | | | |
| 07486 | | Red | Medium | | | |
| 07513 | | Blue | Very Fine | | | |



3M[™] Roloc[™] Holder No 3

| Part Number | Item | Dimension | Selling Unit | Units Per Pack | Units Per Case |
|----------------|-------------|-----------|-----------------|-------------------|-------------------|
| 09987 | Holder No 3 | 50mm | Each | 1 | 5 |

Bristle Discs

Abrasive impregnated plastic made as a 3-dimensional bristle disc brush, used on a high speed tool to remove paint, sealer and rust. It wears down as it works, continually exposing new abrasive, and doesn't load.



3M[™] Roloc[™] Bristle Discs

| Part Number | Item | Colour | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------|--------|------------|-----------|-------------------|-------------------|
| 07526 | | Green | | 75mm | 5 | 4 |
| 07524 | | Green | Coarse | 50mm | 10 | 4 |
| 07536 | | Purple | rple | 5011111 | 4 | 6 |
| 07527 | Bristle Disc | | Medium | 75mm | 5 | |
| 07525 | | Yellow | Wedium | 50mm | 10 | 4 |
| 07528 | | White | White Fine | Somm | | |



| art umber | Item |
|--------------|---------------------|
| 5101 | |
| 5539 | |
| 5540 | Bristle Disc Holder |
| 5000 | |
| 4998 | |
| | |

Scotch-Brite[™] Clean & Strip[™] Discs

Abrasive impregnated and virtually non-loading, open web, providing a paintable metal surface. Perfect alternative to wire brushes for tough removal of rust, paints, sealers and body coatings. Gives a finer finish and is easily controlled. Flexible for awkward areas. It is non-clogging and fast. Clean and Strip[™] discs are suitable for air or electric machines (3,500 to 4,500 rev/min). Clean and Strip[™] discs are available for use on a mandrel, with a shaft, or on Roloc[™]+.

The Clean and Strip[™] Purple Disc is a long life and high-edge resistance product. The tough construction gives the ultimate performance.

*The Purple Colour is a Trademark of 3M.



3M[™] Clean and Strip[™] XT Purple Disc Mandrels Clean and Strip discs which attach by way of a mandrel (07947/07948) to an air or electric tool.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------|--------|--------------|-------------------|-------------------|
| 07933 | Durrale Dire Manduel | Durale | 100mm x 13mm | 0 | 15 |
| 07934 | Purple Disc Mandrel | Purple | 150mm x 13mm | 2 | 10 |

3M[™] Clean and Strip[™] XT Purple Disc Roloc[™]+

Clean and Strip[™] disc with a pre-attached Roloc[™]+ fastening which, using a Roloc[™]+ holder (09884), allows it to be attached to an air or electric tool. This then allows easy attachment and removal of the disc by the Roloc[™]+ quick release twist.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------------------|-------------------|-------------------|-------------------|
| 05814 | Purple Disc Roloc [™] + | 100mm x 13mm x R+ | 1 | 10 |

3M[™] Clean and Strip[™] XT Purple Discs Fibre

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|------------|--------------|-------------------|-------------------|
| 05816 | Fibre Disc | 115mm x 22mm | 4 | 10 |
| 05817 | FIDre Disc | 178mm x 22mm | 1 | |

3M[™] Clean and Strip[™] GP Blue Disc Mandrel

A highly flexible disc alternative to wire brushes for tough removal of rust, paint, sealers, body coatings and other general purpose applications. Immediately identifiable by its blue colour, its greatly improved flexibility is achieved without sacrificing any of Clean and Strip's™ renowned performance characteristics, allowing the operator to access difficult areas with ease, and delivering 'best-in-class' cleaning and stripping performance to create a smooth and consistent finish.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------|--------|-----------|-------------------|-------------------|
| 57013 | GP Blue Disc Mandrel | Blue | 100mm | 2 | 15 |

3M[™] Roloc[™] Bristle Disc Holders

| Dimension | Configuration | Units Per Pack | Units Per Case |
|-------------|---------------------|-------------------|-------------------|
| 25mm | | | |
| 50mm | With 6.4mm shaft | | |
| 75mm | Shart | 1 | 5 |
| 75 U.U. M10 | M10 | | |
| 75mm Holder | M14 | | |



3M[™] Clean and Strip[™] GP Blue Disc Roloc[™]+

Clean and Strip[™] discs with a pre-attached Roloc[™]+ fastening which, using a Roloc[™]+ holder (09884), allows it to be attached to an air or electric tool. This then allows easy attachment and removal of the disc by the Roloc[™]+ quick release twist.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------------------------|--------|-----------|-------------------|-------------------|
| 57018 | GP Blue Disc Roloc [™] + | Blue | 100mm | 1 | 10 |



3M[™] Clean and Strip[™] High Performance Discs

Discs designed for removing decals, striping tape and double sidefoam tapes. To be used on machines with speed of 500-4000rpm.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------|--------------|-------------------|-------------------|
| 07499 | Stripe Off Wheel | 100mm x 16mm | | |
| 07501 | Stripe Removal Disc | 100mm | 1 | 5 |
| 07498 | Stripe Off Wheel | 100mm x 16mm | | |



3M[™] Clean and Strip[™] Mandrels

Mandrel for use with (07933/4) and (57013).

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|---------|-----------------|-------------------|-------------------|
| 07947 | Mandrel | 100mm–6mm shaft | 1 | F |
| 07948 | Mandrei | 150mm–8mm shaft | 1 | 5 |



3M[™] Clean and Strip[™] Holder No 1 for Roloc[™]

| Part | Item | Units | Units |
|--------|------------------------|----------|----------|
| Number | | Per Pack | Per Case |
| 09884 | Holder No 1 for Roloc™ | 1 | 5 |

Fine Grade Finishing Films

Fine grade film backed discs with aluminium oxide mineral. Long lasting and anti-loading. Applications P600 for primer sanding, P800/P1000 for blending and P1200/P1500 for removing orange peel and denibbing.

Technically advanced abrasives for paint rectification applications. Used with a Soft Interface Pad (50396 or 50397 - see Hookit[™] abrasive accessories), these products offer excellent conformability to the curved surfaces of the automobiles of today.



3M[™] Hookit[™] Purple 260L Finishing Film Disc

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------|------------|--------------|-------------------|-------------------|
| 51156 | | P600 | - - 150mm | | |
| 51155 | | P800 | | | |
| 51157 | Finishing Film Disc | P1000 | | 50 | 5 |
| 51158 | Finishing Film Disc | P1200 | | | |
| 51154 | | P1500 | | | |
| 51304 | | P2000 | 7 | | |







51057 51099 Abrasive Disc 260L 51055 51054 51053



| Part Number | Item | Colour | Dimension | Configuration | Units Per Pack | Units Per Case |
|----------------|-------------------------|---------|-----------|---------------|-------------------|-------------------|
| 50396 | Soft Interface Pad 10mm | Durrala | 150 | 15 hole | | 10 |
| 50397 | Soft Interface Pad 5mm | Purple | 150mm | 15 hole | | |
| 50544 | Soft Interface Pad 10mm | Creat | 150 marra | | | 10 |
| 50545 | Soft Interface Pad 5mm | Grey | 150mm | | | |

Trizact[™] Discs

Discs made with a pyramid structure which contains multiple layers of fine grade abrasive mineral particles. New mineral is continuously exposed resulting in long life with a consistent finish.

| • | | | | | |
|----------------|---------------|---------------|-----------|-------------------|-------------------|
| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
| 50341 | Blanding Diag | 1000 | 150mm | 15 | |
| 50413 | Blending Disc | 1000 | 75mm | 15 | 4 |

3M[™] Trizact[™] Fine Finishing Discs

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------|---------------|-----------|-------------------|-------------------|
| 51131 | | 6000 | 75mm | | |
| 51130 | | 6000 | 150mm | 1- | 4 |
| 50415 | Fine Finishing Disc | 3000 | 75mm | 15 | |
| 50414 | | 3000 | 150mm | | |
| 50079 | | 3000 | 32mm | 100 | 10 |



3M[™] Hookit[™] Abrasive Discs 7 Hole 260L

| Grit Grade | Dimension | Units Per Pack | Units Per Case | |
|------------|-----------|-------------------|-------------------|---|
| P600 | | | | |
| P800 | | | | |
| P1000 | 150mm | 00 150mm 50 | 50 | 5 |
| P1200 | | | | |
| P1500 | | | | |

3M[™] Hookit[™] Abrasive Discs 15 Hole 260L

| Grit Grade | Dimension | Units Per Pack | Units Per Case |
|------------|-----------|-------------------|-------------------|
| P600 | | | |
| P800 | | | |
| P1000 | 150mm | 50 | 5 |
| P1200 | | | |
| P1500 | | | |

For use with 260L Hookit abrasives for outstanding finish and conformability.

3M[™] Trizact[™] Blending Discs

3M[™] Trizact[™] Hand Pads

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------|-----------|-------------------|-------------------|
| 05791 | Hand Pad | 150mm | 1 | 20 |
| 05792 | Half Hand Pad | 150mm | | |



3M[™] Hookit[™] Trizact[™] Clear Coat Sanding Discs

The Trizact[™] P1500 abrasive disc is designed to be used as a first step in the denibbing process. After using the Trizact[™] P1500, we recommend the current finishing process, with Trizact[™] P3000 and the colour coded polishing system.

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|-------------------------|---------------|-----------|-------------------|-------------------|
| 05600 | Clear Coat Sanding Disc | P1500 | 150mm | 25 | 4 |
| 05601 | | P1500 | 75mm | | |

SMART Repair Products

Available in 50mm and 75mm, these discs are designed to enable a fast and effective SMART repair, minimising wastage. Constructed of a high performance aluminium oxide mineral that resists loading a consistent finish can be achieved. For use with a 3M[™] Elite Central-Vacuum-Ready Random Orbital Sander (28505) or 3M[™] Hookit[™] Hand Pad (01908), applications include small to medium area paint removal, filler flatting and primer sanding.



3M[™] Hookit[™] Purple+ Abrasive Discs 734U

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------|---------------|-----------|-------------------|-------------------|
| 51030 | | P80 | | | |
| 51029 | Abrasive Disc 734U | P120 | 75mm | 50 | 10 |
| 51027 | | P180 | | | |

3M[™] Hookit[™] Purple+ Abrasive Discs 334U

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------|---------------|-----------|-------------------|-------------------|
| 51025 | 5 | P240 | | | |
| 51023 | | P320 | 75 | 50 | 10 |
| 51021 | Abrasive Disc 334U | P400 | 75mm 50 | 50 | 10 |
| 51020 | | P500 | | | |



34

3M[™] Hookit[™] Abrasive Discs 255P+ Plain

| Part Number | Item | Grit Grade | Dimension | Configuration | Units Per Pack | Units Per Case |
|----------------|---------------------|---------------|-----------|---------------|-------------------|-------------------|
| 60354 | | P80 | | | 25 | |
| 60356 | | P120 | | Plain | | 10 |
| 60357 | | P150 | 50mm | | | |
| 60358 | | P180 | | | | |
| 60360 | Abrasive Disc 255P+ | P240 | | | | |
| 60362 | | P320 | | | | |
| 60364 | - | P400 | | | | |
| 60365 | | P500 | 1 | | | |

Abrasives.



3M[™] Hookit[™] Abrasive Discs 255P+ 3 Hole

| Part Number | Item | Grit Grade | Dimension | Configuration | Units Per Pack | Units Per Case |
|----------------|---------------------|---------------|-----------|---------------|-------------------|-------------------|
| 50726 | | P80 | | | | |
| 50725 | | P120 | - 75mm | | 50 | 10 |
| 50724 | | P150 | | | | |
| 50723 | | P180 | | | | |
| 50721 | Abrasive Disc 255P+ | P240 | | 3 Hole 50 | 50 | 10 |
| 50719 | 1 | P320 | | | | |
| 50717 | - | P400 | | | | |
| 50716 | | P500 | 1 | | | |

3M[™] Hookit[™] 260L Finishing Film Disc

| and the second second | | |
|-----------------------|----------------|-------------------------|
| RODL ROM | Part Number | Item |
| TESEN HOHE | 00909 | |
| Film | 00908 | Finishing Film Disc 260 |
| White the new T | 00907 | |
| The second | | |
| 2 24 H Y | | |

3M[™] Accessories

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------------|-----------|-------------------|-------------------|
| 01908 | Hand Pad | 70 | 1 | 10 |
| 05726 | High Gloss Polishing Pad | 76mm | 10 | 4 |
| 05771 | Soft Interface Pad | 75 | | 10 |
| 02700 | Disc Pad | 75mm | 1 | 5 |
| 20427 | Universal Back-up Pad | 76mm | 1 | |

Paint Preparation Pads



3M[™] Paint Preparation Pads Applications:

Grade 1000

- For keying alloy wheel prior to refinishing.
- For keying bumpers prior to refinishing.

Grade 2000

| Part Number | Item | Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------------|-------|-----------|-------------------|-------------------|
| 50591 | Paint Preparation Pad | 1000 | 150mm | 20 | 10 |
| 50590 | | 2000 | | | |

| | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|-----|---------------|-----------|-------------------|-------------------|
| | P1000 | | | |
| 50L | P1200 | 76mm | 50 | 4 |
| | P1500 | | | |

• Preparing panels for blending basecoat prior to the application of clear coat.

• For denibbing water-based base coat whilst in the spray booth.

Masking Systems.

Masking Tape is used in all types of applications, some very demanding and some not so critical. 3M are one of the world's largest manufacturers of tapes. Through intensive research and development in laboratories throughout the world, we have created a range of innovative products that provide fast and effective solutions for every masking situation. From fine line painting and detailing to general protection, 3M Masking Systems are able to meet all demands.

Masking Tapes

Designed to protect large areas - the rest of the car, wheels and windows from paint overspray if these areas are adjacent to painted parts. Static attracts dust too, preventing the dust from going onto the fresh paint causing contamination.



3M[™] Scotch[®] High Performance Masking Tapes 3434

High performance tape designed to meet the most demanding of paint masking situations. Excellent solvent and water resistance, suits both modern 2-pack and water-based paint products.

- Water and solvent resistant.
- Superior holding power even through repeat bake cycles.
- Excellent paint line.
- Conformable.
- Colour enables easy identification.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|-------------------|--------|------------|-------------------|-------------------|
| 07895 | | | 18mm x 50m | 48 | |
| 07897 | Masking Tape 3434 | Blue | 24mm x 50m | 36 | 4 |
| 07898 | | | 36mm x 50m | 24 | 1 |
| 07899 | | | 48mm x 50m | 20 | |

3M[™] Scotch[®] Premium Auto Refinish Masking Tape 3030

- Excellent solvent and water resistance.
- Good conformability with easy hand tear and controlled unwind.
- · Surface smoothness promotes good clean paint line and prevents paint bleed-through.
- Improved paint flaking and wetting performance.
- Good instant adhesion and superior holding power.
- Excellent adhesive transfer and removability performance.


| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|--|--------|-------------|-------------------|-------------------|
| 50977 | Premium Auto Refinish Masking Tape 3030 | Green | 18mm x 50m | 48 | |
| 50978 | | | 24mm x 50m | 36 | |
| 50980 | | | 36mm x 50m | 24 | |
| 50981 | | | 48mm x 50m | 24 | |
| 50982 | | | 72mm x 50m | 16 | |
| 50983 | | | 100mm x 50m | 12 | |



3M[™] Scotch[®] Masking Tapes 2328

from 18mm to 72mm.

- Secure adhesion.
- Clean 'lift off' without adhesive residue.
- Good conformability.
- High edge tear resistance.



3M[™] Scotch[®] Masking Papers



Part 06516 06517 Masking Paper (1000' 06518 06519

Specialist Masking

Flexible and narrow masking tapes for masking difficult contours and areas more accurately, giving a clean masking edge.

3M[™] Precision Masking Tape

| 06525 O6529 Precision Masking Tape Green 6mm x 55m 1 12 | Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|---|----------------|-------------------------|--------|------------|-------------------|-------------------|
| 06529 Precision Masking Tape Green 19mm x 55m | 06525 | Des sisien Masking Tana | 0 | 6mm x 55m | 4 | 12 |
| | 06529 | Precision Masking Tape | Green | 19mm x 55m | | |

3M[™] Smooth Transition Tape

Designed to be used in conjunction with SEMFT+ for single step masking on primer repairs across any aperture or wherever a feather edge is required.

- Very fine flip edge.
- Great for SMART repairs.
- Suitable for style lines.
- No residue.
- Plastic dispenser.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|------------------------|-------------|-------------------|-------------------|
| 06800 | Smooth Transition Tape | 0.25" x 30' | 5 | 12 |

36

Secure grip, clean removal and excellent edge definition. Available in all popular widths

| | Colour | Dimension | Units Per Pack | Units Per Case |
|--|--------|------------|-------------------|-------------------|
| | | 18mm x 50m | 48 | |
| | | 24mm x 50m | 36 | |
| | Beige | 36mm x 50m | 24 | 1 |
| | | 48mm x 50m | 20 | |
| | | 72mm x 50m | 16 | |

| | Dimension | Units Per Pack | Units Per Case | |
|----|-----------|-------------------|-------------------|--|
| | 305mm | | 4 | |
| ') | 457mm | 4 | 2 | |
|) | 915mm | 1 | 4 | |
| | 1218mm | | 1 | |

Soft Edge Masking Foam Tapes

An effective solution to time-consuming masking of vehicles prior to painting. The tape is used to mask vehicle apertures such as door, bonnet, and filler cap. As well as achieving the required 'soft edge', this tape ensures that the interior of the vehicle is kept free of paint and dust.



3M[™] Soft Edge Masking Foam Tapes

- Rapid and efficient masking of car apertures.
- Eliminates unwanted definite paint edges.
- Impermeable to paint and dust, eliminating need to protect interior door trim.
- Reduces rework to a minimum.
- Prevents moisture imprinting and ghosting on painted vehicle surfaces.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------------------|-----------------------|-------------------|-------------------|
| 09678 | Soft Edge Masking Foam Tape | 10 x 13mm strips x 5m | 4 | 1 |
| 09973 | | 7 x 19mm strips x 5m |] ' | |



3M[™] Soft Edge Foam Masking Tape PLUS

3M Soft Edge Foam Masking Tape PLUS achieves significant improvements in meeting today's aperture masking requirements, meaning you now have a solution to mask the widest range of vehicle closures, including the narrower gaps found in many of today's modern car designs.

- For use on the moving part.
- Fits broadest range of modern aperture widths.
- Great for use on A-post gaps.
- Can be fitted to the moving part.

The tubular design will deform to expand or compress to fill the majority of apertures whilst the offset adhesive bead allows the product to be placed away from the paint edge to optimise the soft edge.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------------------|----------------------|-------------------|-------------------|
| 50421 | Soft Edge Masking Foam Tape PLUS | 7 x 21mm strips x 7m | 1 | 1 |

Specialist Masking Films

3M[™] Purple Premium PLUS Clear Masking Films

The translucent material makes the repair area highly visible for simple trim guidance and because the film is easy to cut the required area can be removed with maximum speed and accuracy, and finished efficiently with narrow masking tape. The static cling properties of both the 4 and 5 metre versions, allow a rapid one-person application.

- Easy to reposition and easy to cut.
- Premium PLUS film clings to the vehicle.
- Can be used with IR dryers up to 120°C.
 - Avoids moisture staining and resulting rework.
 - Masking Tape easily removed and repositioned on the film.
 - Prevents moisture imprinting and ghosting on painted vehicle surfaces.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|--|-----------|-------------------|-------------------|
| 50988 | Purple Premium PLUS Clear Masking Film | 4m x 150m | | 1 |
| 50989 | Purple Fremium FLOS Clear Masking Film | 5m x 120m | 1 | |
| 50293 | Premium Cutter | | 25 | |

3M[™] Clear Masking Films

A high density, clear polyethylene sheeting designed to protect the vehicle from paint overspray. Vehicles must be dry to prevent the risk of rework on clear and economy films.

- No paint or primer flaking.
- Static cling ensures complete masking.
- Simple one-person application.
- · Easy to cut.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------|-----------|-------------------|-------------------|
| 07838 | | 4m x 150m | | |
| 80110 | Clear Masking Film | 5m x 120m | 1 | |
| 51061 | | 6m x 100m | | |
| 07813 | Cutter | | 25 | |

3M[™] Economy Clear Masking Films



3M[™] Mobile Dispenser

| Part | Item | Units | Units |
|--------|------------------|----------|----------|
| Number | | Per Pack | Per Case |
| 50872 | Mobile Dispenser | 1 | 1 |

| Dimonsion | Units Per Pack | Units Per Case |
|-----------|-------------------|-------------------|
| 4m x 150m | 1 | 1 |
| 5m x 120m | 1 | 1 |

For use with the premium clear masking film products: (50988), (50989), (07838) and (80110).



3M[™] Taped Masking Films

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------|-------------|-------------------|-------------------|
| 05967 | | 40cm x 25m | 1 | 30 |
| 05968 | | 60cm x 25m | | 24 |
| 05969 | Taped Masking Film | 90cm x 25m | | |
| 05970 | | 110cm x 25m | | |
| 05971 | | 180cm x 25m |] | 22 |



3M[™] Booth Coating

A water-based liquid designed to temporarily protect the interior of spray booths and rooms from paint and primer overspray.

- Non tacky.
- Excellent solvent resistance.
- Easy application.
- Dries to a clear film.
- Fast, convenient removal.

| Part Numb | r Item | Dimension | Units Per Pack | Units Per Case |
|--------------|---------------|----------------------|-------------------|-------------------|
| 0683 | Booth Coating | 1 US Gal/3.78 litres | 1 | 4 |



3M[™] Overspray Masking Liquids

An overspray masking liquid that is an alternative to plastic sheeting. Protects vehicle surfaces throughout the repair process, from paint overspray, light scratches, and even weld splatter. Applied by spray applicator, dries to the touch trapping dust under the film even in areas such as wheel arches. After use, simply wash away.

- · Totally protects bodywork from overspray and eliminates rectification.
- Protects vehicles from most minor damage e.g. welding sparks.
- One coat saves labour time.
- Traps dirt and dust stops contamination.
- Easy disposal just washes off.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------------|------------------------|-------------------|-------------------|
| 06847 | | 1 US Gal/3.78 litres | | 4 |
| 06851 | Overspray Masking Liquid | 5 US Gal/8.92 litres | 1 | 4 |
| 06856 | | 15 US Gal/56.78 litres | | 1 |

Dirt Trap Protection System

3M has taken the simple concept of surface protection and revolutionised it to enhance your painting process. Not only is the 3M[™] Dirt Trap Protection System great for surface protection, but a closer look reveals a breakthrough innovation in the protection material that actually traps dust, dirt and overspray in a unique non-woven construction.

- Reduce paint booth maintenance.
- Protect your investment.



3M[™] Dirt Trap Protection Material

- Traps dust, dirt and overspray.
- Brightens work areas.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-------------------------------|------------|-------------------|-------------------|
| 36852 | Dirt Trap Protection Material | 70cm x 91m | 1 | 1 |

| | Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|---|----------------|-----------------------------------|------------|-------------------|-------------------|
| [| 36856 | Dirt Trap Protection Film – Clear | 45cm x 30m | 1 | 1 |

3M[™] Dirt Trap Protection Film Dispenser

Magnetic metal dispenser for Dirt Trap Protection Film.

| Part Number | Item |
|----------------|--------------------------|
| 36863 | Dirt Trap Protection Fil |





36865 Dirt Trap Protection M

• This is a 28" (70cm) x 300ft (91m) roll wall/floor protection material.

• Protects paint booth walls and floors - reducing paint nibs.

3M[™] Dirt Trap Protection Film – Clear

18" (45cm) x 100ft (30m) roll window and light protection film.

| | Units Per Pack | Units Per Case |
|---------------|-------------------|-------------------|
| ilm Dispenser | 1 | 1 |

3M[™] Dirt Trap Protection Material Wall Applicator

Extendable wall applicator for protection material.

| | Units Per Pack | Units Per Case |
|--------------------------|-------------------|-------------------|
| Naterial Wall Applicator | 1 | 1 |

3M[™] Dirt Trap Protection Material Floor Applicator

Versatile floor applicator for protection material.

| | Units Per Pack | Units Per Case |
|---------------------------|-------------------|-------------------|
| Naterial Floor Applicator | 1 | 1 |
| | | |

Specialist Detail Masking Tapes



3M[™] Fine Line Masking Tapes 471+

A highly flexible fine detail masking tape with excellent adhesion to plastic and rubber mouldings.

- No adhesion transfer.
- Excellent flexibility around curves.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------------|--------|------------|-------------------|-------------------|
| 06404 | | | 3mm x 33m | | 48 |
| 06405 | ine Line Masking Tape 471+ | Indigo | 6mm x 33m | | 36 |
| 06408 | | | 12mm x 33m | 1 | 04 |
| 06409 | | | 19mm x 33m | | 24 |



3M[™] Fine Line Masking Tapes 218

A more specialised tape, for applications requiring fine two-tone or paint striping work.

- Sharp paint lines.
- Less edge build-up.
- · Excellent curvability without edge tear or wrinkling.
- Virtual elimination of imprint even on fresh paint surface, due to low tack adhesive.

| Part Number | Item | Colour | Dimension | Units Per Pack | |
|----------------|----------------------------|--------|------------|-------------------|----|
| 06520 | | | 3mm x 55m | | 48 |
| 06521 | Fine Line Masking Tape 218 | Beige | 6mm x 55m | - 1 | 24 |
| 06522 | | | 12mm x 55m | | 12 |
| 06523 | | | 19mm x 55m | | 8 |



Scotch[®] Fine Line Striping Tape


A more specialised tape, for applications requiring fine two-tone or paint striping work.

- Sharp paint lines.
- Less edge build-up.
- Consists of 8 × 1.5mm pullouts for creating a combination of stripes.
- Virtual elimination of imprint even on fresh paint surface, due to low tack adhesive.

| Part Number | Item | Configuration | Size | Units Per Pack | Units Per Case |
|----------------|-------------------------|----------------|------------------|-------------------|-------------------|
| 06314 | Fine Line Striping Tape | 25.4mm x 13.9m | 8 x 1.6mm strips | 1 | 12 |

Windscreen Masking

while allowing better vehicle masking.



3M[™] Trim Masking Tapes

Developed for masking the rubber trim on bonded screens and sealed windows. A small plastic strip is pushed behind the rubber and a 38mm self-adhesive tape is folded back and stuck to the window to hold the rubber clear of the paintwork.

- Protects rubber from overspray.
- Easy to mask around corners.



06345 06347 Trim Masking Tape 06349 06348 06342 Starter Kit

3M[™] Trim Lifting Cord

- Speeds vehicle painting.
- Eliminates need to remove glass.
- No visible evidence of repair.





Interior Protection Products

This range of premium quality products is designed to protect the interior of your vehicles throughout the duration of a repair. Our one-size-fits-all seat covers, floor mats and steering wheel covers don't move or tear, with the intention of eliminating the cost of interior valeting. A wall mountable plastic dispenser is available to neatly and cleanly store the whole system.

3M[™] Interior Seat Cover



- · Slippery top surface allows user to slide from seat.
- One size cover fits all vehicles.

| Part Number | Item | Colour | Units Per Pack | Units Per Case |
|----------------|---------------------|--------|-------------------|-------------------|
| 50588 | Interior Seat Cover | Purple | 250 | 1 |



Preventing overspray on trim around bonded screens, side glasses and mouldings - eliminating glass and trim removal

• Excellent temperature performance.

• Available in 4 widths from 5mm-15mm to cover all different types of rubber trim.

| Dimension | Configuration | Units Per Pack | Units Per Case | |
|--------------|---------------|-------------------|-------------------|---|
| | 5mm strips | 1 | | |
| | 7mm strips | | <u> </u> | |
| 50.8mm x 10m | 10mm strips | | 1 | 6 |
| | 15mm strips | | | |
| | Mixed | | 1 | |

Eases the problems when painting up to a rubber moulding such as around a windscreen. A flexible 6mm diameter foam cord is slid under the moulding using a clever applicator tool. Quick to apply, the cord ensures no edge build up and no visible evidence of repair work, thus eliminating the need to remove the glass. Applicator tool is supplied free with each box.

| 6mm x 40m 1 1 | |
|---------------|--|

Protects vehicle interior during repairs.

• High friction underside 'grips' the seat.

• Seat Covers resist water, oil and grease.

· Also ideal during final detailing and valeting.



3M[™] Interior Floor Mat

- Protects vehicle interior during repairs.
- High friction underside 'grips' the floor.
- One size mat fits all the vehicles.
- Mats resist water, oil and grease.
- Also ideal during final detailing and valeting.

| Part | Item | Units | Units |
|--------|--------------------|----------|----------|
| Number | | Per Pack | Per Case |
| 80308 | Interior Floor Mat | 250 | 1 |



3M[™] Steering Wheel Cover

| Part Number | Item | Colour | Units Per Pack | Units Per Case |
|----------------|----------------------|--------|-------------------|-------------------|
| 50595 | Steering Wheel Cover | Clear | 100 | 1 |



3M[™] Interior Protection System Dispenser

| Part Number | ltem | Units Per Pack | Units Per Case |
|----------------|--------------------------------------|-------------------|-------------------|
| 50592 | Interior Protection System Dispenser | 1 | 1 |

Body Filler.

The high quality resin in our filler range gives you a better quality of repair and can be used on multiple substrates. Our body filler products require fewer skims, reduce risk of re-work due to bleaching or bubbling and create less

waste when used with a wall dispenser.

Body Filler Range

3M[™] General Purpose Body Filler

A general purpose filler that allows easy sanding and shaping for all automotive repairs.

3M[™] Heavy General Purpose Body Filler

A heavier weight filler that allows easier filling of deep panel damage and can be used prior to finishing with a light filler such as 3M[™] General Purpose Body Filler.



51078 General Purpose Body 51079 General Purpose Body 51080 Hardener 51081 Wall Dispenser



51072 General Purpose Body General Purpose Body 51073 51074 Hardener 51075 General Purpose Body 51076 General Purpose Body 51077 Hardener

Tins

A 100 10



| Part Number | Item | Format | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------------------------|-----------|-----------|-------------------|-------------------|
| 51002 | DMS General Purpose Body Filler | | | | |
| 51003 | DMS Heavy General Purpose Body Filler | Cartridge | 276ml | 1 | 6 |
| 51004 | DMS Fine General Purpose Body Filler | | | 1 | |
| 50600 | DMS Applicator | | | | 1 |
| 50601 | DMS Nozzle | | | 50 | 6 |

3M[™] Premium Glaze

and primer application.

| Part Number | | Format | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------|--------|-----------|-------------------|-------------------|
| 51212 | Premium Glaze | Bottle | 910ml | 1 | 8 |





| | Format | Dimension | Units Per Pack | Units Per Case |
|------------------|-----------|------------|-------------------|-------------------|
| y Filler – Heavy | Cartridge | 1.65 litre | | 0 |
| y Filler | Cartridge | 1.65 litre | 4 | 6 |
| | Cartridge | 55g | 1 | 12 |
| | Dispenser | | 1 | 1 |

| | Format | Dimension | Units Per Pack | Units Per Case |
|------------------|--------|-----------|-------------------|-------------------|
| y Filler – Heavy | Can | 3 litre | 1 | 4 |
| y Filler | Can | 3 litre | 1 | 4 |
| | Tube | 100g | 1 | 12 |
| y Filler – Heavy | Can | 1 litre | 1 | c |
| y Filler | Can | 1 litre | 1 | 6 |
| | Tube | 40g | 1 | 24 |

3M[™] Dynamic Mixing System

Our 3M[™] Dynamic Mixing Applicator works as part of a system to dispense fillers, glazes, adhesives, sealers and plastic repair products in a convenient and controlled manner that eliminates messy mixing and significantly reduces waste. Its precise delivery helps you use the correct amount of product, saving both time and materials.

· Reduce rework through virtual elimination of pinholes.

• Reduce waste levels through 'filler on demand' system.

• Increase productivity using the 3M advanced nozzle to mix as-you-go.

Provides the perfect finish, leaving a smooth and level surface ideal for sanding

Accuspray[™] Spray.

Dry Guide Coats

3M[™] Dry Guide Coat is a revolutionary method for applying a guide coat to a repair area. This system offers considerable advantages over current working practices. In particular, ease of use and achieving a better quality job every time.

- Contains no solvents.
- Requires no masking.
- Gives total coverage of surface.
- Applicator requires no cleaning.
- Ideal for both wet and dry sanding systems.



3M[™] Dry Guide Coats

| | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|-------|---|--------|-----------|-------------------|-------------------|
| 09560 | Dry Cylide Cest | Black | 50 ~ | | 10 |
| 50416 | Dry Guide Coat | Orange | 50g | 1 | 10 |
| 09561 | Dry Guide Coat Applicator | | | | 5 |
| 51362 | Dry Guide Coat - Black Kit (2 cartridges & applicator) | Black | | | 6 |

Putties



3M[™] Acryl Putty – Green

An auto body repair putty designed with very easy sanding and fast drying characteristics for use in filling pinholes and scratches.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|-------------|--------|-----------|-------------------|-------------------|
| 05096 | Acryl Putty | Green | 409g | 1 | 12 |



3M[™] Acryl Putty – Red

An auto body repair putty designed with good filling, sanding and drying characteristics for general purpose use in filling slightly larger pinholes and scratches.

| Part Num | | | Colour | Dimension | Units Per Pack | Units Per Case |
|-------------|----|-------------|--------|-----------|-------------------|-------------------|
| 050 | 98 | Acryl Putty | Red | 409g | 1 | 12 |

This revolutionary product allows you to have a brand new spray gun on demand. The innovative technology was designed from the inside out for the efficient and economical application of material. These atomising heads deliver a large usable pattern, with very low overspray and exceptional atomisation.

Accuspray[™] Spray Gun HG14



3M[™] Accuspray[™] Spray Gun HG14

The HG14 has been designed for the application of coatings that require a 1.4mm atomising head. This HVLP system provides exceptional results through excellent atomisation resulting in high transfer efficiency with low overspray.

Used with 3M[™] PPS[™] Paint Preparation System, the Accuspray[™] System minimises clean up time and disposal costs whilst gaining maximum productivity and profitability improvements.

Item 16577 HG14 Spray Gun with

Accuspray[™] Pressurised HGP Spray Gun



3M[™] Accuspray[™] Pressurised HGP Spray Gun

high viscosity coatings.

The HGP spray gun quickly achieves many textured finishes within the automotive repair market. The gun setting allows multiple textures to be achieved in minimal time and efficiently.

| Part Number | Item | Units Per Pack | Units Per Case |
|----------------|--|-------------------|-------------------|
| 16587 | Pressurised HGP Spray Gun with 2 x 2.0mm and 2 x 1.8mm Atomising Heads and an Air Control Valve | 1 | 1 |
| 16124 | Large Pressure Cup 28 oz | 1 | 2 |
| 16121 | Mini Pressure Cup 6 oz | 1 | 4 |



lumbe 16612 16611 Atomising Heads 16609

Accuspray[™] Spray Atomising Head Dispenser



16610 Accuspray[™] Storage S

| P | Per Pack | Per Case |
|-------------------------|----------|----------|
| 1.4mm Atomising Heads 1 | 1 | 1 |

The new Accuspray[™] Pressurised HGP Spray Gun and PPS[™] Pressure Cups are designed for

3M[™] Accuspray[™] Atomising Heads

Replacement atomising heads for use with HG14.

| Colour | Dimension | Units Per Pack | Units Per Case |
|--------|-----------|-------------------|-------------------|
| Orange | 1.4mm | 4 | |
| Clear | 1.8mm | | 6 |
| Red | 2.0mm | | |

3M[™] Accuspray[™] Storage System

Contains atomising head/applicator rack and 8 atomising heads.

| | Units Per Pack | Units Per Case |
|--------|-------------------|-------------------|
| System | 1 | 1 |

Paint Preparation System.

Paint Preparation System.

3M[™] PPS has the ability to meet all of the painter's requirements for the mixing, preparation and application of primers, basecoats and clearcoats in both large and small applications. This disposable mixing system eliminates the need for traditional spray applicator mixing pots and paper filters, saving time and increasing efficiency. The liners and lids with built in filters form a closed system allowing the spray applicator to function at any angle. When used in conjunction with our recommended process, a safe and high quality result is guaranteed.

Large Size

Large size Paint Preparation System.

- For 650ml to 850ml.
- For the larger job.
- Saves refilling the pot.



3M[™] PPS[™] Lids & Liners

Each unit contains 25 lids and liners and 12 sealing caps.

| Part Number | Item | Configuration | Units Per Pack | Units Per Case |
|----------------|---------------|-------------------|-------------------|-------------------|
| 16024 | Lids & Liners | 200 micron filter | 05 | 1 |
| 16740 | | 125 micron filter | 25 | |



3M[™] PPS[™] Mixing Cups & Collars

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------|-----------|-------------------|-------------------|
| 16023 | Mixing Cup & Collar | Large | 1 | 4 |

Standard Size



3M[™] PPS[™] Lids & Liners

Standard PPS[™] – for up to 650ml. The original size PPS[™] solution. Suits most applications. Each unit contains 50 lids and liners and 24 sealing caps.

| Part Number | Item | Configuration | Units Per Pack | Units Per Case |
|----------------|---------------|-------------------|-------------------|-------------------|
| 16000 | Lids & Liners | 200 micron filter | 50 | 1 |
| 16026 | Lius & Liners | 125 micron filter | 50 | |



3M[™] PPS[™] Extra Lid Kit

Extra lids may be required for re-use of paint after storage. Each unit contains 75 lids, 50 liners and 36 sealing caps.

| Part Number | Item | Configuration | | Units Per Case |
|----------------|---------------|-------------------|----|-------------------|
| 16758 | Extra Lid Kit | 125 micron filter | 75 | 1 |



3M[™] PPS[™] Mixing Cups & Collars Each unit contains 2 mixing cups and collars.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------------|-----------|-------------------|-------------------|
| 16001 | Mixing Cups & Collars | Standard | 2 | 4 |

Midi Size



3M[™] Midi PPS[™]

Midi size is 400ml. Each kit contains 50 Lids and Liners (with pre-welded filters) for Paint: mixing, filtering and spraying of coatings (Primer, Sealer, Base-Coat, and Clear-Coat along with other coatings). It also comes with a free re-useable Midi size Cup and Collar.

| Part Number | Item | Configuration | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------------------|---------------|-----------|-------------------|-------------------|
| 16112 | Lids & Liners | 200 micron | 400ml | 50 | 1 |
| 16312 | Lids & Liners | 125 micron | | | |
| 16122 | Mixing Cups & Collars | | | 2 | 4 |
| 16155 | Mix Ratio Inserts | | | 10 | 10 |
| 16154 | Dispenser Adaptor Flange Insert | | | 10 | |

Mini Size

Offering all the features and advantages of the standard PPS™ Paint Preparation System, mini cups are ideal when less material is required.

- For spraying up to 170ml of material.
- Ideal for all small and SMART repairs.
- Ideal for accessing awkward areas.



3M[™] Mini PPS[™] Lids & Liners

| Part Number | Item | Configuration | Units Per Pack | Units Per Case |
|----------------|--------------------|-------------------|-------------------|-------------------|
| 16114 | Mini Lids & Liners | 200 micron filter | 50 | 4 |
| 16752 | | 125 micron filter | 50 | 1 |

3M[™] Mini PPS[™] Mixing Cups & Collars

2 Mixing cups and collars per unit.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------------|-----------|-------------------|-------------------|
| 16115 | Mixing Cups & Collars | Mini | 2 | 4 |

Each unit contains 50 lids and liners and 24 sealing caps.

Paint Preparation System.



3M[™] PPS[™] Type H/O Pressure Cups

The $3M^{M}$ PPSTM Pressure Cups are designed to be used with the AccusprayTM Pressurised HGP Spray Gun.

The HGP spray gun quickly achieves many textured finishes. The gun setting allows multiple textures to be achieved in minimal time and efficiently.

| Part Number | Item | Units Per Pack | Units Per Case |
|----------------|--------------------------|-------------------|-------------------|
| 16124 | Large 828ml Cup & Collar | 4 | 2 |
| 16121 | Mini 177ml Cup & Collar | | 4 |



A full range of accessories to facilitate the use of the Paint Preparation System[™].



3M[™] PPS[™] 6-Cup Carrier

A sturdy, lightweight construction which allows multiple materials to be taken into booths.

| Part | Item | Units | Units |
|--------|---------------|----------|----------|
| Number | | Per Pack | Per Case |
| 16010 | 6-Cup Carrier | 1 | 1 |



3M[™] PPS[™] Lid & Liner Dispensers

3M[™] PPS[™] Dispenser is a wall-mountable unit that makes supplies such as lids and liners for the 3M[™] Paint Preparation System (PPS[™]) readily available. This storage accessory conveniently dispenses supplies one at a time, while keeping the remaining supply clean and safe from contamination. For Large, Standard, Midi and Mini.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------------|-------------------|-------------------|-------------------|
| 16299 | Lid Dispenser | Std, Midi & Large | | |
| 16219 | Liner Dispenser | Std, Midi & Large | 1 | 1 |
| 16298 | Lid & Liner Dispenser | Mini only | | |



3M[™] PPS[™] Mixing Sticks

Specially 'sculpted' edges scrape all paint from liner wall to ensure accurate colour mix.


| Part Number | ltem | Units Per Pack | Units Per Case |
|----------------|-------------------|-------------------|-------------------|
| 16022 | Mixing Stick | 05 | 10 |
| 16755 | Mini Mixing Stick | 25 | |







Item



PPS[™] Adapters

PPS[™] Adapters can be used on virtually all spray applicators. Conversion of the applicator takes seconds and is a one-time requirement.

A full range of PPS[™] adaptors for most spray applicators, including suction-fed and mini is available from 3M (see the Reference Charts overleaf).



3M[™] PPS[™] Adaptor

Item lumbe

16759 Adaptor

| | Units Per Pack | Units Per Case |
|-----|-------------------|-------------------|
| der | 1 | 12 |

The neck of the applicator is simply flushed through with the cleaning fluid.

| Units Per Pack | Units Per Case |
|-------------------|-------------------|
| 5 | 4 |

| Units Per Pack | Units Per Case |
|-------------------|-------------------|
| 5 | 5 |



52

| | Model Part No. | 16032 16033 16 | 16034 16035 | 16036 | 16037 16038 | 16039 | 16017 16041 | 16042 | 16043 16044 | 14 16742 | 16105 | 16106 16 | 16118 16119 | | 50480 50458 50571 | | 50572 50573A 50587 50677 | '3A 50587 | 50677 | 50997 16757 | | 16754 |
|----------------------|--------------------------------|-------------------------------|-------------|-------|-------------|-------|---|--------|-------------|----------|--------------|----------|------------------|------------------|-------------------|----------|-------------------------------------|-----------|-------|------------------|---|---------|
| Make | be | ო | c) | G | œ | 0 | ÷ | 12 | 13 | 16 | 21 | 22 | | | 32 | | 39 40A | 41 | 43 | 44 | | ω |
| | GTI and GTI pro | | | | | | | | | | | | | | | | | H | | ľ | | Ē |
| | GFP | | | | | | | | | | | | | | | | | | | | | |
| | GFV CEHW EIO | | - | + | | + | + | | + | + | \square | | + | + | _ | | + | | | | + | |
| | GPi GPi | | | | | | | | + | + | | | | | | | | | | | + | |
| | MGPi+C62 | | | | | | | | | | | | | | | | | | | | \vdash | |
| DeVilbiss | SRi – Mini | | | | | | | | | | | | $\left \right $ | | | | | | | | | |
| | Finishline | | | | | | + | | | | | | | | | | | _ | | | + | |
| | SLG620 | | | | | | | | | | | | (lno | US Order only | | | | _ | | | | |
| | Starting line mini | | | | | | | | | | | 22 | US Order only | | | | | | | | | |
| | PRI (Primer Applicator) | | + | + | | | + | | + | + | \downarrow | | + | | | | + | | | | + | |
| | | | _ | | | | | | _ | _ | | | | _ | | | _ | _ | | | | |
| | J.G.A. | | | | | | | | | | | | $\left \right $ | | | | H | | | | \vdash | |
| DeVilbiss | J.G.V. | | + | | | | _ | | + | | | | + | + | | | | | | | + | |
| suction fed | M.G.M | | | + | | | + | | + | | | | + | + | _ | | + | + | | + | + | |
| | MBC | | + | | | | | | + | | | T | + | | | | | | | | | |
| | NR92 HVLP | | | | | ╞ | ╞ | | ╞ | | | I | ╞ | | | | ╞ | ╞ | | ľ | 2 | RPPS |
| | Mini Jet | | | | | | | | | | | | | | | | | | | | | |
| | KLC family (-P, B-HVLP, B-RP) | | | | | | | | | | | | | | | | | | | | | |
| | MCB family | | | | | | | | | | | | | | | | | | | | | |
| | Jet RP | | | | | | _ | | | | | | | | | | | _ | | | + | |
| | RP Digital | | | | | | - | | | | | | + | | | | | | | | | |
| | NR2000/Digital | | | | | | + | | + | + | \square | | + | + | _ | | + | | | | + | |
| | Inces 124 00 / S | | | | | | | | + | | | | | | | | | | | + | + | Τ |
| | Jet B NR95 HVLP | | | | | | + | | + | | | | + | | - | | | - | | | 2 | RPPS |
| Sata | OCC NR2000 | | | | | | | | | | | | | | | | | | | | | |
| | RP and HVLP 3000 QCC | | | | | | | | | | | | | | | | | | | | + | |
| | Satajet 100BF RP | | | | | | | | | | | | $\left \right $ | | | | | | | | | |
| | Satajet 100B | | | | | | | | | | | | | | | | | | | | | |
| | QCC 4000 | | - | | | | + | | | | | | | | | | | | | | + | |
| | Sata Jet 5000 B HBLP | | + | + | | + | + | | + | + | Ţ | | + | + | _ | | | | | | + | |
| | MINI Jet 4400 | | | | | | | | | | | | + | | | | | | | | se with | |
| | Mini Jet QCC | | | | | | | | | | | | | | | | | | | 5 <u>2 8.⊆</u> £ | Mini PPS adapter in sert, PN 16756 | |
| | W400 | | | | | | | | | | | | | | | | | | | | 8 | Sdo |
| | WR400 | | | | | | | | + | | | | - | | | | | _ | | | 2 | RPPS |
| | LPA 94 | | - | + | | + | + | + | + | + | \square | | + | + | | | + | + | | + | | S S S |
| | VXL 949 (Primer Gun) WAOOWB | | + | | | + | + | | + | + | ļ | Ţ | + | + | + | | + | - | | 1 | Ż | s. |
| | LPH400 | | | | | | | | | | | | | | | | | | | | + | |
| | LPH-80 | | | | | | | | | | | | | | | | | | | | | |
| Iwata | W300 | | | | | | | | | | _ | | | | | | | | | | + | |
| | AZ40HTE AZ30HTE | | | | | | | | - | - | | | + | | | | | | | | + | |
| | WADOWB | | | | | + | + | | + | | | t | + | + | | | + | - | | | | Τ |
| | AZ3HTE | | | | | | | | | | | | | | | | | | | | + | |
| | W-100(Swivel Gun) | | | | | | | | | | | | $\left \right $ | | | | | | | | | |
| | W-88 (Swivel Gun) | | | | | | | | | | | | | | | | | | | | | |
| | Supernova LS & WS-400 | | | | | + | + | | + | | | Ţ | + | + | | | + | _ | | | | |
| Iwata suction fed | W400 LVC90 | | | | | | | | | | | | | | | | | | | | | |
| | AR3 | | | | | ╞ | | | | | | | $\left \right $ | | | | | | | | | |
| AirGunsa | AZ4 Serial 75 (Primer) | | | | | + | + | + | + | + | Ţ | | + | + | | | + | + | | + | + | |
| (dioup iwara) | A24 H1E AZ3.AZ30 HTE | | + | | | | + | | + | + | | | - | | | | | | | | | |
| | Model Part No | 18032 18034 18034 18036 18037 | 16035 | 16036 | | 16030 | 18038 18039 18041 18040 18043 18043 18048 18048 | 16.042 | 1604 | 4 16740 | 16105 | 1610.6 | 181 | 16110 50480 | 50480 50458 50571 | 50571 50 | 60572 60673 60687 60677 60007 18757 | 74 50587 | 50677 | 50997 | 8757 16 | 16.75.4 |
| | | 4000 | | | | 2000 | | 4 | | | 2 | | 2 | | | | - | | | - | 2 | 5 |
| | | | | | | | | | | | | | | | | | | | | | | |



| Make | Model Part No. | 16032 | 16032 16033 | 16034 16035 | | 16036 1 | 16037 16 | 16038 16 | 16039 160 | 16017 16041 | 41 16042 | 2 16043 | 3 16044 | 16742 | 16105 | 16106 | 16118 1 | 16119 50 | 50480 504 | 50458 505 | 50571 505 | 50572 505 | 50573A 50587 | 87 50677 | | 50997 16757 | 16754 | |
|-----------------------|---------------------------------------|-------|-------------|-------------|-------|-------------------------------------|----------|------------------|-----------|-------------|----------|---------|---------|-------|-------|-------|---------|----------|------------------|------------------|-----------|-----------|--------------|----------|---------|-------------|-------|-------------|
| | Adapter Type | | | | | | | | 5 | | | | | | | | | | | | | | | | | | | |
| | 403G | L | | | | | F | F | F | ŀ | L | L | L | Ĺ | Ĺ | | | | - | H | - | ŀ | ŀ | - | ŀ | L | L | Ė |
| | 4100G | | | | | | | | | | | | | | | | | | | | | | | | | | | Γ |
| | 433G | | | | | | | | | | | | | | | | | | | | | | | | | | | Γ |
| | 434G | | | | | | | | | | | | | | | | | | | | | | | | | - | - | Γ |
| Sagola | 444G | | | | | | | | | | | | | | | | | | | | | | | | | | | Γ |
| 0 | 450G | | | | | | | | | | | | | | | | ſ | ſ | | | | \vdash | \vdash | | | | | Γ |
| | 475 mini | | | | | | | | | | | | | | | | | | | | | | | | | | - | Γ |
| | minixtreme | | | | | | t | \mid | | | | | | | | | T | | | | | \vdash | \vdash | | | | | Т |
| | 440xtreme | | | | | | | | | | | | | | | | T | | | | | - | + | | | - | - | Г |
| | Cobalt HVLP | | | ĺ | | ĺ | t | ╞ | ╞ | | | | | | | | ſ | ŀ | ╞ | ╞ | ╞ | ┞ | ┞ | ┞ | | | ┞ | Г |
| Sharpe | Platinum HVLP | | | | | | t | $\left \right $ | | | | | | | | | T | | | | | \vdash | \vdash | | | | | Τ |
| | SGF 98 | | | | | | | | | | | | | | | | | | | | | | | | | | - | Г |
| | Model 75 | | | | | | | $\left \right $ | + | | | | | | | | T | T | + | $\left \right $ | | + | + | | | - | - | Т |
| suction fed | Model 71 | | | | | | | | | | | | | | | | | | - | | | | | | | | | Т |
| | | ļ | Í | Í | ſ | ĺ | Ì | ╏ | ┨ | ┨ | ┨ | | ╞ | I | | ĺ | İ | t | ┨ | ┨ | ┨ | ╁ | ╂ | ╂ | ╞ | ļ | ļ | T |
| Kremin | MZIG | ļ | ĺ | I | | Í | Ì | ┨ | ┨ | ┨ | ┨ | | | ļ | | | İ | ł | ┨ | ┨ | ┨ | ┨ | ┨ | ┨ | ┦ | ┦ | | 1 |
| Pro-Tek | | | | | | | | | + | | | | | | | | | | + | | | + | + | + | _ | _ | RPPS | |
| | Mini | | | | | | | | | | _ | _ | | | | | | | | | | - | - | _ | _ | _ | _ | |
| Accuspray | Issac | | | | | | | | | | | _ | | | | | | | | | | _ | | | | | | |
| Walther | Pilot | | | | | | | | | | | | | | | | | | | | | _ | | | | | | |
| | 500 & 601 (with interface adapter) | | | | | | - | | - | | | | | | | | | | _ | | | | | | | | | |
| | (with interface adaptor) | | | | | | ╡ | + | + | + | + | + | + | | | | | | + | + | + | + | + | + | _ | | | Τ |
| | 500 & 601 (without interface) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Optima | 400,8008,900 | | | | | | | | | | | | | | | | T | t | | + | | | + | | | | | Γ |
| | (with interface) | | | | | | | | | | | | | | | | | | | | | _ | | | | | | |
| | Trifity | | | | | | | 1 | | | | | | | | | | | | - | | - | | | | | | |
| | 400, 800 & 900 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| l | | ļ | ſ | I | Í | Ì | ſ | | ╏ | | ╞ | | | | | ĺ | İ | ł | ╏ | ╏ | ╏ | ╂ | ╏ | ╞ | | | ╞ | Г |
| Walcom | STM HVLP Mini-Gun | | | | | | | | | | | | | | | | T | t | | + | | | + | | | | | Т |
| | Model 2 | L | | I | | ſ | ſ | ╞ | ╞ | | ┞ | | | | | | ľ | ŀ | ╞ | ┞ | ╞ | ╞ | ╞ | | | | ╞ | Г |
| A.I.D. suction | Model 30 | | | | | | | | | | | | | | | | | | | | | + | - | | | | - | Т |
| ted | Hawk 100 | | | | | | | | | | | | | | | | | | + | + | | | + | | | | | Т |
| Dialso continu | RRP | ļ | | I | I | ĺ | t | t | ╞ | ╞ | ┞ | | | | | Í | İ | t | ╞ | ┞ | ╞ | ╂ | ┞ | ┞ | ŀ | ļ | | Г |
| binks suction fed | Barracuda | | | | | T | t | + | + | + | + | + | + | | | | T | t | + | + | | + | + | | | + | _ | Τ |
| Compare s/fed P.S. 1A | P.S. 1A | ļ | | I | I | ĺ | t | ╞ | ╞ | | | | | | | | İ | ŀ | ╞ | ╞ | ╞ | ╞ | ╞ | | | | | Г |
| Catalfer | Kent | L | | ĺ | Γ | ĺ | t | ╞ | ┢ | ┞ | | | ┞ | | | | ſ | ŀ | ╞ | ╞ | ┞ | ╞ | ╞ | | | ┞ | | Г |
| | Mini | | | Í | | | | | | | | | | | | | | | | | | | | | | | | Г |
| Kestrel | STD Gravity | | | | | | | | | | | | | | | | | | | \vdash | | | | | | | RPPS | |
| | Gravity Gun HVLP | | | | | | | | | | | | | | | | | | | | | | | | | | RPPS | |
| U-Pol | Gravity Gun HVLP Mini | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Universal Tool | UT59a | | | | | | | | | | | | | | | | | | | ╞ | | | | | | | | |
| Eio. | Kite | | | | | | | | | | | | | | | | | | $\left \right $ | $\left \right $ | | | | | | | | |
| | Kite | | | | | | | | | | | | | | | | | | | | | _ | | | | | | |
| DelTalyo | DL3000 | | | | | | | | | | | | | | | | | | | | | | - | _ | _ | _ | _ | |
| | Victoria 2015 | | | | | | | + | | | | | | | | | | | - | | | | _ | | | | | |
| AEROMETAL | Victoria 2005 | | | | | | + | + | + | | + | | _ | | | | | | + | + | | | + | | | _ | _ | |
| | Victoria 2006 | | | | | | | + | + | | + | | | | | | | | + | + | | | | | | | | Т |
| | Victoria 2007 | | Ī | I | ĺ | Ì | ╏ | ┨ | ┨ | ┨ | ┨ | | | | | | 1 | ł | ┨ | ┨ | | ┨ | ┨ | ┨ | | | 4 | Т |
| Fastmover Mini Gun | FMT 4002 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | AP16GF | | | | | | ╞ | ╞ | ╞ | ╞ | | | | | | | | | ╞ | | ┞ | | | | | | | |
| | Model Part No. | 16032 | 16033 | 16034 | 16035 | 16032 16033 16034 16035 16036 16037 | | 16038 16 | 16039 160 | 16017 16041 | 41 16042 | 2 16043 | 3 16044 | 16742 | 16105 | 16106 | 16118 1 | 16119 50 | 50480 504 | 50458 505 | 50571 505 | 50572 505 | 50573A 50587 | 87 50677 | 7 50997 | 16757 | 16754 | - |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Colour Check.

Vehicle Appearance.

Designed to make the colour matching and refinishing process faster and easier.



3M[™] PPS[™] Colour Check Light II

The 3M[™] PPS[™] Colour Check Light Kit II is used by painters to reproduce the day light.

- Hand held light source that replicates natural sunlight.
- Reduces the chance of costly re work or comebacks related to colour mismatch, lack of coverage, uneven metallic layout, and prepaint and post paint imperfections due to inadequate shop lighting.
- Can reduce the time it takes cars to get through the paint process; increasing cycle times.

| Part Number | Item | Units Per Pack | Units Per Case |
|----------------|-----------------|-------------------|-------------------|
| 16550 | Kit | | 1 |
| 16551 | Bulb | 1 | |
| 16552 | Diffuser | | 4 |
| 16553 | Bezel kit | 2 | 4 |
| 16555 | Battery pack | | |
| 16556 | Battery charger | 1 | 1 |

Whether it's simple denibbing or a more serious defect, 3M offer a wide range of rectification products designed to help bodyshops achieve a perfect finish quickly and efficiently. With award-winning colour coded compounds and polishes, virtually all paint defect rectification work can be undertaken with ease and confidence.

Panel Preparation



Prep and Blend Liquid is a combination scuffing and cleaning liquid to prepare original or refinished paint surfaces for blending base coat or clear coat. Recommended to be used with 3M[™] Scotch-Brite[™] Ultrafine (Grey), or Extra Fine (Copper) products.

- Fast.
- Uniform matt finish.



3M[™] Scuff-it[™] Matt Gel

An advanced scuffing and cleaning gel which uses a unique combination of minerals and speciality treated abrasive micro crystals to abrade original or refinish paint surfaces in the final stage of preparation prior to paint spraying.

- Degreases, cleans and scuffs in a single process.
- Water-based formula.
- Complete abrasion for optimum paint adhesion.

| | Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|---|----------------|----------|-----------|-------------------|-------------------|
| 5 | 50018 | Matt Gel | 700g | 1 | 12 |

3M[™] Perfect-it[™] III Cleaner Clay

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------|-----------|-------------------|-------------------|
| 38070 | Cleaner Clay | 200g | 1 | 6 |





3M[™] Tack Cloth

Cloths that use a 3-dimensional web structure to absorb dust particles prior to spraying. A wall mounted dispenser is available to store both new and partly used cloths.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------|-----------|-------------------|-------------------|
| 07910 | Tack Cloth | 10 | 6 | 6 |
| 07909 | Tack Cloth Dispenser | 1 | 1 | |

3M[™] Prep and Blend Liquid

• Cleaning agent removes grease, waxes, resins, silicones, etc.

| | Dimension | Units Per Pack | Units Per Case |
|---|-----------|-------------------|-------------------|
| 1 | 500g | 1 | 12 |

• More aggressive than Prep and Blend Liquid (09308).



3M[™] Tack Cloth Aqua

A tack cloth with light adhesive, ideal for use in the spray booth prior to final coat application. Removal of lighter dust from fine sanding, light overspray from basecoats and final cleaning of air dried water-based coats prior to clearcoat application.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------|-------------|-------------------|-------------------|
| 50401 | Tack Cloth Aqua | 43cm x 30cm | 10 | 18 |

Perfect-it[™] III Abrasives

The acclaimed Perfect-it[™] III Paint Rectification and Polishing System provides the complete solution for removal of imperfections in vehicle topcoat refinish. Defects and blemishes are removed rapidly without the need for reworking or repainting. The Perfect-it[™] III System provides a rectification answer for every likely requirement – fresh or aged paints, small to large areas. See individual listings for detailed product descriptions.



3M[™] Perfect-it[™] III Microfine Abrasives

Abrasive denib and blemish removal. Improvements in paint technology and the demand for ever higher levels of finish quality achieved by the painter has led to superfine Wetordry[™] abrasive papers such as Perfect-it[™] Microfine Abrasive.

| Part Number | Item | Grit Grade | Dimension | Configuration | Units Per Pack | Units Per Case |
|----------------|----------------------|---------------|---------------|---------------|-------------------|-------------------|
| 02048 | Microfine Abrasive | P2000 | 138mm x 230mm | 401Q WOD | 50 | 10 |
| 02049 | witcroffine Abrasive | P1500 | 136mm x 230mm | 4010 000 | 50 | 10 |



3M[™] Hookit[™] 260L Finishing Film Disc

Abrasive denib and blemish removal. Technically advanced abrasives for machine paint rectification applications. Use with a soft interface pad (05771) to add conformability.

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------------|---------------|-----------|-------------------|-------------------|
| 00909 | | P1000 | | | |
| 00908 | Finishing Film Disc 260L | P1200 | 76mm | 50 | 4 |
| 00907 | | P1500 | | | |



3M[™] Trizact[™] Discs

Discs made with a pyramid structure which contains multiple layers of fine grade abrasive mineral particles. New mineral is continuously exposed resulting in long life with a consistent finish.

| Part Number | Item | Grit Grade | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------|---------------|-----------|-------------------|-------------------|
| 50413 | Blending Disc | 1000 | 75mm | | |
| 50341 | Biending Disc | 1000 | 150mm | 15 | 4 |
| 50414 | Fine Finishing Dise | 2000 | ISUMM | 15 | 4 |
| 50415 | Fine Finishing Disc | 3000 | 75mm | | |



3M[™] Trizact[™] Accessories

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------|-----------|-------------------|-------------------|
| 05791 | Hand Pad | 150mm | 20 | 4 |
| 05792 | Half Hand Pad | ISUIIII | 20 | 1 |

57

Vehicle Appearance.

Perfect-it[™] III Quick Connect System

A new range of double sided Buffing Pads that, when used with new Quick Connect Adaptor technology and with 3M[™] compounds and polishes, offers an unparalleled refinish rectification system.



3M[™] Perfect-it[™] III Quick Connect System

- Long lasting, double sided buffs.
- Easy, fast changeover.
- One connector fits all.
- Perfect balance.

| Part Number | Item | Colour | Dimensions | Units Per Pack | Units Per Case |
|----------------|--|--------|------------|-------------------|-------------------|
| 50874 | Double Sided Convoluted Foam Compounding Pad | Green | 216mm | | |
| 50878 | Double Sided Flat Foam Compounding Pad | | 150mm | | 6 |
| 50875 | Double Sided Convoluted Foam Polishing Pad | Yellow | 216mm | | |
| 50879 | Double Sided Convoluted Foam Polishing Pad | Tellow | 150mm | | |
| 50708 | Double Sided High Gloss Convoluted Foam Polishing Pad | Blue | 216mm | 1 | |
| 50880 | Double Sided High Gloss Convoluted Foam Polishing Pad | | 150mm | | |
| 50881 | Double Sided Wool Compounding Pad | | 150mm | | |
| 33279 | Double Sided Low Linting Wool Compounding Pad | White | 229mm | | |
| 33271 | Adaptor | | M14 | | 10 |

Colour Coded **Polishing System**

The comprehensive range of 3M[™] Perfect-it[™] III products enables virtually all paint defect rectification work to be undertaken with ease and confidence.

- Colour code co-ordination to ease product selection.
- For all paint including hard and scratch resistant.
- Optimum high gloss and hologram removal.




3M[™] Perfect-it[™] III Fast Cut XL Compound

New formulation compound with benefits including greater coverage, reduced dusting, easier clean up.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------|-----------|-------------------|-------------------|
| 51052 | Fast Cut XL Compound | 1 kg | 1 | 12 |





A fast acting liquid abrasive that removes sanding scratches from refinished or original paintwork and helps achieve a superior high gloss finish.

- Fast cut-rate performance.
- Superior high gloss finish. • Quick and easy clean up.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|------------------------|--------|-----------|-------------------|-------------------|
| 50417 | Fast Cut PLUS Compound | | 1 litre | 1 | 12 |
| 50487 | Compounding Pad | | 150mm | 2 | 10 |
| 50499 | | Green | 75mm | 4 | 20 |
| 60671 | High Performance Cloth | | | 3 | 10 |



AAAA-



3M[™] Perfect-it[™] III Ultrafina SE Polish Polish for rotary swirl and hologram elimination.

- Ultimate high gloss finish.
- Quick and easy clean up.
- Minimal sling.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------------------|--------|-----------|-------------------|-------------------|
| 50383 | Ultrafina SE Polish | | 1 litre | 1 | 12 |
| 50388 | Ultrafina High Gloss Pad | | 150mm | 2 | 5 |
| 50457 | High Gloss pad | Blue | 75mm | 4 | 5 |
| 50486 | Ultrafina Soft Polishing Cloth | | | 1 | 20 |

3M[™] Polish Rosa

Fast final wax protection coating.

- Easy to apply by hand or machine and very durable.
- Does not stain automotive plastics or rubber.

| | Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|---|----------------|----------------------------|--------|-----------|-------------------|-------------------|
| | 80345 | Polish Rosa | Pink | 1 litre | 4 | 12 |
| [| 50489 | Ultra Soft Polishing Cloth | | | I | 20 |

3M[™] Perfect-it[™] III Fast Cut PLUS Compound

3M[™] Perfect-it[™] III Extra Fine PLUS Compound

Extra Fine Plus is an integral part of the 3M[™] Perfect it[™] III colour coded system. Especially designed to help achieve a perfect finish on modern clear coats, it gives a high gloss finish on

| | Colour | Dimension | Units Per Pack | Units Per Case |
|----------|--------|-----------|-------------------|-------------------|
| pound | | 1 litre | 1 | 12 |
| ding Pad | | 150mm | 2 | F |
| | Yellow | 75mm | 4 | 5 |
| | | | 1 | 20 |

• Contains non-volatile silicones for high gloss and easy clean up.



3M[™] Perfect-it[™] III Finishing Glaze

Apply by hand or using the D/A Glazing Pad (05729) to remove with High Performance Cloths (60668).

- Ultimate 'showroom' gloss.
- Cost-effective new improved.
- Low VOC.
- Improved easy clean up.
- Non-silicone content product produces a lustrous 'showroom' finish and deeper, longer gloss.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------|-----------|-------------------|-------------------|
| 05729 | D/A Glazing Pad | 170mm | 2 | 10 |
| 09377 | Finishing Glaze | 1 litre | 1 | 12 |

Headlight Lens Restoration System

A new, innovative system for refinishing weathered and scratched plastic lenses. It removes scratches and haziness from plastic headlights used on the majority of modern cars that are often caused by minor damage in collisions, general wear and tear, sunlight discolouration and cleaning mishaps.



3M[™] Headlight Lens Restoration System

A complete Headlight Lens Restoration System kit including the following items:

- 3M[™] Hookit[™] Abrasive Disc 255P Gold P500 (50080).
- 3M[™] 260L Abrasive Disc 76mm P800 (00910).
- 3M[™] Trizact[™] Fine Finishing Disc 75mm P1000 (50413).
- 3M[™] Trizact[™] Fine Finishing Disc 75mm P3000 (50415).
- 3M[™] Perfect-it[™] III Fast Cut PLUS Compounding Pad (50499).
- 3M[™] Perfect-it[™] III Extra Fine PLUS Polishing Pad (50536).
- Sander 75mm (28353).
- Polisher 75mm (28354).

| Part Number | Item | Units Per Pack | Units Per Case |
|----------------|-----------------------------------|-------------------|-------------------|
| 50663 | Headlight Lens Restoration System | 1 | 1 |

3M[™] Compound

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|------------------|-----------|-------------------|-------------------|
| 59015 | Plastic Restorer | 500ml | 1 | 12 |
| 59016 | Plastic Polish | 500mi | | |

Perfect-it[™] Denib System

It's time to revolutionise your paint shop productivity with the Perfect-it[™] Denib System. Unlike anything else available in the industry, it's designed to remove dirt nibs faster and easier, resulting in a better finish. Reduces paint finishing areas down to less than the size of a Euro. Pinpoint micro-sanding saves time by allowing you to sand dirt nibs away while minimising flat spots. Pinpoint micro-polishing allows you to quickly deliver a high gloss finish while reducing time-consuming clean up. Faster denibbing and faster clean up lets you do more in less time.





Number

3M[™] Perfect-it[™] Denib Polish

Denib Polish Bottle.

Item

50665 Denib Polish

| 314 | \$0565 |
|-------|-----------|
| Denib | Polish |
| 1 | - |
| 1 | |
| | |
| - | |
| | \$00ml +: |

3M[™] Perfect-it[™] Denib Abrasive





Perfect-it[™] III



3M[™] Perfect-it[™] III Fast Cut Compound

- Fast, effective action.
- Fine, high gloss finish.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-------------------|-----------|-------------------|-------------------|
| 09374 | Fast Cut Compound | 1 kg | 1 | 12 |

3M[™] Perfect-it[™] Denib System Kit

System kit includes Denib Tool, Charging Station, Abrasive Stems, Polisher, Foam Pads

| | Dimension | Units Per Pack | Units Per Case | |
|---|-----------|-------------------|-------------------|---|
| | | 1 | 1 | |
| d | 75mm | | 1 | 1 |

| Dimension | Units Per Pack | Units Per Case |
|-----------|-------------------|-------------------|
| 500ml | 1 | 12 |

1000 and 1500 Grade Trizact[™] Abrasive Stem, 20 stems per inner pack.

| Grit grade | Units Per Pack | Units Per Case |
|------------|-------------------|-------------------|
| 1000 | 20 | 4 |
| 1500 | 20 | 4 |

A fast acting, coarse grade compound for rapid removal of fine sanding scratches. Effective in achieving a high gloss finish on both fresh and aged paint systems.

Vehicle Appearance.



3M[™] Perfect-it[™] III Fine Compound

A fast acting, finer compound sharing the same 3M formulation chemistry as Perfect-it[™] III Fast Cut Compound. Ideal for removing light oxidation, overspray, minor scratches and blend lines.

Apply using Perfect-it[™] III Compounding Pad (09550).

- Removes fine scratches faster.
- For HS, MS or OEM paints.
- Minimal sling, high gloss finish.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------|-----------|-------------------|-------------------|
| 09375 | Fine Compound | 1 litre | 1 | 12 |



3M[™] Imperial[™] Machine Glaze

Imperial[™] Machine Glaze has similar characteristics to Imperial[™] Hand Glaze but is specifically designed for machine application. Ideal for filling scratches and swirl marks on large areas. Apply using 3M[™] Perfect-it[™] III High Gloss Polishing Pad (09378).

- Silicone and wax free.
- Deep shine and high gloss.
- Allows larger areas to be worked.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------------|-----------|-------------------|-------------------|
| 05991 | Machine Glaze | 500ml | 1 | 12 |
| 09378 | High Gloss Polishing Pad | 150mm | 2 | 5 |

Perfect-it[™] III Additional Accessories




3M[™] Perfect-it[™] III High Performance Cloths

Advanced 3M materials technology achieves high standards of surface cleaning and polishing efficiency.

- Non scratching, low linting.
- Durable resistant to chemicals.
- Re-usable washable up to 95°C.
- Three colours for job differentiation.
- High cleaning power with or without solvent.

| Part Number | Item | Colour | Units Per Pack | Units Per Case |
|----------------|------------------------|--------|-------------------|-------------------|
| 60668 | | Mixed | 3 | |
| 60669 | Link Dayformanaa Clath | Yellow | | 10 |
| 60670 | High Performance Cloth | Blue | 1 | 10 |
| 60671 | | Green | | |





- Ideal for 3M[™] Perfect-it[™] polishes.
- Soft and supple.
- Good absorbency.
- Low linting.
- Static-free wiping.

Item

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------|-------------|-------------------|-------------------|
| 34568 | Polishing Wipes | 37cm x 38cm | 275 | 1 |

34567






Part Item Numbe C31 Large Commercial Spo

3M[™] Perfect-it[™] III Superbuff Adaptors

and minimises the risk of burn on working surfaces.

- Adaptors available in Imperial or Metric sizes.
- Extremely durable.
- Easily cleaned by raking or washing.
- Dual purpose pad for compounding and polishing.

| Part Number | Item | Dimension | Configuration | Units Per Pack | Units Per Case |
|----------------|-------------------|-----------|---------------|-------------------|-------------------|
| 05704 | Buffing Pad | 203mm dia | Adaptor | 4 | 1 |
| 05710 | Superbuff Adaptor | 5/8" | Adaptor | 1 | 10 |



3M[™] Professional Panel Wipes

• Super strength when wet or dry.

| Dimension | Units Per Pack | Units Per Case | |
|-------------|-------------------|-------------------|--|
| 37cm x 29cm | 400 | 1 | |

| | Units Per Pack | Units Per Case |
|-------|-------------------|-------------------|
| oonge | 1 | 24 |

A double sided buffing pad with a unique flexing action: this reduces swirl marks

• Soft, protected edge which offers conformability for contour polishing.

• Balanced, double-sided construction with quick change fixing.



3M[™] Perfect-it[™] III Additional Accessories

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------------------------|---|-------------------|-------------------|
| 09550 | Compounding Pad | 150 | 2 | |
| 09378 | High Gloss Polishing Pad | Se Polishing Pad 150mm 2 Back-up Pad 125mm M14 1 125mm 5/8" 1 | | |
| 09552 | Deliation Deale un Deal | | | 5 |
| 09553 | Polishing Back-up Pad | | | - |
| 01927 | Wool Buffing Pad | | | |
| 05729 | D/A Glazing Pad | | | 12 |
| M05717 | Dellebie e De els ver De el | 203mm 5/8" attachment | - | |
| 05717M | Polishing Back-up Pad | 203mm M14 attachment | | 1 |
| 05711 | SBS Plus (Wool) Compounding Pad | | | 24 |
| 05512 | Superbuff Adaptor | 14 | וך | |
| 09637 | | 14mm | | 10 |
| 09638 | 09638 Compounding Sponge Pad 5/8" | | 1 | |

Finesse-it[™]

The Finesse-it™ system is recommended for rectifying paint defects, e.g. dust nibs, on small areas. Ideal on fresh or aged refinish paint.



3M[™] Finesse-it[™] Finishing Material Easy Clean Up

Designed for use on both fresh or aged refinish paint to remove minor imperfections such as dust nibs. Machine-applied, the compound rapidly achieves high gloss and for best results should be applied using a 1500-2500 rev/min polisher fitted with the appropriate Finesse-it[™] accessory.

- Easy application.
- Deep gloss.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------------------|-----------|-------------------|-------------------|
| 09639 | Finishing Material Easy Clean Up | 1 litre | 1 | 12 |



3M[™] Finesse-it[™] System Accessories

The Finesse-it[™] system is quick and easy to use. Best results are achieved by using the following recommended accessories depending on the type of machine being used.

| Part Number | Item | Dimension | Configuration | Units Per Pack | Units Per Case |
|----------------|------------------|-----------|---------------|-------------------|-------------------|
| 14736 | Finishing Pad | | | 4 | 10 |
| 09996 | Sponge Mop | 75mm | 5 | 1 | 5 |
| 50016 | Buffing Pad | | | 5 | 10 |
| 09552 | De als viz De d | 125mm | 14mm thread | | - |
| 09553 | Back-up Pad | | 5/8" Thread |]. | 5 |
| 13441 | Hand Sanding Pad | | | | 10 |
| 09988 | Holder No 4 | 75mm | | | 5 |

Car Care.

3M products are trusted by the professionals. Now you can restore and protect that showroom finish with the range of 3M[™] Car Care Products.

From a quick clean with 3M[™] Car Wash Soap through to the ultimate treatment of 3M[™] Performance Finish, each of our products does a superbly professional job. But they can of course be used independently to suit your needs and the time available.

Car Wash Soap



Part

3M[™] Car Wash Soap



Scratch & Swirl Remover



3M[™] Scratch & Swirl Remover The easy way to remove fine scratches and swirls at home, using professional repair technology to restore the showroom shine. For use by hand or machine, the refined formula prepares the surface prior to waxing.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-------------------------|-----------|-------------------|-------------------|
| 50970 | Scratch & Swirl Remover | 473ml | 1 | 6 |

Performance Finish



3M[™] Performance Finish

For the ultimate long-lasting, high gloss finish, with synthetic polymers providing maximum paint protection. Easy on, easy off formulation.

Jumhe 39030 Performance Finish

64

A concentrated formula producing long lasting, natural suds and a pleasant cherry aroma. Tough on dirt and grime, yet gentle on paintwork and wax finishes.

| Dimension | Units Per Pack | Units Per Case |
|-----------|-------------------|-------------------|
| 473ml | 1 | 6 |

| Dimension | Units Per Pack | Units Per Case |
|-----------|-------------------|-------------------|
| 473ml | 1 | 4 |

Quick Wax



Microfibre Detail Cloth

3M[™] Quick Wax

Treat your car to a professional high gloss finish in a matter of minutes with the added bonus of Carnauba wax protection. Ideal to top up shine and protection in between using 3M™ Performance Finish.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------|-----------|-------------------|-------------------|
| 39034 | Quick Wax | 473ml | 1 | 6 |

Tyre Restorer



3M[™] Tyre Restorer

The perfect finishing touch to your car care regime, 3M[™] Tyre Restorer brings back a natural, long-lasting satin sheen for a new tyre look.

| Part Number | Item |
|----------------|---------------|
| 39042 | Tyre Restorer |
| | |

Glass Cleaner



3M[™] Glass Cleaner



Leather & Vinyl Restorer



3M[™] Leather & Vinyl Restorer

| Part Numb | ber | Item | Dimension | Units Per Pack | Units Per Case |
|--------------|-----|--------------------------|-----------|-------------------|-------------------|
| 3904 | 40 | Leather & Vinyl Restorer | 473ml | 1 | 6 |









12

Dimension

1

Units Units Per Pack Per Cas

6

Wheel & Tyre Cleaner



3M[™] Wheel & Tyre Cleaner

3M[™] Microfibre Detail Cloth

39016 Microfibre Detail Cloth

Part Number

Item

Remove brake dust, tar, grease and grime in one easy step; cleaning sidewall scuffs and giving wheels a brilliant shine. The water-based citrus degreaser is tough on dirt yet gentle on wheels.

The super-soft, non-linting microtexture is ideal for all surfaces. Easily removes wax and polish residue and fingermarks, and is ideal for use with 3M[™] Glass Cleaner.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------|-----------|-------------------|-------------------|
| 39036 | Wheel & Tyre Cleaner | 473ml | 1 | 6 |

| Dimension | Units Per Pack | Units Per Case |
|-----------|-------------------|-------------------|
| 473ml | 1 | 6 |

For a sparkling finish, 3M[™] Glass Cleaner features a non-drip foaming action that clings to vertical surfaces to create a streak-free shine. Safe for tinted windows.

| Dimension | Units Per Pack | Units Per Case |
|-----------|-------------------|-------------------|
| 562ml | 1 | 12 |

Treat your car's interior. Removes dirt and grime from leather, vinyl, rubber and plastic without leaving a residue. Restore a natural satin finish and protect in one simple step.

Adhesives.

3M provide innovative solutions for automotive and plastic repair with a range of adhesives. Used in conjunction with our applicators and recommended repair processes, structures can be rebuilt, repaired or bonded to recreate the original finish.

Double Sided Adhesive Tapes



3M[™] Acrylic Plus Tapes PT1100

Offering high adhesive strength, these high density acrylic foam tapes with acrylic adhesive on both sides are ideally suited to critical fixing applications such as body side mouldings, badges and bumper trims.

- High performance.
- Used by vehicle manufacturers.
- Suitable on OEM and refinish paint.
- Good conformability.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------------|--------|------------|-------------------|-------------------|
| 80318 | | | 6mm x 20m | 2 | |
| 80319 | | | 9mm x 20m | | |
| 80320 | Acrylic Plus Tape PT1100 | Black | 12mm x 20m | 4 | 12 |
| 80322 | | | 19mm x 20m | | |
| 80323 | | | 25mm x 20m | | |

Transfer Adhesives

Double sided, lightweight tape for bonding plastic and trim in automotive applications. Apply to one surface, remove liner then join surfaces together.

3M[™] Refix Tape 950

A double sided tape wound on a roll so that the adhesive can be applied by hand.

- Sticks instantly, will not lift.
- No mess or waste.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------|------------|-------------------|-------------------|
| 06506 | Refix Tape 950 | 12mm x 10m | 4 | 12 |



3M[™] Press In Place[™] Emblem Adhesive

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------|----------------|-------------------|-------------------|
| 08069 | Emblem Adhesive | 2" x 12" Strip | 10 | 6 |

Contact Adhesive

Aerosol adhesives for bonding lightweight internal trim, e.g. headlinings and plastics.

3M[™] Aerosol Adhesive



heat resistance is required.



General Purpose Adhesive







- Fast drying.



Panel Bonding Adhesives

Designed to provide an alternative method of attaching panels to welding. Offering time savings, a quality repair and a safe method.

3M[™] Panel Bonding Adhesive

An innovative and cost-effective two-part cartridge system for bonding replacement body panels. Seals and bonds steel, aluminium and SMC securely in a single operation. Reduces welding time, protects against corrosion and gives excellent adhesion to a variety of substrates. Recommended for application with 3M[™] manual applicator (08117) or 3M[™] pneumatic applicator (09930).

- Enables easy accessibility in awkward to reach areas.
- Maintains integrity of substrate.
- Cures on demand.
- · Bonds steel, aluminium, SMC.
- · Not for use on structural components.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|------------------------|-----------|-------------------|-------------------|
| 08115 | Panel Bonding Adhesive | 200ml | 1 | c |
| 08193 | Nozzle | | 6 | 0 |



High performance neoprene contact adhesive with exceptional plasticiser resistance. The aerosol features high strength performance normally associated with bulk sprayable or brushable contact adhesives. Suitable for bonding rubbers, non-supported vinyls, metal, some plastics and flexible foams to themselves or to other substrates.

Aerosol has controlled, lace-like spray pattern which minimises overspray. Quick drying - bonds can be made after 4 and up to 30 minutes. Clog-resistant nozzle. Useful where high

| | Colour | Dimension | Units Per Pack | Units Per Case |
|--------|--------|-----------|-------------------|-------------------|
| nesive | Amber | 500ml | 1 | 12 |
| | | | | |

A specially designed, general purpose aerosol adhesive for bonding trim fabrics, headings, floor carpets and cloth-backed vinyls. Also for bonding upholstery foam to metal, wood

• No wastage of dried up adhesive through lids being left off.

· Non-clog aerosol head will adjust to give wide or narrow lace spray pattern.

· Large areas covered quickly, compared to hand application e.g. headlinings.

| Colour | Dimension | Units Per Pack | Units Per Case |
|--------|-----------|-------------------|-------------------|
| Clear | 500ml | 1 | 12 |
| | | | |

Adhesives.

05900

2+152-0

3M[™] Flexible Parts Repair Material

3M[™] Flexible Parts Repair Material is a two-part epoxy filler used to repair most of the plastic parts on today's vehicles. It is flexible and easy to sand. Available in two tubes (A and B), allowing for easy measuring and mixing.

- Easy to use.
- Excellent feather edging.
- Excellent sag resistance.

and eight mixing nozzles.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------------------------|--------|-----------|-------------------|-------------------|
| 05900 | Flexible Parts Repair Material | Grey | 150ml | 1 | 6 |
| 05901 | | | 2 x 150ml | 4 | 3 |
| 08198 | Nozzle | | | 5 | 12 |

3M[™] Superfast Plastic Adhesives

Work with Contour Sheet (04904) to shape.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------------------------|--------|--------------|-------------------|-------------------|
| 55045 | Superfast Plastic Adhesive | Clear | 50ml | | 12 |
| 04748 | Superfast Adhesive | Black | 50ml | 1 | 12 |
| 04904 | Contour Sheet with reinforcement tape | | 127mm x 3.6m |] | |
| 04908 | Adhesive Nozzle | | | 50 | 1 |

3M[™] Structural Plastic Adhesive

Two part urethane adhesive in a 200ml cartridge, designed for bonding, back side reinforcing and some cosmetic filling of many plastic parts. Bonds to plastic, fiberglass, ceramic, metal and most substrates. This adhesive gives a longer working time and longer drying time than 3M[™] Superfast Adhesive to give more flexibility for users needing extra time.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------------------|-----------|-------------------|-------------------|
| 55047 | Structural Plastic Adhesive | 200ml | | 6 |

3M[™] Crack Seal Tape

03020 Crack Seal Tape

| 3М™ | Structural | Adhesive | |
|-----|------------|----------|--|
|-----|------------|----------|--|

A two-component epoxy, 3M[™] Structural Adhesive (08122) offers some 8 times the shear strength of its polyurethane-based rivals, for bonding of panels and doorskins. This product is packed in a 50ml twin cartridge. Apply using 3M[™] Manual Applicator (08190) with 2-1 Plunger.

- Fast drying.
- Consistent mixing ratio from twin cartridge.
- Efficient mixing nozzle gives controlled flow with no air bubbles.
- · Resealable cartridge means minimal adhesive waste.
- Lightweight, maintenance-free Applicator.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------|-----------|-------------------|-------------------|
| 08122 | Structural Adhesive | 50ml | 1 | 10 |
| 08197 | Nozzle | | 6 | 12 |

Plastic Repair

A method for repairing cosmetic defects (scratches and dents) and structural repairs (tears, cracks and holes) in plastic bumpers.



3M[™] Instant Plastic Repair Patch

Fast solution to repair cracks and holes in plastic bumpers without the need for replacing the original part. Prepare the area, mount patch onto the backside of the crack and reshape the front side easily with FPRM or Flexible Plastic Filler.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|------------------------------|---------------|-------------------|-------------------|
| 05888 | Instant Plastic Repair Patch | 101mm x 203mm | 3 | 6 |
| 06396 | Adhesion Promoter Sachet | | 25 | 4 |



3M[™] Polyolefin Adhesion Promoter

3M[™] Polyolefin Adhesion Promoter is specially designed to be used in conjunction with 3M[™] Adhesives for the repair of polypropylene and ethylene propylene interior and exterior parts, usually designated by the initials PP, EP, TPO, or EPDM.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|------------------------------|-----------|-------------------|-------------------|
| 05917 | Polyolefin Adhesion Promoter | 200ml | 1 | 12 |



Flexible plastic filler and front repair material, it is fast drying (15 mins) two component repair material for front side bumper repair. Can also be used for scuffs and light damage for flexible plastic parts.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-------------------------|-----------|-------------------|-------------------|
| 05887 | Flexible Plastic Filler | 200ml | 1 | 6 |
| 08193 | Nozzle | | 6 | 6 |







3M[™] Flexible Parts Repair Material is also available in a duopack cartridge. For easy and safe application with 3M[™] manual applicator (08190). Each box includes four duopack cartridges

3M[™] Superfast Plastic Adhesive is a two-part urethane adhesive suitable to repair,

rebuild, reshape and bond all kinds of plastic. Fast to cure, it can be sanded and overpainted.

3M Crack Seal Tape is a self-adhesive glass fibre tape to reinforce any repair.

| Colour | Dimension | Units Per Pack | Units Per Case |
|--------|-----------|-------------------|-------------------|
| White | 50mm x 5m | 1 | 6 |

Glass Bonding & Sealing.



3M[™] Plastic Filler

A polyester-based filler specifically designed for plastic repairs. A smooth, flexible product which is easy to spread and has good sandility.

| Part Number | Item | Format | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------|--------|-----------|-------------------|-------------------|
| 51009 | Plastic Filler | Can | 500g | 1 | 6 |



3M[™] Plastic Repair Kit

Use 3M[™] Plastic Repair Kit to quickly repair plastic parts such as bumper cracks or scratches. Our introductory kit is a part of our plastic repair range and includes all the materials you need to carry out a professional grade repair to most defects, to many plastic car parts.

| Part Number | Item | Colour | Units Per Pack | Units Per Case |
|----------------|--------------------|--------|-------------------|-------------------|
| 50537 | Plastic Repair Kit | Black | 1 | 1 |

Surface Cleaning



3M[™] Adhesive Cleaner

| Part Num | | Item | Dimension | Units Per Pack | Units Per Case |
|-------------|-----|------------------|-----------|-------------------|-------------------|
| 089 | 984 | Adhesive Cleaner | 1 litre | 1 | 12 |

Bonded Windscreens



| 3M [™] Primers | | | | | |
|-------------------------|--------------------|--|--|--|--|
| Part Number | ltem | | | | |
| 58012 | Single Step Primer | | | | |
| 08617 | Clear Primer | | | | |



3M[™] PU Windscreen Adhesive

A one-part moisture-curing PU adhesive for windscreen and rear window bonding. Available in cartridge and sachet.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------|--------|-----------|-------------------|-------------------|
| 08603 | Adhesive Cartridge | Disale | 310ml | 1 | 12 |
| 08616 | Windscreen Adhesive | Black | 415ml |] I | 9 |

8631

3M[™] Glass Cleaner

To clean windscreens, rear and side windows, and mirrors. Also automotive vinyl, interior plastic trim and clear plastic. Will not affect painted surfaces.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------|-----------|-------------------|-------------------|
| 08631 | Glass Cleaner | 500ml | 1 | 12 |

Direct Glaze



- Instant bond.
- Excellent adhesion.
- Weatherproof.
- Controlled compressibility allows easy installation.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|-----------------------------|--------|-------------|-------------------|-------------------|
| 08610 | Direct Glaze Adhesive Strip | | 6mm x 4.5m | 12 | |
| 08611 | | | 8mm x 4.5m | | 1 |
| 08612 | | | 10mm x 4.5m | | |

| Colour | | Units Per Pack | Units Per Case |
|--------|------|-------------------|-------------------|
| Black | 30ml | 1 | 6 |
| | 30ml | 1 | 12 |

High tack, non-curing strip of sealer for installing direct glaze (gasketless) windscreens.

Coatings.

Rubber Gasket



3M[™] Windscreen Sealer

Non-hardening non-shrinking sealer for the installation of rubber gasket windscreens. Excellent water and weather resistance. Remains flexible permanently. Can be applied in wet weather. Easy clean up with dry rag. Non-damaging plastic nozzle. Apply using either $3 M^{\mbox{\tiny M}}$ Manual Applicator (08013) or 3M[™] Pneumatic Applicator (08012).

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|-------------------|--------|-----------|-------------------|-------------------|
| 08509 | Windscreen Sealer | Black | 310ml | 1 | 12 |

Anti-Chip

Anti-chip coatings are used to protect vulnerable, painted parts of the vehicle such as sills, wings, wheel arches and valances.

Most body corrosion results from stone chips to susceptible exposed paintwork. Stone chips can penetrate the paint and underlying protective coatings to allow corrosion to eat into the substrate from the surface. 3M supply rubberised anti-chip coatings with a wide range of finishes. All are overpaintable, flexible, fast drying and weather, stone chip and corrosion resistant.



3M[™] Body Gard[™] Textured Coatings

This rubber-based coating was developed to enable most manufacturers' stone chip finishes to be reproduced in the bodyshop. Black, white and grey coatings are available for application to any part of the car requiring stone chip protection. Medium to heavy textures can be obtained depending on the application method used.

- Excellent stone chip resistance.
- High solids.
- OEM finishes.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------|--------|-----------|-------------------|-------------------|
| 08868 | | Black | | | |
| 08878 | Textured Coating | White | 1 kg | 1 | 12 |
| 08879 | | Grey | | | |
| 08881 | Water Read Coatings | | 11 | 4 | 12 |
| 08882 | Water Based Coatings | | 1kg | | 12 |

3M[™] Body Gard[™] Flat Coatings

Featuring the same benefits as Spray Schutz coating, the Body Gard Aerosol has the added benefit of reproducing the flat finish that is so popular.

- Excellent stone chip resistance.
- Quick drying.
- is recommended.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------|--------|-----------|-------------------|-------------------|
| 08158 | Flat Coating Aerosol | Black | 500ml | 1 | 6 |
| 08159 | | Grey | | | |

• Can be used with the 3M[™] Accuspray[™] Pressurised HGP Spray Gun (16587) to replicate

• Coating becomes tack free in 10-15 minutes. Can be painted with air drying and low bake paints after two hours at normal temperatures. The application of a primer is recommended.

• Coating becomes tack free in 10-15 minutes. Can be painted with air drying and low bake paints after two hours drying at normal temperatures. The application of a primer

Coatings.

Coatings.

Inner Cavity Wax



3M[™] Inner Cavity Wax – Amber

Designed to give a protective coating to the inside of vehicle body panels. The product will seep, by capillary action, into gaps and along welded joints to give long lasting rust-proofing.

- Remains flexible when dry.
- Water repellent can be applied to damp surfaces.
- Excellent rust-proofing against road salt.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|------------------|--------|-----------|-------------------|-------------------|
| 08901 | Inner Cavity Wax | Amber | 500ml | 1 | 12 |
| 08911 | | | 1 litre | | |
| 08921 | | | 10 litre | | 1 |



3M[™] Inner Cavity Wax – Transparent

Inner cavity protection for the small repair or difficult to reach areas is made quicker and easier.

- Easy to use.
- Quick.
- Convenient.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|------------------|-------------|-----------|-------------------|-------------------|
| 08909 | | | 500ml | | 40 |
| 08919 | Inner Cavity Wax | Transparent | 1 litre | 1 | 12 |
| 08929 | | | 10 litre | | 1 |

Underbody Protection



3M[™] Body Schutz[™]

A thick, asphalt-based product ideal for vehicle underbody coating to give both rust-proofing and sound-deadening properties.

- Flexible when dry.
- Excellent one-coat coverage.
- Touch dry in 1 hour.
- Does not sag.
- Not overpaintable.
- Various textures can be achieved by altering spray technique.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|--------------|--------|-----------|-------------------|-------------------|
| 08861 | Body Coating | Black | 1 litre | 1 | 12 |



3M[™] Aerosol Spray Schutz[™]

suitable for quick repairs to wheel arches and underbody.

- Rubberised for extra toughness and flexibility.
- Fast drying.
- Non-clog valve for even spray pattern.
- Weather resistant.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------|--------|-----------|-------------------|-------------------|
| 08877 | Aerosol Spray | Black | 500ml | 1 | 12 |

Weld Coating



| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------|--------|-----------|-------------------|-------------------|
| 50410 | Weld Thru II Coating | Grey | 377ml | 1 | 6 |

Sound Deadening



3M[™] Sound Deadening Pad

wings and boots/floor plans.

- Self-adhesive.
- Easy to apply.
- Paintable.

| 1000 | Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|------|----------------|---------------------|---------------|-------------------|-------------------|
| | 08840 | Sound Deadening Pad | 500mm x 500mm | 1 | 10 |

3M[™] Abrasion Resistant Film

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-------------------------|--------------|-------------------|-------------------|
| 08219 | Abussian Desistant Film | 19mm x 11m | c | 1 |
| 08210 | Abrasion Resistant Film | 100mm x 2.5m | 6 | |

- Fast drying, rubberised protective coating, which dries to a textured finish,

Weld Thru II is a zinc-rich weldable primer for MIG and Spot Welds.

Easily shaped to offer noise suppression on many parts of the vehicle, such as doors,

Sealers.

Polyurethane Sealer Range

Extruded Sealers



3M[™] Polyurethane Sealer in Cartridges

A high-solids, non-shrinking adhesive sealer, which cures to a tough, permanently flexible material after 24 hours (depending on bead thickness and environmental conditions), when exposed to atmospheric moisture. To be used with a 3M[™] Pneumatic Applicator (08012). Ideal for medium/wide seam sealing.

- Excellent adhesion.
- Paintable with commonly used paint systems.
- Non-shrinking, non-flow.
- Excellent weathering properties.
- Water, oil and petrol resistant.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------|--------|-----------|-------------------|-------------------|
| 08694 | | Black | | | |
| 08684 | Polyurethane Sealer | Grey | 310ml | 1 | 12 |
| 08689 | | White | | | |
| 08705 | Nozzle | | | 50 | 1 |



3M[™] Polyurethane Sealer in Sachets

General purpose polyurethane seam sealer in collapsible aluminium foil sachets. Available in black, white or grey. To be used with the 3M[™] Pneumatic Applicator (08007) or (08006 - 310ml only).

- Easy extrusion with no bubbles.
- Easy disposal of squashed sachet.
- Over-paintable in less than 30 mins.
- Lightweight, well-balanced applicators.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------|--------|-----------|-------------------|-------------------|
| 08789 | Delaurathana Caalar | Black | | | |
| 08787 | | White | 310ml | 12 | |
| 08782 | | Grey | | | 4 |
| 08793 | Polyurethane Sealer | Black | | | 1 |
| 08788 | | White | 600ml | | |
| 08783 | | Grey | | | |
| 08704 | Sachet Sealer Nozzle | | | | |

Sprayable Sealers



3M[™] Two Part Sprayable Sealers


A unique 2-pack polyurethane-based product packaged in an aluminium sachet, allowing reproduction of the original appearance of body joint seals. Pre-measured protection from the toxic emission of isocyanate. Avoids the necessity of applicator cleaning, by a divided Unipack bag fitted with a disposable nozzle. Can be used for restoring stone chip coatings.

- Simple, quick and clean.
- No direct contact during mixing.
- Paintable in 30 minutes.
- Application of heat speeds curing.
- No shrinkage.
- No applicator cleaning.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------------|--------|-----------|-------------------|-------------------|
| 08801 | Pneumatic Applicator | | | | 1 |
| 08823 | •• | | 150ml | 1 | 6 |
| 08800 | Two Part Sprayable Sealer | Grey | 250ml | | |

Multi-Purpose Sealer Range

3**M** 240



- Isocyanate-free.
- This sealer is available in 310ml cartridge.



50740 MS One Part Sprayabl

• Rippled appearance achieved by changing angle of spray.

• Creates a variety of seam sealing finishes including sprayed, extruded and brushed seams.

• Can be used as a stonechip coating to match a variety of finishes found on today's vehicles. • Overpaint almost immediately with water based paint systems*.

| | Colour | Dimension | Units Per Pack | Units Per Case |
|------------|--------|-----------|-------------------|-------------------|
| ole Sealer | Beige | 290ml | 1 | 12 |

Sealers.

Hybrid Sealer Range

A range of one part MS moisture-curing, high solid general purpose seam sealer in cartridge. Provides a permanent firm and flexible seal. Can be used to restore original equipment manufactures seals.



3M[™] MS One-Part Sprayable Sealer

One part MS moisture-curing high solid sprayable sealer in a cartridge. Provides a permanent firm and flexible seal. Restores original spray finish in engine compartment, on all overlap joints, floor pans. Use with applicator (08992).

- May be painted over immediately.
- Cures to provide hard surface.
- Can also be extruded and brushed.
- Flexible as anti-chip coating.
- No shrinkage.
- Isocyanate free.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|------------------------------|--------|-----------|-------------------|-------------------|
| 08851 | MS One Part Sprayable Sealer | Grey | 290ml | 1 | 12 |



3M[™] MS Caulkable Sealer

Designed to seal interior and exterior automotive body joints. Restores original finish of door hemming flange, overlapped floor panels, etc.

- To be applied with 3M[™] Pneumatic Applicator (08012) or 3M[™] Manual Applicator (08013).
- Can paint over immediately with water-based paints.
- Needs to be painted over within 2 hours.
- Highest final hardness.
- Fast tack-free time.
- Excellent brushability.
- No shrinkage.
- Isocyanate free.

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|---------------------|--------|-----------|-------------------|-------------------|
| 08855 | MS Caulkable Sealer | White | 290ml | 1 | 12 |

Body Caulking



3M[™] Body Caulking

A pre-formed thumbing compound, for sealing all large openings and cracks in the car. Easily smoothed and tooled.

- Good adhesion.
- Non-staining.
- Water resistant.
- Remains flexible.
- Can be over-painted immediately.

| Part Number | Item | Dimension | Contiguration | Units Per Pack | Units Per Case |
|----------------|---------------|-------------|---------------|-------------------|-------------------|
| 08568 | Body Caulking | 6mm x 300mm | Round (Cords) | 60 | 12 |

Brushable Sealer



3M[™] Super Seam Sealer

around tailgates.

- Easily applied by brush.
- Dries to leave visible brush marks.
- Does not snag.
- Quick drying.
- · Petrol, oil and water resistant.



3M[™] Super Seam Application Brush

| Number Item Dimension | Per Pack | Per Case |
|-----------------------|----------|----------|
| 08540 Nylon Brush 1 | 30 | 6 |

Narrow Joint Sealers

3M[™] Drip-Check Body Sealers

For narrow vertical seams or cracks of 2mm-3mm wide, to give a firm but flexible seal which will not harden, shrink or crack. Self-levelling and self-seeking, but will not slump on vertical surfaces. Can be smoothed with a wet finger, and painted.

- Easy to apply.
- Quick drying.
- Remains flexible but firm.
- · Petrol, oil and water resistant.



3M[™] Drip-Check Seam Sealer Tapes

| Part Number | Item | Colour | Dimension | Units Per Pack | Units Per Case |
|----------------|------------------------|------------|---------------|-------------------|-------------------|
| 08475 | Drip-Check Sealer Tape | 0 /0 | 9.5mm x 9.1m | 1 | 12 |
| 08476 | | Green/Grey | 22.5mm x 9.1m | | |

3M[™] Polyolefin Adhesion Promoter

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|-------------------|-----------|-------------------|-------------------|
| 05917 | Adhesion Promoter | 200ml | 1 | 12 |













A brushable sealer which recreates original appearance on all overlap joints: e.g. inside boots, around wheel arches and shock absorber mountings, on bulkheads and floor pans

| Dimension | Units Per Pack | Units Per Case |
|-----------|-------------------|-------------------|
| 1 kg | 1 | 6 |

| | Colour | Dimension | Units Per Pack | Units Per Case |
|------|--------|-----------|-------------------|-------------------|
| aler | Clear | 150ml | 1 | 12 |

Applicators.

Applicators.

Manual Applicators



3M[™] Manual Applicator for Cartridge and Sachet

Designed for hand application of sealer from 310ml cartridge or sachet where an air-line is not available.

| Part | Item | Units | Units |
|--------|-------------------|----------|----------|
| Number | | Per Pack | Per Case |
| 08013 | Manual Applicator | 1 | 1 |



3M[™] Manual Applicator for 2-Part Adhesive

50ml twin cartridge applicator for super fast plastic adhesive, 2-part structural adhesive and flexible parts repair material.

| Part Number | Item | Units Per Pack | Units Per Case |
|----------------|-------------------|-------------------|-------------------|
| 08190 | Manual Applicator | 1 | 10 |



3M[™] Manual Applicator for 200ml Duopack Cartridge

| Part | Item | Units | Units |
|--------|-------------------|----------|----------|
| Number | | Per Pack | Per Case |
| 08117 | Manual Applicator | 1 | 1 |

Pneumatic Applicators (Extrudable Sealer)



3M[™] Pneumatic Applicator for Sachets

Lightweight, well-balanced pneumatic applicator, fitted with an air-flow regulator 'dump valve' which instantly exhausts the air when the trigger is released. Designed to extrude 310ml, 415ml and 600ml collapsible aluminium foil sachets.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------|-----------------|-------------------|-------------------|
| 08006 | Pneumatic Applicator | 310ml and 415ml | 1 | 1 |
| 08007 | | 310ml and 600ml | | |



3M[™] Pneumatic Applicators for Cartridges

Lightweight pneumatic applicator fitted with an air-flow regulator 'dump valve' which instantly exhausts the air when the trigger is released.

| Part | Item | Units | Units |
|--------|----------------------|----------|----------|
| Number | | Per Pack | Per Case |
| 08012 | Pneumatic Applicator | 1 | 1 |



3M[™] Pneumatic Applicators for 200ml Duopack Cartridge

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|----------------|----------------------|-----------|-------------------|-------------------|
| 09930 | Pneumatic Applicator | 200ml | 1 | 1 |



3M[™] Pneumatic No-Clean-Up Applicator

This cast-aluminium hand applicator is designed to accept the disposable nozzle fitted to Sprayable Sealer Sachets or 1 kg can. When the sachet and nozzle are disposed of, the applicator remains clean and ready for the next job.

| Part | Item | Units | Units |
|--------|----------------------|----------|----------|
| Number | | Per Pack | Per Case |
| 08801 | Pneumatic Applicator | 1 | 1 |

Pneumatic Applicators for Anti-Chip and Underbody Coating



3M[™] Air-Line Fed Applicator

| Part Number | Item |
|----------------|-----------------------|
| 08996 | Air-Line Fed Applicat |
| | |



3M[™] Pressurised Air-Line Fed Applicator

to the pressure adjustment.

| Part | Item | Units | Units |
|--------|-------------------------------------|----------|----------|
| Number | | Per Pack | Per Case |
| 08991 | Pressurised Air-Line Fed Applicator | 1 | 1 |

3M[™] Accuspray[™] Pressurised HGP Spray Gun

high viscosity coatings.

The HGP spray gun quickly achieves many textured finishes within the automotive repair market. The gun setting allows multiple textures to be achieved in minimal time and efficiently.

| Part Number | Item | Units Per Pack | Units Per Case |
|----------------|--|-------------------|-------------------|
| 16587 | Pressurised HGP Spray Gun with 2 x 2.0mm and 2 x 1.8mm Atomising Heads and an Air Control Valve | 1 | 1 |
| 16124 | Large Pressure Cup 28 oz | 1 | 2 |
| 16121 | Mini Pressure Cup 6 oz | 1 | 4 |

Air-line fed applicator for applying 1 litre or 1 kg Schutz and stone chip coatings.

| | Units Per Pack | Units Per Case |
|----|-------------------|-------------------|
| or | 1 | 1 |

Pressurised air-line fed applicator for 1 kg coatings, offering a very fine flat finish according

The new Accuspray[™] Pressurised HGP Spray Gun and PPS[™] Pressure Cups are designed for

Pneumatic Applicator for Inner Cavity Waxes



3M[™] Air-Powered Applicator

For use with 1 litre or 1 kg cans of 3M[™] Inner Cavity Wax coating. This special air-powered Applicator allows deeper penetration of product in inaccessible areas.

| item | Units Per Pack | Units Per Case |
|------------------------|-----------------------|---|
| Air-Powered Applicator | 1 | 1 |
| Refill Applicator | | |
| Α | ir-Powered Applicator | em Per Pack hir-Powered Applicator 1 |

Pneumatic Applicator for Sprayable and Extrudable Sealer



3M[™] Universal Applicator

This new system allows the extrusion of all kinds of single-component sealants. By using the different nozzles supplied and easily adjusting the two regulators, it sprays the product in various finishes and creates ridges of various widths. Cartridges and sachets are used with the standard nozzles supplied with the products.

| Part | Item | Units | Units |
|--------|----------------------|----------|----------|
| Number | | Per Pack | Per Case |
| 08993 | Universal Applicator | 1 | 1 |

Pneumatic Applicator for Sprayable Sealer

3M[™] Lightweight Applicator

Lightweight, easy to use pneumatic applicator for one-part sprayable sealer in a cartridge. By easily adjusting the air and product regulator, it allows various spray and coating finishes from very fine to textured. Ready to use, it does not require an additional nozzle.

| Part Numb | ber | Item | Units Per Pack | Units Per Case |
|--------------|-----|------------------------|-------------------|-------------------|
| 0899 | 92 | Lightweight Applicator | 1 | 1 |

Air Pressure Regulator



| 3 M ™ | Valve |
|--------------|-------|
|--------------|-------|

An air pressure regulator valve that can be fitted to any 3M pneumatic applicator to allow pre-selection of air pressure as required.

| Part | Item | Units | Units |
|--------|-------|----------|----------|
| Number | | Per Pack | Per Case |
| 08804 | Valve | 1 | 6 |

At 3M we don't take safety for granted. The health and welfare of your workforce depends on it. So by working in association with skilled safety practitioners, partners and customers, our people are committed to ensuring that we help you create an environment that protects your workforce - effectively, efficiently and economically. 3M offer respiratory, eye, hearing and skin protection- numerous, innovative products that not only offer optimal protection but excel in comfort too.

Disposable Dust Respirators

Filter protection factors for Dust Respirators

- FFP1 Up to 4 x WEL Particulates.
- FFP2 Up to 10 x WEL Particulates.
- FFP3 Up to 20 x WEL Particulates. Terminology
- FFP = Filtering Face Piece.
- WEL = Workplace Exposure Limit.



3M[™] Cup Shaped Respirators

Typical Applications: Hand and machine sanding operations. Approvals: Meets EN149:2001. CE Marked.

| Part Number | Item | Туре | Classification | Units Per Pack | Units Per Case |
|----------------|-------------------------------------|----------|----------------|-------------------|-------------------|
| 06983 | Com Channed Destinutate Description | Unvolved | FFP1 | 15 | c |
| 06988 | Cup Shaped Particulate Respirator | Unvalved | FFP2 | 15 | 6 |

3M[™] Cup Shaped Valved Respirator

Protection: Provides effective protection from lung damaging fine dusts up to 10 x WEL.

Features: Lightweight, collapse-resistant design with unique high efficiency exhalation valve, nose foam and adjustable nose clip which provides added comfort and heat reduction.

or humid conditions.

Approvals: Meets EN149:2001. CE Marked.

Item



Features: Lightweight, pre-formed design with nose foam and adjustable nose clip.

Typical Applications: Hand and machine sanding and grinding operations, especially in hot

| | Туре | Classification | Units Per Pack | Units Per Case |
|-----------|--------|----------------|-------------------|-------------------|
| espirator | Valved | FFP2 | 10 | 12 |



3M[™] Aura[™] Particulate Respirators

Protection: Provides effective protection from lung damaging fine dusts.

Features: Unique three panel design providing optimal soft and secure feel on face, excellent compatibility with eyewear, well balanced pressure of head straps, soft nose foam and adjustable nose clip. The valved version has a one-way exhalation valve which provides added comfort and heat reduction for hot and humid work environments.

Typical Applications: Hand and machine sanding and grinding operations. Valved versions especially in hot or humid conditions.

Approvals: Meets EN149:2001. CE Marked.

| Part Number | Item | Туре | Classification | Units Per Pack | Units Per Case |
|----------------|--------------------------------------|----------|----------------|-------------------|-------------------|
| 06910+ | 23+ Flat Fold Particulate Respirator | Unvalved | FFP1 | 20 | |
| 06923+ | | Mala and | FFP2 | 10 | 6 |
| 06933+ | | Valved | FFP3 | | |

Disposable Speciality Respirators



3M[™] Disposable Respirator 06920

Protection: Provides effective protection from fine lung damaging dusts and ozone up to 10 x WEL.

Features: Activated carbon layers to protect against ozone. Collapse resistant design with flame retardant shell. Robust design with adjustable straps.

Approvals: Meets EN149:2001. CE Marked.

| Part Number | Item | Туре | Classification | Units Per Pack | Units Per Case |
|----------------|-----------------------|--------|----------------|-------------------|-------------------|
| 06920 | Disposable Respirator | Valved | FFP2 | 5 | 4 |



3M[™] Nuisance Odour Respirators

| Part Number | Item | Туре | Classification | Units Per Pack | Units Per Case |
|----------------|---------------------------|----------|----------------|-------------------|-------------------|
| 06998 | Nuisanas Odaur Paaniratar | Unvalved | FFP1 | 15 6 | 6 |
| 09914 | Nuisance Odour Respirator | Valved | | | |

Reusable Respirators

Filter protection factors for Half Mask Respirators.

- P1 Up to 4 x WEL Particulates.
- P2 Up to 10 x WEL Particulates.
- P3 Up to 20 x WEL Particulates.
- A1 Up to 10 x WEL or 1000 ppm organic vapours with good warning properties and boiling point greater than 65 degrees Celsius (whichever is lower).
- A2 Up to 10 x WEL or 5000 ppm organic vapours with good warning properties and boiling point greater than 65 degrees Celsius (whichever is lower).



3M[™] Maintenance Free Respirators

Protection: Against organic vapours and particulates.

Features: Maintenance free, low profile, comfortable design integrated filters and high efficiency exhalation valve. Face Seal Cleaner (105) available for hygiene.

degreasing.

Approvals: Meets EN405 2001. CE Marked.

| Part Number | Item | Туре | Classification | Units Per Pack | Units Per Case |
|----------------|---------------------------------------|------------|----------------|-------------------|-------------------|
| 06941 | Maintenance Free Half Mask Respirator | FFA1P2 R D | A1 P2 | 10 | 4 |
| 06942 | | FFA2P3 R D | A2 P3 | | 4 |

3M[™] Low Maintenance Half Mask 6000 Series

Features: Lightweight, low maintenance and comfortable to wear.

when worn with applicable filters.

available.

| Part Number | Item | Size | Units Per Pack | Units Per Case |
|----------------|---------------------------|--------|-------------------|-------------------|
| 06962 | Low Maintenance Half Mask | Medium | 1 | 8 |
| 06963 | | Large | | |

3M[™] Full Face Masks

Soft, hypo-allergenic elastomeric face piece. Extremely lightweight (400 grams) for high comfort (excludes filters). Broad field of vision. Polycarbonate lens, scratch and impact resistant to EN166:B. Selection of filters available.

| Part Number | Item | Colour | Size | Units Per Pack | Units Per Case |
|----------------|----------------|------------|--------|-------------------|-------------------|
| 6700 | | Light Grey | Small | | |
| 6800 | Full Face Mask | Grey | Medium | 1 | 4 |
| 6900 | | Dark Grey | Large | | |

3M[™] Spare Parts 6000 Series

| Part | Item | Units | Units |
|--------|----------------------|----------|----------|
| Number | | Per Pack | Per Case |
| 6885 | Lens Cover Peel Offs | 25 | 4 |

Typical Applications: Mixing of paints. Application of coatings, adhesives and sealers,

- Typical Applications: Paint mixing, degreasing, application of coatings, adhesives and sealers,
- Approvals: Meets EN140 and 141/143 with bayonet filters. CE Marked. Selection of filters



3M[™] Paintshop Respirator Kit

Protection: Against organic vapours and particulates.

Features: Premium quality, durable paint spray respirator with bayonet filter attachment system. Spare parts available for maintenance. Face Seal Cleaner (105) available for hygiene.

Typical Applications: Paint mixing, degreasing, application of coatings, adhesives and sealers.

Approvals: Meets EN140 and 141/143 with bayonet filters. CE Marked.



Starter pack contains 1 Face Piece; 2 x each Organic Vapour Cartridges (06915); 2 x each Particulate Filters – P2 (06925); 2 x each Filter Retainers (501) and 10 x Face Seal Cleaners (06775).

| Part Number | Item | Size | Classification | Units Per Pack | Units Per Case |
|----------------|--------------|--------|----------------|-------------------|-------------------|
| 06782 | Starter Pack | Medium | A2P2 | 1 | 4 |
| 06783 | | Large | | | |

Replacement Filters and Accessories



3M[™] Filters

The reliable Bayonet Filter Fixing System allows for filters to be clicked into place quickly and securely. Depending on the filter you select, your respirator can protect you against particulates, gases and vapours or a combination of both. If combination of Organic Vapour and Particulate filters is required the 501 filter retainer will be required.

| Part Number | Item | Classification | Units Per Pack | Units Per Case |
|----------------|--------------------------|----------------|-------------------|-------------------|
| 06911 | Organic Vapour Filter A1 | A1 | 8 | 8 |
| 06915 | Organic Vapour Filter A2 | A2 | 4 | |
| 5911 | Particulate Filter P1 | P1 | 30 | 4 |
| 06925 | Particulate Filter P2 | P2 | 20 | |
| 501 | Filter Retainer | | 2 | 10 |



3M[™] Accessories

Overspray Guard (400) is for use with Maintenance Free Half Face Respirators (06941 and 06942).

| Part Number | Item | Туре | Units Per Pack | Units Per Case |
|----------------|-------------------|------------------------|-------------------|-------------------|
| 400 | Overspray Guard | Particulate pre filter | 10 | 50 |
| 105 | Face Seal Cleaner | | 40 | 10 |



3M[™] Fit Testing

Fit Test kits can be used with any particulate respirator, or gas and vapour respirator with a particulate filter, to test face seal fit.

| Part Number | Item | Volume | Units Per Pack | Units Per Case |
|----------------|-------------------------------------|--------|-------------------|-------------------|
| FT10 | Fit Test Kit Sweet (Complete) | | - 1 | 1 |
| FT11 | Spare Sensitivity Solution (Sweet) | 55ml | | 6 |
| FT12 | Spare Fit Test Solution (Sweet) | | | 0 |
| FT30 | Fit Test Kit Bitter (Complete) | | | 1 |
| FT31 | Spare Sensitivity Solution (Bitter) | 55ml | | 6 |
| FT32 | Spare Fit Test Solution (Bitter) | | | 0 |

Supplied Air System



An innovative system for protection against respiratory hazards during paint spray applications. Compatible and approved for use with a range of 3M[™] half and full face masks to suit your application. Dual-mode facility provides optional filter protection when air supply is disconnected.

- Very comfortable.
- Meets EN14594.
- A low maintenance design.
- CE marked.
- Eye protection should be worn.
- To order the complete kit use part number (06972).

series Half Mask.

lumber

06972 Supplied Air System

Storage System

Paintshop respirators should always be stored safely and hygienically when not in use.

3M[™] Respirator Storage System

3M supplies single and double clear fronted storage cases plus filters and accessories for both 6000 and 7000 respirators.

- Wall mounted.
- Personal hygiene.
- Sealed storage system.
- 'Hours-of-use' counter.

| Part Number | Item | Configuration | Units Per Pack | Units Per Case |
|----------------|---------------------|-------------------|-------------------|-------------------|
| 06966 | Starrage Contart | For 6000 and 7500 | 1 | 1 |
| 06950 | 6950 Storage System | Series | | |

3M[™] Supplied Air System

Contains: Belt (C-326), Regulator (06778), Breathing Tube (06779), Overflow Valves (C-340) and Spray Applicator Hose kit (06781). Compatible with 6000 series Full Face Mask and 7500

| Units Per Pack | Units Per Case |
|-------------------|-------------------|
| 1 | 1 |
| | |

Paint Shop Coveralls



3M[™] Protective Coverall 50198

Disposable paintshop coverall, suitable for protection from paintspray, solvent, dust etc. Breathable back panel, elasticated waist, lint free, covered 2-way zip and knitted cuffs. Not washable. Certified to CE category III to Type 5/6 standards.

| Part Number | ltem | | Units Per Pack | Units Per Case |
|-------------|--------------------|-------------------|-------------------|-------------------|
| 50198M | | Medium | | |
| 50198L | | Large | | 05 |
| 50198XL | Paintshop Coverall | Extra Large | | 25 |
| 50198XXL | | Extra Extra Large | | |



3M[™] Protective Coverall 4532+

Made from highly breathable and lightweight material, providing the wearer with CE category III Type 5/6 protection, these coveralls have been specially treated, providing anti-static protection and enhanced liquid repellency against certain oils and alcohols.

| Part Number | Item | Size | Units Per Pack | Units Per Case |
|-------------|----------------------|-------------------|-------------------|-------------------|
| 4532WM | | Medium | | |
| 4532WL | Protoctive Occurrent | Large |]. | 00 |
| 4532WXL | Protective Coverall | Extra Large |] | 20 |
| 4532W2XL | | Extra Extra Large |] | |



3M[™] Protective Coverall 4535

Made from high quality laminated material with a large breathable back panel to improve air ventilation and reduce heat build up, these coveralls provide barrier protection against light liquid splashes and hazardous dust. Certified to CE category III to Type 5/6 standards.

| Part Number | Item | Size | Units Per Pack | Units Per Case |
|-------------|---------------------|-------------------|-------------------|-------------------|
| 4535WM | | Medium | | |
| 4535WL | Protective Coverall | Large | 4 | 20 |
| 4535WXL | | Extra Large | | 20 |
| 4535WXXL | | Extra Extra Large | | |



3M[™] Reusable Coveralls

Very comfortable, lightweight breathable coverall for general workshop tasks, requiring non-hazardous protection.

Washable, lint free, knitted cuffs, knee pads for comfortable kneeling with a 2 and 3 pocket design.

| Part Number | Item | | | Units Per Case |
|-------------|-------------------|-------------------|--|-------------------|
| 50425M | | Medium | | |
| 50425L | Reusable Coverall | Large | | 10 |
| 50425XL | Reusable Coverall | Extra Large | | |
| 50425XXL | | Extra Extra Large | | |

Ear Plugs

Hearing protection must be right for you and your working environment. For safety, productivity and comfort, it must reduce noise by the right amount, not too little, not too much. 3M can provide solutions for different individuals and applications, with products ranging from disposable ear plugs to ear muffs.

3M[™] Disposable Foam Ear Plugs

Protection: Against harmful noise, but especially where noise levels are a continuous problem.

Features: These disposable ear plugs are made from a soft non-allergenic foam, giving a comfortable and effective fit. The tapered shape is specifically designed to self-adjust to most ear canals, which provides greater worker convenience and comfort.

Applications: Particularly convenient when safety glasses/goggles are also being worn.

Approvals: Complies with European Standard EN 352-2:2002 SNR = 37dB. CE Marked.

| Part Number | Item | Units Per Pack | Units Per Case |
|-------------|---------------------------|-------------------|-------------------|
| 1100 | Disposable Foam Ear Plugs | 200 | 5 |

3M[™] Disposable E-A-R[™] Classic[™] Ear Plugs

Made from expandable slow-recovery foam providing the best combination of comfort and protection for most users. Once in the ear the foam expands to provide a snug and secure fit.

| Part Number | Item | Containar | | Units Per Case |
|-------------|-----------|-----------------------|-----|-------------------|
| PP-01-002 | Ear Plugs | 1 pair in pillow pack | 250 | 4 |

3M[™] Reusable Ear Plugs with Storage Case

Protection: Against harmful noise, but especially where noise levels are a continuous problem.

Features: 3-flange design helps to ensure good fit, improving wearer comfort and assured protection. Soft formulation for added comfort. New finger grip design improves ease of insertion making the plug more convenient. Storage case with belt clip helps keep plug convenient, clean and protected in between use, saving time and reducing cost. Washable to allow for re-use.

Applications: Particularly convenient when glasses/goggles are being worn.

Approvals: Complies with European Standard EN 352-2:1993 SNR = 25dB. CE Marked.

| Part Number Item Per Pack I | Per Case |
|--|----------|
| 1261Reusable Ear Plugs with Storage Case50 | 5 |

3M[™] E-A-R[™] Ultrafit[™] Earplugs

The 3M[™] E-A-R[™] Ultrafit[™] are unique one size earplugs which fits most ear canals comfortably and provides a high level of attenuation.

Approvals: Complies with European Standard EN 352-2:2002 SNR = 32dB. CE Marked.

| Part Number | Item | Units Per Pack | Units Per Case |
|-------------|-----------|-------------------|-------------------|
| UF-01-000 | Ear Plugs | 50 | 10 |

Approvals: Complies with European Standard EN 352-2:2002 SNR = 28dB. CE Marked.



3M[™] Banded Ear Plugs

Protection: Against harmful noise, especially in hot/humid conditions.

Features: Innovative flexible band concept, designed to provide optimum fit and greater comfort. Easy to put on, can be worn under the chin or behind the head for increased convenience. The plugs, which can be reordered with 3M part number (1311), are made from soft non-allergenic material. The band is designed to adjust to head and jaw movement.

Applications: When frequently entering/exiting noisy areas, or intermittent noise is present.

Approvals: Complies with European Standard EN 352-2:1993 SNR = 26dB. CE Marked.

| Part Number | Item | Units Per Pack | Units Per Case |
|-------------|-------------------|-------------------|-------------------|
| 1310 | Banded Ear Plugs | 10 | F |
| 1311 | Replacement Plugs | 20 | 5 |

Passive Ear Muffs

Ear muffs consist of rigid cups with soft cushions that seal around the ears to reduce noise. They are a popular choice in hearing protection due to their ease of use and comfortable fit. These products may be available in headband, neckband, helmet mounted and foldable version to meet the needs of most common applications - check individual product specifications for details.



3M[™] PELTOR[™] Optime[™] I Ear Muffs

The 3M[™] PELTOR[™] Optime[™] I Ear Muffs offer versatile protection that is very lightweight providing high wearer comfort. The product features a low profile design which minimises obtrusiveness, thus making it more compatible when used with other PPE.

| Part Number | Item | Attenuation Rating | | Ear Protection Style |
|-------------|-----------|-----------------------|---------------------|--------------------------------|
| H510A | Ear Muffs | SNR = 27dB | Passive Ear Muff | Standard Headband Ear Muffs |



3M[™] PELTOR[™] Optime[™] II Ear Muffs

The 3M[™] PELTOR[™] Optime[™] II Ear Muffs have been developed for demanding noisy environments, particularly suited for noise levels dominated by low to medium frequencies. The sealing rings are filled with a unique combination of liquid and foam. The result is an optimum seal with low contact pressure, which provides agreeable comfort even during long-term use.

| Part Number | Item | Attenuation Rating | Ear Plug Type | Ear Protection Style |
|-------------|-----------|-----------------------|---------------------|--------------------------------|
| H520A | Ear Muffs | SNR = 31dB | Passive Ear Muff | Standard Headband Ear Muffs |



3M[™] PELTOR[™] X Series Ear Defenders

Lightweight and slimline design makes these ear defenders comfortable to wear. Offering protection against most industrial noise and colour coded to identify the different levels of protection.

| Part Number | Item | Colour | SNR | Units Per Pack | Units Per Case |
|-------------|---------------|--------------|------|-------------------|-------------------|
| X1A | | Green | 27dB | - 1 | 10 |
| X2A | Ear Defenders | Yellow | 31dB | | |
| ХЗА | | Red | 33dB | | |
| X4A | | Bright Green | 33dB | | |



3M[™] G500 Headgear

Provides a versatile and comfortable solution for wearers who require both face and hearing protection. The G500V5FH combines a PELTOR[™] Optime I Ear Muff with a clear PC faceshield for B rated impact protection (EN166) with a wide field of view.

| | | Per Pack | Per Case |
|---|------------|----------|----------|
| G500V5FH Combination Headgear Hi-Viz Ye | ellow 27dB | 1 | 10 |

Safety Spectacles and Goggles

3M[™] Safety Spectacles and Safety Goggles provide quality eye protection that offers an optimal balance of comfort, protection and design. All safety spectacles and safety goggles by 3M offer reliable UV protection and are all approved to EN166 and are CE marked.



3M[™] Classic Line Safety Spectacles

Protection: For high speed particles at low energy (F rated). Features: Polycarbonate lens, lightweight, comfortable with a modern design.

Approvals: EN 166:2001. CE Marked.

- Anti-fog coating improves vision.
- · Anti-scratch coating.

| Part Number | Item | Lens Colour | Units Per Pack | Units Per Case |
|-------------|--------------------------------|-------------|-------------------|-------------------|
| 27205 | Classic Line Safety Spectacles | Clear | 1 | 20 |

3M[™] SecureFit[™] 200 Series Protective Eyewear

Featuring 3M[™] Pressure Diffusion Technology; the spectacle temples naturally adjust to individuals' head shapes and sizes without increasing pressure on the face, giving noticeably improved levels of comfort and security of fit.

Approvals: EN 166:2001. CE Marked.

| Part Number | Item | Lens Colour | Units Per Pack | Units Per Case |
|-------------|-----------------------|-------------|-------------------|-------------------|
| SF201AF | | Clear | | |
| SF202AF | Protective Spectacles | Grey | 20 | 1 |
| SF203AF | | Amber | | |



3M[™] Classic Line Overspectacles

Lightweight overspectacles designed to fit over most prescription spectacles with minimal interference.

Approvals: 2001, F Rated. CE Marked.

| Part Number | Item | Units Per Pack | Units Per Case |
|-------------|-----------------------------|-------------------|-------------------|
| 2800S | Classic Line Overspectacles | 1 | 20 |

Comfort Line Safety Goggles

With superior comfort, fit, field of view and a modern ergonomic design, these goggles offer a high level of protection, making them ideal for use in extreme conditions against a range of hazards.



3M[™] Comfort Safety Goggles

The Comfort Safety Goggles feature a modern, slim design and are available with two different lens options using either an acetate or polycarbonate lens. They are suitable for a number of different applications where a versatile, comfortable goggle is required.

| Part Number | Item | Units Per Pack | Units Per Cas |
|-------------|--|-------------------|------------------|
| 2890S | Polycarbonate Goggles for grinding and sanding (B rated, EN 166) | 4 | 10 |
| 2890SA | Acetate Goggles for paint mixing and spraying (F rated, EN 166) | I | 10 |

3M[™] Speedglas[™] Welding Safety Products

Comfortable protection for safer welding.



3M[™] Speedglas[™] SL Shield with Auto Darkening Filter

Made from strong lightweight material with excellent protection and featuring an auto darkening welding filter with outstanding optical quality.

- For most welding processes including MMA, MIG/MAG, TIG and plasma welding.
- Variable (8-12) dark shade.
- Four sensitivity settings.
- Auto ON/OFF.

| Part Number | ltem | Units Per Pack | Units Per Case |
|-------------|--------------------------------------|-------------------|-------------------|
| 701120 | SL Shield with Auto Darkening Filter | 1 | 1 |



3M[™] Speedglas[™] 100 Series Graphic Welding Shield

| Part Number | Item | Units Per Pack | Units Per Case |
|-------------|--|-------------------|-------------------|
| 751220 | BLAZE Shield with Speedglas [™] 100V | | |
| 751620 | TROJAN WARRIOR Shield with Speedglas [™] 100V | | |
| 750020 | Auto Darkening Variable 3/(8–12) Filter | | |
| 776000 | Outer Protection Plate Standard | 1 | 1 |
| 772000 | Silver Front Frame | | |
| 772001 | Black Front Frame | | |
| 171017 | Holder for Magnifier | | |





726000

727000

731000

Skin Care System



3M[™] Paintshop Handwipes

for paint and oil removal.

- Contains skin conditioner.
- and excellent absorbency.
- Come in a handy, easy to close container.

| Part Number | Item | Units Per Pack | Units Per Case |
|-------------|---------------------|-------------------|-------------------|
| 80347 | Paintshop Handwipes | 1 | 4 |

Vehicle Protection



3M[™] High Performance Welding Drape

The High Performance Welding Drape will provide protection to the exterior and interior of vehicles during welding, torching and grinding. It is constructed using a carbon fibre material, which means it is lighter and more heat resistant than conventional welding blankets. Will protect surfaces up to 1000°C.

| Part Number | Item | Dimension | Units Per Pack | Units Per Case |
|-------------|--------------------------------|-----------|-------------------|-------------------|
| 05919 | High Performance Welding Drape | 1.5m x 2m | 1 | 1 |

3M[™] Speedglas[™] Consumables

| Filter Type | Units Per Pack | Units Per Case |
|-----------------|-------------------|--|
| Variable (8–12) | 1 | |
| | 0 | |
| | 2 | |
| | 5 | |
| | 4 | 1 |
| | 1 | |
| | ~ | |
| | 5 | |
| | 1 | |
| | | Filter Type Per Pack Variable (8 – 12) 1 2 |

Handwipes for the paint and bodyshop, impregnated with moisturiser and designed

• Removes most wet and dry paints, oils, sealants and adhesives.

• Double layered, textured material creates gentle scrubbing effect

| 00313 | 3M™ Hookit™ Abrasive Disc 245 | 16 | 0197 |
|-------|--|----|--------------|
| 00315 | 3M™ Hookit™ Abrasive Disc 245 | 16 | 0198 |
| 00317 | 3M™ Hookit™ Abrasive Disc 245 | 16 | 0198 |
| 00692 | 3M™ Hookit™ Abrasive Disc 245 | 16 | 0198 |
| 00694 | 3M™ Hookit™ Abrasive Disc 245 | 16 | 0198 |
| 00695 | 3M [™] Hookit [™] Abrasive Disc 245 | 16 | 0198 |
| 00696 | 3M™ Hookit™ Abrasive Disc 245 | 16 | 0198 |
| 00698 | 3M™ Hookit™ Abrasive Disc 245 | 16 | 0198 |
| 00700 | 3M™ Hookit™ Abrasive Disc 245 | 16 | 0204 |
| 00907 | 3M [™] Perfect-it [™] III Microfinishing Disc 260L | 31 | 0208 |
| 00908 | 3M [™] Perfect-it [™] III Microfinishing Disc 260L | 31 | 0221 0255 |
| 00909 | 3M [™] Perfect-it [™] III Microfinishing Disc 260L | 31 | 025 |
| 01647 | 3M [™] Hookit [™] Abrasive Disc 245 | 16 | 0255 |
| 01648 | 3M [™] Hookit [™] Abrasive Disc 245 | 16 | 0256 |
| 01649 | 3M™ Hookit™ Abrasive Disc 245 | 16 | 0256 |
| 01908 | 3M™ Hookit™ Hand Pad | 31 | 0256 |
| 01927 | 3M [™] Perfect-it [™] III Wool Buffing Pad | 60 | 0256 |
| 01967 | 3M [™] Perfect-it [™] III Microfine Abrasive Paper 314 | 22 | 0256 |
| 01970 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 | 0256 |
| 01971 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 | 0260 |
| 01972 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 | 0260 |
| 01973 | 3M™ Wetordry™ Abrasive Paper 734 | 22 | 0263 |
| 01974 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 | 0263 |
| 01975 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 | 0302 |
| 01976 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 | 0312 |
| 01977 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 | 0380 |
| 01978 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 | 0380 |
| | | | 0381 |
| | | | |

| 979 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 |
|-----|---|----|
| 980 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 |
| 981 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 |
| 982 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 |
| 986 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 |
| 987 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 |
| 988 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 |
| 989 | 3M [™] Wetordry [™] Abrasive Paper 734 | 22 |
| 047 | 3M [™] Perfect-it [™] Denib Abrasive P1000 | 57 |
| 080 | 3M [™] Perfect-it [™] Denib Abrasive P1500 | 57 |
| 210 | 3M [™] Abrasive Sheet 10 Hole 255P | 20 |
| 556 | 3M [™] Abrasive Sheet 618 | 21 |
| 558 | 3M [™] Abrasive Sheet 618 | 21 |
| 559 | 3M [™] Abrasive Sheet 618 | 21 |
| 560 | 3M [™] Abrasive Sheet 618 | 21 |
| 561 | 3M [™] Abrasive Sheet 618 | 21 |
| 562 | 3M [™] Abrasive Sheet 618 | 21 |
| 563 | 3M [™] Abrasive Sheet 618 | 21 |
| 564 | 3M [™] Abrasive Sheet 618 | 21 |
| 565 | 3M [™] Abrasive Sheet 618 | 21 |
| 600 | 3M [™] Softback Sanding Sponge | 20 |
| 601 | 3M [™] Softback Sanding Sponge | 20 |
| 631 | 3M [™] Abrasive Sheet 618 | 21 |
| 636 | 3M [™] Abrasive Sheet 618 | 21 |
| 700 | 3M [™] Hookit [™] Disc Pad | 31 |
| 020 | 3M [™] Crack Seal Tape | 67 |
| 125 | 3M [™] Air-Powered Nib Removal Sander | 92 |
| 808 | 3M [™] Softback Sanding Sponge | 20 |
| 809 | 3M [™] Softback Sanding Sponge | 20 |
| 810 | 3M [™] Softback Sanding Sponge | 20 |
| | | |

| 04398 | 3M [™] Abrasive Roll 255P | 19 |
|-------|---|----|
| 04399 | 3M [™] Abrasive Roll 255P | 19 |
| 04400 | 3M [™] Abrasive Roll 255P | 19 |
| 04493 | 3M [™] Abrasive Roll 255P | 19 |
| 04494 | 3M [™] Abrasive Roll 255P | 19 |
| 04748 | 3M [™] Superfast Adhesive | 67 |
| 04904 | 3M [™] Contour Sheet with reinforcement tape | 67 |
| 04908 | 3M [™] Adhesive Nozzle | 67 |
| 05096 | 3M [™] Acryl Putty – Green | 42 |
| 05098 | 3M [™] Acryl Putty - Red | 42 |
| 05170 | 3M [™] Hookit [™] Purple+ Handblock | 18 |
| 05171 | 3M [™] Hookit [™] Purple+ Handblock | 18 |
| 05172 | 3M [™] Hookit [™] Purple+ Handblock | 18 |
| 05173 | 3M [™] Hookit [™] Purple+ Handblock | 18 |
| 05174 | 3M [™] Multihole Block Hose 6m | 19 |
| 05175 | 3M [™] Hookit [™] Purple+ Multihole Soft Interface Pad 10mm | 19 |
| 05209 | 3M [™] Abrasive Sheet 10 Hole 255P | 20 |
| 05279 | 3M [™] Abrasive Sheet 255P | 19 |
| 05280 | 3M [™] Abrasive Sheet 255P | 19 |
| 05281 | 3M [™] Abrasive Sheet 255P | 19 |
| 05282 | 3M [™] Abrasive Sheet 255P | 19 |
| 05283 | 3M [™] Abrasive Sheet 255P | 19 |
| 05290 | 3M [™] Abrasive Sheet 255P | 19 |
| 05292 | 3M [™] Abrasive Sheet 255P | 19 |
| 05293 | 3M [™] Abrasive Sheet 10 Hole 255P | 20 |
| 05294 | 3M [™] Abrasive Sheet 10 Hole 255P | 20 |
| 05295 | 3M [™] Abrasive Sheet 10 Hole 255P | 20 |
| 05296 | 3M [™] Abrasive Sheet 10 Hole 255P | 20 |
| 05297 | 3M [™] Abrasive Sheet 10 Hole 255P | 20 |
| 05298 | 3M [™] Abrasive Sheet 10 Hole 255P | 20 |
| | | |

Part Number Index.

| 05299 | 3M [™] Abrasive Sheet 10 Hole 255P | 20 | 05970 | 3M™ Masl |
|--------|---|----|-------|--------------------------|
| 05300 | 3M [™] Abrasive Sheet 10 Hole 255P | 20 | 05971 | 3M™ Masl |
| 05512 | 3M [™] Superbuff Adaptor | 60 | 06304 | 3M™ Tape |
| 05517 | 3M [™] Rubber Squeegee | 23 | 00000 | 3M. |
| 05519 | 3M [™] Rubber Rubbing Block | 22 | 06309 | Tape 3M [™] |
| 05539 | 3M [™] Roloc [™] Bristle Disc Holder | 27 | 06311 | Tape 3M [™] |
| 05540 | 3M [™] Roloc [™] Bristle Disc Holder | 27 | 06314 | Strip 3M [™] |
| 05600 | 3M [™] Hookit [™] Trizact [™] Clear Coat Sanding Disc | 30 | 06345 | 3M™ |
| 05601 | 3M [™] Hookit [™] Trizact [™] Clear Coat Sanding Disc | 30 | 06347 | Masi 3M [™] |
| 05704 | 3M [™] Buffing Pad | 59 | | Masl 3M [™] |
| 05710 | 3M [™] Superbuff Adaptor | 59 | 06348 | Masl |
| 05711 | 3M [™] Perfect-it [™] III SBS Plus (Wool) | 60 | 06349 | 3M™ Masl |
| | Compounding Pad | | 06396 | ЗМ™ |
| 05717M | 3M [™] Perfect-it [™] III Polishing Back-up Pad | 60 | 06404 | 3M™ Masl |
| 05726 | 3M [™] High Gloss Polishing Pad | 31 | 06405 | 3M™ Masl |
| 05729 | 3M [™] Perfect-it [™] III Foam D/A Glazing Pad | 56 | 06408 | 3M™ Masl |
| 05742 | 3M [™] Hookit [™] Flexible Abrasive Handblock | 20 | 06409 | 3M™ Masl |
| 05771 | 3M [™] Soft Interface Pad | 31 | 06506 | 3M™ |
| 05791 | 3M [™] Trizact [™] Hand Pad | 30 | 06516 | 3M™ |
| 05792 | 3M [™] Trizact [™] Half Hand Pad | 30 | 06517 | Pape 3M [™] |
| 05814 | 3M [™] Clean and Strip [™] XT Purple Disc Roloc+ | 27 | 06518 | Pape 3M [™] |
| 05816 | 3M™ Clean and Strip™ Fibre Disc | 27 | 06519 | Pape 3M [™] |
| 05817 | 3M [™] Clean and Strip [™] Fibre Disc | 27 | 06520 | Pape 3M [™] |
| 05887 | 3M [™] Flexible Plastic Filler | 66 | | Masl 3M [™] |
| 05888 | 3M [™] Instant Plastic | 66 | 06521 | Masl |
| 05900 | Repair Patch 3M [™] Flexible Parts | 67 | 06522 | 3M™ Masl |
| 05901 | Repair Material 3M [™] Flexible Parts | 67 | 06523 | 3M™ Masl |
| 00001 | Repair Material | 07 | 06525 | 3M™ Masl |
| 05917 | 3M [™] Polyolefin Adhesion Promoter | 66 | 06529 | 3M [™] Masl |
| 05919 | 3M [™] High Performance Welding Drape | 91 | 06782 | 3M [™] Med |
| 05967 | 3M [™] Taped Masking Film | 36 | 06783 | 3M _™ |
| 05968 | 3M [™] Taped Masking Film | 36 | 06800 | 3M™ Tran |
| 05969 | 3M [™] Taped Masking Film | 36 | 06839 | ЗМ™ |
| | | | | |

| BM [™] Taped ∕lasking Film | 36 |
|---|----|
| M [™] Taped ∕lasking Film | 36 |
| M [™] Scotch® Masking ape 2328 | 33 |
| M [™] Scotch [®] Masking ape 2328 | 33 |
| M [™] Scotch® Masking ape 2328 | 33 |
| SM [™] Scotch® Fine Line Striping Tape | 38 |
| M [™] Starter Kit | 39 |
| 3M™ Trim ⁄Iasking Tape | 39 |
| M™ Trim Masking Tape | 39 |
| BM™ Trim Nasking Tape | 39 |
| BM™ Trim Masking Tape | 39 |
| M [™] Adhesion Promoter | 66 |
| 3M™ Fine Line ∕lasking Tape 471+ | 38 |
| BM [™] Fine Line ∕lasking Tape 471+ | 38 |
| BM [™] Fine Line ∕lasking Tape 471+ | 38 |
| 8M™ Fine Line ⁄Iasking Tape 471+ | 38 |
| M™ Refix Tape 950 | 68 |
| BM™ Scotch® Masking Paper (1000ft) | 33 |
| 8M [™] Scotch [®] Masking Paper (1000ft) | 33 |
| BM [™] Scotch [®] Masking Paper (1000ft) | 33 |
| BM [™] Scotch® Masking Paper (1000ft) | 33 |
| M™ Fine Line ∕lasking Tape 218 | 38 |
| M [™] Fine Line ⁄Iasking Tape 218 | 38 |
| M [™] Fine Line ⁄Iasking Tape 218 | 38 |
| M™ Fine Line ∕lasking Tape 218 | 38 |
| M [™] Precision ⁄Iasking Tape | 33 |
| M [™] Precision ⁄Iasking Tape | 33 |
| M™ Starter Pack ⁄Iedium | 84 |
| SM™ Starter Pack Large | 84 |
| M [™] Smooth ransition Tape | 33 |
| M [™] Booth Coating | 36 |
| | |

| 06847 | 3M [™] Overspray Masking Liquid | 36 |
|--------|---|----|
| 06851 | 3M [™] Overspray Masking Liquid | 36 |
| 06856 | 3M™ Overspray Masking Liquid | 36 |
| 06910+ | 3M™ Aura™ Flat Fold Particulate Respirator | 82 |
| 06911 | 3M™ Organic Vapour Filter A1 | 84 |
| 06915 | 3M™ Organic Vapour Filter A2 | 84 |
| 06920 | 3M [™] Premium Welding Fume Respirator | 82 |
| 06922 | 3M [™] Cup Shaped Valved Respirator | 81 |
| 06923+ | 3M™ Aura™ Flat Fold Particulate Respirator | 82 |
| 06925 | 3M [™] Particulate Filter P2 | 84 |
| 06933+ | 3M™ Aura™ Flat Fold Particulate Respirators | 82 |
| 06941 | 3M [™] Maintenance Free Half Mask Respirator | 83 |
| 06942 | 3M [™] Maintenance Free Half Mask Respirator | 83 |
| 06950 | 3M [™] Storage System | 85 |
| 06962 | 3M [™] Low Maintenance Half Mask | 83 |
| 06963 | 3M [™] Low Maintenance Half Mask | 83 |
| 06966 | 3M [™] Storage System | 85 |
| 06972 | 3M [™] Supplied Air System | 85 |
| 06983 | 3M™ Cup Shaped Particulate Respirator | 81 |
| 06988 | 3M [™] Cup Shaped Particulate Respirator | 81 |
| 06998 | 3M [™] Nuisance Odour Respirator | 82 |
| 07480 | 3M [™] Roloc [™] Surface Conditioning Disc | 26 |
| 07481 | 3M [™] Roloc [™] Surface Conditioning Disc | 26 |
| 07485 | 3M [™] Roloc [™] Surface Conditioning Disc | 26 |
| 07486 | 3M [™] Roloc [™] Surface Conditioning Disc | 26 |
| 07498 | 3M™ Clean and Strip™ Stripe Off Wheel | 28 |
| 07499 | 3M [™] Clean and Strip [™] Stripe Off Wheel | 28 |
| 07501 | 3M [™] Clean and Strip [™] Stripe Removal Disc | 28 |
| 07513 | 3M [™] Roloc [™] Surface Conditioning Disc | 26 |

| 07515 | 3M [™] Roloc [™] Surface Conditioning Disc | 26 |
|-------|--|----|
| 07516 | 3M [™] Roloc [™] Surface Conditioning Disc | 26 |
| 07521 | 3M [™] Scotch-Brite [™] Multi-Flex Roll | 25 |
| 07522 | 3M [™] Scotch-Brite [™] Multi-Flex Roll | 25 |
| 07524 | 3M [™] Roloc [™] Bristle Disc | 26 |
| 07525 | 3M™ Roloc™ Bristle Disc | 26 |
| 07526 | 3M [™] Roloc [™] Bristle Disc | 26 |
| 07527 | 3M [™] Roloc [™] Bristle Disc | 26 |
| 07528 | 3M [™] Roloc [™] Bristle Disc | 26 |
| 07536 | 3M [™] Roloc [™] Bristle Disc | 26 |
| 07611 | 3M [™] Scotch-Brite [™] Roll | 25 |
| 07612 | 3M [™] Scotch-Brite [™] Roll | 25 |
| 07613 | 3M [™] Scotch-Brite [™] Disc | 25 |
| 07614 | 3M [™] Scotch-Brite [™] Disc | 25 |
| 07615 | 3M [™] Scotch-Brite [™] Scuff Sponge | 25 |
| 07616 | 3M [™] Scotch-Brite [™] Scuff Sponge | 25 |
| 07619 | 3M [™] Scotch-Brite [™] Scuff Sponge | 25 |
| 07652 | 3M [™] Polishing Back-up Pad | 57 |
| 07813 | 3M [™] Cutter | 35 |
| 07838 | 3M [™] Clear Masking Film | 35 |
| 07895 | 3M [™] Scotch [®] Masking Tape 3434 | 32 |
| 07897 | 3M [™] Scotch® Masking Tape 3434 | 32 |
| 07898 | 3M [™] Scotch® Masking Tape 3434 | 32 |
| 07899 | 3M [™] Scotch [®] Masking Tape 3434 | 32 |
| 07903 | 3M [™] Scotch-Brite [™] Pre-Cut Roll | 24 |
| 07904 | 3M [™] Scotch-Brite [™] Pre-Cut Roll | 24 |
| 07905 | 3M [™] Scotch-Brite [™] Pre-Cut Roll | 24 |
| 07906 | 3M [™] Scotch-Brite [™] Multi-Flex Roll | 25 |
| 07909 | 3M [™] Tack Cloth Dispenser | 51 |
| 07910 | 3M™ Tack Cloth | 51 |
| 07912 | 3M [™] Scotch-Brite [™] Multi-Flex Dispenser | 26 |
| 07933 | 3M [™] Clean and Strip [™] XT Purple Disc Mandrel | 27 |

| 07934 | 3M [™] Clean and Strip [™] XT Purple Disc Mandrel | 27 |
|-------|--|----|
| 07947 | 3M [™] Clean and Strip [™] Mandrel | 28 |
| 07948 | 3M [™] Clean and Strip [™] Mandrel | 28 |
| 08006 | 3M [™] Pneumatic Applicator | 78 |
| 08007 | 3M [™] Pneumatic Applicator | 78 |
| 08012 | 3M [™] Pneumatic Applicator | 78 |
| 08013 | 3M [™] Manual Applicator | 78 |
| 08069 | 3M [™] Press In Place [™] Emblem Adhesive | 68 |
| 08080 | 3M [™] Aerosol Adhesive | 65 |
| 08090 | 3M [™] Spray 80 Aerosol Adhesive | 64 |
| 08115 | 3M [™] Panel Bonding Adhesive | 65 |
| 08117 | 3M [™] Manual Applicator | 78 |
| 08122 | 3M [™] Structural Adhesive | 66 |
| 08150 | 3M [™] Brushable Adhesive | 65 |
| 08158 | 3M [™] Body Gard Flat Coating Aerosol | 71 |
| 08159 | 3M [™] Body Gard Flat Coating Aerosol | 71 |
| 08190 | 3M [™] Manual Applicator | 78 |
| 08193 | 3M [™] Nozzle | 65 |
| 08197 | 3M™ Nozzle | 66 |
| 08198 | 3M [™] Nozzle | 67 |
| 08210 | 3M [™] Abrasion Resistant Film | 73 |
| 08219 | 3M [™] Abrasion Resistant Film | 73 |
| 08401 | 3M [™] Drip-Check Body Sealer | 76 |
| 08475 | 3M [™] Drip-Check Sealer Tape | 77 |
| 08476 | 3M [™] Drip-Check Sealer Tape | 77 |
| 08509 | 3M [™] Windscreen Sealer | 70 |
| 08537 | 3M [™] Super Seam Sealer | 75 |
| 08540 | 3M [™] Nylon Brush | 65 |
| 08568 | 3M [™] Body Caulking | 77 |
| 08603 | 3M [™] Adhesive Cartridge – Black | 69 |
| 00010 | 3M [™] Direct Glaze Adhesive Strip | 69 |
| 08610 | | |

| 08612 | 3M [™] Direct Glaze Adhesive Strip | 69 |
|-------|---|----|
| 08616 | 3M [™] Windscreen Adhesive – Black | 69 |
| 08631 | 3M [™] Glass Cleaner | 69 |
| 08684 | 3M [™] Polyurethane Sealer – Grey | 75 |
| 08689 | 3M [™] Polyurethane Sealer – White | 75 |
| 08694 | 3M [™] Polyurethane Sealer – Black | 75 |
| 08704 | 3M [™] Sachet Sealer Nozzle | 76 |
| 08705 | 3M [™] Nozzle | 75 |
| 08782 | 3M [™] Polyurethane Sealer – Grey | 76 |
| 08783 | 3M [™] Polyurethane Sealer – Grey | 76 |
| 08787 | 3M [™] Polyurethane Sealer – White | 76 |
| 08788 | 3M [™] Polyurethane Sealer – White | 76 |
| 08789 | 3M [™] Polyurethane Sealer – Black | 76 |
| 08793 | 3M [™] Polyurethane Sealer – Black | 76 |
| 08800 | 3M [™] Two Part Sprayable Sealer – Grey | 74 |
| 08801 | 3M [™] Pneumatic Applicator | 74 |
| 08804 | 3M [™] Valve | 80 |
| 08823 | 3M [™] Two Part Sprayable Sealer – Grey | 74 |
| 08840 | 3M [™] Sound Deadening Pads | 73 |
| 08851 | 3M [™] MS One Part Sprayable Sealer – Grey | 74 |
| 08855 | 3M [™] MS Caulkable Sealer – White | 76 |
| 08861 | 3M [™] Body Schutz [™] Coating – Black | 72 |
| 08868 | 3M [™] Body Gard [™] Textured Coating – Black | 71 |
| 08877 | 3M [™] Spray Schutz [™] Aerosol – Black | 73 |
| 08878 | 3M [™] Body Gard [™] Textured Coating – White | 71 |
| 08879 | 3M [™] Body Gard [™] Textured Coating – Grey | 71 |
| 08881 | 3M [™] Water Based Coatings | 71 |
| 08882 | 3M [™] Water Based Coatings | 71 |

| 08901 | 3M [™] Inner Cavity Wax – Amber | 72 | 09638 | 3M™ Com Spon |
|-------|---|----|----------------|---------------------------|
| 08909 | 3M [™] Inner Cavity Wax – Transparent | 72 | 09639 | 3M [™] Finisł |
| 08911 | Inner Cavity Wax – Amber | 72 | 00000 | Easy |
| 08919 | 3M [™] Inner Cavity Wax – Transparent | 72 | 09678 | 3M™ Foam |
| 08921 | 3M [™] Inner Cavity Wax – Amber | 72 | 09884 | 3M™ Holde |
| 08929 | 3M [™] Inner Cavity Wax – Transparent | 72 | 09914 | 3M™ Odou |
| 08984 | 3M [™] Adhesive Cleaner | 68 | 09920 | 3M [™] Repla |
| 08991 | 3M [™] Pressured Air-Line Fed Applicator | 79 | 09930 | 3M™ |
| 08992 | 3M [™] Lightweight Applicator | 80 | 09973 | 3M [™] Foarr |
| 08993 | 3M [™] Universal Applicator | 80 | 09987 | 3M™ Holde |
| 08996 | 3M [™] Air-Line Fed Applicator | 79 | 09988 | 3M™ Holde |
| 08997 | 3M [™] Air Powered Applicator | 79 | 09996 | 3M™ Spon |
| 08998 | 3M [™] Refill Applicator | 79 | 105 | 3M™ |
| 09308 | 3M [™] Prep and Blend Liquid | 51 | 1100 | 3M™ Ear P |
| 09316 | 3M [™] Hookit [™] II Hose and Adapter | 19 | 1261 | 3M [™] with |
| 09374 | 3M [™] Perfect-it [™] III Fast Cut Compound | 57 | 1310 | 3M™ |
| 09375 | 3M [™] Perfect-it [™] III | 58 | 1311 | 3M™ 3M |
| | Fine Compound 3M [™] Perfect-it [™] III | | 13441 | Sand |
| 09376 | Machine Glaze 3M [™] Perfect-it [™] III | 58 | 14736 | 3M™ Finisł |
| 09377 | Finishing Glaze | 58 | 16000 | 3M™ |
| 09378 | 3M [™] Perfect-it [™] III High Gloss Polishing Pad | 58 | 16001 | 3M [™] Cups |
| 09529 | 3M [™] Trim Lifting Cord | 39 | 16010 | 3M [™] Carri |
| 09545 | 3M [™] Perfect-it [™] III Microfine Abrasive | 22 | 16012 | 3M™ |
| 09546 | 3M [™] Perfect-it [™] III Microfine Abrasive | 22 | 16022 | 3M™ |
| 09550 | 3M [™] Perfect-it [™] III Compounding Pad | 60 | 16023 | 3M™ Cups |
| 09552 | 3M [™] Perfect-it [™] III Polishing Back-up Pad | 60 | 16024 | 3M [™] |
| 09553 | 3M [™] Perfect-it [™] III Polishing Back-up Pad | 60 | 16025 | Appli |
| 09560 | 3M [™] Dry Guide Coat – Black | 42 | 16026 16112 | 3M [™] |
| 09561 | 3M [™] Dry Guide | 42 | 16114 | Lids 8 3M [™] |
| | Coat Applicator 3M [™] Perfect-it [™] III | | | Lids 8 3M [™] |
| 09637 | Compounding Sponge Pad | 60 | 16115 | Cups |
| | | | 16121 | 3M [™] Cup a |

| 3M [™] Perfect-it [™] III Compounding Sponge Pad | 60 |
|--|----|
| 3M [™] Finesse-it [™] Finishing Material Easy Clean Up | 60 |
| 3M [™] Soft Edge Masking Foam Tape | 34 |
| 3M [™] Clean and Strip [™] Holder No 1 for Roloc [™] | 28 |
| 3M [™] Nuisance Odour Respirator | 82 |
| 3M [™] Hookit [™] Replacement Hose | 19 |
| 3M [™] Applicator | 79 |
| 3M [™] Soft Edge Masking Foam Tape | 34 |
| 3M [™] Roloc [™] Holder No 3 | 26 |
| 3M [™] Finesse-it™ Holder No 4 | 60 |
| 3M [™] Finesse-it [™] Sponge Mop | 60 |
| 3M [™] Face Seal Cleaner | 84 |
| 3M™ Disposable Foam Ear Plugs | 87 |
| 3M [™] Reusable Ear Plugs with Storage Case | 87 |
| 3M [™] Banded Ear Plugs | 88 |
| 3M [™] Replacement Plugs | 88 |
| 3M [™] Finesse-it [™] Hand Sanding Pad | 60 |
| 3M [™] Finesse-it [™] Finishing Pad | 60 |
| 3M [™] PPS [™] Lids & Liners | 44 |
| 3M [™] PPS [™] Mixing Cups & Collars | 45 |
| 3M [™] PPS [™] 6-Cup Carrier | 46 |
| 3M [™] PPS [™] Wash Bottle | 47 |
| 3M [™] PPS [™] Mixing Sticks | 46 |
| 3M [™] PPS [™] Mixing Cups & Collars | 44 |
| 3M [™] PPS [™] Lids & Liners | 44 |
| 3M [™] PPS [™] Spray Applicator Holder | 46 |
| 3M [™] PPS [™] Lids & Liners | 44 |
| 3M [™] Midi PPS [™] Lids & Liners | 45 |
| 3M [™] Mini PPS [™] Lids & Liners | 45 |
| 3M [™] PPS [™] Mixing Cups & Collars | 45 |
| 3M [™] PPS [™] Mini 177ml Cup & Collar | 46 |

| 16122 | 3M [™] Midi PPS [™] Mixing Cups & Collars | 45 |
|--------|---|----|
| 16124 | 3M [™] PPS [™] Large 828ml Cup & Collar | 46 |
| 16154 | 3M [™] Midi PPS [™] Dispenser Adaptor Flange Insert | 45 |
| 16155 | 3M [™] Midi PPS [™] Mix Ratio Inserts | 45 |
| 16219 | 3M [™] Liner Dispenser | 46 |
| 16298 | 3M [™] Lid & Liner Dispenser | 46 |
| 16299 | 3M [™] Lid Dispenser | 46 |
| 16312 | 3M [™] Midi PPS [™] Lids & Liners | 45 |
| 16417 | 3M [™] Colour Match Film | 50 |
| 16418 | 3M [™] Colour Match Film | 50 |
| 16419 | 3M [™] Colour Match Film | 50 |
| 16550 | 3M [™] PPS [™] Colour Check Light II Kit | 50 |
| 16551 | 3M [™] PPS [™] Colour Check Light II Bulb | 50 |
| 16552 | 3M [™] PPS [™] Colour Check Light II Diffuser | 50 |
| 16553 | 3M [™] PPS [™] Colour Check Light II Bezel kit | 50 |
| 16555 | 3M [™] PPS [™] Colour Check Light II Battery Pack | 50 |
| 16556 | 3M [™] PPS [™] Colour Check Light II Battery Charger | 50 |
| 16577 | 3M [™] Accuspray [™] HG14 Spray Gun with 1.4mm Atomising Heads | 43 |
| 16587 | 3M [™] Pressurised HGP Spray Gun with 2.x 2.0mm and 2.x 1.8mm Atomising Heads and an Air Control Valve | 43 |
| 16609 | 3M [™] Accuspray [™] Atomising Heads | 43 |
| 16610 | 3M [™] Accuspray [™] Storage System | 43 |
| 16611 | 3M [™] Accuspray [™] Atomising Heads | 43 |
| 16612 | 3M [™] Accuspray [™] Atomising Heads | 43 |
| 16740 | 3M [™] PPS [™] Lids & Liners | 44 |
| 16752 | 3M [™] Mini PPS [™] Lids & Liners | 45 |
| 167520 | 3M [™] Speedglas [™] Sweatband Towelling | 91 |
| 16755 | 3M [™] PPS [™] Mini Mixing Stick | 46 |
| 16758 | 3M™ PPS™ Extra Lid Kit | 44 |
| 16759 | 3M [™] PPS [™] Adaptor | 47 |
| | | |

| 171017 | 3M [™] Speedglas [™] 100 Holder for Magnifier | 90 |
|--------|--|----|
| 27205 | 3M [™] Classic Line Safety Spectacles – Clear | 89 |
| 2800S | 3M™ Classic Line Overspectacles | 90 |
| 28363 | 3M [™] Polisher | 57 |
| 28729 | 3M [™] Hookit [™] Multihole Clean Sand Back-up Pad | 17 |
| 2890S | 3M [™] Polycarbonate Comfort Safety Goggles | 90 |
| 2890SA | 3M™ Acetate Comfort Safety Goggles | 90 |
| 30614 | 3M [™] Abrasive Sheet 334U | 18 |
| 30615 | 3M [™] Abrasive Sheet 334U | 18 |
| 30617 | 3M [™] Abrasive Sheet 334U | 18 |
| 30619 | 3M [™] Abrasive Sheet 734U | 18 |
| 30620 | 3M [™] Abrasive Sheet 734U | 18 |
| 30621 | 3M [™] Abrasive Sheet 734U | 18 |
| 30623 | 3M™ Hookit™ Purple+ Abrasive Sheet 734U | 18 |
| 30627 | 3M [™] Abrasive Sheet 334U | 18 |
| 30628 | 3M [™] Abrasive Sheet 334U | 18 |
| 30630 | 3M [™] Abrasive Sheet 334U | 18 |
| 30632 | 3M [™] Abrasive Sheet 734U | 18 |
| 30634 | 3M [™] Abrasive Sheet 734U | 18 |
| 30636 | 3M™ Abrasive Sheet 734U | 18 |
| 30639 | 3M [™] Abrasive Sheet 334U | 18 |
| 30640 | 3M [™] Abrasive Sheet 334U | 18 |
| 30641 | 3M [™] Abrasive Sheet 334U | 18 |
| 30643 | 3M [™] Abrasive Sheet 334U | 18 |
| 30645 | 3M [™] Abrasive Sheet 734U | 18 |
| 30646 | 3M [™] Abrasive Sheet 734U | 18 |
| 30647 | 3M [™] Abrasive Sheet 734U | 18 |
| 30649 | 3M [™] Abrasive Sheet 734U | 18 |
| | | |

| 33271 | 3M [™] Perfect-it [™] III Quick Connect Adaptor | 54 | ; |
|-------|--|----|---|
| 33279 | 3M [™] Perfect-it [™] III Quick Connect Double Sided Compounding Wool Pad | 54 | |
| 33377 | 3M [™] Cubitron [™] II Roloc [™] Fibre Disc | 23 | |
| 33379 | 3M [™] Cubitron [™] II Roloc [™] Fibre Disc | 23 | ; |
| 33380 | 3M [™] Cubitron [™] II Roloc [™] Fibre Disc | 23 | |
| 33389 | 3M [™] Cubitron [™] II Roloc [™] Fibre Disc | 23 | ; |
| 33391 | 3M [™] Cubitron [™] II Roloc [™] Fibre Disc | 23 | |
| 33392 | 3M [™] Cubitron [™] II Roloc [™] Fibre Disc | 23 | ; |
| 33395 | 3M [™] Cubitron [™] II Abrasive Fibre Disc – Standard | 23 | |
| 33397 | 3M [™] Cubitron [™] II Abrasive Fibre Disc – Standard | 23 | ; |
| 33398 | 3M [™] Cubitron [™] II Abrasive Fibre Disc – Standard | 23 | |
| 33407 | 3M [™] Cubitron [™] II Abrasive Fibre Discs – Slotted | 23 | ; |
| 33409 | 3M [™] Cubitron [™] II Abrasive Fibre Discs – Slotted | 23 | : |
| 33410 | 3M [™] Cubitron [™] II Abrasive Fibre Discs – Slotted | 23 | ; |
| 33419 | 3M™ Cubitron™ II Abrasive Fibre Discs – Slotted | 23 | |
| 33421 | 3M [™] Cubitron [™] II Abrasive Fibre Discs - Slotted | 23 | |
| 33422 | 3M [™] Cubitron [™] II Abrasive Fibre Discs – Slotted | 23 | |
| 33431 | 3M [™] Cubitron [™] II Abrasive Fibre Discs – Slotted | 23 | |
| 33433 | 3M [™] Cubitron [™] II Abrasive Fibre Discs – Slotted | 23 | ; |
| 33434 | 3M [™] Cubitron [™] II Abrasive Fibre Discs – Slotted | 23 | |
| 33437 | 3M [™] Cubitron [™] II File Belt | 24 | ; |
| 33439 | 3M [™] Cubitron [™] II File Belt | 24 | |
| 33440 | 3M [™] Cubitron [™] II File Belt | 24 | |
| 33443 | 3M [™] Cubitron [™] II File Belt | 24 | ; |
| | | | |

| 33445 | 3M [™] Cubitron [™] II | 04 |
|-------|---|----|
| 33445 | File Belt 3M [™] Cubitron [™] II | 24 |
| 33446 | File Belt | 24 |
| 33449 | 3M [™] Cubitron [™] II File Belt | 24 |
| 33451 | 3M [™] Cubitron [™] II File Belt | 24 |
| 33452 | 3M™ Cubitron™ II File Belt | 24 |
| 33455 | 3M [™] Cubitron [™] II Cut-Off Wheel | 24 |
| 33456 | 3M [™] Cubitron [™] II Cut-Off Wheel | 24 |
| 33467 | 3M [™] Cubitron [™] II Cut-Off Wheel | 24 |
| 33888 | 3M [™] Paint Defect Removal System | 53 |
| 33889 | 3M [™] Paint Defect Removal Abrasive Circle Sheet | 53 |
| 33890 | 3M [™] Paint Defect Removal Abrasive Rectangle Sheet | 53 |
| 33891 | 3M [™] Paint Defect Removal Abrasive Card | 53 |
| 33892 | 3M [™] Paint Defect Removal Abrasive Circle Sheet | 53 |
| 33893 | 3M [™] Paint Defect Removal Abrasive Rectangle Sheet | 53 |
| 33894 | 3M [™] Paint Defect Removal Abrasive Card | 53 |
| 33895 | 3M [™] Paint Defect Removal Abrasive Circle Sheet | 53 |
| 33896 | 3M [™] Paint Defect Removal Abrasive Rectangle Sheet | 53 |
| 33897 | 3M [™] Paint Defect Removal Abrasive Card | 53 |
| 33898 | 3M [™] Paint Defect Removal Abrasive Circle Sheet | 53 |
| 33899 | 3M [™] Paint Defect Removal Abrasive Rectangle Sheet | 53 |
| 33900 | 3M [™] Paint Defect Removal Abrasive Card | 53 |
| 33901 | 3M [™] Paint Defect Removal Abrasive Circle Sheet | 53 |
| 33902 | 3M [™] Paint Defect Removal Abrasive Rectangle Sheet | 53 |
| 33903 | 3M [™] Paint Defect Removal Abrasive Card | 53 |
| 33909 | 3M [™] Paint Defect Removal Hand Sanding Cylinder | 53 |

| 33910 | 3M [™] Paint Defect Removal Hand Sanding Block | 53 | 428000 | 3N Pro |
|--------|--|----|------------------|-----------|
| 33911 | 3M [™] Paint Defect Removal Hand | 53 | 45101 | 3N Dis |
| 00011 | Sanding Foam Pad | 00 | 4532WM | ЗМ |
| 33912 | 3M [™] Paint Defect Removal Hand Sanding | 53 | 4532WL | ЗМ |
| | Rubber Pad | | 4532WXL | 3М |
| 34337 | 3M [™] Hookit [™] Flexible Abrasive Sheet | 20 | 4532W2XL | ЗN |
| 34339 | 3M [™] Hookit [™] Flexible Abrasive Sheet | 20 | 4535WM 4535WL | 3M 3M |
| 34340 | 3M [™] Hookit [™] Flexible | 20 | 4535WXL | ЗN |
| 34341 | Abrasive Sheet 3M [™] Hookit [™] Flexible | 20 | 4535WXXL | зм |
| 34341 | Abrasive Sheet | 20 | 50016 | ЗN |
| 34342 | 3M [™] Hookit [™] Flexible Abrasive Sheet | 20 | 50018 | But 3N |
| 34343 | 3M [™] Hookit [™] Flexible Abrasive Sheet | 20 | 50079 | 3N Fin |
| 34352 | 3M [™] Hookit [™] Flexible Abrasive Foam Pad | 20 | 501 | ЗМ |
| 34567 | 3M [™] Panel Wipes | 59 | 50198M | ЗМ |
| 34568 | 3M [™] Perfect-it [™] III Polishing Wipes | 59 | 50198L | ЗМ |
| 36852 | 3M [™] Dirt Trap | 37 | 50198XL | ЗМ |
| | Protection Material 3M [™] Dirt Trap | | 50198XXL | ЗМ |
| 36856 | Protection Film – Clear | 37 | 50238 | 3N Dis |
| 36862 | 3M [™] Dirt Trap Protection Material Dispenser | 37 | 50239 | 3N Dis |
| 36863 | 3M [™] Dirt Trap Protection Film | 37 | 50240 | 3N Dis |
| | Dispenser 3M™ Dirt Trap | | 50241 | 3N Dis |
| 36865 | Protection Material Floor Applicator | 38 | 50242 | 3N Dis |
| 36866 | 3M™ Dirt Trap Protection Material | 37 | 50293 | ЗМ |
| | Wall Applicator | 01 | 50331 | 3N Rol |
| 38070 | 3M [™] Perfect-it [™] III Cleaner Clay | 51 | 50333 | 3N Rol |
| 39000 | 3M™ Car Wash Soap | 61 | 50335 | ЗМ |
| 39016 | 3M [™] Microfibre Detail Cloth | 62 | 30333 | Rol 3N |
| 39030 | 3M [™] Performance Finish | 61 | 50337 | Rol |
| 39034 | 3M [™] Quick Wax | 62 | 50338 | Rol |
| 39036 | 3M [™] Wheel & Tyre Cleaner | 62 | 50339 | 3N Rol |
| 39040 | 3M [™] Leather & Vinyl Restorer | 63 | 50340 | 3N Rol |
| 39042 | 3M [™] Tyre Restorer | 63 | 50341 | 3N Ble |
| 400 | 3M [™] Overspray Guard | 84 | 50383 | 3N |
| 422000 | 3M [™] Speedglas [™] Welding Filter Batteries | 91 | | Ult |

| M [™] Speedglas [™] Inside rotection Plate (ADF) | 91 |
|---|----|
| M [™] Roloc [™] Bristle visc Holder | 27 |
| M [™] Protective Coverall | 86 |
| M [™] Protective Coverall | 86 |
| M [™] Protective Coverall | 86 |
| M [™] Protective Coverall | 86 |
| M [™] Protective Coverall | 86 |
| M [™] Protective Coverall | 86 |
| M [™] Protective Coverall | 86 |
| M [™] Protective Coverall | 86 |
| M [™] Finesse-it [™] uffing Pad | 60 |
| M [™] Scuff-it [™] Matt Gel | 51 |
| M [™] Trizact [™] Fine inishing Disc | 29 |
| M™ Filter Retainer | 84 |
| M [™] Paintshop Coverall | 86 |
| M [™] Paintshop Coverall | 86 |
| M [™] Paintshop Coverall | 86 |
| M [™] Paintshop Coverall | 86 |
| M [™] Abrasive visc 260L | 29 |
| M [™] Abrasive Pisc 260L | 29 |
| M [™] Abrasive visc 260L | 29 |
| M [™] Abrasive visc 260L | 29 |
| M [™] Abrasive Þisc 260L | 29 |
| M [™] Premium Cutter | 35 |
| M [™] Soft Hand oll 216U | 21 |
| M [™] Soft Hand oll 216U | 21 |
| M [™] Soft Hand oll 216U | 21 |
| M [™] Soft Hand oll 216U | 21 |
| M [™] Soft Hand oll 216U | 21 |
| M [™] Soft Hand oll 216U | 21 |
| M [™] Soft Hand oll 216U | 21 |
| M™ Trizact™ lending Disc | 29 |
| M [™] Perfect-it [™] III Itrafina SE Polish | 55 |
| | |

| 50388 | 3M [™] Perfect-it [™] III Ultrafina High Gloss Polishing Pad | 55 |
|-------------------------|--|----------------|
| 50396 | 3M [™] Hookit [™] Soft Interface Pad 10mm – Purple | 29 |
| 50397 | 3M [™] Hookit [™] Soft Interface Pad 5mm – Purple | 29 |
| 50400 | 3M [™] Ultra Soft Cloth – Yellow | 55 |
| 50401 | 3M [™] Tack Cloth Aqua | 52 |
| 50410 | 3M [™] Weld Thru II Coating | 73 |
| 50413 | 3M [™] Trizact [™] Blending Disc | 29 |
| 50414 | 3M [™] Trizact [™] Fine Finishing Abrasive Disc | 29 |
| 50415 | 3M [™] Trizact [™] Fine Finishing Abrasive Disc | 29 |
| 50416 | 3M [™] Dry Guide Coat – Orange | 42 |
| 50417 | 3M [™] Perfect-it [™] III Fast Cut PLUS Compound | 55 |
| 50421 | 3M [™] Soft Edge Masking Foam Tape PLUS | 34 |
| 50425M | 3M [™] Reusable Coverall | 86 |
| 50425L | 3M [™] Reusable Coverall | 86 |
| 50425XL | 3M [™] Reusable Coverall | 86 |
| 50425XXL | 3M [™] Reusable Coverall | 86 |
| 50443 | 3M [™] Hookit [™] Abrasive Disc 255P+ | 15 |
| 50445 | 3M [™] Hookit [™] Abrasive Disc 255P+ | 15 |
| 50446 | 3M™ Hookit™ Abrasive Disc 255P+ | 15 |
| 50447 | 3M [™] Hookit [™] Abrasive Disc 255P+ | 15 |
| 50448 | 3M [™] Hookit [™] Abrasive Disc 255P+ | 15 |
| 50449 | 3M [™] Hookit [™] Abrasive Disc 255P+ | 15 |
| 50450 | 2.00 200. | |
| 50450 | 3M™ Hookit™ Abrasive Disc 255P+ | 15 |
| 50450 | 3M [™] Hookit [™] Abrasive | 15 15 |
| | 3M [™] Hookit [™] Abrasive Disc 255P+ 3M [™] Hookit [™] Abrasive Disc 255P+ 3M [™] Hookit [™] Abrasive Disc 255P+ | |
| 50451 | 3M [™] Hookit [™] Abrasive Disc 255P+ 3M [™] Hookit [™] Abrasive Disc 255P+ 3M [™] Hookit [™] Abrasive Disc 255P+ 3M [™] Hookit [™] Abrasive Disc 255P+ | 15 |
| 50451 50452 | 3M [™] Hookit [™] Abrasive Disc 255P+ 3M [™] Hookit [™] Abrasive Disc 255P+ 3M [™] Hookit [™] Abrasive Disc 255P+ 3M [™] Hookit [™] Abrasive Disc 255P+ | 15 15 |
| 50451 50452 50453 | 3M [™] Hookit [™] Abrasive Disc 255P+ 3M [™] Hookit [™] Abrasive Disc 255P+ 3M [™] Hookit [™] Abrasive Disc 255P+ 3M [™] Hookit [™] Abrasive Disc 255P+ | 15 15 15 |

| 50486 | 3M [™] Perfect-it [™] Ultrafina Soft | 55 | 50600 | З |
|-------|--|----|----------------|-------------|
| | Polishing Cloth | | 50601 | З |
| 50487 | 3M [™] Perfect-it [™] III Fast Cut PLUS Compounding Pad | 55 | 50663 | 3 |
| | – Green 3M [™] Perfect-it [™] III Extra | | 50665 | C |
| 50488 | Fine PLUS Polishing Pad - Yellow | 55 | 50666 | 3 |
| 50489 | 3M [™] Polish Rosa Ultra Soft Polishing Cloth | 55 | 50676 | 3 |
| 50499 | 3M [™] Perfect-it [™] III Fast Cut PLUS Compounding Pad – Green | 55 | 50708 | C F |
| 50524 | 3M [™] Hookit [™] Purple+ Abrasive Disc 734U | 14 | 50716 | 3 |
| 50525 | 3M [™] Hookit [™] Purple+ Abrasive Disc 734U | 14 | 50717 | 3 |
| 50527 | 3M [™] Hookit [™] Purple+ Abrasive Disc 734U | 14 | 50719 | 3 |
| 50529 | 3M [™] Hookit [™] Purple+ Abrasive Disc 334U | 14 | 50721 | 3 |
| 50531 | 3M [™] Hookit [™] Purple+ Abrasive Disc 334U | 14 | 50723 | 3 |
| 50532 | 3M™ Hookit™ Purple+ Abrasive Disc Multihole 334U | 14 | 50724 | 5 |
| 50522 | 3M [™] Hookit [™] Purple+ Abrasive Disc | 14 | 50725 | C |
| 50533 | Multihole 334U | 14 | 50726 | 3 |
| 50534 | 3M [™] Hookit [™] Purple+ Abrasive Disc Multihole 334U | 14 | 50727 | S F |
| 50535 | 3M [™] Hookit [™] Abrasive Disc Multihole 337U | 16 | 50728 | (|
| 50536 | 3M [™] Perfect-it [™] III Extra Fine PLUS Polishing Pad – Yellow | 55 | 50729 50740 | |
| 50537 | 3M [™] Plastic Repair Kit – White | 67 | 50740 | |
| 50544 | 3M™ Hookit™ Soft Interface Pad 10mm – Grey | 29 | 50742 | N F |
| 50545 | 3M™ Hookit™ Soft Interface Pad 5mm | 29 | 50744 | 3 |
| 50586 | – Grey 3M [™] Glass Cleaner | 63 | 50772 | F |
| 50588 | 3M [™] Interior Seat Cover | 39 | 50773 | 3 F |
| 50590 | 3M [™] Paint Preparation Pad | 31 | | ł |
| 50591 | 3M [™] Paint Preparation Pad | 31 | 50774 | N F |
| 50592 | 3M [™] Interior Protection System Dispenser | 40 | 50775 | 3 N F |
| 50595 | 3M [™] Steering Wheel Cover | 40 | 50776 | 3 F E |

| 3M [™] DMS Applicator | 41 | 50777 |
|---|----|-------|
| 3M [™] DMS Nozzle | 41 | 00111 |
| 3M [™] Headlight Lens Restoration System | 56 | 50778 |
| 3M [™] Perfect-it [™] III Denib Polish | 57 | 50779 |
| 3M [™] Perfect-it [™] III Denib System Kit | 57 | 50115 |
| 3M [™] Economy Clear Masking Film | 35 | 50780 |
| 3M [™] Perfect-it [™] III Double Sided High Gloss Convoluted Foam Polishing Pad – Blue | 54 | 50781 |
| 3M [™] Hookit [™] Abrasive Disc 255P+ | 31 | 50782 |
| 3M™ Hookit™ Abrasive Disc 255P+ | 31 | 50872 |
| 3M [™] Hookit [™] Abrasive Disc 255P+ | 31 | 50874 |
| 3M [™] Hookit [™] Abrasive Disc 255P+ | 31 | 00014 |
| 3M™ Hookit™ Abrasive Disc 255P+ | 31 | 50875 |
| 3M™ Hookit™ Abrasive Disc 255P+ | 31 | 00010 |
| 3M [™] Hookit [™] Abrasive Disc 255P+ | 31 | 50878 |
| 3M [™] Hookit [™] Abrasive Disc 255P+ | 31 | |
| 3M [™] Hookit [™] Purple+ Blockboard | 19 | 50879 |
| 3M [™] Hookit [™] Purple+ Curved Adapter Set | 18 | |
| 3M [™] Hookit [™] Purple+ Curved Adapter Set | 18 | 50880 |
| 3M [™] MS One Part Sprayable Sealer – Beige | 74 | 50881 |
| 3M [™] Hookit [™] Purple+ Multihole Soft Interface Pad 10mm | 19 | 50913 |
| 3M [™] Hookit [™] Hard Clear Coat Disc | 17 | 50970 |
| 3M [™] Hookit [™] Purple+ Multihole Handblock Adjustable | 19 | 50976 |
| 3M [™] Hookit [™] Purple+ Multihole Handblock Flexible | 19 | 50977 |
| 3M [™] Hookit [™] Purple+ Multihole Baseplate Rupes RE21AL | 19 | 50978 |
| 3M [™] Hookit [™] Purple+ Multihole Baseplate Rupes SL42A | 19 | 50980 |
| 3M™ Hookit™ Purple+ Multihole Baseplate Rupes | 19 | 50981 |

| 50777 | 3M [™] Hookit [™] Purple+ Multihole Baseplate Rupes SL41A | 19 |
|-------|---|----|
| 50778 | 3M [™] Hookit [™] Purple+ Multihole Baseplate Hutchins 800VADF | 19 |
| 50779 | 3M [™] Hookit [™] Purple+ Multihole Baseplate Hutchins 2000VADF | 19 |
| 50780 | 3M [™] Hookit [™] Purple+ Multihole Baseplate Festo | 19 |
| 50781 | 3M [™] Hookit [™] Purple+ Multihole Baseplate Festo S1C RS100C | 19 |
| 50782 | 3M [™] Hookit [™] Purple+ Multihole Baseplate Festo LRB-1AS2 | 19 |
| 50872 | 3M [™] Mobile Dispenser | 35 |
| 50874 | 3M [™] Perfect-it [™] III Double Sided Convoluted Compounding Foam Pad – Green | 54 |
| 50875 | 3M [™] Perfect-it [™] III Double Sided Convoluted Polishing Foam Pad – Yellow | 54 |
| 50878 | 3M [™] Perfect-it [™] III Double Sided Flat Compounding Foam Pad – Green | 54 |
| 50879 | 3M [™] Perfect-it [™] III Double Sided Convoluted Compounding Foam Pad – Yellow | 54 |
| 50880 | Double Sided High Gloss Convoluted Foam Polishing Pad | 54 |
| 50881 | 3M [™] Perfect-it [™] III Double Sided Compounding Wood Pad – White | 54 |
| 50913 | 3M [™] Hookit [™] Purple+ Abrasive Disc 334U | 14 |
| 50970 | 3M [™] Scratch & Swirl Remover | 61 |
| 50976 | 3M [™] Scotch® Premium Auto Refinish Masking Tape 3030 | 32 |
| 50977 | 3M [™] Scotch® Premium Auto Refinish Masking Tape 3030 | 32 |
| 50978 | 3M [™] Scotch® Premium Auto Refinish Masking Tape 3030 | 32 |
| 50980 | 3M [™] Scotch [®] Premium Auto Refinish Masking Tape 3030 | 32 |
| 50981 | 3M [™] Scotch [®] Premium Auto Refinish Masking Tape 3030 | 32 |

| 50982 | 3M [™] Scotch [®] Premium Auto Refinish Masking | 32 | 51059 | 3M" Han |
|-------|--|----|-------|---------------------------|
| | Tape 3030 3M [™] Scotch [®] Premium | | 51061 | 3M" Mas |
| 50983 | Auto Refinish Masking Tape 3030 | 32 | 51072 | 3M [™] Body |
| 50988 | 3M [™] Purple Premium PLUS Clear Masking Film | 35 | 51073 | 3M" Body |
| | 3M [™] Purple Premium | | 51074 | 3M. |
| 50989 | PLUS Clear Masking Film | 35 | 51075 | 3M" Body |
| 51002 | 3M™ DMS General Purpose Body Filler | 41 | 51076 | 3M" Body |
| 51003 | 3M™ DMS Heavy General Purpose | 41 | 51077 | 3M [™] |
| 51004 | Body Filler 3M™ DMS Fine General | 41 | 51078 | 3M" Body |
| | Purpose Body Filler | | 51079 | 3M [™] Body |
| 51009 | 3M [™] Plastic Filler | 42 | 51080 | 3M. |
| 51018 | 3M [™] Economy Clear Masking Film | 35 | 51081 | 3M. |
| 51020 | 3M [™] Hookit [™] Purple+ Abrasive Disc 334U | 30 | 51086 | 3M" Deni |
| 51021 | 3M [™] Hookit [™] Purple+ Abrasive Disc 334U | 30 | 51099 | 3M" Disc |
| 51023 | 3M [™] Hookit [™] Purple+ Abrasive Disc 334U | 30 | 51114 | 3M" Disc |
| 51025 | 3M [™] Hookit [™] Purple+ Abrasive Disc 334U | 30 | 51115 | 3M" Disc |
| 51027 | 3M [™] Hookit [™] Purple+ Abrasive Disc 734U | 30 | 51116 | 3M" Disc |
| 51029 | 3M [™] Hookit [™] Purple+ Abrasive Disc 734U | 30 | 51117 | 3M" Disc |
| 51030 | 3M [™] Hookit [™] Purple+ Abrasive Disc 734U | 30 | 51118 | 3M" Disc |
| 51031 | 3M [™] Hookit [™] Purple+ Abrasive Sheet 734U | 18 | 51119 | 3M" Disc |
| 51032 | 3M [™] Hookit [™] Purple+ Abrasive Sheet 734U | 18 | 51120 | 3M" Disc |
| 51033 | 3M [™] Hookit [™] Purple+ Abrasive Sheet 734U | 18 | 51121 | 3M" Disc |
| 51034 | 3M [™] Hookit [™] Purple+ Abrasive Sheet 734U | 18 | 51122 | 3M" Back |
| 51035 | 3M [™] Hookit [™] Purple+ Abrasive Sheet 734U | 18 | 51123 | 3M" Back |
| 51036 | 3M [™] Hookit [™] Purple+ Abrasive Sheet 734U | 18 | 51124 | 3M" Back |
| 51052 | 3M [™] Perfect-it [™] III Fast Cut XL Compound | 54 | 51125 | 3M" Back |
| 51053 | 3M [™] Abrasive Disc 260L | 29 | 51126 | 3M" Soft |
| 51054 | 3M [™] Abrasive Disc 260L | 29 | 51127 | 3M" Soft |
| 51055 | 3M [™] Abrasive Disc 260L | 29 | 5400 | Pad 3M [™] |
| 51057 | 3M [™] Abrasive Disc 260L | 29 | 51130 | Finis 3M ^{**} |
| 51058 | 3M [™] Heavy Duty Textured Handwipes | 91 | 51131 | Fine |

| M [™] Professional landwipes | 91 |
|--|----|
| M [™] Clear Iasking Film | 35 |
| M [™] General Purpose ody Filler – Heavy | 41 |
| M [™] General Purpose ody Filler | 41 |
| M [™] Hardener | 41 |
| M [™] General Purpose ody Filler – Heavy | 41 |
| M [™] General Purpose ody Filler | 41 |
| M [™] Hardener | 41 |
| M [™] General Purpose ody Filler – Heavy | 41 |
| M [™] General Purpose ody Filler | 41 |
| M [™] Hardener | 41 |
| M [™] Wall Dispenser | 41 |
| M [™] Perfect-it [™] 9enib Tool | 57 |
| M [™] Abrasive visc 260L | 29 |
| M [™] Hookit [™] Abrasive visc Multihole 325U | 15 |
| M [™] Hookit [™] Abrasive visc Multihole 325U | 15 |
| M™ Hookit™ Abrasive visc Multihole 325U | 15 |
| M [™] Hookit [™] Abrasive visc Multihole 325U | 15 |
| M [™] Hookit [™] Abrasive visc Multihole 325U | 15 |
| M™ Hookit™ Abrasive visc Multihole 325U | 15 |
| M [™] Hookit [™] Abrasive visc Multihole 325U | 15 |
| M [™] Hookit [™] Abrasive visc Multihole 325U | 15 |
| M [™] Hookit [™] Multihole ack-up Pad | 17 |
| M [™] Hookit [™] Multihole ack-up Pad | 17 |
| M [™] Hookit [™] Multihole ack-up Pad | 17 |
| M [™] Hookit [™] Multihole ack-up Pad | 17 |
| M [™] Hookit [™] Multihole oft Interface Pad 5mm | 17 |
| M [™] Hookit [™] Multihole oft Interface ad 10mm | 17 |
| M [™] Trizact [™] Fine inishing Disc | 29 |
| M [™] Trizact [™] ine Finishing Disc | 29 |

| 51143 | 3M™ Hookit™ Abrasive Disc Multihole 525U | 15 |
|-------|---|----|
| 51144 | 3M [™] Hookit [™] Abrasive Disc Multihole 525U | 15 |
| 51145 | 3M [™] Hookit [™] Abrasive Disc Multihole 525U | 15 |
| 51146 | 3M™ Hookit™ Abrasive Disc Multihole 325U | 15 |
| 51147 | 3M™ Hookit™ Abrasive Disc Multihole 325U | 15 |
| 51154 | 3M [™] Purple Microfinishing Disc 260L | 28 |
| 51155 | 3M [™] Purple Microfinishing Disc 260L | 28 |
| 51156 | 3M [™] Purple Microfinishing Disc 260L | 28 |
| 51157 | 3M [™] Purple Microfinishing Disc 260L | 28 |
| 51158 | 3M [™] Purple Microfinishing Disc 260L | 28 |
| 51212 | 3M™ Premium Glaze | 41 |
| 51221 | 3M [™] Hookit [™] Cubitron [™] II Purple+ Abrasive Disc Multihole 737U | 14 |
| 51222 | 3M [™] Hookit [™] Cubitron [™] II Purple+ Abrasive Disc Multihole 737U | 14 |
| 51286 | 3M [™] Scotch® Masking Tape 2328 | 33 |
| 51287 | 3M [™] Scotch [®] Masking Tape 2328 | 33 |
| 51304 | 3M [™] Purple Microfinishing Disc 260L | 28 |
| 51310 | 3M [™] Hookit [™] Cubitron [™] II Purple+ Abrasive Disc Multihole 737U | 14 |
| 51311 | 3M [™] Hookit [™] Cubitron [™] II Purple+ Abrasive Disc Multihole 737U | 14 |
| 51312 | 3M [™] Hookit [™] Cubitron [™] II Purple+ Abrasive Disc Multihole 737U | 14 |
| 55045 | 3M [™] Superfast Plastic Adhesive | 67 |
| 55047 | 3M [™] Structural Plastic Adhesive | 67 |
| 57013 | 3M [™] Clean and Strip [™] GP Blue Disc Mandrel | 27 |
| 57018 | 3M [™] Clean and Strip [™] GP Blue Disc Roloc+ | 28 |
| 58012 | 3M [™] Single Step Primer | 69 |

| Part N | umber | Index. |
|--------|-------|--------|
|--------|-------|--------|

| 58506 | 3M [™] Elite Central- Vacuum-Ready Random Orbital Sander | 93 |
|--------|---|----|
| 59015 | 3M [™] Compound Plastic Restorer | 56 |
| 59016 | 3M [™] Compound Plastic Polish | 56 |
| 5911 | 3M [™] Particulate Filter P1 | 84 |
| 60354 | 3M [™] Hookit [™] Abrasive Disc 255P+ | 30 |
| 60356 | 3M [™] Hookit [™] Abrasive Disc 255P+ | 30 |
| 60357 | 3M [™] Hookit [™] Abrasive Disc 255P+ | 30 |
| 60358 | 3M [™] Hookit [™] Abrasive Disc 255P+ | 30 |
| 60360 | 3M [™] Hookit [™] Abrasive Disc 255P+ | 30 |
| 60362 | 3M [™] Hookit [™] Abrasive Disc 255P+ | 30 |
| 60364 | 3M [™] Hookit [™] Abrasive Disc 255P+ | 30 |
| 60365 | 3M [™] Hookit [™] Abrasive Disc 255P+ | 30 |
| 60668 | 3M [™] Perfect-it [™] III High Performance Cloth | 58 |
| 60669 | 3M [™] Perfect-it [™] III High Performance Cloth | 58 |
| 60670 | 3M [™] Perfect-it [™] III High Performance Cloth | 58 |
| 60671 | 3M [™] Perfect-it [™] III High Performance Cloth | 58 |
| 64393 | 3M [™] Electric Polisher | 92 |
| 64394 | 3M [™] Electric Polisher | 92 |
| 64875 | 3M [™] Air-Powered Pistol Grip Sander | 94 |
| 64926 | 3M [™] Scotch-Brite [™] PRO Handpad | 25 |
| 64935 | 3M [™] Scotch-Brite [™] PRO Handpad | 25 |
| 6700 | 3M [™] Full Face Mask – Light Grey | 83 |
| 6800 | 3M [™] Full Face Mask – Grey | 83 |
| 6885 | 3M [™] Lens Cover Peel Offs | 83 |
| 6900 | 3M [™] Full Face Mask – Dark Grey | 83 |
| 700020 | 3M [™] Speedglas [™] Auto Darkening Filter | 91 |
| 701120 | 3M [™] Speedglas [™] SL Shield with Auto Darkening Filter | 90 |

| 705010 | 3M [™] Speedglas [™] SL Welding Shield Head band incl. Assembly | 91 | 8499 |
|--------|--|----|--------------|
| | Parts | | 8500 |
| 706000 | 3M [™] Speedglas [™] SL assembly parts for headband | 91 | ACU- |
| 726000 | 3M [™] Speedglas [™] Outside protection plate basic | 91 | C31 FT10 |
| | 3M [™] Speedglas [™] | | 1110 |
| 727000 | Outside protection plate hard coated and painted | 91 | FT11 FT12 |
| 731000 | 3M [™] Speedglas [™] Welding Filter | 91 | FT30 |
| | Battery Holder | | FT04 |
| 750020 | 3M [™] Speedglas [™] 100 Auto Darkening Variable 3/(8–12) Filter | 90 | FT31 FT32 |
| 751220 | 3M [™] Speedglas [™] 100 BLAZE Shield with Speedglas [™] 100V | 90 | G500 |
| | 3M [™] Speedglas [™] 100 | | H510 |
| 751620 | TROJAN WARRIOR Shield with Speedglas [™] 100V | 90 | H520 |
| 772000 | 3M [™] Speedglas [™] 100 Silver Front Frame | 90 | M057 |
| 772001 | 3M [™] Speedglas [™] 100 Black Front Frame | 90 | PP-0 |
| 776000 | 3M [™] Speedglas [™] 100 Outer Protection Plate Standard | 90 | SF20 |
| 80110 | 3M [™] Clear Masking Film | 35 | SF20 |
| 80308 | 3M [™] Interior Floor Mat | 40 | |
| 80318 | 3M™ Acrylic Plus Tape PT1100 | 64 | SF20 |
| 80319 | 3M [™] Acrylic Plus Tape PT1100 | 64 | UF-0 |
| 80320 | 3M [™] Acrylic Plus Tape PT1100 | 64 | X1A |
| 80322 | 3M™ Acrylic Plus Tape PT1100 | 64 | X2A |
| 80323 | 3M [™] Acrylic Plus Tape PT1100 | 64 | ХЗА |
| 80345 | 3M [™] Polish Rosa | 55 | X4A |
| 80347 | 3M [™] Paintshop Handwipes | 91 | |
| 80349 | 3M [™] Perfect-it [™] III Extra Fine PLUS Compound | 55 | |
| 80350 | 3M [™] Hookit [™] Abrasive Disc 245 | 16 | |
| 80351 | 3M [™] Hookit [™] Abrasive Disc 245 | 16 | |
| 80352 | 3M [™] Hookit [™] Abrasive Disc 245 | 16 | |
| 80354 | 3M [™] Hookit [™] Abrasive Disc 245 | 16 | |

| 84998 | 3M [™] Roloc [™] Bristle Disc Holder | 27 |
|-----------|--|----|
| 85000 | 3M [™] Roloc [™] Bristle Disc Holder | 27 |
| ACU-01 | 3M [™] Aircare [™] Air Filtration System | 85 |
| C31 | 3M [™] Large Commercial Sponge | 59 |
| FT10 | 3M [™] Fit Test Kit (Sweet) | 84 |
| FT11 | 3M [™] Spare Sensitivity Solution (Sweet) | 84 |
| FT12 | 3M [™] Spare Fit Test Solution (Sweet) | 84 |
| FT30 | 3M [™] Fit Test Kit (Bitter) | 84 |
| FT31 | 3M [™] Spare Sensitivity Solution (Bitter) | 84 |
| FT32 | 3M [™] Spare Fit Test Solution (Bitter) | 84 |
| G500V5FH | 3M [™] G500 Combination Headgear | 89 |
| H510A | 3M [™] PELTOR [™] Optime [™] I Ear Muffs | 88 |
| H520A | 3M [™] PELTOR [™] Optime [™] II Ear Muffs | 88 |
| M05717 | 3M [™] Perfect-it [™] III Polishing Back-up Pad | 60 |
| PP-01-002 | 3M [™] E-A-R [™] Classic [™] Earplugs | 87 |
| SF201AF | 3M [™] SecureFit [™] 200 Series Protective Spectacles | 89 |
| SF202AF | 3M [™] SecureFit [™] 200 Series Protective Spectacles | 89 |
| SF203AF | 3M [™] SecureFit [™] 200 Series Protective Spectacles | 89 |
| UF-01-000 | 3M [™] Ear Plugs | 87 |
| X1A | 3M [™] PELTOR [™] X Series Ear Defenders – Green | 89 |
| X2A | 3M [™] PELTOR [™] X Series Ear Defenders – Yellow | 89 |
| ХЗА | 3M [™] PELTOR [™] X Series Ear Defenders – Red | 89 |
| X4A | 3M [™] PELTOR [™] X Series Ear Defenders –Bright Green | 89 |



Terms and Conditions of Sale of Goods and Services.

Terms and Conditions of Sale of Goods and Services.

1. Application

- 1.1 These conditions apply to all contracts between the Seller and the Buyer referred to in the order and override all conditions stipulated by the Buyer (even if submitted in a later document); any other agreements between the parties relating to the subject matter of this order are terminated (except an agreement into which these conditions are incorporated).
- 1.2 No variation of these conditions is permitted unless agreed in writing by a director of the Seller.

2. Price

- 2.1 The price to be paid for the goods or the services will be the Seller's price at the date when the goods are despatched or the services are provided.
- 2.2 The price of goods includes the cost of Seller's standard packaging and delivery within the UK and Ireland by Seller's normal transportation; the price does not include VAT.

3. Payment

- 3.1 Payment for the goods or services must be made within thirty days of the date of the invoice, unless otherwise specified on the invoice.
- 3.2 The Seller reserves the right to charge interest on overdue sums at the rate of 4% per annum above the Base Rate for the time being of Lloyds Bank plc calculated on a daily basis from the due date of payment in Clause 3.1 until the date upon which payment is made.
- 3.3 The Seller may at any time require the Buyer to make payment in advance of delivery or require security for payment.
- 3.4 If the Buyer fails to make payment by the due date or when required, the Seller may (without prejudice to any other remedy which it may have) cancel this contract and/or any other contract between the Buyer and the Seller and/or suspend delivery under this or any other contract until payment is made.
- 3.5 The Buyer will have no statutory or other right of set off.
- 4. Delivery
- 4.1 Delivery dates are approximate only and the Seller shall not be responsible for any loss or damage arising from any delay in delivering all or part of any goods ordered or delay in the provision of any services.

- .2 Without prejudice to Clause 4.1, the Seller will not be liable for any delay in delivery or nondelivery of goods or services or any other breach of these conditions caused by any circumstances beyond the Seller's control including without limitation, any Act of God, explosion, fire, flood, war, hostilities, accident, delay in delivery or nondelivery by the Seller's suppliers, breakdowns or accidents to machinery, labour strike or dispute, order or decree of any court or action of any governmental authority, or any other causes or any circumstances beyond the Seller's control; on the occurrence of any of the above events the Seller reserves the right to cancel or suspend the whole or part of any delivery.
- 4.3 In the case of any order for goods of a type or description not normally held in stock by the Seller, and therefore specially made ordered or imported by the Seller to meet such order, the Buyer will accept goods 10% more or 10% less than ordered, the total price of the order being correspondingly adjusted.

5. Risk

6.

6.1

- 5.1 Risk in all goods supplied to the Buyer will pass to the Buyer on delivery.
 - Inspection
 - If the goods or any of them are damaged or lost while in the custody of a carrier, the Seller will (at its option) either replace such goods or refund to the Buyer the cost or price of them, but the Seller's liability in connection with any such goods will not exceed the cost of replacement of them or the price paid by the Buyer for them.
- 6.2 The Seller will not be under any liability under 6.1 above unless the following conditions are strictly complied with:
- 6.2:1 In the event of nondelivery of a whole consignment of goods the Buyer must inform the Seller in writing within ten days of the date of the invoice.
- 6.2:2 In the case of damage to goods or loss of part of a consignment, the consignment must be inspected in the presence of the carrier. If any goods are damaged or lost the consignment note must be endorsed accordingly and the Buyer must notify the Seller within forty eight hours of delivery, such notification to be confirmed in writing within the following five days.
- 7. Liabilities and Warranties
- 7.1 Nothing in this clause will be deemed to exclude or restrict the Seller's liability for death or personal injury resulting from the Seller's negligence.

- 7.2 If any goods supplied or processed or any services supplied or provided by or on behalf of the Seller prove on inspection to be defective in material or workmanship, the Seller will (at its option) replace the same or refund to the Buyer the price of the goods or services.
- 7.3 The Buyer will determine the suitability of the goods for its intended use and will not rely upon any representations made by or on behalf of the Seller.
- 7.4 The Seller's liability under these conditions shall never exceed the cost of replacement or the price paid by the Buyer for the goods or services.
- 7.5 The Seller will not be liable for any consequential or indirect loss or damage (whether for loss of profit or otherwise) costs, expenses or other claims for consequential compensation whatsoever suffered by the Buyer whether this loss or damage arises from a breach of duty, in contract or in tort or in any other way (including loss or damage arising from the Seller's negligence).
- 7.6 Except as set out in these conditions, all warranties and conditions, whether express or implied, statutory or otherwise are excluded to the fullest extent permissible at law.

8. Termination

If there is appointed a Receiver, Administrator or Administrative Receiver of the Buyer's property or assets or any part of them, or a court order is made or a resolution is passed for the winding up of the Buyer (except for the purpose of amalgamation or reconstruction) or if the Buyer commits any act of bankruptcy, or any bankruptcy petition is presented against the Buyer (or any analogous proceedings under the law of any country outside the United Kingdom are commenced), the Seller may by notice in writing to the Buyer cancel all orders and contracts between the Seller and the Buyer or any part of them remaining unfulfilled.

9. Jurisdiction

- 9.1 All contracts between the Seller and the Buyer where the goods are shipped to or services are provided in the Republic of Ireland shall be governed and construed in accordance with the Laws of the Republic of Ireland, and the Buyer agrees to submit to the jurisdiction of the Courts of law in the Republic of Ireland in respect of them.
- 9.2 Except as provided above, all contracts between the Seller and the Buyer shall be governed and construed in accordance with the Laws of England, and the Buyer agrees to submit to the jurisdiction of the Courts of law in England in respect of them.

Effective 1/7/1996.

The following are trademarks of 3M:

3M, Hookit, Stikit, Perfect-it, Roloc, Scotch, Clipper, Scuff-it, Trizact, Finesse-it, Body Schutz, Spray Schutz, Body Gard, Automix, Visionair, Softback, Cubitron, Scotch-Brite, Drip-Chek, Clean and Strip, Green Corps, PPS, Ultrafina, Imperial, Fre-Cut and SecureFit.



Automotive Aftermarket 3M United Kingdom PLC Tel: 0845 603 9714 aadukenquiries@mmm.com www.3M.co.uk/bodyshop

Automotive Aftermarket 3M Ireland Tel: (00) 353 1 216 0301 Published January 2017. Please recycle. Printed in the United Kingdom. © 3M 2016. All rights reserved. AB091



/