



SAFETY DATA SHEET

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : GEAR COMPETITION 75W140
Product code : 34300northamerica

1.2. Relevant identified uses of the substance or mixture and uses advised against

Transmission oil



1.3. Details of the supplier of the safety data sheet

Registered company name : MOTUL USA, INC.
Address : 5836 Corporte Ave, Suite 150.CA, 90630.Cypress.United States of America.
Telephone : +1 909-625-1292. Fax : +1 909-625-2697.
motul_hse@fr.motul.com
www.motul.com



1.4. Emergency telephone number : +44 (0) 1235 239 670.

Association/Organisation : CARECHEM 24/7 NCEC.



Other emergency numbers

UNITED STATES: 001 866 928 0789 / CANADA: 001 800 579 7421 / MEXICO : +52 55 5004 8763 / MIDDLE EAST - AFRICA : +44 1235 239671
BRAZIL : +55 11 3197 5891 / COLOMBIA : +57 601 508 7337 / ARGENTINA : +54 11 5984 3690 / CHILE : +562 2582 9336
Ireland : +353 1 8092566
24 hours a day, 7 days a week

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

HCS compliant.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.
This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

2.2. Label elements

HCS compliant.

No labelling requirements for this mixture.



2.3. Other hazards

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures



Composition :

Identification	Classification HCS	Nota	%
CAS: 157707-86-3 EC: 500-393-3 REACH: 01-2119493949-12-0000 DEC-1-ENE, TRIMERS, HYDROGENATED	GHS08 Dgr Asp. Tox. 1, H304		10 <= x % < 30
CAS: 68937-96-2 EC: 273-103-3 REACH: 01-2119540515-43 OLEFIN SULFIDE	GHS07 Wng Skin Sens. 1B, H317		1 <= x % < 5
CAS: 68649-11-6 EC: 500-228-5 REACH: 01-2119493069-28	GHS07, GHS08 Dgr Asp. Tox. 1, H304		1 <= x % < 5

DEC-1-ENE, DIMERS, HYDROGENATED EC: 265-157-1 REACH: 01-2119484627-25	Acute Tox. 4, H332 GHS08 Dgr Asp. Tox. 1, H304		
MINERAL OIL EC: 931-384-6 REACH: 01-2119493620-38	GHS07 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317 Eye Irrit. 2B, H320		
REACTION PRODUCTS OF BIS(4-METHYLPENTAN-2-YL)DITHIOP HOSPHORIC ACID WITH PHOSPHORUS OXIDE, PROPYLENE OXIDE AND AMINES, C12-14-ALKYL (BRANCHED)			

 Information on ingredients :

(Full text of H-phrases: see section 16)

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures**In the event of exposure by inhalation :**

Remove the victim to fresh air. If the symptoms persist, call a physician.

In the event of splashes or contact with eyes :

Wash immediately and abundantly with water, including under the eyelids.

In the event of splashes or contact with skin :

Immediately remove all soiled clothing.

Wash immediately and abundantly with soap and water.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media**Suitable methods of extinction**

Dry agent, foam, carbon dioxide.

Unsuitable methods of extinction

High volume water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.

Spilled product may make surfaces slippery.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.



7.1. Precautions for safe handling

Always wash hands after handling.

Do not swallow

Do not get in eyes, on skin, or on clothing.

Fire prevention :

Prevent access by unauthorised personnel.

Take precautionary measures against static discharges by bonding and grounding equipment.

No smoking.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Ensure good ventilation at the workplace

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

Do not breathe fumes, vapour, spray.



7.2. Conditions for safe storage, including any incompatibilities

Store between -5°C and 40°C in a dry, well ventilated place.

Only use hydrocarbon-resistant containers, joints and pipes.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls



Appropriate engineering controls

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

Personnel shall wear regularly laundered overalls.

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.



- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended :

Glove thickness:	0.38 mm
------------------	---------

Break-through time:	> 480 mn
---------------------	----------

**- Body protection**

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Breathing apparatus only when aerosol or spray are formed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

No data available.

**Physical state**

Physical state :	Fluid liquid.
------------------	---------------

**Colour**

Unspecified

**Odour**

Odour threshold :	Not stated.
-------------------	-------------

**Melting point**

Melting point/melting range :	Not relevant.
-------------------------------	---------------

**Freezing point**

Freezing point / Freezing range :	Not stated.
-----------------------------------	-------------

**Boiling point or initial boiling point and boiling range**

Boiling point/boiling range :	Not relevant.
-------------------------------	---------------

**Flammability**

Flammability (solid, gas) :	Not stated.
-----------------------------	-------------

**Lower and upper explosion limit**

Explosive properties, lower explosivity limit (%) :	Not stated.
---	-------------

Explosive properties, upper explosivity limit (%) :	Not stated.
---	-------------

**Flash point**

Flash Point Interval :	FP > 100°C (212 °F)
------------------------	---------------------

**Auto-ignition temperature**

Self-ignition temperature :	Not relevant.
-----------------------------	---------------

**Decomposition temperature**

Decomposition point/decomposition range :	Not relevant.
---	---------------

**pH**

pH (aqueous solution) :	Not stated.
-------------------------	-------------

pH :	Not relevant.
------	---------------

**Kinematic viscosity**

Viscosity :	169.3 mm ² /s à 40°C
-------------	---------------------------------

**Solubility**

Water solubility :	Insoluble.
--------------------	------------

Fat solubility :	Not stated.
------------------	-------------

**Partition coefficient n-octanol/water (log value)**

Partition coefficient: n-octanol/water :	Not stated.
--	-------------

**Vapour pressure**

Vapour pressure (50°C) :	Not relevant.
--------------------------	---------------

**Density and/or relative density**

Density :	< 1
-----------	-----

**Relative vapour density**

Vapour density :	Not stated.
------------------	-------------

**9.2. Other information**

No data available.

**9.2.1. Information with regard to physical hazard classes**

No data available.

**9.2.2. Other safety characteristics**

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.



10.4. Conditions to avoid

Keep away from heat and from sources of ignition

Take precautionary measures against static discharges.



10.5. Incompatible materials

Strong oxidants

Acids

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO₂)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No data available.

11.1.1. Substances



Acute toxicity :

DEC-1-ENE, DIMERS, HYDROGENATED (CAS: 68649-11-6)

Oral route : LD₅₀ > 5000 mg/kg bodyweight/day
Species : Rat

Inhalation route (Dusts/mist) : LC₅₀ = 1.7 mg/l

DEC-1-ENE, TRIMERS, HYDROGENATED (CAS: 157707-86-3)

Oral route : LD₅₀ > 2000 mg/kg bodyweight/day
Species : Rat



Germ cell mutagenicity :

REACTION PRODUCTS OF BIS(4-METHYLPENTAN-2-YL)DITHIOPHOSPHORIC ACID WITH PHOSPHORUS OXIDE, PROPYLENE OXIDE AND AMINOCYCLOHEXANOL
C12-14-ALKYL (BRANCHED)

No mutagenic effect.



Reproductive toxicant :

REACTION PRODUCTS OF BIS(4-METHYLPENTAN-2-YL)DITHIOPHOSPHORIC ACID WITH PHOSPHORUS OXIDE, PROPYLENE OXIDE AND AMINOCYCLOHEXANOL
C12-14-ALKYL (BRANCHED)

No toxic effect for reproduction

11.1.2. Mixture

Skin corrosion/skin irritation :

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non allergic contact dermatitis and absorption through the skin.



Serious damage to eyes/eye irritation :

No observed effect.

Corneal haze : Average score = 0.28

Iritis : Average score = 0.11

Conjunctival redness : Average score = 1.22

Conjunctival oedema : Average score = 1.83

Mild eye irritation

Aspiration hazard :

"Inhalation of vapours may cause irritation of the respiratory system in very susceptible persons."

May cause lung damage if swallowed



11.2. Information on other hazards

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 91-20-3 : IARC Group 2B : The agent is possibly carcinogenic to humans.

SECTION 12 : ECOLOGICAL INFORMATION

The product must not be allowed to run into drains or waterways.

12.1. Toxicity



12.1.1. Substances

OLEFIN SULFIDE (CAS: 68937-96-2)

Crustacean toxicity :

EC50 63 mg/l

Duration of exposure : 48 h

Algae toxicity :

ECr50 > 100 mg/l

Duration of exposure : 72 h

REACTION PRODUCTS OF ALCOHOLS, C14-18, C18 UNSAT., ESTERIFIED WITH PHOSPHORUS PENTOXIDE AND SALTED WITH AMINES, C12-14,-TERT-ALKYL

Fish toxicity :

LC50 > 1000 mg/l

Crustacean toxicity :

EC50 = 91 mg/l

Duration of exposure : 48 h

Aquatic plant toxicity :

ECr50 > 10 mg/l

Species : Others

Duration of exposure : 3 h

REACTION PRODUCTS OF BIS(4-METHYLPENTAN-2-YL)DITHIOPHOSPHORIC ACID WITH PHOSPHORUS OXIDE, PROPYLENE OXIDE AND AMIN C12-14-ALKYL (BRANCHED)

Fish toxicity :

LC50 = 24 mg/l

Species : Trutta iridea

Duration of exposure : 96 h

NOEC = 3.2 mg/l

Species : Trutta iridea

Duration of exposure : 96 h

Crustacean toxicity :

EC50 = 91.4 mg/l

Species : Others

Duration of exposure : 48 h

NOEC = 0.12 mg/l

Duration of exposure : 21 jours

Algae toxicity :

ECr50 = 6.4 mg/l

Species : Selenastrum capricornutum

Duration of exposure : 96 h

NOEC = 1.7 mg/l

Species : Selenastrum capricornutum

Duration of exposure : 96 h

Aquatic plant toxicity :

1 < ECr50 <= 10 mg/l

Species : Others

MINERAL OIL

Fish toxicity :

LC50 > 100 mg/l

Species : Pimephales promelas

Duration of exposure : 96 h

Crustacean toxicity :

EC50 > 10000 mg/l

Duration of exposure : 48 h

NOEC > 10 mg/l

Duration of exposure : 21 jours

Algae toxicity :

ECr50 > 100 mg/l

Species : *Scenedesmus quadricauda*

Duration of exposure : 72 h

DEC-1-ENE, DIMERS, HYDROGENATED (CAS: 68649-11-6)

Fish toxicity :

LC50 > 1000 mg/l

Duration of exposure : 96 h

Crustacean toxicity :

EC50 > 1000 mg/l

Duration of exposure : 48 h

NOEC = 125 mg/l

Duration of exposure : 21 jours

Aquatic plant toxicity :

NOEC = 1000 mg/l

Duration of exposure : 72 h

DEC-1-ENE, TRIMERS, HYDROGENATED (CAS: 157707-86-3)

Fish toxicity :

LC50 > 1000 mg/l

Duration of exposure : 96 h

Crustacean toxicity :

EC50 > 1000 mg/l

Species : *Daphnia magna*

Duration of exposure : 48 h

NOEC = 125 mg/l

Species : *Daphnia magna*

Duration of exposure : 21 jours

Algae toxicity :

NOEC = 100 mg/l

Duration of exposure : 72 h

Aquatic plant toxicity :

ECr50 = 1000 mg/l

Duration of exposure : 72 h

12.1.2. Mixtures

12.2. Persistence and degradability



12.2.1. Substances

REACTION PRODUCTS OF ALCOHOLS, C14-18, C18 UNSAT., ESTERIFIED WITH PHOSPHORUS PENTOXIDE AND SALTED WITH AMINES, C12-14,-TERT-ALKYL

Biodegradability :

Non-rapidly degradable.

REACTION PRODUCTS OF BIS(4-METHYLPENTAN-2-YL)DITHIOPHOSPHORIC ACID WITH PHOSPHORUS OXIDE, PROPYLENE OXIDE AND AMIN C12-14-ALKYL (BRANCHED)

Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

MINERAL OIL

Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

DEC-1-ENE, DIMERS, HYDROGENATED (CAS: 68649-11-6)

Biodegradability :

Non-rapidly degradable.

OLEFIN SULFIDE (CAS: 68937-96-2)

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

DEC-1-ENE, TRIMERS, HYDROGENATED (CAS: 157707-86-3)

Biodegradability : Non-rapidly degradable.



12.2.2. Mixtures

Biodegradation : No data on decomposition is available, the mixture is not considered to decompose rapidly.

12.3. Bioaccumulative potential



12.3.1. Substances

REACTION PRODUCTS OF ALCOHOLS, C14-18, C18 UNSAT., ESTERIFIED WITH PHOSPHORUS PENTOXIDE AND SALTED WITH AMINES, C12-14,-TERT-ALKYL

Octanol/water partition coefficient : log K_{ow} = 8

DEC-1-ENE, DIMERS, HYDROGENATED (CAS: 68649-11-6)

Octanol/water partition coefficient : log K_{ow} > 6.5

OLEFIN SULFIDE (CAS: 68937-96-2)

Octanol/water partition coefficient : log K_{ow} = 6

DEC-1-ENE, TRIMERS, HYDROGENATED (CAS: 157707-86-3)

Octanol/water partition coefficient : log K_{ow} > 10

12.4. Mobility in soil

Not very mobile in soil.

The product is insoluble in water and will spread on the surface

12.5. Results of PBT and vPvB assessment

No data available.



12.6. Endocrine disrupting properties

No data available.



12.7. Other adverse effects

Do not dispose of the product in the natural environment, effluents or surface waters.

SECTION 13 : DISPOSAL CONSIDERATIONS

The appropriate waste management of the mixture and/or its container must be determined in accordance with local regulations.

13.1. Waste treatment methods

Do not pour into drains or waterways.



Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

-

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-



14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

-

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The following regulations have been used:

- OSHA Hazard Communication Standard 29 CFR 1910.1200



Container information:

No data available.



Particular provisions :

No data available.



- Clean Water Act : Toxic Pollutants (CWA 307A)

CAS	Name
91-20-3	NAPHTALÈNE

- Clean Water Act : Hazardous Substances (CWA 311)

Unlisted.



- Clean Water Act : Hazardous Substances (CWA 304b)

CAS	Name
91-20-3	NAPHTALÈNE



- Clean Water Act : Priority Pollutants (CWA Priority)

CAS	Name
91-20-3	NAPHTALÈNE



- Clean Air Act : Hazardous Air Pollutants (CAA 112(b) HAP (188))

CAS	Name
91-20-3	NAPHTALÈNE



- Clean Air Act : Organic Hazardous Air Pollutants National Emission Standards (CAA 112(b) HON (387))

CAS	Name
91-20-3	NAPHTALÈNE

- Clean Air Act : Protection of Stratospheric Ozone (CAA 602)

Unlisted.



- SARA 110

CAS	Name
91-20-3	NAPHTALÈNE
91-20-3	NAPHTALÈNE

- SARA 302/304

Unlisted.



- SARA 313

CAS	Name
91-20-3	NAPHTALÈNE

- California proposition 65 : Chemicals known to the state to cause cancer or reproductive toxicity

Unlisted.



- Massachusetts : Right to Know

CAS	Name
91-20-3	NAPHTALÈNE



- New Jersey : Right to Know

CAS	Name
91-20-3	NAPHTALÈNE



- Pennsylvania : Hazardous Substance

CAS	Name
91-20-3	NAPHTALÈNE



- Rhode Island : Hazardous substance list

CAS	Name
91-20-3	NAPHTALÈNE

**- TSCA (Toxic Substances Control Act) - USA**

CAS	Name
91-20-3	NAPHTALÈNE
90170-70-0	9,10-ANTHRACENEDIONE, 1,4-DIAMINO-, N,N'-MIXED 2-ETHYLHEXYL AND 3-[(2-ETHYLHEXYL)OXY]PROPYL AND 3-METHOXYPROPYL DERIVS.
70693-43-5	1-OCTENE, HOMOPOLYMER, HYDROGENERATED
68937-96-2	OLEFIN SULFIDE
68649-11-6	DEC-1-ENE, DIMERS, HYDROGENATED
64742-46-7	HYDROCARBONS, C13-C16, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS
63148-62-9	POLYDIMETHYLSILOXANE
13703-82-7	MAGNESIUM METABORATE
126-57-8	2-ETHYL-2-[(1-OXONONYL)OXY]METHYL]PROPANE-1,3-DIYL DINONAN-1-OATE

15.2. Chemical safety assessment

Product is not classified health and environmental hazard. Exposure scenarios are not required.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H320	Causes eye irritation.
H332	Harmful if inhaled.

**Abbreviations and acronyms :**

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.
LC50 : The concentration of a test substance resulting in 50% lethality in a given period.
EC50 : The effective concentration of substance that causes 50% of the maximum response.
ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.
NOEC : The concentration with no observed effect.
REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.
STEL : Short-term exposure limit
TWA : Time Weighted Averages
TMP : French Occupational Illness table
TLV : Threshold Limit Value (exposure)
AEV : Average Exposure Value.
ADR : European agreement concerning the international carriage of dangerous goods by Road.
IMDG : International Maritime Dangerous Goods.
IATA : International Air Transport Association.
ICAO : International Civil Aviation Organisation
RID : Regulations concerning the International carriage of Dangerous goods by rail.
PBT: Persistent, bioaccumulable and toxic.
vPvB : Very persistent, very bioaccumulable.
HCS : Hazard Communication standard (OSHA).