

TEST REPORT

2022CO6145

DATE OF RECEPTION

14/07/2022

DATE TESTS

Starting: 17/07/2022

Ending: 18/07/2022

APPLICANT

Armory OÜ
Veerenni 24
ES-10135 Tallinn (Cáceres)
Estonia

Att. Brendon Tiik

IDENTIFICATION AND DESCRIPTION OF SAMPLES

REFERENCE	REFERENCE PROVIDED BY THE CUSTOMER	DESCRIPTION
2022CO6145-S01	HELMET Model nr: H04_B_M/L	HELMET Model nr: H04_B_M/L

TESTS CARRIED OUT

- BALLISTIC RREISTANCE TEST.

Tests marked with * are not included within the scope of the ENAC accreditation.






SAMPLE/S DESCRIPTION

Reference

2022CO6145-S01





RESULTS

BALLISTIC RESISTANCE TEST

Standard

NIJ 0106.01 Point 5.2.

Standard deviation

Test method according to NIJ 0106.01 for penetration test but modified according to the client: the complete test for classification is not carried out, only one helmet is tested with 5 rounds in dry conditions with the ammunition 9 mm at velocity 436 m/s. It is tested on a test headform filled with plastiline for measuring the BFS.

Classification level

Apparatus

Shooting range 13037IE12

Reference

2022CO6145-S01

Sample description

Complete helmet in black colour, including damping system, harness and external accessories. It is 1476g weight and 7.8 mm thick. According to its label, it is M/L size. AITEX does not know the exact composition of the sample.

Sample conditioned

More than 24 h in test conditions

Pretreatment

Velocity measurement

The velocity measurement is done by light barriers (13037/26) and by radar (13037/10). The velocity in the impact point is shown in the table of results measured by the optical barriers.

Handload velocity test

OK

Impacts position

According to the standard NIJ 0106.01 and one additional shot on the crown area.

Test shot distance

5 m

Strapping arrangement

Held to the headform by the harnesses.

Requirements

Penetration by any fair hit shall constitute a failure.

Test date

17/07/2022 - 18/07/2022

Test conditions

21.5°C / 50.3% H.R.

Roma #1 Plastiline Calibration

According to point 9.3.4 from document HPW-TP-0401.01B: 22.5 mm

>>>



Results

Caliber 1

9 x 19 mm FMJ 8.0 g at velocity (436±9.1) m/s

POSITION	ANGLE	VELOCITY	FAIR HIT (Yes/No)	PERFORATION (Yes/No)
Crown	0 °	433,9	Yes	No
Front	0 °	444,5	Yes	No
Back	0 °	435,7	Yes	No
Right	0 °	437,5	Yes	No
Left	0 °	447,8	Yes	No

Test uncertainty

± 1.0 m/s in the velocity measurement and ± 0.2 mm in the trauma measurement

Remark


The BFS for each shot has been:

- On crown area: 8.2 mm
- On front side: 25.2 mm
- On back side: 7.3 mm
- On right side: 15.3 mm
- On left side: 15.6 mm

///



Begoña Picó
Head of Public Tenders Division



LIABILITY CLAUSES

- 1.- AITEX is liable only for the results of the methods of analysis used, as expressed in the report and referring exclusively to the materials or samples indicated in the same which are in its possession, the professional and legal liability of the Centre being limited to these. Unless otherwise stated, the samples were freely chosen and sent by the applicant.
- 2.- AITEX shall not be liable in any case of misuse of the test materials nor for undue interpretation or use of this document
- 3.- The Offer and / or Order to which the applicant gives approval through signature and seal, constitutes the Legally Executable Agreement in which AITEX is responsible for safeguarding and guaranteeing the absolute confidentiality of the management of all the information obtained or created during the performance of the contracted activities.
- 4.- In the eventuality of discrepancies between reports, a check to settle the same will be carried out in the head offices of AITEX. Also, the applicants undertake to notify AITEX of any complaint received by them as a result of the report, exempting this Centre from all liability if such is not done, the periods of conservation of the samples being taken into account.
- 5.- AITEX will provide at the request of the person concerned, the treatment of complaints procedure. In the event that you want to make it, direct it to: calidad@aitex.es.
- 6.- AITEX is not responsible for the information provided by customers, which is reflected in the Report, and may affect the validity of the results.
- 7.- AITEX is not responsible for an inadequate state of the sample received that could compromise the validity of the results, expressing such circumstance, in the test reports.
- 8.- AITEX may include in its reports, analyses, results, etc., any other evaluation which it considers necessary, even when it has not been specifically requested.
- 9.- When a Declaration of Conformity is requested, if not indicated otherwise, the decision rule according to ILAC-G8: 2009 will be applied with a security zone of 1U and a Probability of False Acceptance <2.5%.
- 10.- The uncertainties of tests, which are made explicit in the Results Report, have been estimated for a $k = 2$ (95% probability of coverage). If not informed, they are available to the client in AITEX.
- 11.- The original materials and rests of samples, not subject to test, will be retained in AITEX during the twelve months following the issuance of the report, so that any check or claim which, in his case, wanted to make the applicant, should be exercised within the period indicated.
- 12.- This report may only be sent or delivered by hand to the applicant or to a person duly authorised by the same.
- 13.- The results of the tests and the statement of compliance with the specification in this report refer only to the test sample as it has been analyzed / tested and not the sample / item which has taken the test sample.
- 14.- The client must attend at all times, to the dates of the realization of the tests.
- 15.- According to Resolution EA (33) 31, the test reports must include the unique identification of the sample, and any brand or label of the manufacturer may be added. It is not allowed to re-issue test reports of untested sample names (references), they can only be re-issued for error correction or inclusion of omitted data that were already available at the time of the test. The laboratory can not assume responsibility for declaring that the product with the new trade name / trademark is strictly identical to the one originally tested; This responsibility belongs to the client.
- 16.- This report may not be partially reproduced without the written approval of the issuing laboratory.
- 17.- AITEX laboratories do not carry out sampling, so that the results of the test reports are applicable to the sample as it was received.