

SAFETY DATA SHEET Permabond ES558

1. Identification

Product identifier

Product name Permahond FS558

Recommended use of the chemical and restrictions on use

Application Adhesive.

Details of the supplier of the safety data sheet

Supplier Permabond LLC

14 Robinson Street Pottstown, PA 19464

USA

Telephone: 732-868-1372 or 800-640-7599

Website: www.permabond.com

Emergency telephone number

Emergency telephone Medical: Poison Control Center 866-827-6282 (toll free) or 303-389-1109 Transport:

CHEMTREC 800-424-9300

2. Hazard(s) identification

Classification of the substance or mixture

OSHA Regulatory Status Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200)

and is consistent with the provisions of the United Nations Globally Harmonized System of

Classification and Labeling of Chemicals (GHS).

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 Muta. 2 - H341

Label elements

Pictogram





Signal word Warning

Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

Permabond ES558

Precautionary statements P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing vapor/ spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308+P313 If exposed or concerned: Get medical advice/ attention.
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Contains EPOXY RESIN (Number average MW <= 700), 2,3-EPOXYPROPYL NEODECANOATE

3. Composition/information on ingredients

Mixtures

EPOXY RESIN (Number average MW <= 700)

30-60%

CAS number: 25068-38-6

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 Not relevant

2,3-EPOXYPROPYL NEODECANOATE

1-5%

CAS number: 26761-45-5

Classification

Skin Sens. 1 - H317 Muta. 2 - H341 Not relevant.

The full text for all hazard statements is displayed in Section 16.

Composition comments Exact percentage is a trade secret. Concentration range is provided to assist users in

providing appropriate protections.

4. First-aid measures

Description of first aid measures

Inhalation Move the exposed person to fresh air. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get

medical attention if any discomfort continues.

Skin Contact Remove contaminated clothing. Wash skin thoroughly with soap and water. If symptoms

develop, obtain medical attention

Permabond ES558

Eye contact Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Remove any

contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.

Most important symptoms and effects, both acute and delayed

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Special hazards arising from the substance or mixture

Hazardous combustion Bu

products

Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide,

and unknown hydrocarbons.

Advice for firefighters

Protective actions during

firefighting

Use water to keep fire exposed containers cool and disperse vapors.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with sand or other inert absorbent. Transfer to suitable, labelled containers for

disposal.

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions Avoid contact with skin, eyes and clothing. Do not breathe vapour/spray. Wash hands

thoroughly after handling. Keep container tightly sealed when not in use.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Specific end uses(s)

Specific end use(s) Adhesive.

8. Exposure Controls/personal protection

Permabond ES558

Ingredient comments No exposure limits known for ingredient(s).

Exposure controls

Appropriate engineering

controls

Provide adequate general and local exhaust ventilation. Observe any occupational exposure

limits for the product or ingredients.

Eye/face protection Safety goggles or safety glasses with side shields. Full face protection should be used if the

potential for slashing or spraying exists.

Hand protection Nitrile rubber or Viton™ gloves are recommended. Cotton or other absorbent gloves should

not be worn.

Other skin and body

protection

Employee must wear appropriate protective clothing and equipment to prevent any possibility

of skin contact with this substance.

Hygiene measures Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly

remove any clothing that becomes contaminated.

Respiratory protection Respiratory protection may be required if excessive airborne contamination occurs. Use

NIOSH approved respirator if there is potential to exceed exposure limit(s).

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Paste.

Color Grey.
Odor Mild.

Odor threshold No information available.

pH Not relevant.

Melting point Not available.

Initial boiling point and range Not relevant.

Flash point >100°C

Evaporation rate Not available.

Evaporation factor Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 1.5

Bulk density Not available.

Solubility(ies) Insoluble in water. Soluble in the following materials: Organic solvents.

Auto-ignition temperature Not applicable.

Decomposition Temperature Not available.

Viscosity ~2250000 mPa s @ 23°C Thixotropic

Explosive properties Not relevant.

Permabond ES558

Oxidizing properties Not applicable.

Other information Not relevant.

Volatile organic compound <2 %, 20 grams/liter (Estimated)

10. Stability and reactivity

Reactivity The following materials may react with the product: Strong oxidizing agents. Acids.

Stability Stable at normal ambient temperatures. Polymerizes when heated.

Possibility of hazardous

reactions

Reactions with the following materials may generate heat: Amines.

Conditions to avoid Do not store near heat sources or expose to high temperatures.

Materials to avoid Amines. Strong oxidizing agents.

Hazardous decomposition

products

Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified

organic compounds.

11. Toxicological information

Information on toxicological effects

Toxicological effectsThe toxicological properties of this product have not been fully evaluated. Use of good

industrial hygiene practices is required. Avoid direct contact with skin or eyes. Do not ingest or

inhale.

Serious eye damage/irritation

Serious eye damage/irritation Irritating to eyes. Symptoms following overexposure may include the following: Redness.

Pain.

Skin sensitization

Skin sensitization May cause sensitisation by skin contact.

Germ cell mutagenicity

Genotoxicity - in vitroContains a substance which may cause genetic defects.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Permabond ES558

Ingestion No harmful effects expected from quantities likely to be ingested by accident.

Skin Contact Prolonged skin contact may cause redness and irritation.

Eye contact Irritating to eyes.

Toxicological information on ingredients.

EPOXY RESIN (Number average MW <= 700)

Acute toxicity - oral

Acute toxicity oral (LD₅o

11,400.0

mg/kg)

Species Rat

ATE oral (mg/kg) 11,400.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.1

mg/kg)

_,000.1

Species Rabbit

ATE dermal (mg/kg) 2,000.1

Acute toxicity - inhalation

Notes (inhalation LC50) No specific test data are available.

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Animal data Edema score: Very slight oedema - barely perceptible (1).

Serious eye damage/irritation

Serious eye

Not irritating.

damage/irritation

Respiratory sensitization

Respiratory sensitization No specific test data are available.

Skin sensitization

Skin sensitization Local Lymph Node Assay (LLNA) - Mouse: Sensitizing.

Germ cell mutagenicity

Genotoxicity - in vitroConclusive data but not sufficient for classification.

Carcinogenicity

Carcinogenicity Conclusive data but not sufficient for classification.

Reproductive toxicity

Reproductive toxicity - Fertility - NC

Fertility - NOAEL 750 mg/kg/day, Oral, Rat

fertility

Reproductive toxicity -

Developmental toxicity: - NOAEL: 180 mg/kg/day, Oral, Rat

development

Specific target organ toxicity - single exposure

STOT - single exposure No specific test data are available.

Permabond ES558

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Conclusive data but not sufficient for classification.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

2,3-EPOXYPROPYL NEODECANOATE

Acute toxicity - oral

Acute toxicity oral (LD₅o

9,600.0

mg/kg)

Species Rat

ATE oral (mg/kg) 9,600.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 3,800.0

mg/kg)

Species Rat

ATE dermal (mg/kg) 3,800.0

Acute toxicity - inhalation

Acute toxicity inhalation

240.0

(LC₅₀ vapours mg/l)

Species Rat

ATE inhalation (vapours

240.0

mg/l)

Skin corrosion/irritation

Animal data Not irritating.

Serious eye damage/irritation

Serious eye Not irritating.

damage/irritation

Respiratory sensitization

Respiratory sensitization No specific test data are available.

Specific target organ toxicity - single exposure

STOT - single exposure No specific test data are available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 5000 ppm, Oral, Rat

12. Ecological Information

Toxicity No data available.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Permabond ES558

Waste treatment methods

General information Empty containers may contain product residue; follow SDS and label warnings even after they

have been emptied.

Disposal methodsDispose of according to Federal, State and local governmental regulations.

14. Transport information

Sea transport notes Applies only to inner containers >5 litres. See 2.10.2.7 of the IMDG code.

Air transport notes Applies only to inner containers >5 liters. See SP A197 (375)

DOT transport notes Applies only to inner containers >5 liters. See CFR 49173.155 and 172.102.173

UN Number

UN No. (IMDG) 3082
UN No. (ICAO) 3082
UN No. (DOT) UN3082

UN proper shipping name

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains Epoxy resin)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains Epoxy resin)

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (contains Epoxy resin)

Transport hazard class(es)

DOT hazard class 9
DOT hazard label 9
IMDG Class 9

ICAO class/division 9

DOT transport labels



Transport labels



Packing group

IMDG packing group III
ICAO packing group III
DOT packing group III

Environmental hazards

Environmentally Hazardous Substance



Permabond ES558

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None above reporting levels

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None above reporting limits

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None above reporting limits

SARA 313 Emission Reporting

None above reporting limits

SARA (311/312) Hazard Categories

Acute Chronic

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None above reporting limits

16. Other information

Classification abbreviations

Eye Irrit. = Eye irritation

and acronyms

Muta. = Germ cell mutagenicity

Skin Irrit. = Skin irritation

Skin Sens. = Skin sensitisation

Revision date 1/26/2018

Revision 2

Supersedes date 5/5/2015

Hazard statements in full H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.