

SAFETY DATA SHEET

Issue Date 29-Apr-2015

Revision Date 1-August-2019

Version 2

1. IDENTIFICATION

Product identifier	
Product Name	Extra Clear

Extra Clear Epoxy - Part A

Recommended use of the chemical and restrictions on useRecommended UseConcrete Coating.Uses advised againstNo Data

Details of the supplier of the safety data sheet Manufacturer Address Surface Koatings, Inc. 134 Davis Street Portland, TN 37148 Telephone (615) 323-9461

Emergency telephone number

 Company Phone Number
 (615) 323-9461

 24 Hour Emergency Phone Number
 800-535-5053 (United States & Canada), International Call: 1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Hazardous to the Aquatic Environment - Long Term (Chronic) Hazard Category 2	· • •

Label elements

Emergency Overview

Warning

Hazard statements

H312: Harmful in contact with skin H317: May cause an allergic skin reaction H412: Harmful to aquatic life with long lasting effects



Appearance Colorless to yellowish.

Physical state liquid

Odor Slight

Precautionary statements

P264: Wash hands thoroughly after handling

P270: Do not eat, drink or smoke when using this product

P271: Use only in well ventilated area.

P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

P337+P313: If eye irritation persists: Get medical advice/attention.

P370+P378: In case of fire: Use for extinction: CO2, powder or water spray.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P391: Collect spillage.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations

Other Hazards

PBT: Not applicable vPvB: Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

CAS No.	Weight-%	Trade Secret
25068-38-6	60 - 100	*
17557-23-2	10 - 30	*
25154-52-3	1 - 15	*
	25068-38-6 17557-23-2	25068-38-6 60 - 100 17557-23-2 10 - 30

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Additional information: Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

4. FIRST AID MEASURES

Description of first aid measures

General advice	Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the doctor in attendance.
Eye contact	IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.
Ingestion	IF SWALLOWED: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

Most important symptoms and effects, both acute and delayed

Symptoms	 Acute: This material may cause irritation to skin and eyes. Product may cause an allergic skin reaction. Chronic: Prolonged or repeated skin contact may cause allergic skin reaction or dermatitis. Target Organs: Acute: Eye, Skin Chronic: Skin Hazards: Pre-existing skin or eye problems may be aggravated by exposure to this product.
Indication of any immediate medic	al attention and special treatment needed
Note to physicians	Treat symptomatically. For additional information, see Safety Data Sheet.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry Chemical, Alcohol Resistant Foam, Halon or Carbon Dioxide.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

In a fire or if heated a pressure increase may occur and the container may burst.

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide.

Explosion data Sensitivity to Mechanical Impact Not available. Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

Protective equipment and precautions for firefighters

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Wear protective gloves/protective clothing and eye/face protection.	
Environmental precautions		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains or waterways.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills.	
Methods for cleaning up	Use a non-combustible material like vermiculite or sand to soak up the product and place into	

a container for later disposal. Use clean non-sparking tools to collect absorbed material. Dispose according to local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.	
Conditions for safe storage, includi	ng any incompatibilities	
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from heat. Keep from freezing. Store product above 50 degrees F/10 degrees C and below 95 degrees F/35 degrees C.	
Incompatible materials	Keep away from strong oxidizing agents, strong alkalis, and strong acids.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical facilities:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.

Control Parameters

Ingredients with limit values that require monitoring at the workplace:

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

Exposure Controls

Personal protective equipment:

General protective and hygienic measures:

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory protection:

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	liquid Colorless to yellowish. Transparent Liquid - May have slight color due to performance additives.	Odor Odor threshold	Slight No data available
Property	Values	Remarks • Method	

рΗ Melting point / freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative density** Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity **Explosive properties Oxidizing properties**

Other Information

Softening point Molecular weight VOC Content (%) Density Bulk density Not Applicable Not Applicable Not Available Not Available 1.11 @ 70 Degrees F Insoluble in water Not Available Not Available

Not Relevant

Not Available

Not Available

Not Relevant

230 °F

Not Applicable

Not Relevant Not Available < 50 g/L (Mixed A&B) Not Available Not Available

10. STABILITY AND REACTIVITY

Reactivity Not Available

Chemical stability Stable

Possibility of Hazardous Reactions

No data available

Conditions to avoid

Contact with incompatible materials

Incompatible materials

Oxidizing agents and amines should be avoided as these will cause exothermic polymerization. Avoid extreme heat.

Hazardous Decomposition Products

Will not occur

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects: Toxicity data is available for this product.

Acute Toxicity

Acute Dermal	LD 50	> 20,000 mg/kg	Rabbit
Acute Oral	LD 50	> 5,000 mg/kg	Rat

CC (closed cup)

Primary irritant effect: Contact with this product can be irritating to exposed skin and eyes.

Sensitization: This product is considered a skin sensitizer.

Additional toxicological information: None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies.

Reproductive toxicity information: No information concerning the effects of this product and its components on the human reproduction system.

12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No evidence is currently available on this product's effects on aquatic life.

Component Data: CAS# 25085-99-8 Fathead Minnow LC50 3 mg/l 96 h Toxicity to daphnia magna EC50 1.4 -1.7 mg/l 24 h Bacteria: IC50 >42.6 mg/l 18 h Biodegradation: 28 days 12% OECD Bioaccumulation: Not readily biodegradable

Persistence and degradability: No data available

Bio accumulative potential: No data available

Mobility in soil: No evidence is currently available on this product's effects on plants or animals.

Ecotoxical effects: Remark: Additional ecological information: No data available General notes: No specific data is available for this product; however this product is expected to be readily biodegradable

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.	
Contaminated packaging	Dispose of in accordance with federal, state and local regulations.	

14. TRANSPORT INFORMATION

DOT	Not regulated
Marine pollutant	Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.
<u>IATA</u> UN/ID no. Proper shipping name Hazard Class Packing Group	3082 Environmentally Hazardous Substance liquid, N.O.S. (Bisphenol A epoxy resin) 9 III

IMDG

UN/ID no. Proper shipping name Hazard Class Packing Group 3082Environmentally Hazardous Substance liquid, N.O.S. (Bisphenol A epoxy resin)9

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture. United States (USA)

SARA: This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act.: None

Section 355 (extremely hazardous substances): None of the ingredients are listed.

Section 313 (Toxic Release Inventory): None of the ingredients are listed.

TSCA (Toxic Substances Control Act): All ingredients are listed.

Proposition 65 (California): Chemicals known to cause cancer: None of the ingredients is listed.

Canada

Canadian Domestic Substances List (DSL): All ingredients are listed

Canadian Ingredient Disclosure list (limit 0.1%): None of the ingredients are listed.

Canadian Ingredient Disclosure list (limit 1%): None of the ingredients are listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

1-August-2019

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health Hazards 2 Flammabili	ity 1 Instability 0		Physical and Chemical Properties
<u>HMIS</u>	Health Hazards 2 Flammabili	ity 1 Physical Haza	rds 0	Personal Protection X
Issue Date	29-Apr-2015			

Revision Date Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet