

SAFETY DATA SHEET

Print date: **Revision Date:** 03/27/2015 **Revision Number: 1**

1. COMPANY AND PRODUCT IDENTIFICATION

Product identifier

Product Name: KEMIKO® ACID STAIN GOLDEN WHEAT 37N-2

Product code: 37N-2

Other means of identification

Synonyms No information available.

Application

Recommended Use **Acid Stain**

Uses advised against For industrial use only

Supplier/Manufacturer:

Supplier:

EPMAR Corporation 13240 E. Barton Circle Whittier, CA 90605-3254 Phone: 562-946-8781

FAX: 562-944-9958

E-mail: she@quakerchem.com

(For Health and Safety Questions)

Emergency telephone number:

* 24 HOUR TRANSPORTATION: **CHEMTREC: 1-800-424-9300

+703-527-3887 (Call collect outside of US) * 24 HOUR EMERGENCY HEALTH & SAFETY:

**(800) 523-7010 (Within US only) Outside of US call (703)

Revision Date: 03/27/2015

527-3887

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Chronic aquatic toxicity	Category 3
Corrosive to metals	Category 1

Label Elements

Emergency Overview

DANGER

Hazard Statements

Causes severe skin burns and eye damage Harmful to aquatic life with long lasting effects



Appearance Clear, Green

Physical State Liquid

Odor Strong, Pungent

Revision Date: 03/27/2015

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Avoid release to the environment

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see first aid on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None known

Other Information

Harmful to aquatic life

Unknown acute toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS No.	Weight %
Ferrous chloride	7758-94-3	5 - 10%
Hydrochloric acid	7647-01-0	1 - 5%

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

General advice: Show this safety data sheet to the doctor in attendance. Remove contaminated

clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap

and water. If symptoms persist, call a physician.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Call a physician immediately

Skin contact: Consult a physician. Remove contaminated clothing and shoes. Wash contaminated

clothing before re-use. Wash off immediately with soap and plenty of water. Remove $\,$

and wash contaminated clothing before re-use. Call a physician immediately.

Ingestion: If swallowed, seek medical advice immediately and show this container or label. Never

give anything by mouth to an unconscious person. Do not induce vomiting without

medical advice.

Inhalation: Move to fresh air in case of accidental inhalation of vapors. If not breathing, give

artificial respiration. If breathing is difficult, give oxygen. Consult a physician.

Note to physician: Treat symptomatically.

Medical condition

aggravated by exposure:

Dermatitis and asthma.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO2, water spray or `alcohol` foam.

Specific hazards: Do not allow material to contaminate ground water system.

Special protective equipment for

fire-fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand,

MSHA/NIOSH (approved or equivalent) and full protective gear.

Specific methods: Water mist may be used to cool closed containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation. Avoid contact with the skin and the eyes Do not breathe

vapour/dust. Use personal protective equipment. Wash thoroughly after handling

Revision Date: 03/27/2015

Avoid contact with skin, eyes and clothing.

Environmental precautions: Do not flush into surface water or sanitary sewer system. Prevent further leakage or

spillage if safe to do so.

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

Technical Provide sufficient air exchange and/or exhaust in work rooms.

measures/precautions:

Safe handling advice: In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact

with skin and eyes. Do not breathe vapors or spray mist. Wear personal protective

equipment. Wash thoroughly after handling. Keep container tightly closed.

Storage

Technical measures/storage

conditions:

DO NOT FREEZE Store in original container Keep containers tightly closed in a dry, cool

and well-ventilated place. Keep away from direct sunlight

Incompatible products: See Section 10, Materials to avoid.

Safe storage temperature: 40 - 100 ° F

Shelf life: 12 months

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	ACGIH Exposure Limits	OSHA TWA (final)	NIOSH - Pocket Guide
Ferrous chloride	1 mg/m³ (TWA)	None	1 mg/m³ (TWA)
Hydrochloric acid	None	None	5 ppm (Ceiling) 7 mg/m³ (Ceiling)

Engineering measures: Ensure adequate ventilation.

Personal Protective Equipment:

General: Eye Wash and Safety Shower

Respiratory protection: If engineering controls do not maintain airborne concentrations to a level which is

adequate to protect worker health, a NIOSH-certified respirator with organic

vapor/P100 filter should be worn.

Eye protection: Goggles. Face-shield.

Hand protection: Neoprene gloves

Skin and body protection: Chemical resistant apron Long sleeved clothing



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Appearance Clear, Green

Odor Strong, Pungent

Odor Threshold No information available.

pH: 1

pH DilutionNo information available

Melting/freezing point

No information available

Boiling Point/Range \sim 100 °C / 212 °F

Flash Point No information available

Method No information available

Evaporation rateNo information available

Flammability Limits in Air

upper flammability limitNo information available.lower flammability limitNo information available.

VOC ContentNo information available

Vapor pressure No information available.

Vapor densityNo information available.

Specific Gravity (g/cc, 15 C) 1.07

Bulk Density (lb/gal, 15 C) 8.93

Water Solubility Insoluble

Solubility in other solventsNo information available.

Partition coefficient: n-octanol/water No information available

Autoignition temperature No information available

Decomposition TemperatureNo information available

Kinematic viscosity

No information available

Dynamic viscosity

No information available

Molecular Weight No information available

10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions.

Conditions to avoid: Heat, flames and sparks.

Materials to avoid: Alkali metals. Strong bases. Potassium. Sodium. ethylene oxide. Gives off hydrogen by

reaction with metals.

Hazardous decomposition products: HCI, CI2. iron oxides.

Hazardous Polymerization: Not applicable.

11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye Contact Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact Contact causes severe skin irritation and possible burns.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ferrous chloride	450 mg/kg (Rat)	-	-
Hydrochloric acid	700 mg/kg (Rat)	5010 mg/kg (Rabbit)	3120 ppm (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

Components	IARC Carcinogens	NTP	OSHA - Select Carcinogens
Ferrous chloride	Not listed	Not listed	Not listed
Hydrochloric acid	Not listed	Not listed	Not listed

Sensitization No information available.

Mutagenic effects: No information available.

Reproductive Toxicity No information available.

Developmental ToxicityNo information available.

Teratogenic No information available.

Specific target organ systemic toxicity (single exposure)

No information available.

Specific target organ systemic toxicity (repeated exposure)

No information available.

Aspiration hazard No information available.

Additional information on toxicological effects

No information available

12. ECOLOGICAL INFORMATION

Components	Ecotoxicity - Fish Species Data:	Ecotoxicity - Freshwater Algae Data:	Ecotoxicity - Water Flea Data:
Ferrous chloride	No data	No data	No data
Hydrochloric acid	No data	No data	No data

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and Degradability No information available.

Bioaccumulation No information available.

Components	ents Octanol/water partition coefficient	
Ferrous chloride	-	
Hydrochloric acid	-	

Mobility: No data available

Ozone: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused

products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging: Do not re-use empty containers

Methods for cleaning up:Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Sweep up and shovel into suitable containers for disposal.

14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

UN/NA ID Number: UN3264

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s.(hydrochloric acid,

ferrous chloride)

Hazard class: 8 PG: II

RQ Ferrous chloride, RQ kg = 648

DOT ERG: ERG 154

Additional DOT Information: Not applicable for packages of 5 gallons or less

TDG (CANADA):

UN nr: UN3264

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s.(hydrochloric acid,

ferrous chloride)

TDG Hazard Classification: 8
Packing group: ||

IMDG/IMO:

UN nr: UN3264

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s.(hydrochloric acid,

ferrous chloride)

Class: 8
Packing group: II
EMS: F-A, S-B
Limited quantity: 1 L

IATA/ICAO:

UN nr: UN3264

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s.(hydrochloric acid,

ferrous chloride)

Hazard Class: 8
Packing group: II
Maximum quantity for cargo only: 60 L
Maximum quantity for passenger: 5L
Limited quantity: 0.5 L

15. REGULATORY INFORMATION

Federal Regulations

OSHA Hazard Communication

Standard:

This product is considered to be hazardous under the OSHA Hazard Communication

Standard.

CERCLA/SARA Information:

SARA (311, 312) hazard class: This product possesses the following SARA Hazard Categories:

Immediate Health (Acute):YesDelayed Health (Chronic):YesFlammability:NoPressure:NoReactivity:No

Components	Hazardous Substances and RQs	Extremely Hazardous Substances and TPQs	SARA 313 Emission Reporting
Ferrous chloride	100 lb	Not listed	Not listed
Hydrochloric acid	5000 lb	500 lb	1.0 %

Clean Air and Clean Water Acts:

Components	Hazardous Air Pollutants	CWA - Hazardous Substances	CWA - Toxic Pollutants	CWA - Priority Pollutants
Ferrous chloride	Not listed	Listed	Not listed	Not listed
Hydrochloric acid	Listed	Listed	Not listed	Not listed

U.S. STATE REGULATIONS (RTK):

Components	California Proposition 65	PARTK	MI Critical Materials	NJRTK	MARTK
Ferrous chloride	Not Listed	Environmental hazard	Not Listed	0930	Present
Hydrochloric acid	Not Listed	Environmental hazard	Not Listed	1012	Extraordinarily hazardous

California Proposition 65 Status: May contain trace amounts of listed chemicals: .?

RCRA Status: To be disposed of as characteristic hazardous waste: characteristic: Corrosive D002

CANADIAN REGULATIONS:

Canada - WHMIS Classification

Information:

This product has been classified according to the hazard criteria of the CPR and the

SDS contains all the information required by the CPR.

Canadian Product Classification: Class E - Corrosive Material

Class D1

Product Classification Graphic(s):



Component Classification Data:

Components	WHMIS hazard class	CEPA Schedule I	Challenge Substances
Ferrous chloride	Е	Not listed	Not listed
Hydrochloric acid	D1A E	Not listed	Not listed

INVENTORY STATUS:

United States TSCA - Sect. 8(b) Inventory: This product complies with TSCA

Canada DSL/NDSL Inventory List This product complies with DSL

16. OTHER INFORMATION

Revision Date: 03/27/2015

Sources of key data used to compile Material safety data sheets of the ingredients. the data sheet:

Prepared by: Safety, Health and Environmental Department

Revision Date: 03/27/2015 **Reason for revision:** New Format.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

End of Safety Data Sheet

Revision Date: 03/27/2015