

CERTIFICATE OF ANALYSIS

STATUS: RELEASED REVISION: 00 DATE: 06/16/2022
 Analysis ID No.
 222618

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20220732

 Page No.
 Page 1 of 2

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name:	Submitted Sample Name:
Nava Leaf	Kratom Vanilla Cookie
Address:	Submitted Sample Lot:
1720 Carey Ave Cheyenne, WY 82001	0613VANKRAT
Phone Number:	Submitted Sample Description:
954-778-3071	Vanilla Cookies in Sealed Plastic Bag; Stored at Rm Temp
Contact Name / Email:	Submitted Sample Product Type / Matrix:
Steven Frantz / stevef@virag.bio	Kratom Extract / Edible

LABEL CLAIM					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	mg/g: Report Only mg/unit: Report Only**	2.129 mg/g 18.043 mg/unit	Results Reported
Total Reported Alkaloids	UHPLC-DAD	0.01 w/w%	mg/g: Report Only mg/unit: Report Only**	2.844 mg/g 24.103 mg/unit	Results Reported
**Average Cookie Unit Weight = 8.476 grams					

ALKALOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.213 w/w% 2.129 mg/g	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.032 w/w% 0.315 mg/g	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.017 w/w% 0.172 mg/g	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.023 w/w% 0.228 mg/g	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only % Total Alkaloids: NMT 2%	< 0.010 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.284 w/w% 2.844 mg/g	Results Reported

TESTING FACILITY INFORMATION	SAMPLE INFORMATION			
Santé Laboratories	Santé Sample ID: 222618			
8201 East Riverside Drive, STE 650	Receipt Date: 06/15/2022 / 2:48 PM CST / P Steinberg			
Austin, Texas 78744 USA	Receipt Condition: Good Analysis Start Date: 06/15/2022			
ADDITIONAL REPORT NOTES				
The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer.				

©2020 Santé Laboratories, LLC – All Rights Reserved

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA

Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.



CERTIFICATE OF ANALYSIS

STATUS: RELEASED REVISION: 00 DATE: 06/16/2022
 Analysis ID No.
 222618

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20220732

 Page No.
 Page 2 of 2

VERSION HISTORY						
Version	Effective Date	Summary of Changes				
00	06/16/2022	Initial Release				
	PRODUCT SAMPLE / IMAGE					
		222618				
		REVIEWED AND APPROVED BY				
	Bri	an Sloat 16 June 2022 4:19:07 PM PDT	DD-MM-YY			
Brian Sloa Chief Scie Santé Lab	at, Ph.D. ntific Officer / Quali	ty Manager				