



Report Number: 21-011846/D002.R000

Report Date: 10/11/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 10/07/21 10:05


Customer:

Product identity: UK COMPLIANT BSD.

Client/Metrc ID:

Laboratory ID: 21-011846-0001

Summary







Report Number: 21-011846/D002.R000

Report Date: 10/11/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 10/07/21 10:05

Customer:

Product identity: UK COMPLIANT BSD.

Client/Metrc ID:

Sample Date: 21-011846-0001

Laboratory ID: No
Evidence of Cooling: 22.1 °C
Temp: Client

Relinquished by:

Sample Results

Potency	Method J	AOAC 2	2015 V98	-6 (mod)	Units %	Batch: 2109143	Analyze: 10/9/21	5:48:00 AM
Analyte	As	Dry	LOQ	Notes				
	Received	weight						
CBC	<loq< td=""><td></td><td>0.0085</td><td></td><td></td><td></td><td></td><td></td></loq<>		0.0085					
CBC-A [†]	<loq< td=""><td></td><td>0.0085</td><td></td><td></td><td></td><td></td><td></td></loq<>		0.0085					
CBC-Total†	< LOQ		0.0159					CBD
CBD	89.0		0.845			`		CBG
CBD-A	< LOQ		0.0085					CBDV
CBD-Total	89.0		0.853					
CBDV [†]	0.437		0.0085					
CBDV-A [†]	< LOQ		0.0085					
CBDV-Total†	0.437		0.0158					
CBE [†]	< LOQ		0.0085					
CBG [†]	5.80		0.0845					
CBG-A [†]	< LOQ		0.0085					
CBG-Total	5.80		0.0919					
CBL [†]	<loq< td=""><td></td><td>0.0085</td><td></td><td></td><td></td><td></td><td></td></loq<>		0.0085					
CBL-A [†]	< LOQ		0.0085					
CBL-Total [†]	< LOQ		0.0159					
CBN	< LOQ		0.0085					
CBT [†]	< LOQ		0.0085					
Δ8-THC [†]	< LOQ		0.0085					
Δ8-THCV	< LOQ		0.0085					
Δ9-THC	< LOQ		0.0085					
THC-A	< LOQ		0.0085					
THC-Total	<loq< td=""><td></td><td>0.0159</td><td></td><td></td><td></td><td></td><td></td></loq<>		0.0159					
THCV [†]	<loq< td=""><td></td><td>0.0085</td><td></td><td></td><td></td><td></td><td></td></loq<>		0.0085					
THCV-A†	<loq< td=""><td></td><td>0.0085</td><td></td><td></td><td></td><td></td><td></td></loq<>		0.0085					
THCV-Total [†]	<loq< td=""><td></td><td>0.0158</td><td></td><td></td><td></td><td></td><td></td></loq<>		0.0158					
Total Cannabinoids†	95.2							





Report Number: 21-011846/D002.R000

Report Date: 10/11/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 10/07/21 10:05

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

% = Percentage of sample

% wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 21-011846/D002.R000

Report Date: 10/11/2021 ORELAP#: OR100028

Purchase Order:

Received: 10/07/21 10:05

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

Laboratory Quality Control Results										
J AOAC 2015 V98-6 Batch ID: 2109143										
Laboratory Control Sample										
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes			
CBDVA	0.191	0.2	%	95.4	85.0 - 115	Acceptable				
CBDV	0.201	0.2	%	101	85.0 - 115	Acceptable				
CBE	0.193	0.2	%	96.3	85.0 - 115	Acceptable				
CBDA	0.207	0.2	%	104	85.0 - 115	Acceptable				
CBGA	0.188	0.2	%	94.0	85.0 - 115	Acceptable				
CBG	0.194	0.2	%	97.2	85.0 - 115	Acceptable				
CBD	0.214	0.2	%	107	85.0 - 115	Acceptable				
THCV	0.188	0.2	%	94.0	85.0 - 115	Acceptable				
d8THCV	0.187	0.2	%	93.5	85.0 - 115	Acceptable				
THCVA	0.186	0.2	%	93.0	85.0 - 115	Acceptable				
CBN	0.207	0.2	%	104	85.0 - 115	Acceptable				
exo-THC	0.178	0.2	%	88.8	85.0 - 115	Acceptable				
d9THC	0.200	0.2	%	99.8	85.0 - 115	Acceptable				
d8THC	0.187	0.2	%	93.3	85.0 - 115	Acceptable				
CBL	0.176	0.2	%	87.9	85.0 - 115	Acceptable				
CBC	0.193	0.2	%	96.4	85.0 - 115	Acceptable				
THCA	0.199	0.2	%	99.3	85.0 - 115	Acceptable				
CBCA	0.193	0.2	%	96.6	85.0 - 115	Acceptable				
CBLA	0.198	0.2	%	99.2	85.0 - 115	Acceptable				
CBT	0.217	0.2	%	108	85.0 - 115	Acceptable				

Method Blank									
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes			
CBDVA	<l0q< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></l0q<>	0.01	%	< 0.01	Acceptable				
CBDV	<loq< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></loq<>	0.01	%	< 0.01	Acceptable				
CBE	<l0q< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></l0q<>	0.01	%	< 0.01	Acceptable				
CBDA	<l0q< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></l0q<>	0.01	%	< 0.01	Acceptable				
CBGA	<l0q< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></l0q<>	0.01	%	< 0.01	Acceptable				
CBG	<l0q< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></l0q<>	0.01	%	< 0.01	Acceptable				
CBD	<l0q< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></l0q<>	0.01	%	< 0.01	Acceptable				
THCV	<l0q< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></l0q<>	0.01	%	< 0.01	Acceptable				
d8THCV	<l0q< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></l0q<>	0.01	%	< 0.01	Acceptable				
THCVA	<l0q< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></l0q<>	0.01	%	< 0.01	Acceptable				
CBN	<l0q< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></l0q<>	0.01	%	< 0.01	Acceptable				
exo-THC	<loq< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></loq<>	0.01	%	< 0.01	Acceptable				
d9THC	<loq< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></loq<>	0.01	%	< 0.01	Acceptable				
d8THC	<l0q< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></l0q<>	0.01	%	< 0.01	Acceptable				
CBL	<loq< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></loq<>	0.01	%	< 0.01	Acceptable				
CBC	<loq< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></loq<>	0.01	%	< 0.01	Acceptable				
THCA	<loq< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></loq<>	0.01	%	< 0.01	Acceptable				
CBCA	<loq< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></loq<>	0.01	%	< 0.01	Acceptable				
CBLA	<loq< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></loq<>	0.01	%	< 0.01	Acceptable				
CBT	<loq< td=""><td>0.01</td><td>%</td><td>< 0.01</td><td>Acceptable</td><td></td></loq<>	0.01	%	< 0.01	Acceptable				

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 21-011846/D002.R000

Report Date: 10/11/2021 ORELAP#: OR100028

Purchase Order:

Received: 10/07/21 10:05

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

Laboratory Quality Control Results

AOAC 2015 V98-6 Batch ID: 2109143 Sample Duplicate Sample ID: 21-011155-0001-01								
Sample Duplica	te							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	
CBDV	0.748	0.714	0.01	%	4.55	< 20	Acceptable	
CBE	1.52	1.42	0.01	%	6.70	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	
CBG	5.28	5.21	0.01	%	1.22	< 20	Acceptable	
CBD	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	
THCV	0.0836	0.0895	0.01	%	6.76	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	
CBN	0.0172	0.0158	0.01	%	8.61	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	
CBC	0.0230	0.0209	0.01	%	9.60	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.01</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.01	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

Units of Measure:

% - Percent