

# Certified Pre-Owned

Intec Part #:

FORCE 5650 GW CPO K

Comes with Industrial Grade GOWIRELESS remote

Truck Mount Insulation Blowing Machine

# FORCE® - The Truck Mount Blowing Machine Brand that will change the industry standard

Engineered for High Productivity

**&** Built-to-Last for High Value Generation



High return on investment – High Build Quality provides Reliable & Dependable operation...so you can focus on making \$\$\$.

Highly versatile – Attics, BIBs, Sprayon; Cellulose, Fiberglass, & Stone Wool.

Peak Performance Intec Quick-Access<sup>TM</sup> features make it easy to adjust machine & perform routine maintenance.

#### Actual picture of CPO Machine

- ✓ Revolutionary quick-access airlock simplifies seal replacement and provides for optimal operation
- ✓ Advanced material feed & delivery system for consistent flow

on the FORCE® 5650

Check out our video

**Application Approvals** 





excellence integrity

innovation

Rev: 20240131

trust

www.inteccorp.com

### Intec's Professional Grade Equipment **FORCE Engineered for High Productivity Built-to-Last for High Value Generation Insulation Blowing Machines** cutter FORCE **VOLT 220**

**MEGA Beast** 

303-833-6644

Cyclone

Fiber Force

FORCE/2 HP FORCE/3 HP2

FORCE 5250

**FORCE 5650** 

**FORCE 5850** 

#### **Specifications**



Weight: 1,500 lbs (682kg)

Hopper: 49<sup>+</sup> cubic feet holds large volumes of insulation

Hose outlet: 4 inches (10.2cm)

Motor: E-start KOHLER V-Twin 19hp.

High volume positive displacement blower

50 chain with built-in tensioners for long lasting durability

Fresh air intake systems for KOHLER & Blower Motors

4 gallon gas tank

**Emergency Stops** 

Remote with 150' cord

Warranty: 90 day

	Cellulose	Fiberglass
lbs per min	73 - 84	25 - 35

Specifications may change – contact Intec for current

#### **Machine Benefits**



✓ Easy Access Gate with Large Handle & Pin setting for quick material flow adjustments

FORCE

5650

**Quick-Access Seals** simplifies maintenance

✓ Air flow adjustment on control panel





Controls are easy to operate from panel or remote LRT/HP GOWIRELESS optional

POWERED by Kohler Commercial 19hp V-Twin

#### **Blower Motor:**

- ✓ Oversized for long life & quiet operation
- ✓ Splash lubrication minimizes maintenance
- ✓ Back-flow preventer & pressure relief valve protect your investment

Fresh Air Inlet kits provided for both motors

#### Hopper:

- √ 49 cu ft w/ large loading platform
- ✓ Advanced Material Feed
- ✓ Delivers consistent product flow

**OptiSpray Nozzles** 







#### Additional Intec Systems & Accessories

#### **Heavy Duty Capabilities**



**Blow Behind Netting Attics** 





Part#: K3000 Part#: K3001 Part#: K3002 3" inlet 2-1/2" inlet



Hose **Packages** 





Part#: K3206-01 2-1/2" inlet



**Spray Tips & Filters** 

Recycle Hood



### Distributed by

Spray On



#### Manufactured by


Fluid Delivery Systems

compact pumps

Insulation Technology Corporation, d.b.a. Integration 9251 Bruin Boulevard

Frederick, CO 80504

Local: 303-833-6644 Fax: 303-833-6650 sales@inteccorp.com











#### √ 111 hour on motor

Note: Most Intec motors have a oil alert sensor that will prevent motor from operating if oil is low. This system does not have this feature; be sure to check oil level prior to operation as one should.







✓ New airlock rotor shaft, plates, and seals



# **Distributed by**



# Manufactured by

Insulation Technology Corporation, d.b.a. Integ 9251 Bruin Boulevard

Frederick, CO 80504

Local: 303-833-6644 Fax: 303-833-6650

# **Pictures of actual CPO unit**











#### **Distributed by**



Manufactured by

Insulation Technology Corporation, d.b.a. Interest. 9251 Bruin Boulevard

Frederick, CO 80504

Local: 303-833-6644 Fax: 303-833-6650 sales@inteccorp.com









✓ New belts & muffler





✓ New wired & wireless remotes

#### **Distributed by**



# Manufactured by

Insulation Technology Corporation, d.b.a. Interest. 9251 Bruin Boulevard

Frederick, CO 80504

Local: 303-833-6644 Fax: 303-833-6650 sales@inteccorp.com