PERMA BLEND_•

Evenflo Hazel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 7/6/2023 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form Product name Product code	: Mixture : Evenflo Hazel : EFH
1.2. Recommended use and restrictions	s on use
Use of the substance/mixture	: Intended for professional use as tattoo ink/permanent makeup ink
1.3. Supplier	
Ink Projects LLC 460 Greenway Industrial Drive, Suite A Fort Mill, SC, 29708	
1.4. Emergency telephone number	
Emergency number	: +1-813-248-0585. In case of emergency search for territorial toxicological emergency number or call 112
SECTION 2: Hazard(s) identification	1
2.1. Classification of the substance or r	nixture
GHS US classification Not classified	
2.2. GHS Label elements, including pre-	cautionary statements
GHS US labeling No labeling applicable	
2.3. Other hazards which do not result	in classification
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
No additional information available	

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Water	CAS-No.: 7732-18-5	50 – 75	Not classified
Red 254 (CI:56110)	CAS-No.: 84632-65-5	10 – 15	Not classified
Yellow 14 (CI:21095)	CAS-No.: 5468-75-7	5 – 10	Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Acrylates Copolymers	CAS-No.: 25133-97-5	5 – 10	Not classified
White 6 (CI:77891)	CAS-No.: 13463-67-7	5 – 10	Not classified
Black 7 (CI:77266)	CAS-No.: 1333-86-4	1 – 5	Not classified
Glycerin	CAS-No.: 56-81-5	1 – 5	Not classified
Ammonium Hydroxide (pH regulator)	CAS-No.: 1336-21-6	1 – 5	Not classified
Benzyl Alcohol	CAS-No.: 100-51-6	0.5 – 1	Not classified
Witch Hazel Extract	CAS-No.: 977002-98- 4	0.5 – 1	Not classified
Oleth-9	CAS-No.: 9004-98-2	0.5 – 1	Not classified
Mineral Oil	CAS-No.: 8042-47-5	0.1 – 0.5	Not classified
Alcohol	CAS-No.: 64-17-5	0.1 – 0.5	Not classified
Lecithin	CAS-No.: 8002-43-5	< 0.1	Not classified
Methyl Pyrrolidone	CAS-No.: 872-50-4	< 0.1	Not classified
Bronopol	CAS-No.: 52-51-7	< 0.1	Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : Wash skin with plenty of water. First-aid measures after eye contact : Rinse eyes with water as a precaution. First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell. 4.2. Most important symptoms and effects (acute and delayed) No additional information available 4.3. Immediate medical attention and special treatment, if necessary Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Specific hazards arising from the chemical		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measu	res
6.1. Personal precautions, protective equip	oment and emergency procedures
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment	and cleaning up
Methods for cleaning up Other information	Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	

7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

SECTION 7: Handling and storage

: Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters
Evenflo Hazel
No additional information available
Water (7732-18-5)
No additional information available
Red 254 (CI:56110) (84632-65-5)
No additional information available
Yellow 14 (CI:21095) (5468-75-7)
No additional information available
Acrylates Copolymers (25133-97-5)
No additional information available

Safety Data Sheet

White 6 (CI:77891) (13463-67-7)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Titanium dioxide
ACGIH OEL TWA	10 mg/m ³
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2021
USA - OSHA - Occupational Exposure Limits	
Local name	Titanium dioxide (Total dust)
OSHA PEL TWA [1]	15 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Black 7 (CI:77266) (1333-86-4)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Carbon black
ACGIH OEL TWA	3 mg/m³ (Inhalable fraction)
Remark (ACGIH)	TLV® Basis: Bronchitis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2021
USA - OSHA - Occupational Exposure Limits	
Local name	Carbon black
OSHA PEL TWA [1]	3.5 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Glycerin (56-81-5)	
USA - OSHA - Occupational Exposure Limits	
Local name	Glycerin (mist)
OSHA PEL TWA [1]	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Ammonium Hydroxide (pH regulator) (1336-27	- 1-6)
No additional information available	
Benzyl Alcohol (100-51-6)	
No additional information available	
Witch Hazel Extract (977002-98-4)	
No additional information available	
Oleth-9 (9004-98-2)	
No additional information available	
Mineral Oil (8042-47-5)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	5 mg/m ³ (Inhalable fraction)

Safety Data Sheet

Alcohol (64-17-5)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Ethanol	
ACGIH OEL STEL [ppm]	1000 ppm	
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)	
Regulatory reference	ACGIH 2022	
USA - OSHA - Occupational Exposure Limits	•	
Local name	Ethyl alcohol (Ethanol)	
OSHA PEL TWA [1]	1900 mg/m ³	
OSHA PEL TWA [2]	1000 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Lecithin (8002-43-5)		
No additional information available		
Methyl Pyrrolidone (872-50-4)		
No additional information available		
Bronopol (52-51-7)		
No additional information available		
8.2. Appropriate engineering controls		
	Ensure good ventilation of the work station. Avoid release to the environment.	
8.3. Individual protection measures/Personal	protective equipment	
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection:		
In case of insufficient ventilation, wear suitable respirat	ory equipment	
Personal protective equipment symbol(s):		



Safety Data Sheet

9.1. Information on basic physical and c	nemical properties
Physical state	: Liquid
Color	: brown
Odor	: There may be no odour warning properties, odour is subjective and inadequate to warn of
	overexposure.
	Mixture contains one or more component(s) which have the following odour:
	Odourless Irritating/pungent odour Fruity odour Aromatic odour Mild odour Alcohol odour
	Pleasant odour Amine-like odour Smell of fish Almost odourless
Odor threshold	: No data available
pH	: 7.5 – 8.5
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: >92 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Particle size	: <1 µm
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
/iscosity, kinematic	: No data available
/iscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

Boiling point	100 °C
Vapor pressure	23.8 mm Hg

Yellow 14 (CI:21095) (5468-75-7)	
Auto-ignition temperature	200 – 250 °C (T4)
Vapor pressure	< 0.01 hPa (25 °C)

Acrylates Copolymers (25133-97-5)	
Flash point	300 °C

White 6 (CI:77891) (13463-67-7)	
Boiling point	3000 °C (1013 hPa)
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Vapor pressure	Not applicable (solid)
Particle size	94 – 99 μm (D10, DIN EN 481)

Safety Data Sheet

Black 7 (CI:77266) (1333-86-4)	
Boiling point	Not applicable (sublimates)
Flash point	Not applicable (inorganic)
Auto-ignition temperature	183 °C (1000 hPa)
Vapor pressure	Not applicable (solid)
Particle size	12 – 13 μm (D50, DIN EN ISO/IEC 17025: Adiabatic hot storage test)

Glycerin (56-81-5)	
Boiling point	290 °C (1013 hPa)
Flash point	199 °C (Closed cup, 1013 hPa, ISO 2719: Flash point (Pensky-Martens))
Auto-ignition temperature	370 °C (T2)
Vapor pressure	< 0.01 hPa (20 °C)
Particle size	Not applicable (liquid)

Ammonium Hydroxide (pH regulator) (1336-21-6)	
Boiling point	36 °C
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Vapor pressure	> 150 hPa (20 °C)
Particle size	Not applicable (liquid)

Benzyl Alcohol (100-51-6)	
Boiling point	205 °C (1013 hPa)
Flash point	100 °C (Open cup)
Auto-ignition temperature	436 °C (T2)
Vapor pressure	0.07 hPa (20 °C)
Vapor pressure at 50 °C	1 hPa (Antoine equation)
Particle size	Not applicable (liquid)

Oleth-9 (9004-98-2)	
Boiling point	> 100 °C
Flash point	> 149 °C
Vapor pressure	< 1 Pa Temp.: 20 °C

Mineral Oil (8042-47-5)	
Boiling point	218 – 800 °C (1013 hPa, ASTM D1160: Distillation of Petroleum Products at Reduced Pressure)
Flash point	> 112 °C (Closed cup, 1013 hPa, EN ISO 2719: Pensky-Martens)
Auto-ignition temperature	325 – 355 °C (1013 hPa, ASTM E659-78: Self-ignition temperature, T2)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Mineral Oil (8042-47-5)	
Vapor pressure	< 0.1 hPa (20 °C, OECD 104: Vapour Pressure)
Particle size	Not applicable (liquid)

Alcohol (64-17-5)	
Boiling point	78 °C (1013 hPa)
Flash point	13 °C (Closed cup, 1013.25 hPa)
Auto-ignition temperature	363 – 425 °C (1013.25 hPa, T2)
Vapor pressure	57 hPa (20 °C)
Vapor pressure at 50 °C	300 hPa
Particle size	Not applicable (liquid)

Methyl Pyrrolidone (872-50-4)	
Boiling point	204 °C (1016 hPa, Equivalent or similar to OECD 104)
Flash point	91 °C (Closed cup, 1013 hPa, DIN 51758: Flash point (Pensky-Martens))
Auto-ignition temperature	245 °C (1013 hPa, DIN 51794: Self-ignition temperature, T3)
Vapor pressure	0.32 hPa (20 °C, Equivalent or similar to OECD 104)
Vapor pressure at 50 °C	2.54 hPa (Equivalent or similar to OECD 104)
Particle size	Not applicable (liquid)

Bronopol (52-51-7)	
Boiling point	Not applicable (decomposes)
Flash point	Not applicable
Auto-ignition temperature	Not quantifiable, EU Method A.16: Relative Self-Ignition Temperature for Solids
Vapor pressure	< 0.01 hPa (20 °C, EU Method A.4: Vapour Pressure)
Vapor pressure at 50 °C	0.002 hPa (EU Method A.4: Vapour Pressure)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects			
-			
	Not classified Not classified		
	Not classified		
Water			
ATE US (oral)	90000 mg/kg body weight		
Glycerin			
LD50 dermal	56750 mg/kg (4 day(s), Experimental value, Dermal, 14 day(s))		
ATE US (oral)	27200 mg/kg body weight		
ATE US (dermal)	56750 mg/kg body weight		
Ammonium Hydroxide (pH regulator)			
LD50 oral	350 mg/kg		
ATE US (oral)	350 mg/kg body weight		
Benzyl Alcohol			
LD50 oral	1200 mg/kg		
LD50 dermal	2000 mg/kg		
ATE US (oral)	1200 mg/kg body weight		
ATE US (dermal)	2000 mg/kg body weight		
Oleth-9			
ATE US (dermal)	2000 mg/kg body weight		
Alcohol			
ATE US (oral)	10470 mg/kg body weight		
Methyl Pyrrolidone			
ATE US (oral)	4150 mg/kg body weight		
Bronopol			
LD50 oral	307 mg/kg		
LD50 dermal	3500 mg/kg		
ATE US (oral)	305 mg/kg body weight		
ATE US (dermal)	1600 mg/kg body weight		

Safety Data Sheet

Bronopol	
ATE US (dust, mist)	0.18 mg/l/4h
Skin corrosion/irritation :	Not classified.
	pH: 7.5 – 8.5
Serious eye damage/irritation :	Not classified
Respiratory or skin sensitization :	pH: 7.5 – 8.5 Not classified
Germ cell mutagenicity :	Not classified
	Not classified
White 6 (CI:77891) (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
Black 7 (CI:77266) (1333-86-4)	
IARC group	2B - Possibly carcinogenic to humans
Alcohol (64-17-5)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
Viscosity, kinematic :	No data available
White 6 (CI:77891) (13463-67-7)	
Viscosity, kinematic	Not applicable (solid)
Black 7 (CI:77266) (1333-86-4)	
Viscosity, kinematic	No data available (test not performed)
Glycerin (56-81-5)	
Viscosity, kinematic	No data available in the literature
Ammonium Hydroxide (pH regulator) (1336-2	1-6)
Viscosity, kinematic	No data available in the literature
Benzyl Alcohol (100-51-6)	
Viscosity, kinematic	No data available in the literature
Mineral Oil (8042-47-5)	
Viscosity, kinematic	> 3 mm²/s (40 °C, ISO 3104: Determination of kinematic viscosity and calculation of dynamic viscosity)
Alcohol (64-17-5)	
Viscosity, kinematic	1.6 mm²/s (20 °C)
Methyl Pyrrolidone (872-50-4)	
Viscosity, kinematic	No data available in the literature

Safety Data Sheet

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
12.2. Persistence and degradability		
Water (7732-18-5)		
Not rapidly degradable		
Red 254 (CI:56110) (84632-65-5)		
Not rapidly degradable		
Yellow 14 (CI:21095) (5468-75-7)		
Not rapidly degradable		
Persistence and degradability	Biodegradability in water: no data available.	
Acrylates Copolymers (25133-97-5)		
Not rapidly degradable		
White 6 (CI:77891) (13463-67-7)		
Not rapidly degradable		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Black 7 (CI:77266) (1333-86-4)		
Not rapidly degradable		
Persistence and degradability Biodegradability in soil: not applicable. Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Glycerin (56-81-5)		
Not rapidly degradable		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.87 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.16 g O ₂ /g substance	
ThOD	1.217 g O ₂ /g substance	
Ammonium Hydroxide (pH regulator) (1336-21-6)		
Persistence and degradability	Biodegradable in the soil. Contains readily biodegradable component(s).	
Benzyl Alcohol (100-51-6)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Oleth-9 (9004-98-2)		
Not rapidly degradable		

Safety Data Sheet

Mineral Oil (8042-47-5)			
Not rapidly degradable			
Persistence and degradability	lot readily biodegradable in water.		
Alcohol (64-17-5)			
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O ₂ /g substance		
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance		
ThOD	2.1 g O ₂ /g substance		
Lecithin (8002-43-5)			
Not rapidly degradable			
Methyl Pyrrolidone (872-50-4)			
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	1.07 g O ₂ /g substance		
Chemical oxygen demand (COD)	1.56 g O ₂ /g substance		
ThOD	1.9 g O ₂ /g substance		
Bronopol (52-51-7)			
Not rapidly degradable			
Persistence and degradability	Readily biodegradable in water.		
12.3. Bioaccumulative potential			
White 6 (CI:77891) (13463-67-7)			
Bioaccumulative potential	Not bioaccumulative.		
Black 7 (CI:77266) (1333-86-4)			
Bioaccumulative potential Not bioaccumulative.			
Glycerin (56-81-5)			
Bioaccumulative potential Not bioaccumulative.			
Ammonium Hydroxide (pH regulator) (1336-21-6)			
Bioaccumulative potential Does not contain bioaccumulative component(s).			
Benzyl Alcohol (100-51-6)			
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).			
Mineral Oil (8042-47-5)			
Bioaccumulative potential	Potential for bioaccumulation (500 \leq BCF \leq 5000).		
Alcohol (64-17-5)			
Bioaccumulative potential	Not bioaccumulative.		
Methyl Pyrrolidone (872-50-4)			
Bioaccumulative potential	Not bioaccumulative.		

Safety Data Sheet

Bronopol (52-51-7)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
12.4. Mobility in soil		
Red 254 (CI:56110) (84632-65-5)		
Mobility in soil	77540 Source: Quantitative Structure Activity Relation	
White 6 (CI:77891) (13463-67-7)		
Surface tension	No data available in the literature	
Ecology - soil	Low potential for mobility in soil.	
Black 7 (CI:77266) (1333-86-4)		
Surface tension	Not applicable (solid)	
Ecology - soil	No (test)data on mobility of the substance available. Not toxic to plants. Not toxic to animals.	
Glycerin (56-81-5)		
Surface tension	63.4 mN/m (20 °C, 1000 g/l)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil Highly mobile in soil.		
Ammonium Hydroxide (pH regulator) (1336-21-6)		
Surface tension	No data available in the literature	
Ecology - soil	No (test)data on mobility of the component(s) available.	
Benzyl Alcohol (100-51-6)		
Surface tension	39 mN/m (20 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.122 – 1.332 (log Koc, SRC PCKOCWIN v2.0, QSAR)	
Ecology - soil Highly mobile in soil.		
Mineral Oil (8042-47-5)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.64 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for adsorption in soil.	
Alcohol (64-17-5)		
Surface tension	22.31 mN/m (20 °C, 100 %)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.2 (log Koc, Experimental value)	
Ecology - soil	Highly mobile in soil.	
Lecithin (8002-43-5)		
Mobility in soil	28.57 Source: Quantitative Structure Activity Relation	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methyl Pyrrolidone (872-50-4)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.87 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Ecology - soil	Highly mobile in soil.
Bronopol (52-51-7)	
Mobility in soil	388.3 – 1416 Source: ECHA
Surface tension	72 mN/m (20 °C, 1 g/l, EU Method A.5: Surface tension)
Ecology - soil Highly mobile in soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA				
DOT	TDG	IMDG	ΙΑΤΑ	
14.1. UN number	14.1. UN number			
Not regulated for transport				
14.2. Proper Shipping Name				
Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	
No supplementary information available				

14.6. Special precautions for user

DOT

Not regulated

TDG Not regulated

IMDG

Not regulated

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ΙΑΤΑ

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:			
Yellow 14 (CI:21095)	CAS-No. 5468-75-7	5 – 10%	
Witch Hazel Extract	CAS-No. 977002-98-4	0.5 – 1%	
Oleth-9	CAS-No. 9004-98-2	0.5 – 1%	
Alcohol	CAS-No. 64-17-5	0.1 – 0.5%	
Lecithin	CAS-No. 8002-43-5	< 0.1%	
Methyl Pyrrolidone	CAS-No. 872-50-4	< 0.1%	
Bronopol	CAS-No. 52-51-7	< 0.1%	

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Ammonium Hydroxide (pH regulator)	CAS-No. 1336-21-6	1 – 5%
-----------------------------------	-------------------	--------

Ammonium Hydroxide (pH regulator) (1336-21-6)		
CERCLA RQ	1000 lb	

15.2. International regulations

CANADA

Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

Red 254 (CI:56110) (84632-65-5)

Listed on the Canadian DSL (Domestic Substances List)

Acrylates	Copolymers	(25133-97-5)

Listed on the Canadian DSL (Domestic Substances List)

White 6 (CI:77891) (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

Black 7 (CI:77266) (1333-86-4)

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Glycerin (56-81-5)

Listed on the Canadian DSL (Domestic Substances List)

Ammonium Hydroxide (pH regulator) (1336-21-6)

Listed on the Canadian DSL (Domestic Substances List)

Benzyl Alcohol (100-51-6)

Listed on the Canadian DSL (Domestic Substances List)

Mineral Oil (8042-47-5)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Water (7732-18-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

White 6 (CI:77891) (13463-67-7)

Listed on IARC (International Agency for Research on Cancer) Listed on INSQ (Mexican National Inventory of Chemical Substances)

Black 7 (CI:77266) (1333-86-4)

Listed on IARC (International Agency for Research on Cancer) Listed on INSQ (Mexican National Inventory of Chemical Substances)

Glycerin (56-81-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Ammonium Hydroxide (pH regulator) (1336-21-6)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Benzyl Alcohol (100-51-6)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Mineral Oil (8042-47-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

This product can expose you to Carbon black (airborne, unbound particles of respirable size), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.