





PRODUCT DATA SHEET 06.23



3018 | **LADDER TRAP DOOR**

DEFINING FEATURES

- High visibility
- Strong steel structure




FIRST FOR SAFETY

ADDITIONAL FEATURES




- 1 **High-visibility**
yellow powdercoat finish.



- 2 **Part mesh**
for increased safety by increasing line of sight and enabling early identification of potential hazards, the need for emergency response or preventing unauthorized access.

Measurements

- A 710mm
- B 590mm
- C 300mm
- D 340mm



- 3 **Checkerplate lock plate**
for maximum durability.



- 4 **Slide-lock**
to keep door open when transporting large items.



- 5 **Double screw-clamps**
to ensure maximum strength and security.

FIRST FOR QUALITY

COMPATIBLE ATTACHMENTS & ACCESSORIES

INSTALLATION TOOLS



SP-1385P



RA-1511-19


OFTEN PURCHASED WITH/ALTERNATIVES



AC-3020-2



AC-3021



AC-3013

ORDERING INFORMATION

PART NO	DIMENSIONS	UNIT WEIGHT	BOLT SIZE
AC-3018	710mm x 590mm	10.42kg	21mm

SUITABLE INDUSTRIES



SCAFFOLDING



OIL & GAS



CONSTRUCTION



ROOFING



BRICKWORK



DEMOLITION



TRANSPORTATION



MAINTENANCE

FIRST FOR SOLUTIONS

01432 346800 | sales@leachs.com | www.leachs.com