



PRODUCT DATA SHEET 06.23



6 1 1 0 | **QUICKTIE BRACKET**

DEFINING FEATURES

- Quick & convenient way to fix a handrail
- Cost-effective compared to similar solutions


CONFORMITY:

Tested to a force of 6.2kN with no adverse effects.

MADE IN




BRITAIN



FIRST FOR SAFETY

ADDITIONAL FEATURES



1 **Single-fix solution** for erecting handrails.

3 **Aesthetically neat**

5 **Sturdy steel build** to withstand harsh site environments.

2 **Very simple-to-use design** incorporating a standard scaffold clamp.

4 **Plastic end fillers** to prevent sharp edges.

6 **Plate:**
A Length: 150mm
B Width: 50mm
C Thickness: 7mm

Stem:
A Length: 185mm
B Width: 25mm

INSTALLATION & FIXING



AF-6122T



PT-4758



SP-1385P



RA-1511-19

FIRST FOR QUALITY

ORDERING INFORMATION

SUB TITLE

PART NO	FIXING HOLE	UNIT WEIGHT	MAX WEIGHT	MATERIALS
AF-6110TB	14mm	1.22kg	6.2kN	Steel/Plastic

SUITABLE INDUSTRIES



SCAFFOLDING



OIL & GAS



CONSTRUCTION



BRICKWORK



DEMOLITION



MAINTENANCE

FIRST FOR SOLUTIONS

 01432 346800 |  sales@leachs.com |  www.leachs.com