



# PRODUCT DATA SHEET 06.23



3067

## MILLER FALL ARREST MANYARD

### DEFINING FEATURES

#### INCLUDES:

- A unique stretchable design.
- A safety clip that straps on to the harness to hold the Manyard when not in use.
- Special woven shock-absorbing inner core. Heavy tubular outer jacket.
- Comes with 1 screwgate karabiner & automatic snap hook.
- Both Single & Double Versions Available

#### CONFORMITY: EN 355



## FIRST FOR SAFETY

## ADDITIONAL FEATURES

- 1 A Unique Stretchable Design**
- 2 Steel Scaff Hook**  
Opening: 55mm  
Breaking Strength: 2200 daN.
- 3 Woven Shock-Absorbing Inner Core**  
with heavy-duty tubular outer jacket.  
Width: 45mm  
Breaking Strength: 2500 daN.
- 4 Unique Warning Flag**  
which provides visual proof that a lanyard has been involved in a fall and should be removed from service.
- 5 Reliable Visual Inspection**  
the integral red core becomes visible if the outer jacket is damaged or worn.
- 6 The Hi-Tech Protective Finish**  
of the outer tubular jacket prolongs the service life of the Manyard.



FIRST FOR QUALITY


# COMPATIBLE ATTACHMENTS & ACCESSORIES

## HARNESSES


### BIGBEN




4403




6405E



6405EWC



4405HRE




5500ECO


### MILLER




FP-3300-S



FP-3301-S



FP-3302-S



FP-3303-S

---

# FIRST FOR INNOVATION

01432 346800 | sales@leachs.com | www.leachs.com

# ORDERING INFORMATION

PART NO	TYPE	LENGTH	FOLDED LENGTH	CONNECTOR TYPES	WEBBING TYPE	CONFORMITY	UNIT WEIGHT	BREAKING STRENGTH
FP-3067S	Single	2m	1.45m	1 x Scaff hook 1 x Carabina	45mm Elasticated	EN355	1.68kg	15kN
FP-3067T	Twin			2 x Scaff hook 1 x Carabina	45mm Elasticated		1.88kg	

## SUITABLE INDUSTRIES



SCAFFOLDING



OIL & GAS



CONSTRUCTION



ROOFING



BRICKWORK



DEMOLITION



RESCUE



TRANSPORTATION



MAINTENANCE

# FIRST FOR SOLUTIONS

01432 346800 | sales@leachs.com | www.leachs.com