

PRODUCT DATA SHEET 01.23



DEFINING FEATURES

INCLUDES:

- Front & Rear Anchorage
- Elasticated Leg Straps
- Integral Record/Inspection
 System
- Fall Indicators
- Atrium D-rings
- Fully Adjustable Leg, Chest & Shoulder Webbing

CONFORMS TO:

EN361 Tested and approved for users up to 140kg.

RECOMMENDED LIFESPAN:

This Product has a life span of 10 years from date of manufacture or 5 years from date of first use.





bigbensafety.com









Rear Anchorage
 Strop
 For inertia reel use



Atrium D-rings For maximum rotational flexibility and reduced rigidity.

3 Fall Indicators For inspection speed and

convenience (located on

the rear of the harness).





Elasticated Leg
 and Side Webbing
 For free range of motion
 with added durability.

Integral Inspection Record

For quick, on-site access to inspection records (located on the rear of the harness).

• Fully Adjustable Leg, Chest & Shoulder Straps for compliant fitting via 5 separate buckle adjusters.









bigbensafety.com



FALL ARREST LANYARDS





TAKING SAFETY TO NEW HEIGHTS






ORDERING INFORMATION

PART NO	BUCKLE TYPE		ATTACHMENT POINTS		COMFORT PADS	SIZE
	Standard	Quick Release	1 Point	2 Point	GOWIE ONT PADS	SIZE
FP-4405EXXS	\bigcirc			\bigcirc		XXS
FP-4405EXS	\bigcirc			\bigcirc		XS-M
FP-4405E	\bigcirc			\bigcirc		M-XL
FP-4405EL	\bigcirc			\bigcirc		XXL
FP-4405E3XL	\bigcirc			\bigcirc		3XL

SIZING CHART



SUITABLE INDUSTRIES







SCAFFOLDING

OIL & GAS

CONSTRUCTION







ROOFING







BIGBEN

bigbensafety.com

DISTRIBUTED BY:

LEACH'S

Beacon Park, 228 Holme Lacy Road, Hereford HR2 6BQ Tel: 01432 346800 Email: sales@leachs.com First for Safety www.leachs.com



