

PRODUCT DATA SHEET 01.23

405HRE

DELUXE 2 POINT COMFORT HA DESIGN HARNESS

WITH QUICK RELEASE BUCKLES & ADDITIONAL COMFORT PADS





bigbensafety.com





DEFINING FEATURES

INCLUDES:

- Front & Rear Anchorage
- Elasticated Shoulder Straps
- Integral Record/Inspection
 System
- Fall Indicators
- Tool Tether Parking Loops
- Atrium D-rings
- Fully Adjustable Leg, Chest & Side Webbing
- Quick Release Buckles
- Additional Shoulder Padding

CONFORMS TO:

EN361

Tested and approved for users up to 140kg.

RECOMMENDED LIFESPAN:

This Product has a life span of 10 years from date of manufacture or 5 years from date of first use.

IMPROVED LEG STRAP DESIGN:

HA design leg straps go around the top of the leg as opposed to up through the groin, reducing the effects of trauma in the event of a fall from height.

ADDITIONAL FEATURES



• Elasticated Shoulder Straps For free range of motion with added durability.

Atrium D-rings For maximum rotational flexibility and reduced rigidity.

Integral Tool Tether Loops An anti-tangle and reach

extender point for tether tool systems.

• Fall Indicators For inspection speed and convenience (located on the rear of the harness).

Integral Inspection Record

For quick, on-site access to inspection records (located on the rear of the harness).

Fully Adjustable Leg, Chest & Side Webbing For compliant fitting

via 6 separate buckle adjusters.

Additional Shoulder padding for advanced levels of comfort.



Quick Release
 Buckles
 For fast action
 attachment and release.









bigbensafety.com



FALL ARREST LANYARDS





TAKING SAFETY TO NEW HEIGHTS








PART NO	BUCKLE TYPE		ATTACHMENT POINTS			SIZE
	Standard	Quick Release	1 Point	2 Point	COMFORT PADS	JIZE
FP-4405HRECXS		\bigcirc		\bigcirc	0	XS-M
FP-4405HREC		\bigcirc		\bigcirc	\bigcirc	M-XL

SIZING CHART











SCAFFOLDING

OIL & GAS







ROOFING

RESCUE

BRICKWORK







bigbensafety.com

DISTRIBUTED BY:

LEACH'S

Beacon Park, 228 Holme Lacy Road, Hereford HR2 6BQ Tel: 01432 346800 Email: sales@leachs.com First for Safety www.leachs.com



