



# PRODUCT DATA SHEET 04.23



## 3 | GRIDMESH ANCHOR FALL ARREST KIT

4 5

### DEFINING FEATURES

#### INCLUDES:

- Suitable for Confined Space Rescue Operations
- Suitable for both fall arrest and materials handling applications
- Compact hard case with self-contained storage
- Very Quick to set-up/Install
- Includes Carry Bag

#### CONFORMITY:

GA02 – 2 persons - Rated to 22.2kN (5000lbs) for fall arrest, which meets or exceeds the requirements for AS/NZS5532, AS/NZS1891.4, ANSI Z359, Canadian OHS Code Sub-Section 152.1(2), EN795.



## FIRST FOR SAFETY

## ADDITIONAL FEATURES



- 1 **Compact & Self-Contained Kit** weighing only 21kg, for easier storage and transport.



- 4 **Rated to 22.2kN (5000lbs)** meaning the rescuer and rescuee can be connected to the same anchor point simultaneously if required.



- 2 **Light-Weight** UV and chemical resistant, polyethylene case to provide extended product life.




- 5 **High Visibility Squares** to prevent tripping.



- 3 **Anchor Beam and Wire Sling** are individually serial numbered for easy inspection and identification.



- 6 **2x Integrally Moulded Carry Handles**



# FIRST FOR QUALITY

# COMPATIBLE ATTACHMENTS & ACCESSORIES

## ALL BIGBEN HARNESSES



4403



6405E



6405EWC



4405HRE



5500ECO

## LANYARDS



FP-6495U



FP-7710C



FP-6496U



FP-7720A

## FALL ARREST BLOCKS



FP-4510-6K



FP-3320-9



FP-4511

# FIRST FOR INNOVATION

## ORDERING INFORMATION

PART NO	LOAD RATING	PRODUCT WEIGHT	USER CAPACITY
FP-4523	2,267.96kg	21kg	2

## SUITABLE INDUSTRIES




SCAFFOLDING



OIL & GAS



CONSTRUCTION



BRICKWORK



RESCUE



TRANSPORTATION



MAINTENANCE

---

# FIRST FOR SOLUTIONS

📞 01432 346800 | ✉ sales@leachs.com | 🌐 www.leachs.com