

PRODUCT DATA SHEET 09.23







/

PART OF THE BIGGUY RANGE

DEFINING **FEATURES**

- Ultra lightweight
- Compact retracting system
- 4 unique attachment point versions available

CONFORMITY:

CERTIFIED TO EN 360 2002









TAKING SAFETY TO NEW HEIGHTS

ADDITIONAL FEATURES

- 1 Tested up to 160kg user weight
- **Steel delta mallion link** for maximum strength connection.
- Polyethylene strap a lightweight durable combination.
- Shock-absorber protection sleeve for added longevity and reduced tangle risk.
- **Small hard-case housing** for compact and resilient protection.
- 6 Rubber strap sleeving to prevent general-use wear and tear.
- Dual-action alloy scaffhook for ultra lightweight security.
- Very lightweight
 at between 0.95kg − 1.2kg to ensure the comfort and usability is maintained.



Lightweight Steel Scaffold Hook



Screwgate Carabina



Wide Opening Alloy Scaffold Hook







TAKING SAFETY TO NEW HEIGHTS

COMPATIBLE

OFTEN PURCHASED WITH: ALL BIGBEN **HARNESSES**











6405E

6405REC

6405EWC

4405HRE

ACCESSORIES:







FP-4482



FP-3675



FP-4442

SIMILAR PRODUCTS:











ORDERING INFORMATION

PART NO	ATTACHMENT TYPE	LENGTH (M)	UNIT WEIGHT (KG)	MATERIALS	MAX USER WEIGHT (KG)
FP-7710	Steel Scaffold Hook & Screwgate Delta Mallion Link	1.8	1.12	Polyester, Polyethylene, Aluminium, Steel	160
FP-7710A	Alloy Scaffold Hook & Screwgate Delta Mallion Link		1.19	Polyester, Polyethylene, Aluminium	
FP-7710G	Wide Opening Green Alloy Scaffold Hook & Screwgate Delta Mallion Link		1	Polyester, Polyethylene, Aluminium	
FP-7711	2x Screwgate Carabinas		0.95	Polyester, Polyethylene, Aluminium, Steel	

SUITABLE INDUSTRIES



















OIL & GAS

CONSTRUCTION

ROOFING

BRICKWORK

DEMOLITION

TRANSPORTATION



STADIUM & EVENTS

TV & FILM

TAKING SAFETY TO NEW HEIGHTS



DISTRIBUTED BY:

LEACH'S

Beacon Park, 228 Holme Lacy Road, Hereford HR2 6BQ Tel: 01432 346800 Email: sales@leachs.com First for Safety www.leachs.com



