

BIGBEN

4

PRODUCT DATA SHEET 03.23



SINGLE ELASTICATED FALL ARREST LANYARD

DEFINING FEATURES

INCLUDES:

- Alloy Scaff Hook
- Shock absorber
- Steel Locking Carabiner
- Connection Protectors

CONFORMS TO:

EN355

Tested and approved to a SWL of 100kg.

RECOMMENDED LIFESPAN:

This Product Has a life of 10 years from date of manufacture or 5 years from date of first use.

IMPROVED WEBBING DESIGN:

Self withdrawing webbing reduces the risk of tangling while also protecting the outer webbing layer.





bigbensafety.com









Webbing

- Conforms to: EN355
- Length Available: 1.5m, 1.75m & 2m

2 Carabiner

- Material: Steel

- Opening: 18mm
 Static Strength: 25kN
 Lock Type: Screw Lock

3 Scaff Hook

- Material: Aluminium
- Opening: 56mm Static Strength: 20kN
- Lock Type: Gear Lock

4 Shock Pack

• Clear information for speedy access to serial number, manufacturing and expiry date.



bigbensafety.com









ATTACHMENTS

ALL BIGBEN HARNESSES



SUITABLE FOR USE WITH LIFELINES











PART NO	SCAFFHOOK TYPE	CARABINA LOCK TYPE	LENGTH
FP-4495-150	Alloy	Screw Lock	1.5m
FP-4495-175	Alloy	Screw Lock	1.75m
FP-4495	Alloy	Screw Lock	2.0m

SUITABLE INDUSTRIES















SCAFFOLDING

OIL & GAS

CONSTRUCTION

ROOFING BRICKWORK

C DEMOLITION

TRANSPORTATION

MAINTENANCE

TAKING SAFETY TO NEW HEIGHTS



bigbensafety.com

DISTRIBUTED BY:

LEACH'S Beacon Park, 228 Holme Lacy Road, Hereford HR2 6BQ Tel: 01432 346800 Email: sales@leachs.com First for Safety www.leachs.com



