



# PRODUCT DATA SHEET 03.23



2912

## BRICK & MATERIALS LIFTING CAGE

### DEFINING FEATURES

#### INCLUDES:

- Fully Welded Frame
- Crane Compatible
- Manufactured Entirely From Steel
- High Visibility

#### CONFORMITY:

Tested and approved to a SWL of 250kg.

#### ADDITIONAL FEATURES/ INFORMATION:

The Leachs lifting cage is designed with mesh sides to ensure the load is always visible meaning safer lifting and transportation.




## FIRST FOR SAFETY


## ADDITIONAL FEATURES



- 1 **Fully Welded Frame**  
For Maximum Strength.




- 2 **50mm Mesh Sides**  
To ensure the load is visible at all times.



- 3 **3mm Angled Steel Construction**  
To aid the frame strength.



- 4 **Suitable For Crane Lifting Applications**



- 5 **Finished in a High Visibility Orange Paint**  
To aid safety.



# FIRST FOR QUALITY

## ORDERING INFORMATION

PART NO	MATERIAL	SWL	HEIGHT	WIDTH	LENGTH	UNIT WEIGHT
LH-2912	Steel	250kg	200mm	610mm	610mm	20kg

## SUITABLE INDUSTRIES



SCAFFOLDING



OIL & GAS



CONSTRUCTION



ROOFING



BRICKWORK



DEMOLITION



TRANSPORTATION

---

# FIRST FOR SOLUTIONS

 01432 346800 |  sales@leachs.com |  www.leachs.com