



# PRODUCT DATA SHEET 04.23



9  
1  
9  
2

## SECURPULLEY AUTO BRAKING GIN WHEEL

### DEFINING FEATURES

#### INCLUDES:

- Auto Braking
- Very simple-to-use design
- 4 counterweight settings
- Individually serial numbered

#### CONFORMITY:

**CE MARKED**  
**EN13157**



## FIRST FOR SAFETY


## ADDITIONAL FEATURES



- 1 **Built in Mounting Sheath** designed for 50mm tube.



- 2 **Wheel & Brake Housing** manufactured from aluminium to save weight while maintaining strength.



- 3 **Composite Housing** for durability and weight saving.



- 4 **Tethered Locking Pin** as additional safety measure.



- 5 **Adjustable Counterweight** for varying rope lengths and diameters.



- 6 **Two Guide Rollers** to regulate rope during lifting & lowering.



# FIRST FOR QUALITY

# COMPATIBLE ATTACHMENTS & ACCESSORIES

## COMPATIBLE ROPE



LH-5033R



LH-3020

## LIFTING ACCESSORIES



LH-2895



LH-2899



LH-2903



LH-2904

## LIFTING BAGS & BUCKETS



LH-2906R



LH-2901K



LH-3100



LH-2911



LH-2907

# FIRST FOR INNOVATION

## ORDERING INFORMATION

PART NO	DESCRIPTION	MATERIALS	CERTIFIED	SWL	UNIT WEIGHT
LH-2919	Pulley Only	Composite/Rubber/ Aluminium	YES	50kg	5.26kg
LH-2920	Pulley with Fixed Arm	Composite/Rubber/ Aluminium	YES	50kg	9.16kg
LH-2921	Pulley with Swivel Arm	Composite/Rubber/ Aluminium	YES	50kg	10.88kg

## SUITABLE INDUSTRIES



SCAFFOLDING



OIL & GAS



CONSTRUCTION



ROOFING



BRICKWORK



DEMOLITION



MAINTENANCE

---

# FIRST FOR SOLUTIONS

📞 01432 346800 | ✉ sales@leachs.com | 🌐 www.leachs.com