

PRODUCT DATA SHEET 03.23



CRANE TAG LINE

DEFINING **FEATURES**

INCLUDES:

- Steel Gear Locking Scaffold Hook
- 14mm Polyester Climbing Rope
- Multiple Length Options

RECOMMENDED LIFESPAN:

This product has a lifespan of 10 years from date of manufacture.







ADDITIONAL **FEATURES**



Hi-VizClimbing Rope



Composite EyeletFor added protection.



3 Glavanised Steel Swivel Shackle



Glvanised SteelLocking Scaffold Hook



5 Individually Serial Numbered



ORDERING INFORMATION

Part No	Rope				Scaff Hook				Unit Weight
	Material	Diameter	Length	Colour	Material	Opening	Lock Type	Strength Rating	Offic Weight
LH-2982-5	Polyester	14mm	5m	Hi-Vis Green	Galvanised Steel	56mm	Two Stage Gear Lock	20kN	2kg
LH-2982-10			10m						3.5kg
LH-2982-15			15m						5kg
LH-2982-20			20m						6.5kg

SUITABLE INDUSTRIES















SCAFFOLDING

CONSTRUCTION

ROOFING

BRICKWORK

DEMOLITION

TRANSPORTATION

TAKING SAFETY TO NEW HEIGHTS



DISTRIBUTED BY:

LEACH'S

Beacon Park, 228 Holme Lacy Road, Hereford HR2 6BQ Tel: 01432 346800 Email: sales@leachs.com First for Safety www.leachs.com



