



PRODUCT DATA SHEET 07.23



1651M

**MAGNETIC
TAPE MEASURE**

5M & 10M

DEFINING FEATURES

- Magnetic corrosion-resistant end hook.
- Non-slip design
- Easy-read tape



FIRST FOR SAFETY

ADDITIONAL FEATURES

- 1 Multi-grip outer shell for safer handling.
- 2 Easy-slide thumb lock
- 3 Tough steel easy-read tape blade
- 4 Double magnetic end hook for extra hold.
- 5 Standard wrist tether loop for secure handling (not recommended for use at height).
- 6 Technical information for easy identification.



ACCESSORIES



TS-3022SLC



5M
LE-2080N & LE-2080B



10M
LE-2081N & LE-2081B

FIRST FOR QUALITY

ORDERING INFORMATION

PART NO	FULL LENGTH	BLADE WIDTH	WEIGHT
LM-1651M	5m	25mm	260g
LM-1654M	8m	25mm	280g

SUITABLE INDUSTRIES



SCAFFOLDING



OIL & GAS



CONSTRUCTION



ROOFING



BRICKWORK



DEMOLITION



TRANSPORTATION



MAINTENANCE

FIRST FOR SOLUTIONS

☎ 01432 346800 | ✉ sales@leachs.com | 🌐 www.leachs.com