

PRODUCT DATA SHEET 03.23



3

750

ULTRA SCAFFOLDERS GLOVE

DEFINING **FEATURES**

INCLUDES:

- High Dexterity
- Superior Specification Quality
- Latex Grip
- Tough-Knit Liner

CONFORMS TO:

EN388:2016 RATING: 2242X

EN 388:2016



2242X

ADDITIONAL FEATURES/INFORMATION:

Features the strongest tear resistance available from **BIG**BEN.





TAKING SAFETY TO NEW HEIGHTS

ADDITIONAL FEATURES







ORDERING INFORMATION

PART NO	SIZE	RATING	MATERIAL		PACK QTY	CASE QTY
			Palm	Liner	(PAIRS)	(PAIRS)
PP-3175U-8M	Medium	2242X	Latex	5 Yarn Mix	10	120
PP-3175U-9L	Large	2242X	Latex	5 Yarn Mix	10	120
PP-3175U-10XL	XLarge	2242X	Latex	5 Yarn Mix	10	120

SUITABLE INDUSTRIES

















SCAFFOLDING

OIL & GAS

CONSTRUCTION

ROOFING

BRICKWORK

DEMOLITION

TRANSPORTATION

MAINTENANCE

TAKING SAFETY TO NEW HEIGHTS



DISTRIBUTED BY:

LEACH'S

Beacon Park, 228 Holme Lacy Road, Hereford HR2 6BQ Tel: 01432 346800 Email: sales@leachs.com First for Safety www.leachs.com



