



# PRODUCT DATA SHEET 07.23



3 5 3 1

## SAFETY SPECS

### DEFINING FEATURES

- Anti-Scratch
- Soft-grip bi-polymer comfort arms
- Wraparound Lens

#### CONFORMITY:

Tested and CE Approved to BS EN166 1 F:2002  
Mechanical Strength F.

#### ADDITIONAL FEATURES/ INFORMATION:

Neck retainer cord included with every pair.



## FIRST FOR SAFETY

## ADDITIONAL FEATURES

- 1 **Optical Class 1**, highest quality clear vision polycarbonate lens.
- 2 **Wraparound lens** for uninterrupted vision and a high level mechanical strength F – low energy impact protection.
- 3 **Soft-grip bi-polymer dual density gripper arm** for secure fit arms and optimum comfort.
- 4 **Lightweight lens design** for improved comfort and reduced interference around nose.



## ACCESSORIES



LE-2290

# FIRST FOR QUALITY

# ORDERING INFORMATION

PART NO	LENS TYPE	UNIT WEIGHT	CONFORMITY	CARTON QTY
PP-3531-C	Clear	24g	EN166 I FT / EN170	120
PP-3531-T	Tinted			
PP-3531-M	Mirror			
PP-3531-A	Amber			

## SUITABLE INDUSTRIES



SCAFFOLDING



OIL & GAS



CONSTRUCTION



ROOFING



BRICKWORK



DEMOLITION



TRANSPORTATION



MAINTENANCE



RESCUE

# FIRST FOR SOLUTIONS

01432 346800 | sales@leachs.com | www.leachs.com