

PRODUCT DATA SHEET 03.23



3

HH100V

ULTRALITE HEIGHT SAFETY HELMET

VENTED

DEFINING **FEATURES**

INCLUDES:

- Ultra Lightweight
- Quick Turn Adjustment
 & 4 Point Chin Strap
- UV Stabilised
- Certified Top & Side Impact Protection
- Multiple Colour Options
- Padded Comfort Harness
- Vented

CONFORMS TO:

EN12492

EN397

(Shock Absorption/Penetration)

ADDITIONAL FEATURES/INFORMATION:

Personalisation available - add your logo or company details.







TAKING SAFETY TO NEW HEIGHTS

ADDITIONAL **FEATURES**

10 Vents

to reduce heat and wearer discomfort.

4 Clips

for securing the strap of a head torch or other accessories.

3 Replaceable Quick-Turn Adjuster

4 Fully adjustable 4-point Chinstrap

5 Padded adjustable Internal Harness

for advanced comfort: equipped with hot-pressing technology.

Easy access side slots for mounting hearing protection.

7 Top and Side impact certification

to ensure the highest level of wearer protection.

1 Internal Information 1 Stamp

for convenient access to vital product dates & information.

Three-dimensional duct design

stylish and aerodynamic.

Internal Moulded Technology

to distribute the force of impact evenly.

Centre-fit adjustment system

ensuring centring and optimal stability of the helmet on the head.





TAKING SAFETY TO NEW HEIGHTS

COMPATIBLE ACCESSORIES



PP-3603



PP-B-HH300-C



PP-B-HH300-T



PP-3605

REPLACEABLE PARTS PP-B-HH100HCP PP-B-HH100QTA







ROOFING



DEMOLITION

SCAFFOLDING OIL & GAS



RESCUE



A

MAINTENANCE

ORDERING INFORMATION

Part No	Colour	Unit Weight	Vented	Hi-Vis	Head Circumference
PP-B-HH100VWH	White	417g	0	0	51-62cm
PP-B-HH100VBL	Blue	417g	0		51-62cm
PP-B-HH100VBK	Black	417g	<u> </u>		51-62cm
PP-B-HH100VYW	Yellow	417g	\circ		51-62cm
PP-B-HH100VGR	Green	417g	\bigcirc		51-62cm
PP-B-HH100VRD	Red	417g	\circ		51-62cm
PP-B-HH100VOR	Orange	417g	0		51-62cm

TAKING SAFETY TO NEW HEIGHTS



DISTRIBUTED BY:

LEACH'S

Beacon Park, 228 Holme Lacy Road, Hereford HR2 6BQ Tel: 01432 346800 Email: sales@leachs.com First for Safety www.leachs.com



