

# PRODUCT DATA SHEET 04.23



RESCUE

### DEFINING FEATURES


### **INCLUDES:**

- Lightweight
- Kits Includes Lifting Strops
- Comes in shoulder strap carry bag
- Suitable for confined space
  use

### CONFORMITY: CE 93/42/EEC CLASS 1

#### ADDITIONAL FEATURES/ INFORMATION:

This stretcher is designed to maintain neutral buoyancy, making the handling process of a rescue operation much easier due to the increased stability.



# **FIRST FOR SAFETY**



Manufactured from Flexible Low Density Polyethylene which compensates for all body shapes, increasing comfort.

Multiple Handles located around the stretcher to aid transport.

 Metal Eyelets throughout the stretcher for lifting strop attachment.

Webbing spans both flanks for increased stability.

Adjustable Cross-Belts
 for easily securing rescuee.

 Compact easily rolls into small compact size for transportation/storage.

 4-Point Lifting Strop with steel locking carabinas – Conforms to EN358.

• Waterproof Carry-Bag with shoulder straps to aid transportation.






🕅 01432 346800 🖂 sales@leachs.com 🗈 www.leachs.com

# ORDERING INFORMATION

### **RESCUE BLOCKS**

CONFINED SPACE RESCUE



## **ORDERING INFORMATION**

PART NO	CONFORMITY	LENGTH	WIDTH	MAX RECOMMENDED USER WEIGHT:	MATERIALS		
					Stretcher	Webbing	Buckles
SC-1077	CE 93/42/ EEC CLASS 1	2300mm	915mm	400kg	Low Density Polyethylene	Polyester	Stainless Steel

### SUITABLE INDUSTRIES





OIL & GAS



ROOFING

BRICKWORK





**FIRST FOR SOLUTIONS** 

🕐 01432 346800 🖂 sales@leachs.com 🕒 www.leachs.com