

## PRODUCT DATA SHEET 09.23



60

SPARK RESISTANT SCAFFOLD SPANNER

3

7/16"

# DEFINING FEATURES

- Spark resistant
- Bi-Hex socket

#### **CONFORMITY:**

BS2874 / BS2033

Additional information.

### ADDITIONAL INFORMATION:


Designed to comply with the Dangerous Substance and Explosive Atmospheres Regulations 2002.



## THE TOOLS OF THE TRADE

## ADDITIONAL FEATURES

- 1 7/16" Bi-Hex box
- 2 Spark resistant
- **3 Ergonomically poker style handle** for a more comfortable grip.
- 4 Manufactured hole in handle for tether attachment.



#### **OFTEN PURCHASED WITH:**





DISTRIBUTED BY:

#### LEACH'S

Beacon Park, 228 Holme Lacy Road, Hereford HR2 6BQ Tel: 01432 346800 Email: sales@leachs.com First for Safety www.leachs.com





PART NO	BOX TYPE	UNIT WEIGHT (G)	SPANNER LENGTH (MM)	MATERIAL
SP-1399	Bi-Hex	434	253	Almunium Bronze Alloy CA104

#### **SUITABLE INDUSTRIES**











SCAFFOLDING

OIL & GAS

CONSTRUCTION

DEMOLITION