

SCAFFMATE DUO PRODUCT SHEET

OVERVIEW

The Scaffmate Duo is an all-aluminum two position access platform to allow scaffolders to safely erect and dismantle scaffolding from a guard railed position.

Usable at any point along the guardrail and with a 50mm adjustable foot the Scaffmate Duo provides convenient, secure, slip resistant 0.5m and 1m platform positions giving ideal additional reach during the process of erection and dismantling of scaffolding in a safe and compliant manner.

Manufactured in the UK and weighing a only 7kg, the Scaffmate Duo represents the optimum solution for scaffolder seeking a safe, cost effective multi-height step-up device. The Scaffmate Duo is to be used in conjunction with a compliant proprietary and reliable personal fall arrest device.

SPECIFICATION

WEIGHT	7 KG
DIMENSIONS	Folded flat – 1.0m x 0.25m Unfolded (max) 1.0m x 0.74m
OPERATING HEIGHT	0.5m & 1.0m
HEIGHT ADJUSTMENT	50mm
KEY FEATURES	Quick release spring locks to all connections Durable corrosion resistant construction Slip resistant platform and ladder rungs Adjustable feet for uneven surfaces Two working height positions
PRODUCT CODE	AC-6383





WE MAKE
SCAFFOLDING
SAFE

SCAFFMATE DUO PRODUCT SHEET

KEY FEATURES

- Aluminium construction for light weight and easy handling.
- Ladder folds and latches flat for ease of carrying and storage.
- 0.5m and 1.0m heights eliminate the need to carry two pieces of equipment.
- Quick release auto-latch brace hooks lock onto the scaffolding guardrail and prevent unintentional removal.
- Swivel feet accommodate minor surface imperfections and provide a secure footing.
- 50mm adjustment in ladder stiles provide a level platform for both system and tube & fitting scaffolds.
- Slip resistant all aluminium platform with generous 540mm x 405mm area gives a safe working platform.
- Platform automatically latches in open and closed positions for secure and safe utilisation.
- Ladder folds and automatically latches to safe parked position when in use as 0.5m step.

