



# PRODUCT DATA SHEET 10.23




3020S2

## SUPER DELUXE TOOL SAFETY ROPE

### DEFINING FEATURES


- Fully extends to 1.75m
- Comes complete with large spring clip connector
- Includes wire loop and split ring



## FIRST FOR SAFETY

## ADDITIONAL FEATURES

- ① Stainless steel spring clip.
- ② Heavy duty swivel.
- ③ Heat sealed connection points.
- ④ 3mm diameter cord  
with 0.8mm diameter stainless steel wire core.
- ⑤ 30mm heavy duty split ring.
- ⑥ Wire loop attachment option.



FIRST FOR QUALITY

## ORDERING INFORMATION

PART NO	SWL	COILED LENGTH	MAX UNCOILED LENGTH	CORD DIAMETER	INTERNAL CORD DIMENSION	UNIT WEIGHT
TS-3020S2	1kg	470mm	1.7m	3mm	0.8mm	190g

### OFTEN PURCHASED WITH:



LE-2250SP



SPANNERS


### SIMILAR PRODUCTS:




TS-3020SLC



TS-3020BLW



TS-3020SPSM



TS-3025SLC

### SUITABLE INDUSTRIES



SCAFFOLDING



OIL & GAS



CONSTRUCTION



ROOFING



BRICKWORK



DEMOLITION



TRANSPORTATION



MAINTENANCE



STADIUM & EVENTS



TV & FILM



MUSIC & STAGE

# FIRST FOR SOLUTIONS

01432 346800 | sales@leachs.com | www.leachs.com