



PRODUCT DATA SHEET 09.23



3400

POWER TOOL TETHER WRAP

DEFINING FEATURES

- Double hook and loop straps for security
- Nickel-plated cast iron D-Ring
- Manufactured from nylon with water resistant backing

CONFORMITY:

Approved to the ANSI/ISEA 121-2018 standard

Third party tested using a 2:1 safety factor.



FIRST FOR SAFETY

ADDITIONAL FEATURES

- 1 Nickel-plated cast iron D-Ring.
- 2 Integral product specification patch.
- 3 Two hook and loop straps secure battery boot to drill battery for safe and easy tethering.
- 4 1000D nylon with water resistant backing for longevity and additional tool protection.
- 5 Slit allows access to drill belt clip.



OFTEN PURCHASED WITH:



TS-3003

FIRST FOR QUALITY

ORDERING INFORMATION

PART NO	MATERIAL	MAXIMUM WORKING CAPACITY	CLOSURE	STANDARDS/ COMPLIANCE
TS-3400	Nylon	10lbs / 4.5kg	Hook and loop	ANSI/ISEA 121

SUITABLE INDUSTRIES



SCAFFOLDING



OIL & GAS



CONSTRUCTION



ROOFING



BRICKWORK



DEMOLITION



TRANSPORTATION



MAINTENANCE



STADIUM & EVENTS



TV & FILM

ATTACHMENT GUIDE:



FIRST FOR SOLUTIONS

01432 346800 | sales@leachs.com | www.leachs.com