



PRODUCT DATA SHEET 09.23



1 8 5 0 | SCAFFEZE

DEFINING FEATURES

- Removes rust, corrosion & grease
- Penetrates to free seized fittings
- Available in 210 ltr drum, 20 ltr drum or 5 ltr tubs

CONFORMITY:

Manufactured in accordance with 1907/2006/EC, Article 31.



FIRST FOR SAFETY

ORDERING INFORMATION

OFTEN PURCHASED WITH:



YE-1852



YE-1854



LH-2930 / LH-2931

SIMILAR PRODUCTS:



YE-1859-5 / YE-1859-25
/ YE-1859-210



YE-1855-20

ORDERING INFORMATION

PART NO	LITRE	UNIT WEIGHT (KG)
YE-1850-5	5	4.57
YE-1850-20	20	19.84
YE-1850-210	210	180.60

SUITABLE INDUSTRIES



SCAFFOLDING



OIL & GAS



CONSTRUCTION



ROOFING



BRICKWORK



DEMOLITION

FIRST FOR SOLUTIONS

01432 346800 | sales@leachs.com | www.leachs.com

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Scaffeze

• **Article number: 06180001**

• **1.2 Relevant identified uses of the substance or mixture and uses advised against**

• **Sector of Use**

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

• **Application of the substance / the mixture**

Lubricant

Rust remover/ rust-removing agent

Maintenance product

• **1.3 Details of the supplier of the safety data sheet**

• **Manufacturer/Supplier:**

Leachs

www.leachs.com

01432 346 800

228

Beacon Park

Holme Lacy Road

Hereford

HR2 6BQ

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

Trade name: Scaffeze

(Contd. of page 1)

Hazard pictograms



GHS08

Signal word Danger

Hazard-determining components of labelling:

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

Results of PBT and vPvB assessment

PBT: Not applicable.


vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

• **Dangerous components:**

926-141-6	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	
Reg.nr:01-2119456620-43	 Asp. Tox. 1, H304	50-75%

• **Ingredients according to Detergents Regulation 648/2004/EC**

For the wording of the listed hazard phrases refer to section 16.

Aliphatic hydrocarbons, Aliphatic hydrocarbons	≥ 30%
------------------------------------------------	-------

SECTION 4: First aid measures

• **General information:** Immediately remove any clothing soiled by the product.

• **After inhalation:** Supply fresh air; consult doctor in case of complaints.

• **After skin contact:**

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

• **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

• **After swallowing:** Do not induce vomiting; call for medical help immediately.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication**

SECTION 5: Firefighting measures

5.1 Extinguishing media

• **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

5.3 Advice for firefighters

• **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

• **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Use only in well ventilated areas.

• **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

• **Storage:**

• **Requirements to be met by storerooms and receptacles:** Provide solvent resistant, sealed floor.

• **Information about storage in one common storage facility:** Not required.

• **Further information about storage conditions:** None.

• **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

• **Additional information about design of technical facilities:** No further data; see item 7.

8.1 Control parameters

• **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

64742-52-5 Distillates (petroleum), hydrotreated heavynaphthenic

Inhalative	DNEL Long term local mg/m ³	5.4 mg/m ³ (worker)
------------	----------------------------------------	--------------------------------

• **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

• **8.2 Exposure controls**

• **Personal protective equipment:**

• **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

• **Respiratory protection:**

Filter AX

Use suitable respiratory protective device only when aerosol or mist is formed.

• **Protection of hands:**

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

• **For the permanent contact gloves made of the following materials are suitable:**

Nitrile rubber, NBR

PVA gloves

• **Not suitable are gloves made of the following materials:** Strong material gloves

• **Eye protection:** Goggles recommended during refilling

• **Body protection:** Solvent resistant protective clothing

SECTION 9: Physical and chemical properties

• **9.1 Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

Form: Liquid

Colour: Dark blue

• **Odour:** Nearly odourless

• **Odour threshold:** Not determined.

• **pH-value:** Not determined.

• **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 235 °C

• **Flash point:** > 55 °C

• **Flammability (solid, gaseous):** Not applicable.

• **Ignition temperature:** 230 °C

• **Decomposition temperature:** Not determined.

• **Self-igniting:** Product is not selfigniting.

• **Danger of explosion:** Product does not present an explosion hazard.

• **Explosion limits:**

Lower: 6.0 Vol %

Upper: 6.0 Vol %

• **Vapour pressure at 20 °C:** 0.1 hPa

• **Density at 20 °C:** 0.82 g/cm³

• **Relative density** Not determined.

• **Vapour density** Not determined.

• **Evaporation rate** Not determined.

• **Solubility in / Miscibility with**

water: Insoluble.

• **Partition coefficient (n-octanol/water):** Not determined.

• Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
• Solvent content:	
Organic solvents:	70.0%
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

• LD/LC50 values relevant for classification:

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics		
Oral	LD50	>5000 mg/kg (Rat) (OECD 401)
Dermal	LD50	>5000 mg/kg (Rabbit) (OECD 402 (24 h))
Inhalative	LC50/ 8 h	>5000 mg/m ³ (Rat) (OECD 403)
64742-52-5 Distillates (petroleum), hydrotreated heavynaphthenic		
Oral	LD50	>5000 mg/kg (Rat)
Dermal	LD50	>5000 mg/kg (Rabbit)
	EC 50 / 96 h	>100 mg/ltr (fish)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard**
May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

• 12.1 Toxicity

• Aquatic toxicity:

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	
EL50 (48 h)	>1000 mg/l (Daphnia magna (water flea)) (OECD 202)
OECD test 301 F	69 % (biodegradation in % after 28 days)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Disposal must be made according to official regulations
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

• 14.1 UN-Number	
• ADR, ADN, IMDG, IATA	Void
• 14.2 UN proper shipping name	
• ADR, ADN, IMDG, IATA	Void
• 14.3 Transport hazard class(es)	
• ADR, ADN, IMDG, IATA	
• Class	Void
• 14.4 Packing group	
• ADR, IMDG, IATA	Void
• 14.5 Environmental hazards:	
• Marine pollutant:	No
• 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
• UN "Model Regulation":	Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **National regulations:**
 - **Technical instructions (air):**
- | Class | Share in % |
|-------|------------|
| NK | 50-75 |
- **Waterhazard class:** Water danger class 3 (Self-assessment): extremely hazardous for water.
 - **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.