9525 ON METAL TAG

A popular UHF Tag used on metal surfaces

It does a stable and reliable UHF on metal tag, which is widely used in indoor and outdoor asset management, the quality of this module is superior to similar products of the same size.

ADVANTAGES:

- Be of good RF performance.
- **4** 100% memory writing tested.
- Both material and design have been tested for reliability.
- 100% function tested by Voyantec Tagformace.

MAIN FEATURES:

- Can customize size for customers.
- Logo and photo can be printed on the surface of tag.
- Can be lasered with barcode and serial number.
- Flexible and convenient installation.

APPLICATIONS:

- Storage management.
- IT equipment management.
- Metal containers management.
- Metal equipment management.
- Personnel patrol management.
- Fixed asset management.



CHARACTERISTICS:

| Compliance | EPC Class1 Gen2; ISO18000-6C |
|------------------------|--|
| Frequency | 902-928MHz , 865~868MHz (Can |
| , , | customize frequency) |
| Chip | Impinj M4QT (Can customize tag with |
| • | different UHF chips) |
| Memory | EPC 128bits User 496bits |
| Read/write | Yes (EPC and User) |
| Data Storage | 50 years |
| Warranty | One year |
| Material | FR4 |
| Dimension | 95mm L x 25mm W x 3.4mm H (3.74in x |
| | 0.984 in x 0.134 in) |
| Storage Temperature | -30 ℃~+110 ℃ |
| Operating Temperature | -25 °C~+85 °C |
| Storage humidity | 5%~95% |
| Delivery format | Single |
| Installation Method | Screw, rivet, glue, or 3M300LSE tape |
| | (standard) |
| Weight | ~ 22g |
| Package | Bubble bag and carton |
| Color | Black |
| Power Supply | Passive |
| Drop Test | 1 meters high, 200 drop test passed |
| Alcohol test | 95% alcohol test passed |
| Gasoline test | Passed |
| High & low temperature | -40 $^{\circ}$ C $^{\sim}$ +150 $^{\circ}$ C, 7 cycles, total 48 hours |
| shock test | |
| Temperature cycle test | -40 $^{\circ}$ $^{\sim}$ +120 $^{\circ}$, 7 times cycle time testing, |
| | 48 hours total |
| RoHS | Compatible |
| Read distance on metal | Up to 5 meters (EIRP=4W) |
| surface | Up to 3 meters (With ATID AT880 handheld |
| | reader) |
| RF performance | 100% tested by Voyantic Tagformace |
| consistency test | |
| Options | Surface laser, surface LOGO screen printing, |
| | pre-encoding, surface pattern processing, |
| | surface painting, surface printing. |