

A close-up photograph of a hand wearing a white work glove, resting on a red brick. The background is blurred, showing more bricks and a hint of an outdoor setting.

**Brick & Block
2022**




We've been specialising in diamond tools for 30 years



Here at South Pacific Diamond Tools, we specialise in Diamond Tools and Accessories for all types of materials and applications. We provide contractors through-out New Zealand with a wide range of Diamond Blades, Diamond Core Bits, Drill Bits, Diamond Router Bits, Diamond Grinding Cups and high-quality European and USA made machinery. Our focus is customer satisfaction, you will experience the exceptional service and prompt delivery we are renowned for. We look forward to working with you.

SEARCH & ORDER ONLINE: WWW.DIAMOND-TOOLS.CO.NZ




SEARCH & ORDER ONLINE

PROFFESIONAL SILENT BLADES	4
DIAMOND BRICK BLADES	5-6
DIAMOND CONCRETE BRICK BLADES	6
DIAMOND CONCRETE BLOCK BLADES	6
DIAMOND COBBLESTONE BLADES	7
DIAMOND FLUSH CUT BLADES	7
DIAMOND DRY CORE DRILLING BITS	7
DIAMOND GRINDING DISCS	8
BRICK & BLOCK TOOLS	9-12
HEALTH & SAFETY	13-18
BRICK & BLOCK MACHINERY	19-22
BRICKIE STARTER KIT	23


**This publication is just a sample of our
Brick and Block range, see our full
range at www.diamond-tools.co.nz**

Professional SILENT Blades



Professional **SILENT** Blades with their Three Layer Design [Steel | Copper | Steel] reduce noise by 15-20dB.

Brick Blade Quick Guide




Brick Type	Part No.	Style	Size	Centre
Soft Clay Brick	100-1157	Pro	350mm (14")	25.4mm (1")
Medium Clay Brick	100-1153	Silent Pro	350mm (14")	25.4mm (1")
Hard Clay Brick	100-1155	Silent Pro	350mm (14")	25.4mm (1")
Very-Hard Clay Brick	100-1158	Silent Pro	350mm (14")	25.4mm (1")
Very Very Hard Clay Brick	100-1160	Silent Pro	350mm (14")	25.4mm (1")
Concrete Brick	100-1167	Silent Pro	350mm (14")	25.4mm (1")
Refractory Brick	100-1165	Silent Pro	350mm (14")	25.4mm (1")

PROFESSIONAL SILENT BLADES

Our Professional Blades are of the highest quality with the standard universal diamond segments. Designed for high usage, they are fast cutting and have a very long life. Used by bricklayers all over New Zealand on residential and commercial buildings sites.


SOFT BRICK BLADES



Suitable for Hand Saws, Table Saws and Floor Saws up to 20hp.

Part No.	Size	Centre	Type
100-1157	350mm (14")	25.4mm	Standard
100-1163	500mm (20")	25.4mm	Standard


GENERAL PURPOSE BRICK BLADES



Suitable for Hand Saws, Table Saws and Floor Saws up to 20hp.

Part No.	Size	Centre	Type
100-1149	230mm (9")	22.23mm	Standard
100-1150	300mm (12")	25.4mm	Standard
100-1153	350mm (14")	25.4mm	Standard
100-1154	350mm (14")	25.4mm	Silent
100-1164	500mm (20")	25.4mm	Standard


HARD BRICK BLADES



Suitable for Hand Saws, Table Saws and Floor Saws up to 20hp.

Part No.	Size	Centre	Type
100-1151	300mm (12")	25.4mm	Standard
100-1155	350mm (14")	25.4mm	Silent
100-1156	350mm (14")	25.4mm	Standard
100-1162	500mm (20")	25.4mm	Silent
100-1161	500mm (20")	25.4mm	Standard

VERY HARD BRICK BLADES



Suitable for Hand Saws, Table Saws and Floor Saws up to 20hp.

* Very Very Hard


Part No.	Size	Centre	Type
100-1152	300mm (12")	25.4mm	Standard
100-1158	350mm (14")	25.4mm	Silent
100-1159	350mm (14")	25.4mm	Standard
100-1160*	350mm (14")	25.4mm	Silent



DIAMOND BRICK & BLOCK BLADES

Our Professional Blades are of the highest quality with the standard universal diamond segments. Designed for high usage, they are fast cutting and have a very long life. Used by bricklayers all over New Zealand on residential and commercial buildings sites.


REFRACTORY BRICK BLADES



Suitable for Hand Saws, Table Saws and Floor Saws up to 20hp.

Part No.	Size	Centre	Type
100-1165	350mm (14")	25.4mm	Silent
100-1166	500mm (20")	25.4mm	Silent


CONCRETE BRICK BLADES



Suitable for Hand Saws, Table Saws and Floor Saws up to 20hp.

Part No.	Size	Centre	Type
100-1167	350mm (14")	25.4mm	Silent

CONCRETE BLOCK BLADES




Suitable for Hand Saws, Table Saws and Floor Saws up to 20hp.

Part No.	Size	Centre	Type
100-1172	230mm (9")	22.23mm	Silent ARIX
100-1174	230mm (9")	22.23mm	Silent Turbo
100-1173	230mm (9")	22.23mm	Silent
100-1171	230mm (9")	22.23mm	Standard
100-1176	350mm (14")	25.4mm	Silent
100-1177	350mm (14")	25.4mm	Standard
100-1178	500mm (20")	25.4mm	Silent
100-1179	500mm (20")	25.4mm	Standard

DIAMOND BRICK & BLOCK BLADES




COBBLE/STONE BLADES



Suitable for Hand Saws, Table Saws and Floor Saws up to 20hp.

Part No.	Size	Centre	Type
100-1187	230mm (9")	22.23mm	Standard
100-1182	350mm (14")	25.4mm	Silent
100-1183	350mm (14")	25.4mm	Standard
100-1180	500mm (20")	25.4mm	Standard

FLUSH CUT BLADES



Flush cut blades enable you to cut granite, engineered stone, concrete, limestone, sandstone etc. flush against the surface.

Suitable for Angle Grinders.

Part No.	Size	Centre	Type
100-1024	105mm (4")	2.8mm	M14
100-1025	125mm (5")	2.8mm	M14
100-1027	230mm (9")	3.0mm	M14

DRY CORE BIT SET

Part No. 200-1615

Set contains:

1 x 10mm x 200mm long pilot drill bit

1 x SDS Plus Adaptor 1/2" BSP male

1 x Hex Adaptor 1/2" BSP male

1 x BSP 200mm long extension

Core Lengths: 150mm

Core Bit Sizes: 38mm, 52mm, 65mm, 107mm, 117mm.



1/2" BSP DRY CORE DRILLING BITS



Part No.	Size	Length	Thread
200-1617	14mm	150mm	1/2" BSP
200-1616	14mm	150mm	1/2" BSP
200-1618	18mm	150mm	1/2" BSP
200-1606	38mm	150mm	1/2" BSP
200-1607	52mm	150mm	1/2" BSP
200-1608	65mm	150mm	1/2" BSP
200-1610	89mm	300mm	1/2" BSP
200-1611	107mm	150mm	1/2" BSP
200-1612	114mm	300mm	1/2" BSP
200-1613	117mm	150mm	1/2" BSP
200-1637	Pilot Bit	200mm	
200-1628	Drift Key		
200-1635	SDS Plus Adaptor		1/2" BSP
200-1636	13mm Hex Adaptor		1/2" BSP
200-1638	200mm Extension		1/2" BSP

1/2" BSP bits are suited to dry core drilling 150/300mm long.

M14 DRY CORE DRILLING BITS



M14 thread to fit standard angle grinders and some adaptors, suited for Porcelain, Hard Tile and other hard material.

Part No.	Size	Length	Thread
200-1756	20mm	50mm	M14
200-1758	25mm	50mm	M14
200-1759	30mm	50mm	M14
200-1762	35mm	70mm	M14

DIAMOND BLADES & DRY CORE DRILLING BITS

SINGLE ROW GRINDING CUP

Single Row Segments
30/40 Diamond Grinding Cup




It has a single row of the diamond segments around the rim of the wheel. The vent holes allow for easy dissipation of heat. Fits to most standard Angle Grinders.

Part No.	Size	Centre	Style
300-2204	100mm	22.23/20mm	Single Row
300-2210	115mm	22.23/20mm	Single Row
300-2214	125mm	22.23/20mm	Single Row
300-2216	125mm	M14 Thread	Single Row
300-2222	180mm	22.23/20mm	Single Row

TURBO GRINDING CUP

Turbo Segments
30/50 Diamond Grinding Cup



The Turbo Cups is the fastest grinding wheel and the arrangement of diamond segments allows for easy dust and slurry control. Fits to most standard Angle Grinders.

Part No.	Size	Centre	Style
300-2206	100mm	22.23/20mm	Turbo
300-2207	100mm	M14 Thread	Turbo
300-2215	125mm	22.23/20mm	Turbo
300-2223	180mm	22.23/20mm	Turbo

DOUBLE ROW GRINDING CUP

Double Row Segments
30/40 Diamond Grinding Cup



The Double row implies that it will have twice the performance of the single row version. Best all-round diamond cup fit for many applications. Fits to most standard Angle Grinders.

Part No.	Size	Centre	Style
300-2205	100mm	22.23/20mm	Double Row
300-2209	115mm	22.23/20mm	Double Row
300-2212	125mm	22.23/20mm	Double Row
300-2220	180mm	22.23/20mm	Double Row

PRODUCT REMOVAL GRINDING CUP

Product Removal Diamond (PDC) Grinding Cup



PDC Diamond Cup Wheels are used for paint removal, chemical and film removal, and epoxy coating or glue removal. Fits to most standard Angle Grinders.

Part No.	Size	Centre	Style
300-2208	105mm	M14 Thread	PDC
300-2213	125mm	22.23/20mm	PDC
300-2221	180mm	22.23/20mm	PDC
300-2224	180mm	22.23/20mm	Glue Removal

SEGMENTED GRINDING CUP

Segmented Diamond Grinding Cup



The Segmented diamond cups have an angled segment aligned for speed and aggression. Fits to most standard Angle Grinders.

Part No.	Size	Centre	Style
300-2211	125mm	22.23/20mm	Segmented Turbo
300-2218	180mm	22.23/20mm	Segmented
300-2219	180mm	22.23/20mm	Segmented Turbo



MARSHALLTOWN POINTER TROWELS



Part No.	Description
400-3271	Marshalltown Pointer Trowel 6mm
400-3272	Marshalltown Pointer Trowel 8mm

MARSHALLTOWN JOINT RAKER



Part No.	Description
400-3283	Marshalltown Joint Raker

OX MORTAR TROWELS



Part No.	Description
400-3273	OX Mortar Trowel 6mm
400-3274	OX Mortar Trowel 8mm

OX JOINT RAKER



Part No.	Description
400-3282	OX Joint Raker

MARSHALLTOWN BRICK JOINTERS



Part No.	Description
400-3275	Marshalltown Brick Jointer 16mm/19mm
400-3276	Marshalltown Brick Jointer 10mm/13mm

STANWAY BRAIDED STRING LINE



Part No.	Description
400-3913	Stanway 80m Braided String Line

MARSHALLTOWN TROWELS



Part No.	Description
400-3278	Marshalltown Trowel 275mm
400-3279	Marshalltown Trowel 330mm

OX STRING LINE




Part No.	Description
400-3912	OX String Line - 50m
400-3914	OX String Line - 100m

OX BRICK TROWEL



Part No.	Description
400-3280	OX Brick Trowel 300mm

OX LINE BLOCKS



Part No.	Description
400-3369	OX Line Block - Rubber
400-3370	OX Line Block - Rubber (Large)

MARSHALLTOWN LINE STRETCHER



Part No.	Description
400-3373	Marshalltown Line Stretcher

YAMAYO TAPE MEASURES



Part No.	Description
400-3906	Yamayo Tape Measure 30m
400-3907	Yamayo Tape Measure 50m

LINE PINS




Part No.	Description
400-3374	Line Pins (two)

JOHNSON LINE LEVEL



Part No.	Description
400-3925	Johnson Line Level 3"

CARPENTERS RULE



Part No.	Description
400-3900	Carpenters Rule Beveled Edge 1m

JOHNSON TORPEDO LEVEL



Part No.	Description
400-3926	Johnson Magnetic Torpedo Level 9"

OX TAPE MEASURES



Part No.	Description
400-3901	OX Tape Measure - 8m
400-3904	OX Tape Measure - 10m

JOHNSON BOX LEVELS



Part No.	Description
400-3927	Aluminium Box Level - 600mm
400-3928	Aluminium Box Level - 1200mm
400-3929	Aluminium Box Level - 1800mm

STANLEY TAPE MEASURE



Part No.	Description
400-3905	Stanley Tape Measure 10m

BRICKIE PROFILE



Part No.	Description
400-3377	Brickie Profile 50 x 50 x 2.6 Galv

OX 50MM PROFILE CLAMP

- Full brick solid steel profile clamp
- T bolt thumb screw for easier adjustments
- Zinc plated for added durability
- 50mm - 300mm



Part No.	Description
400-3378	50mm Profile Clamp

OX TOP STEADY BAR

- Heavy duty zinc plated top steady bar
- Suits OX P101001 or OX P101002
- 300mm x 800mm



Part No.	Description
400-3383	Top Steady Bar

OX 180MM PROFILE CLAMP

- Full brick solid steel profile clamp
- T bolt thumb screw for easier adjustments
- Zinc plated for added durability
- 180mm



Part No.	Description
400-3379	180mm Profile Clamp

ESTWING CLAW HAMMER



Part No.	Description
400-3021	Estwing Fibreglass Claw Hammer 20oz

OX 560MM SLIDING PROFILE CLAMP

- Full brick solid steel profile clamp
- Duragrip T bolt thumb screw for easier adjustment
- Zinc plated for added durability
- 560mm



Part No.	Description
400-3380	560mm Sliding Profile Clamp

OX BRICK HAMMER



Part No.	Description
400-3024	OX Brick Hammer 24oz

OX NAIL-ON CLAMP SET

- Heavy duty top steady veneer clamp set
- Solid steel design for full brick utilization
- T bolt thumb screw for easy adjustments
- Zinc plated for longer life



Part No.	Description
400-3381	Top Steady Nail-On (Veneer) Clamp Set


OX PRY BAR



Part No.	Description
400-3039	OX Pry Bar

OX CLAMP-ON BRICK CLAMP SET

- Heavy duty Top Steady clamp set
- Solid steel design for full brick utilization
- T bolt thumb screw for easy adjustments
- Zinc plated for longer life



Part No.	Description
400-3382	Top Steady Clamp-On (Full Brick) Clamp Set

OX CLUB HAMMER



Part No.	Description
400-3029	OX Fibreglass Club Hammer 4lb

OX BRICKIE BRUSH



Part No.	Description
400-3056	OX Brickie Brush

MARSHALLTOWN SCRAPPER



Part No.	Description
400-3352	Marshalltown Scraper 150mm

CONTRACTORS BROOM



Part No.	Description
400-3061	Contractors Broom - 610mm

MARSHALLTOWN RUBBER BUCKET



Part No.	Description
400-3355	Marshalltown Rubber Bucket 17L

MARSHALLTOWN MASONRY BRUSH



Part No.	Description
400-3361	Marshalltown Masonry Brush

OX BRICK CARRIER



Part No.	Description
400-3361	OX Brick Carrier

SCRUBBING BRUSH



Part No.	Description
400-3053	Scrubbing Brush

GLOKOTE SPRAY CANS

GloKote - Linemarking Paint

Upside Down Marking Paint Fluorescent Spray-paint.
A range of vivid fluorescent marking chalk-based
paints in aerosol form.



Part No.	Description
400-3800	Red GloKote
400-3801	Pink GloKote
400-3802	Blue GloKote
400-3803	Green GloKote
400-3804	Yellow GloKote
400-3805	Orange GloKote

Box of 12.

CLEANING SPONGE



Part No.	Description
400-3057	Cleaning Sponge - 130mm x 200mm

HI-VIS SAFETY GLOVES

M: 500-4502
L: 500-4503
XL: 500-4504

Hi-Vis knitted nylon liner with nitrile palm coating. Strong abrasive resistant coating with sensitive touch. Handling for both wet and dry conditions.



DISPOSABLE BLACK NITRILE GLOVES

L: 500-4500
XL: 500-4501

The heavy duty disposable gloves have superior strength, superior puncture, stretch and abrasion resistant compared to other nitrile gloves.



NITRILE COATED GLOVES

M: 500-4506
L: 500-4507
XL: 500-4508

General Purpose glove with black polyamide line and black sandy nitrile coating.



UN-CORDED EAR PLUGS

Part No. 500-4551
Class 5
Box of 200 pairs.



CONCRETE / BRICKIE GLOVES

M: 500-4522
L: 500-4523
XL: 500-4524

Ultra tough latex crinkle coated palm. Great for Bricks, Timber & Concrete. EN 388:2016, EN 407



CORDED EAR PLUGS

Part No. 500-4553
Class 5
Box of 100 pairs.



CUT RESISTANT GLOVES

M: 500-4526
L: 500-4527
XL: 500-4528
HPPE Level 5

The cut resistant gloves have PU palm coating with superior grip. They make for ideal gardening gloves or industrial safety gloves for factory or construction.



EAR MUFFS

Part No. 500-4556
Class 3.



LEATHER A GRADE RIGGER GLOVES

M: 500-4546
L: 500-4547
XL: 500-4548

Premium full grain cowhide riggers glove. 'The Rigger' asked for by name throughout New Zealand.



PROFESSIONAL EAR MUFFS

Part No. 500-4557
Class 5 Hearing Protection. Used in noise areas up to 110dB.



PROFESSIONAL FOLDING EAR MUFFS

Part No. 500-4558

Class 5 Hearing Protection. Used in noise areas up to 117dB.

Use our Replacement Hygiene Kit Part No. 500-45601.



SUPER-COMFORT GLASSES - TINT

Part No. 500-4571

Wrap Tint with Side protection.



EAR MUFFS HYGIENE KIT

Part No. 500-45601

Fits our 500-4558 Ear Muffs.



CLEAR SAFETY GLASSES

Part No. 500-4564

Sunglass Style Clear



COVER-ALL SAFETY GLASSES - CLEAR

Part No. 500-4563

Designed to be worn over prescription glasses.



TINTED SAFETY GLASSES

Part No. 500-4565

Sunglass Style Tint



COVER-ALL SAFETY GLASSES - TINTED

Part No. 500-4565

Designed to be worn over prescription glasses.



AMBER SAFETY GLASSES

Part No. 500-4566

Sunglass Style Amber



SUPER-COMFORT GLASSES - CLEAR

Part No. 500-4570

Wrap Clear with Side protection.



MIRRORED SAFETY GLASSES

Part No. 500-4569

Sunglass Style Mirror



SAFETY VISOR

Part No. 500-4578
Adjustable head size.
Certified to
AS/NZS 1337.1.



DUST MASKS

Part No. 500-4583
Nuisance level dust
protection.
50 Pack



HARD HAT VISOR COMBO

Part No. 500-4580
AS/NZS rated for
extra high impact.



P1 RESPIRATORS

Part No. 500-4584
P1 rating.
Dual straps.
20 Pack



SAFETY HARD HATS



Part No.	Description
500-4596	White Hard Hat
500-4597	Orange Hard Hat
500-4598	Blue Hard Hat
500-4599	Yellow Hard Hat

Adjustable 53cm to 66cm.
AS/NZS 1801:1997.

P2 RESPIRATORS

Part No. 500-4585
P2 rating non-
valved dust mask.
Dual straps.
20 Pack



P2 RESPIRATORS

Part No. 500-4586
P2 rating with
AIR8™ valve.
Dual straps.
12 Pack



DISPOSABLE FACE MASKS

Part No. 500-4582
50 Pack



P2 CARBON RESPIRATORS

Part No. 500-4587
Carbon filtered P2
rating with AIR8™
valve. Dual straps.



KNEE PADS

Part No. 520-5204

Ergonomically designed, foam padded, durable knee pad for heavy use with adjustable dual straps.



HI-VIS RAINSUIT

M: 520-4811
L: 520-4812
XL: 520-4813

Orange Polyester/PVC waterproof material, Jacket and Pants set.



Also available in Yellow.

ORANGE HI-VIS BEANIE

Part No. 520-5210

100% polyester knit material with reflective stripes.



HI-VIS SAFETY VEST

S: 520-4819
M: 520-4820
L: 520-4821
XL: 520-4822
2XL: 520-4823
3XL: 520-4824

Hi-vis Orange day/night safety vest, with reflective strips, cellphone, ID and pen pockets.



Also available in Yellow.

HI-VIS FULL BRIM HAT

Part No. 520-5211

100% polyester material.

Two sizes available: S/M and L/XL.



HI-VIS SAFETY POLO

S: 520-4833
M: 520-4834
L: 520-4835
XL: 520-4836
2XL: 520-4837
3XL: 520-4838

Reflective Orange microfibre polyester.



Also available in Yellow.

HI-VIS HELMET SUNSHIELD

Part No. 520-5212

100% polyester mesh. Designed to fit over full brim hard hats.



HI-VIS SAFETY HOODY

S: 520-4861
M: 520-4862
L: 520-4863
XL: 520-4864
2XL: 520-4865
3XL: 520-4866

Orange 270gsm Polyester fleece, 280gsm softshell.



Also available in Yellow.

HI-VIS BASEBALL CAP & SUNSHIELD

Part No. 520-5213

100% polyester material with 12mm reflective stripe.



HI-VIS SAFETY CONTRACTORS JACKET

S: 520-4889
M: 520-4890
L: 520-4891
XL: 520-4892
2XL: 520-4893
3XL: 520-4894

Reflective Orange 300D Poly Oxford with PU backing.



Also available in Yellow.

LIP BALM

Part No. 500-4605
SunGard SPF30+



SUNGARD WALL BRACKETS

500ml: 500-4610
1 Litre: 500-4611



SUN SCREEN 125ML

Part No. 500-4606
SunGard SPF50+
125ml
Four hours water resistance.
AS/NZS Standard 2604:2012.



42 PIECE FIRST AID KIT

Part No. 540-5479



SUN SCREEN 500ML

Part No. 500-4607
SunGard SPF50+
500ml
Four hours water resistance.
AS/NZS Standard 2604:2012.



54 PIECE FIRST AID KIT

Part No. 540-5480



SUN SCREEN 1 LITRE

Part No. 500-4608
SunGard SPF50+
1 Litre
Four hours water resistance.
AS/NZS Standard 2604:2012.



FIRE EXTINGUISHER

Part No. 540-5472
ABE Dry Powder
1kg



SUN SCREEN 2.5 LITRE

Part No. 500-4609
SunGard SPF50+
2.5 Litre
Four hours water resistance.
AS/NZS Standard 2604:2012.



SAFETY WARNING TAPE

Part No. 540-5419
Danger Keep Out
Roll size: 75mm x 250m



SAFETY WARNING TAPE

Part No. 540-5420
Caution
Roll size: 75mm x 250m



SAFETY SIGN

Part No. 540-5504
Safety Helmet Area



SAFETY WARNING TAPE

Part No. 540-5421
Restricted Area Please Keep Out
Roll size: 75mm x 250m



TRAFFIC CONE

Part No. 540-5461
NZTA compliant.
Height: 900mm
Base: 355mm x 355mm



SAFETY WARNING TAPE

Part No. 540-5423
Danger Men Working Above
Roll size: 75mm x 250m



EXTENDABLE CONE BAR

Part No. 540-5464
Reflective yellow bands.
Length: 1200mm to 2100mm




SAFETY SIGN

Part No. 540-5502
Danger
Construction
Site



DURAMESH

Part No. 540-5450
Re-usable, UV resistant.
Roll size: 1m x 30m



SAFETY SIGN

Part No. 540-5503
Notice All Visitors
Report to Site
Office



ECOMESH

Part No. 540-5451
Re-usable, UV resistant.
Roll size: 1m x 50m




SIMA HANDY 350 MASONRY SAW

Part No. Handy 350

The Sima Handy 350 Masonry Saw is a rugged but lightweight dry and wet cutting machine. The Handy 350 can be used both with the slide cart (Push-through) or as a drop saw. It comes equipped with an efficient dust collection system for Dry cutting, which will catch up to 90% of the dust produced if connected to a Vac. The stringent regulations on pollution and working safety makes virtually essential to use vacuum cleaners for minimizing dust.

Specifications

Motor: 230v Single Phase, 60Hz, 2.2kW (NZ Plug)
 Weight: 38kg
 Dimensions: 810 x 540 x 560mm
 Blade: 350mm (14")
 Cutting Depth: 120mm
 Cutting Length: 270mm
 Wet & Dry Cutting
 Made in Spain



Comes with Deck Extension

SIMA BAKAR MK45 MASONRY SAW

Part No. Dakar MK45

The Sima DAKAR 45 embodies the perfect balance between quality and price in the world of the table saws. It cut: bricks, tiles, kerbstones, granite, marble, roof tiles, etc. and has a cutting length of up to 650 mm (25") long.

Its adaptable cutting head can be adjusted up and down, forwards and backwards and also to a 45 degree for bevel cuts. It is 90% made of stainless materials, and the remaining 10% is coated with an anti-rust epoxy-polyester paint. The folding legs make it very quick and easy to transport from site to site.

Specifications

Motor: 230v Single Phase, 60Hz, 2.2kW (NZ Plug)
 Weight: 72.5kg
 Dimensions: 1250 x 850 x 620 mm
 Blade: 350mm (14")
 Cutting Depth: 120mm
 Cutting Length: 650mm
 Made in Spain



SIMA BALI 500 MEKANO MASONRY SAW

Part No. Bali 500 Mekano

The Bali Mekano block saw with its 500mm diameter blade is designed for cutting concrete blocks with one cut. This saw has a robust trolley deck that can take pavers up to 600m².

Tradesmen who have purchased this saw have been very impressed with the safety for the operator and the speed of cutting. Made of stainless steel and aluminum, this guarantees the durability of the saw when maintained correctly. It has a recycling pump for keeping the site clean. The trolley wheels on the frame make for easy movement around the site.

Specifications

Motor: 230v Single Phase, 60Hz, 2.2kW (NZ Plug)
 Weight: 197kg
 Size: 1260 x 880 x 640 mm
 Blade: 500mm (20")
 Cutting Depth: 200mm
 Cutting Length: 400mm
 Made in Spain



DEWALT DCS690N BATTERY SAW

Part No. DEW.DCS690NKIT

The DCS690 is a cordless saw with a 54 volt brushless motor without the hassle of a pull cord start up, petrol fumes or engine maintenance. It offers a 83mm depth of cut for a single pass in cobble stones, concrete block and other applications. The adjustable guard has five positions to optimise angle and visibility when cutting horizontally and vertically. Water is delivered directly to the blade, allowing for superior dust management when cutting concrete.

Includes: The DCS690 saw, 1x fast charger, 2x 54V/18V Batteries

Specifications

Blade Diameter : 230 mm
Depth of cut: 82 mm
Bore Size: 22.23 mm
No Load Speed: 6500 rpm
Voltage: 54V
Weight: 6.4 kg



HUSQVARNA K770 350MM CONCRETE HAND SAW

Part No. HUS.K770350

Robust, reliable, light and powerful. The K770 power cutter is ready to perform when you are. The ultimate choice when you need an all-around cutter performing in the toughest conditions, withstanding climate and fuel variations.

Specifications

Engine: 73.5cc, 3.7 kW
Blade size: 350 mm (14")
Cutting Depth: 125 mm
Weight: 10.1 kg
(Blade not included)



HUSQVARNA K970 CONCRETE HAND SAWS

Part No. HUS.K970350

Part No. HUS.K970400

Robust, reliable, light and powerful. The K970 power cutter is ready to perform when you are. The ultimate choice when you need an all-around cutter performing in the toughest conditions, withstanding climate and fuel variations.

Specifications

Engine: 94cc, 4.8 kW
Blade size: 350mm (14") or 400mm (16")
Cutting depth: 125mm or 145mm
Weight: 11.8 kg
(Blade not included)



ARBORTEC ALL SAW AS175

Part No. ARB.ALLSAW175

The All Saw AS175 is a safe alternative to an angle grinder. It is engineered to significantly improve safety and efficiency when cutting brick walls, mortar and more. Cut square, cut deep and cut with precision.

The Allsaw AS175 is ideal for Trade Professionals and DIY Enthusiasts, there are a number of specialized blade options for specialized trade applications.

Package includes

- AS175 1400W Tool
- General Purpose Blade
- Plunge Blade
- Dust Boot
- Arbortech Carry Bag

More blades below



Part No. ARB.BLAFG2110 Switchbox Blade Set

Ideally suited to cut small square holes for electrical switches.

Depth: 120mm

Width: 7.2mm



Part No. ARB.BLAFG1110 General Purpose Blade Set

Used for general cutting of bricks, and mortar or general masonry cutting. Also used for cutting tree roots or wood through dirt and sand.

Depth: 115mm

Width: 7.2mm



Part No. ARB.BLAFG7000 Headjoint Blade Set

Ideal for tuckpointing and mortar removal on vertical joints.

Depth: 75mm

Width: 7.2mm



Part No. ARB.BLAFG1200 XL General Purpose Blade Set

Used for general cutting of bricks, and mortar or general masonry cutting. Also used for cutting tree roots or wood through dirt and sand. Cuts up to 170mm deep.

Depth: 170mm

Width: 7.2mm



Part No. ARB.BLAFG8000 Heritage Blade Set

Ideal for mortar removal on thin joints and heritage restoration.

Depth: 35mm

Width: 3mm



Part No. ARB.BLAFG4110 Plunge Blade Set

Used for general cutting of bricks and mortar. Ideal for single brick removal and toothing of brickwork.

Depth: 120mm

Width: 7.2mm



Part No. ARB.BLAFG5110 Tuckpointing Blade Set

Used for removing the mortar between the bricks in restoration work.

Depth: 35mm

Width: 7.2mm




AQUAFLEX DUST FREE CUTTING SYSTEM

Part No. AQU.EM125

The AquaFlex system is the answer to the dust and related health issues from cutting concrete block dry on site, sliding over any existing angle grinder guard. Designed to apply water to the blade, eliminating the dust.

Features

- 230mm guard slides over any existing angle grinder guard with a thumb screw holding it in place.
- Water adjustment tap on the guard to regulate the water flow.
- 5 litre water reservoir
- 250mm wide x 350mm deep x 440mm high
- Under 10kgs (without water)
- 6m lead (safety coated in red cloth) from the AquaFlex 'box' to the Angle Grinder
- 'Auto' setting - this automatically starts the water pump when the operator turns on the Angle Grinder
- 3m lead from the AquaFlex system to the power source
- Guards available 115mm, 125mm, 180mm & 230mm
- Made in Italy.



SIMA VC3600 POWERFUL WET & DRY VACUUM

Part No. SIM.VC3600

This vacuum cleaner has multiple applications; brick saws, milling machines, circular saws, wall chasers, angle grinders, polishers, drills, chop saws, etc.

Features

- 3600W/ 3.6Kw - Three powerful 1200W/ 1.3kW motors
- Wet and Dry Suction - Jet Pulse Filter Cleaning System
- Removable Collection Tank • Transport Wheels
- Lockable Brakes

Specifications

Motor Power: 3Kv (3x 1000W Motors)
 Motor Voltage: 230/240 V
 Motor Frequency: 50 Hz
 Installed Plug: 230 V
 Air Flow: 166 (597 m3/h)
 Suction Tank Capacity: 60L
 Filter: HEPA (Polyester)
 Weight: 55kg



BELLE MINI CONCRETE MIXER 150

Part No. BEL.C2251H

Robust and durable, compact and portable cement mixers, capable of mixing a full barrow load of concrete or mortar.

Model BMA-OMXY electric 203 volt, 4.0Hp engine.

Features

- Max Drum Capacity 130L
- Max Mixing Capacity 90L
- Compact and portable for easy transportation
- Mixes a full barrow load of concrete or mortar
- Complete with barrow height swivel and stand
- Proven, robust and durable design with extra thick drum
- Designed for hire and professional use
- Weight 55.5kg
- Made in the UK






Call us about our "Brickie Starter Kit" customised specially for you!

See our full range at www.diamond-tools.co.nz



MENU - SPECIALS DIAMOND BLADES MACHINES CORE/DRILL BITS ABOUT CONTACT 

Home > Machinery > SIMA Handy 350 Brick/Block Saw

SIMA HANDY 350 BRICK/BLOCK SAW

SIM.HANDY350
\$2653.84 excluding GST
\$3,051.92 including GST

Quantity:

ADD TO CART

Sima Handy 350 Masonry

The Sima Handy 350 Masonry Saw Handy 350 can be used both wet and dry. It is equipped with an efficient dust extraction system that makes it virtually essential to use with a vacuum cleaner. The safety of the user is a top priority.

Specs:

- Motor: 230v Single Phase
- Weight: 38kg
- Size: 810 x 540 x 560mm
- Blade: 350mm (14")
- Cutting Depth: 120mm
- Cutting Length: 270mm
- Wet & Dry Cutting
- Made in Spain



BRICK & BLOCK MACHINERY



South Pacific Diamond Tools

Unit B – 1 Hautu Drive, Wiri, Auckland 2104

Telephone 09 277 8830

sales@diamond-tools.co.nz

www.diamond-tools.co.nz