



Test Report

Report No.: AJFS2312012554FF Date: JAN.03, 2024 Page 1 of 3

Sample Name: ARTIFICIAL GREENERY

SGS Ref No.: SHP23-021481

Style/Item No.: /

The above sample(s) was / were submitted and identified on behalf of the client. SGS is not responsible for the authenticity, integrity and results of the data and information and / or the validity of the conclusion arising therefrom. Results apply to the sample as received.

<u>Test Requested</u>: NFPA 701:2023 Standard Methods of Fire Tests for F lame Propagation of Textiles and Films, test method 2 (Flat specimen).

Test Results: -- See attached sheet --

Conclusion:

The tested sample "as received" passes the test method 2 (Flat specimen) of NFPA 701:2023.

Test Period:

Sample Receiving Date: DEC.26, 2023

Test Performing Date: DEC.26, 2023 TO JAN.02, 2024

Signed for and on behalf of

SGS-CSTC Standards Technical Services Co., Ltd. Anj i Branch



Approved Signatory







Test Report

Report No.: AJFS2312012554FF Date: JAN.03, 2024 Page 2 of 3

Test Conducted

The test was conducted in accordance with NFPA 701:2023 Standard Methods of Fire Tests for Flame Propagation of Textiles and Films, test method 2 (Flat specimen).

Test Specimen

Description Artificial greenery		
Color Green		
Thickness 50.0 mm		
Size of specimen 1200 mm multiply 125 mm		

Conditioning

Cleaning procedure: none

Prior to testing, the specimens were conditioned at 20 \pm 5 for 24 h.

Test Result

Specimen No.	Char length (mm)	After flame time (s)	Burning time of portions or residues on the floor (s)
1 423 0 0			
2 375 0 0			
3 420 0 0			
4 381 0 0			
5 378 0 0			
6 385 0 0			
7 423 0 0			
8 411 0 0			
9 394 0 0			
10 426 0 0			

Observations:

Vigorous burning (Yes/No) Molter	n droplets or debris (Yes/No) Odor smok	e (Yes/No)
No Yes Yes		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 144 or email: CN.Doccheck@sgs.com

No.301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sys.china@sgs.com





Test Report

Report No.: AJFS2312012554FF Date: JAN.03, 2024

Page 3 of 3

Performance criteria for test method 2 (Flat specim en) (Chapter 15)

- 1) 1 When any specimen continues flaming for more t han 2 seconds after the test flame is removed from contact with the specimen, the material shall be recorded as having failed the test.
- 2) When the char length of any single flat specimen exceeds 435 mm, the material shall be recorded as having failed the test.
- 3) When at any time during or after the application of the test flame any portions of residues of the material being tested break or drip from the specimen and fall to the floor of the test apparatus and continue burning for more than 2 seconds after reaching the floor of the test apparatus, the material shall be recorded as having failed the test.
- 4) In the event that only one of the 10 flat specimens do not meet the criteria, five new specimens cu t in the same direction as the one that failed shall be test.
- 5) If all five the new specimens meet all of the cr iteria, the material shall be recorded as having pass the test.

Statement: This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

Photo Appendix:



SGS authenticate the photo on original report only

End of Report

