

DeltaTrayThames

Centre Drain Options (Depth 22mm & 27mm)



Per Minute Drainage
(Tested under 15mm head of water, flow rate could be reduced to 24lpm in actual shower conditions)



Suitable for large format tiles and mosaics tiles 20mm x 20mm or greater
(Tiles must be min 8mm thick)



Sealed Gasket



Secondary Under Tile Drainage



Tile Into Grate Option




A Drain Kit is required with the DeltaTray Thames, the table below shows all drain kits available.

Product Image	Product ID	Description
	J0216	Thames Drain Kit including: Horizontal Drain, Grate, Drain Fitting Aid & Stainless Steel Cover Plate (50mm Water Seal Trap)
	J0217	Thames Drain Kit including: Vertical Drain, Grate, Drain Fitting Aid & Stainless Steel Cover Plate (50mm Water Seal Trap)
	J0218	Thames Drain Kit including: Shallow Horizontal Drain, Grate, Drain Fitting Aid & Stainless Steel Cover Plate (50mm Water Seal Trap)



Centre Drains (Depth 22mm & 27mm)



Centre Drain Tray Sizes & Information

Product ID	Size of Tray	Thickness	Drain Position	Fall to Drain
E0010	800 x 800mm	22mm	Centre	-11mm
E0020	900 x 900mm	22mm	Centre	-11mm
E0030	1000 x 1000mm	22mm	Centre	-11mm
E0040	1200 x 1200mm	22mm	Centre	-11mm
E0075	900 x 1200mm	22mm	Centre	-11mm
E0045	1500 x 1500mm	27mm	Centre	-16mm
E0102	900 x 1500mm	27mm	Centre	-16mm
E0115	900 x 1800mm	27mm	Centre	-16mm

■ Raising plinths available to suit all tray sizes above - See page 36 for more details.

DeltaTrayThames

Offset Drain Options (Depth 22mm, 27mm & 30mm)



Per Minute Drainage
(Tested under 15mm head of water, flow rate could be reduced to 24lpm in actual shower conditions)




Suitable for large format tiles and mosaics tiles 20mm x 20mm or greater
(Tiles must be min 8mm thick)



Sealed Gasket



Secondary Under Tile Drainage



Tile Into Grate Option




A Drain Kit is required with the DeltaTray Thames, the table below shows all drain kits available.

Product Image	Product ID	Description
	J0216	Thames Drain Kit including: Horizontal Drain, Grate, Drain Fitting Aid & Stainless Steel Cover Plate (50mm Water Seal Trap)
	J0217	Thames Drain Kit including: Vertical Drain, Grate, Drain Fitting Aid & Stainless Steel Cover Plate (50mm Water Seal Trap)
	J0218	Thames Drain Kit including: Shallow Horizontal Drain, Grate, Drain Fitting Aid & Stainless Steel Cover Plate (50mm Water Seal Trap)



Offset Drains (Depth 22mm, 27mm & 30mm)



Offset Drain Tray Sizes & Information

Product ID	Size of Tray	Thickness	Drain Position	Fall to Drain
E0060	1000 x 1000mm	22mm	Corner	-11mm
E0080	1000 x 1200mm	22mm	Offset	-11mm
E0090	1200 x 1200mm	22mm	Offset	-11mm
E0070	800 x 1200mm	22mm	Offset	-11mm
E0076	900 x 1200mm	22mm	Offset	-11mm
E0100	800 x 1500mm	27mm	Offset	-16mm
E0105	900 x 1600mm	27mm	Offset	-16mm
E0120	900 x 1800mm	30mm	Offset	-19mm

■ Raising plinths available to suit all tray sizes above - See page 36 for more details.