

2020

# PYRAMEX

PYRAMEX IS DEDICATED TO PROTECTING YOU  
SO YOU CAN PERFORM AT YOUR PEAK



RETAIL

# TABLE OF CONTENTS

## GLOVES

Leather Palms . . . . .	12	Azera® . . . . .	55	Ionix® . . . . .	60
Leather Drivers . . . . .	13	Cappture™ . . . . .	75	Isotope™ . . . . .	46
Welding . . . . .	15	Capstone® 500 . . . . .	77	Itek® . . . . .	65
Polyurethane Dipped . . . . .	17	Capstone 600 . . . . .	78	Lens Cleaning . . . . .	82
Latex Dipped . . . . .	18	Capstone Dual . . . . .	77	Mini Intruder . . . . .	68
Nitrile Dipped . . . . .	19	Capstone Shield . . . . .	76	Mini Ztek . . . . .	67
Synthetic Leather . . . . .	22	Conaire™ . . . . .	52	Monitor™ . . . . .	55

## WORKWEAR

ANSI Type R Class 2		Crossov™ . . . . .	46	Onix® . . . . .	61
Vests . . . . .	26	Defiant® . . . . .	75	Onix Plus . . . . .	61
Shirts . . . . .	29	Displays . . . . .	82	OTS® . . . . .	74
Insulated Wear . . . . .	33	Emerge® . . . . .	70	OTS XL . . . . .	74
ANSI Type R Class 3		Emerge Plus . . . . .	70	Pathfinder™ . . . . .	55
Vests . . . . .	30	Endeavor™ Plus . . . . .	64	PMXCEL® . . . . .	51
Shirts . . . . .	30	Ever-Lite® . . . . .	56	PMXSLIM® . . . . .	66
Outerwear . . . . .	31	Ever-Lite Readers . . . . .	71	PMXTREME® . . . . .	59
Rainwear . . . . .	34	Exeter® . . . . .	53	PMXTREME LED . . . . .	59
ANSI Type R Class E		Fastrac® . . . . .	69	PMXTREME LED Readers . . . . .	72
Insulated Wear . . . . .	33	Fortress® . . . . .	61	PMXTREME Readers . . . . .	72
Rainwear . . . . .	35	Forum® . . . . .	63	PMXTREME Rx . . . . .	59
CSA Level 2 Class 2		Furix® . . . . .	54	Provoq® . . . . .	67
Vests . . . . .	35	Fyxate™ . . . . .	49	Proximity® . . . . .	51
Shirts . . . . .	36	Goggles . . . . .	76	Reatta® . . . . .	60
Outerwear . . . . .	37	Goliath® . . . . .	53	Rendezvous® . . . . .	60
Non-rated . . . . .	39	Gravex® . . . . .	58	Sitecore™ . . . . .	57
Accessories . . . . .	40	Highlander™ . . . . .	48	Solara® . . . . .	54
		Highlander Plus . . . . .	49	Solo® . . . . .	74
		I-Force® . . . . .	47	Surveyor® . . . . .	63
		I-Force Slim . . . . .	47	Torser™ . . . . .	47
		Integra® . . . . .	62	Trifecta® . . . . .	55
		Intrepid II® . . . . .	64	TruLock™ . . . . .	65
		Intruder® . . . . .	68	TruLock Multi-Colors . . . . .	65
		Intruder and Mini Multi-Colors . . . . .	68	V2® Metal . . . . .	58
		Intruder Readers . . . . .	73	V2G® . . . . .	48
				V2G Readers . . . . .	73

## EYEWEAR

Accessories . . . . .	81	V2G-Plus® . . . . .	78
Accurist® . . . . .	51	V3T™ . . . . .	49
Achieva® . . . . .	69	Velar™ . . . . .	52
Alair® . . . . .	69	Venture II® . . . . .	58
Atoka® . . . . .	69	Venture II Readers . . . . .	71
Avanté® . . . . .	62	Venture 3® . . . . .	57
		XS3 Plus® . . . . .	50
		XSG® . . . . .	50
		XSG Kit . . . . .	50
		XSG Readers . . . . .	73
		Zone II® . . . . .	54
		Ztek® . . . . .	67
		Ztek Readers . . . . .	72

## HEADGEAR

Adapters . . . . .	92
Balaclavas . . . . .	96
Baseball Bump Caps . . . . .	91
Face Shields . . . . .	93
Headgear . . . . .	94
Kits . . . . .	95
N95 Respirators . . . . .	96
Ridgeline® Bump Caps . . . . .	88
Ridgeline Cap Style . . . . .	87
Ridgeline Full Brim . . . . .	88
Ridgeline Hydro Dipped . . . . .	89
Ridgeline XR7 . . . . .	86
SL Series Cap Style . . . . .	90
SL Series Full Brim . . . . .	90
SL Series Sleek Shell . . . . .	91

## WELDING

Accessories . . . . .	102
Auto-darkening . . . . .	100
IR Filter Products . . . . .	103
Passive Helmet . . . . .	102

## HEARING

Cap Mounted Earmuffs . . . . .	110
Earplugs . . . . .	111
Electronic Earmuffs . . . . .	108
Metal Detectable Earplugs . . . . .	110
Passive Earmuffs . . . . .	109

## COOLING

Evaporative . . . . .	116
Sun Shade . . . . .	117
Moisture-wicking . . . . .	118

## ERGONOMICS

Back Support . . . . .	121
Knee Pads . . . . .	121

## RETAIL SOLUTIONS

### VENTURE GEAR® TACTICAL

Displays . . . . .	138
Drone® . . . . .	125
Howitzer™ . . . . .	125
Loadout™ . . . . .	126
Overwatch® . . . . .	124
Packaging . . . . .	139
Semtex 2.0™ . . . . .	126
Stonewall® . . . . .	125

### HEARING

Amp BT™ . . . . .	140
Clandestine™ . . . . .	140
Ever-Lite® Range Kit . . . . .	142
Packaging . . . . .	139
DU Shooting Kits . . . . .	142
Sentinel™ . . . . .	140
DU Shooting Kits . . . . .	142
VG80 Series . . . . .	141
VG90 Series . . . . .	141
VGBH9010C . . . . .	141

### VENTURE GEAR®

Atwater™ . . . . .	130
Brevard® . . . . .	128
Displays . . . . .	138
Drop Zone® . . . . .	131
Monteagle™ . . . . .	130
Packaging . . . . .	139
Pagosa® . . . . .	128
Tensaw® . . . . .	129
Vallejo® . . . . .	127
Waverton™ . . . . .	129
Zumbro® . . . . .	131

### KITS

Ever-Lite® Range Kit . . . . .	142
Packaging . . . . .	139
DU Shooting Kits . . . . .	142

### CARHARTT®

Billings® . . . . .	135
Braswell™ . . . . .	134
Carbondale® . . . . .	133
Carthage® . . . . .	132
Cayce™ . . . . .	135
Displays . . . . .	138
Easley™ . . . . .	135
Ironside® . . . . .	133
Packaging . . . . .	139
Rockwood® . . . . .	135
Spokane® . . . . .	134
Toccoa™ . . . . .	132

### PYRAMEX® RETAIL

Cappture™ . . . . .	143
Disposable Earplugs . . . . .	143
Face Shields . . . . .	143
N95 Respirators . . . . .	143
Onix® . . . . .	143
PYS25 Combo Kits . . . . .	143
Reusable Earplugs . . . . .	143
Venture 3® . . . . .	143

### DUCKS UNLIMITED®

DUCAB . . . . .	136
DUCAB2 . . . . .	137
DUCLAM1 . . . . .	136
DUCLAM2 . . . . .	137
Packaging . . . . .	139
Shooting Eyewear . . . . .	137



# THE PYRAMEX PROMISE

At Pyramex, our promise to our customer is to provide the best possible products, the best possible service, and most importantly, an attitude of making our customer's lives easier on a day-to-day basis. Our values challenge us toward a commitment to truth and to deliver what we promise.

Pyramex has been around for over two decades, and while a lot has changed for the company— we have grown, innovated, relocated, and improved— so much has remained the same. Our customers are and always have been our number one priority. We are endlessly looking to them for feedback, for direction, for inspiration...Why? Because they're the ones who are going to work every day wearing our products. They're who Pyramex makes products for. We value every conversation with our distributors, rep groups, and end-users, because each interaction allows us to grow and become better. We like to say that when you contact Pyramex, you are contacting a person and not a machine. But we forget one huge detail; you talk not only to a person, but a person who values you for calling, chatting, or emailing us. Our partnerships with each of our customers is our highest priority.

Our products are a direct reflection of our tirelessness to bring you the best. Many hours are spent researching, designing, and perfecting each product to bring you exactly what you need. We test them to the highest safety standards and make them with the most durable, innovative, and appropriate materials for their designated applications. As you look through this 2020 catalog, we encourage you to take note of each product's safety information, specific features, and standards that have been curated for the sole purpose of helping you to understand what it is you are buying. It is important to us to keep you informed, and for the catalog you hold in your hands to not just be a catalog, but a tool filled with useful information.



## MARKETING AT YOUR FINGERTIPS

Pyramex creates the marketing tools you require to be knowledgeable about our offerings. By using these tools, you can provide the necessary solutions for your customers. Be sure to ask your sales representative for any of these resources.



11 x 17"

Posters available: gloves, workwear, eyewear, headgear, welding, hearing, Venture Gear Tactical®, and Venture Gear®

18 x 24"

### WHY YOU WEAR POSTER SERIES

We created the Why You Wear poster series to give you facts of why PPE is important and why we do what we do. There is a large poster that covers all product lines. There are also smaller product line posters that are more specific to that product. Request posters from your sales representative.

### PYRAMEX WEBSITE

Stay up to date on all things Pyramex by using our website as a tool. There, you will be able to browse our line – including our closeout and new items. You are able to view images, product sheets, catalogs, videos, etc. You can even Live Chat with us to get the answers you need. To utilize everything our website has to offer, visit [PyramexSafety.com](http://PyramexSafety.com).

### BOX.COM

Need to get our marketing materials anytime? Then you need to be a part of our [box.com](http://box.com) group. Simply ask your sales representative for access and we will send you an invite. Once you have created a free [box.com](http://box.com) account, you will be able to view and download all our images, flyers, catalogs, brochures, guidelines etc.

### PYRAMEX BLOG

The Pyramex blog is another great resource. We try and give you the knowledge you need to better understand the safety market. From learning about tips to prevent heat stress to understanding when and where to wear your hi-vis, our blog is your tool. Go to [Pyramex.blog.com](http://Pyramex.blog.com).

### CUSTOMIZE

Imprint your logo or your customer's logo on Pyramex eyewear, earmuffs, hard hats, and workwear. In order to start the process, we only need your vectored artwork. We even offer this service for custom product flyers as well. Contact your sales representative for further details.

## OFFERING A FULL LINE OF PPE

No matter what job or activity you do, Pyramex's extensive line of PPE products will protect you. We offer a broad range of gloves, workwear, eyewear, headgear, welding helmets, hearing protection, cooling products and ergonomic support. All of our products have been independently tested for various standards and certifications. Pyramex Safety Products are available for sale through authorized distributors.

### OUR BRANDS



### LICENSE BRANDS



### 2020 CATALOG

Download PDF versions of this catalog on the website or request printed versions from your sales representative.



### CATEGORY BROCHURES

Download PDF versions of our brochures on the website or request printed versions from your sales representative.

## WE ARE HERE TO HELP

PHONE 800-736-8673 // FAX 877-PYRAMEX

305 Keough Drive, Piperton, TN 38017

[help@pyramex.com](mailto:help@pyramex.com)

[Pyramex.com](http://Pyramex.com)

Live Web Chat available at [Pyramex.com](http://Pyramex.com)

@PyramexSafety



LEATHER PALMS 12 – 13

LEATHER DRIVERS 13 – 15

WELDING 15

POLYURETHANE DIPPED 17

LATEX DIPPED 18

NITRILE DIPPED 19 – 21

SYNTHETIC LEATHER 22



LEARN MORE ABOUT  
NEW GLOVES  
IN THE ADDENDUM

# GET A GRIP

Lacerations account for 63% of hand injuries. Other common injuries are crushes, detachments, punctures, and fractures.

Source: Safety and Health Council

## CERTIFICATIONS

### ANSI/ISEA 105-2016

ANSI/ISEA 105 standard features cut ratings that range from A1 through A9. Cut ratings are based on the grams of weight needed to cut through the material. Our ANSI cut level glove options include A1 (200-499 gm), A2 (500-999 gm), A3 (1,000-1,499 gm), A4 (1,500-2,199 gm), A5 (2,200-2,999 gm), A6 (3,000-3,999 gm) and A7 (4,000-4,999 gm). The standard also measures abrasion levels based on the number of revolutions with a specified weight that it takes to abrade the glove. Level 0 (500 gm, < 100 rev), Level 1 (500 gm, > 100 rev), Level 2 (500 gm, > 500 rev), Level 3 (500 gm, > 1000 rev), Level 4 (1,000 gm, > 3,000 rev), Level 5 (1,000 gm, > 10,000 rev), Level 6 (1,000 gm, > 20,000 rev). The standard also includes a performance test for puncture resistance. The test measures how the glove will resist puncture by a blunt pointed object. Higher puncture forces indicate a greater puncture resistance. Level 1 (≥ 10 n), Level 2 (≥ 20 n), Level 3 (≥ 60 n), Level 4 (≥ 100 n) and Level 5 (≥ 150 n).

### ANSI/ISEA 138-2019

ANSI/ISEA 138 is a new standard to establish a minimum performance for gloves designed to protect the back of hand from impact forces. The standard features three performance levels with Level 3 providing the most impact protection. Level 1 (≤ 9 kN), Level 2 (≤ 6.5 kN), and Level 3 (≤ 4 kN). The less force that is transmitted to the wearer's hand earns a higher performance level indicating a greater degree of protection.

### CE EN388:2003

CE EN388 standard features abrasion, cut, tear and puncture ratings. Abrasion ratings are based on the number of cycles required to abrade through the sample glove. Cut ratings are based on the number of cycles required to cut through the sample at a constant speed. Tear ratings are based on the amount of force required to tear the sample. Puncture ratings are based on the amount of force required to pierce the sample with a standard-sized point.



**i** Pyramex gloves that comply with the EN388:2003 standard can still be sold. As we move forward, we will start testing to the current 2016 standard.

### CE EN388:2016

The TDM-100 Test is an additional cut test. This test is done after the first 60 rotations of the Coup test to assess the durability of a glove rating more accurately. Levels include A (200-508 grams), B (509-1019 grams), C (1020-1529 grams), D (1530-2242 grams), E (2243-3058 grams) and F (3059+ grams). The new standard also features an Impact Protection Test. This test is only for gloves that are intended to provide impact protection. The impact rating is based on the amount of impact energy (5 joules) dropped on the surface of the glove. Ratings include P (pass), F (fail), and X (not tested).

### CE EN 420:2003 + A1:2009

**i** EN 420:2003 + A1:2009: Protective Gloves – General requirements and test methods.




**i** Product markings may vary. Refer to the product sheet for the most current test report results.




# BASIC GLOVE KNOWLEDGE

# LEATHER GLOVES


## GLOVE PATTERNS



**Clute Cut**  
Palms are seam-free with stitching on the back of the hands + Provides good comfort and hand protection



**Gunn Cut**  
Seamless back with a seam at the base of the two middle fingers at the natural crease in the hand + Most often used pattern in work gloves



**Reversible**  
Thumb is positioned on the side of the hand so that it can be worn on either hand + Good for situations where palm or thumb receive a lot of wear

## THUMB TYPES



**Straight Thumb**  
Thumb lies straight with index finger + Most common to fabric and leather gloves




**Wing Thumb**  
Thumb that is angled diagonally across the palm + Improved comfort




**Keystone Thumb**  
Inset thumb + Provides additional wear and greater comfort


## CUFF STYLES



**Knit**  
Elasticized, stitched or plain material + Provides snug fit to keep water and debris out



**Slip-on**  
No cuff + Glove material extends over wrist area



**Safety**  
2.5" cuff + Quickly removed in case of emergency




**Gauntlet**  
4.5" cuff + More protection to forearm

## GRAIN VS SPLIT LEATHER

**Grain Leather**  
Taken from the outer layer of the hide + Provides products that are soft, smooth, and flexible

**Split Leather**  
Leather that remains after the outer layer has been removed + Coarser, more resistant to abrasion, and repels water better




## HIDE SELECTION

**Side Leather**  
Most durable + Highest quality

**Shoulder Leather**  
More economical than side leather + Good durability

**Belly Leather**  
Most economical version + Least durable



## LEATHER TYPES



**Cowhide**  
Great value + Durability



**Goatskin**  
Strong + Comfortable



**Pigskin**  
Stays soft after getting wet + Breathable

## SIZING

The color of the binding around the cuff indicates the glove size.

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11	3X-Large 12
------------	-------------	------------	---------------	----------------	----------------



# LEATHER PALMS



**GL1001W**

Select split shoulder cowhide // Wing thumb // Rubberized safety cuff // Gunn cut

GL1001W L - 2XL



**GL1002W**

Select split shoulder cowhide // Wing thumb // Rubberized gauntlet cuff // Gunn cut

GL1002W L - XL



**GL1005W**

Select split shoulder cowhide // Wing thumb // Rubberized gauntlet cuff // Gunn cut // Full leather back

GL1005W L - XL



**GL1003W**

Premium grain cowhide // Wing thumb // Rubberized safety cuff // Gunn cut

GL1003W L - XL



**GL1004W**

Premium grain cowhide // Wing thumb // Rubberized gauntlet cuff // Gunn cut

GL1004W L - XL



**GL2001K**

Value shoulder grain cowhide // Keystone thumb // Gunn cut // Unlined

GL2001K S - 2XL



**GL2003K**

Select grain shoulder cowhide // Keystone thumb // Hi-vis orange finger tips and "Watch Your Hands" logo // Gunn cut // Unlined

GL2003K S - 2XL

# LEATHER DRIVERS



**GL2004** 

Select grain shoulder cowhide // Straight thumb // Gunn cut // Unlined

GL2004 S - 2XL



**GL2004K** 

Select grain shoulder cowhide // Keystone thumb // Gunn cut // Unlined

GL2004K S - 3XL



**GL3004CW**   

ANSI/ISEA 105-2016 - CUT A7 | PUNCTURE 5 | ABRASION 4  
ANSI/ISEA 138-2019 - IMPACT 1  
EN388: 2016 - 3X43FP

Premium grain goatskin // Reinforced wing thumb // Gunn cut // Para-aramid liner // TPR // Hi-vis // Hook + loop closure

GL3004CW S - 2XL



**GL4001K** 

Select grain pigskin // Keystone thumb // Gunn cut // Unlined

GL4001K S - 2XL



**GL2005K** 

Premium grain cowhide with split leather palm patch // Keystone thumb // Gunn cut // Unlined

GL2005K S - 2XL



**GL3001K** 

Select grain goatskin // Keystone thumb // Gunn cut // Unlined

GL3001K S - 2XL



**GL6001W** 

Premium grain + split cowhide // Wing thumb // Gauntlet cuff // Gunn cut // Kevlar® stitching // Unlined // MIG + TIG welding

GL6001W S - XL

**WELDING**



# DIPPED GLOVES

## COATINGS



**Polyurethane**  
Value work glove + Low particulate shed + Touch sensitivity with dexterity



**Latex**  
Flexibility in extreme temperatures + Tear resistant + Suited for wet and dry conditions



**Nitrile**  
Latex alternative + Absorbs oil + Outstanding grip

## GRIPS

**Smooth**  
Great dry grip + Does not absorb liquids

**Micro-Foam**  
Excellent dry grip + Touch sensitivity + Channels away liquids

**Crinkle**  
Outstanding grip in wet/dry conditions + Channels away liquids

**Sandy**  
Enhances grip in wet/harsh conditions

**Pattern**  
Reinforces grip performance + Durable

## LINER

**Nylon**  
Abrasion resistant + Highly absorbent + Touch sensitivity with dexterity

**Polyester**  
Resistant to shrinking and stretching + Quick drying

**HPPE**  
Higher performance polyethylene + Cut resistant + Maximum strength + Minimum weight

## GAUGE

The gauge of the liner is the number of rows of stitches per inch. A glove with a higher gauge will fit better and have more dexterity + tactile feel. Our liner gauge options include 10g, 13g, 15g and 18g.

## SIZING

The color of the binding around the cuff indicates the glove size.

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

# POLYURETHANE



**GL401**

ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 1  
EN388: 2016 – 4131X

Polyurethane palm coating // 13 gauge nylon liner // Touch sensitivity // Low particulate shed

GL401 S – 2XL



**GL402C5**

ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 3  
EN388: 2016 – 4X43D

Polyurethane palm coating // 13 gauge HPPE liner // Touch sensitivity // Low particulate shed

GL402C5 S – 2XL



**GL403C**

ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 3 | ABRASION 2  
EN388: 2016 – 4X42B

Polyurethane palm coating // 13 gauge HPPE liner // Touch sensitivity // Low particulate shed

GL403C S – 2XL



**GL404C**

ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 4  
EN388: 2016 – 4X42D

Polyurethane palm coating // 13 gauge HPPE liner // Hi-vis // Touch sensitivity // Low particulate shed

GL404C S – 2XL

# LATEX

# NITRILE



## GL501C5

ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 4  
 EN388: 2016 – 3X42D  
 Latex crinkle palm coating // 13 gauge HPPE liner // Good grip in all conditions

GL501C5 S – 2XL



## GL502

ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 4  
 EN388: 2016 – 3131X  
 Latex smooth full dipped coating // Double dipped latex sandy palm coating // 13 gauge nylon liner // Hi-vis // Water-resistant

GL502 S – 2XL



## GL601

ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 6  
 EN388: 2016 – 4131X  
 Nitrile micro-foam palm coating // 15 gauge nylon + spandex liner (silicone free) // Touch sensitivity // Good grip in all conditions

GL601 S – 2XL



## GL601DP

ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 6  
 EN388: 2016 – 4131X  
 Nitrile micro-foam palm coating // Dotted palm // 15 gauge nylon + spandex liner (silicone free) // Reinforced thumb // Touch sensitivity // Good grip in all conditions

GL601DP S – 2XL



## GL503

ANSI/ISEA 105-2016 – CUT A1 | PUNCTURE 3 | ABRASION 4  
 EN388: 2016 – 3142X  
 Latex crinkle palm coating // 10 gauge polyester liner // Good grip in all conditions

GL503 S – 2XL



## GL602C3

ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 3 | ABRASION 4  
 EN388: 2016 – 4X42B  
 Nitrile micro-foam palm coating // 13 gauge HPPE liner // Good grip in all conditions

GL602C3 S – 2XL



## GL603C5

ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 4  
 EN388: 2016 – 4X43D  
 Nitrile micro-foam palm coating // 13 gauge HPPE liner // Good grip in all conditions // Hides stains

GL603C5 S – 2XL



**GL603DPC5** 

ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 4  
EN388: 2016 – 4X43D

Nitrile micro-foam palm coating // Dotted palm // 13 gauge HPPE liner // Reinforced thumb // Good grip in all conditions // Hides stains

GL603DPC5 S – 2XL



**GL604C5** 

ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 3 | ABRASION 6  
EN388: 2016 – 4X43D

Nitrile sandy palm coating // 13 gauge HPPE liner // Good grip in all conditions // Extra absorption

GL604C5 S – 2XL



**GL607C** 

ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 5  
EN388: 2016 – 4X43D

Nitrile micro-foam palm coating // 13 gauge HPPE liner // Hi-vis // Good grip in all conditions

GL607C S – 2XL



**GL608C** 

ANSI/ISEA 105-2016 – CUT A6 | PUNCTURE 4 | ABRASION 4  
EN388: 2016 – 4X43F

Nitrile sandy palm coating // 13 gauge HPPE liner // Hi-vis // Good grip in all conditions // Extra absorption

GL608C S – 2XL



**GL605** 

ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 6  
EN388: 2016 – 4131X

Nitrile smooth full dipped coating // Double dipped nitrile sandy palm coating // 15 gauge polyester liner // Water-resistant // Good grip in all conditions // Extra absorption

GL605 S – 2XL



**GL606DPC** 

ANSI/ISEA 105-2016 – CUT A3 | PUNCTURE 4 | ABRASION 6  
EN388: 2016 – 4X42C

Nitrile micro-foam palm coating // Dotted palm // 18 gauge HPPE liner // Reinforced thumb // Good grip in all conditions

GL606DPC S – 2XL



**GL609C**  

ANSI/ISEA 105-2016 – CUT A6 | PUNCTURE 4 | ABRASION 6  
ANSI/ISEA 138-2019 – IMPACT 2  
EN388: 2016 – 4X43EP

Nitrile sandy palm coating // 13 gauge HPPE liner // Reinforced thumb // TPR // Good grip in all conditions // Extra absorption

GL609C S – 2XL



**GL610C**  

ANSI/ISEA 105-2016 – CUT A6 | PUNCTURE 4 | ABRASION 6  
ANSI/ISEA 138-2019 – IMPACT 2  
EN388: 2016 – 4X43EP

Nitrile sandy palm coating // 3/4 dipped on back of hand // 13 gauge HPPE liner // Reinforced thumb // TPR // Hook and loop closure // Good grip in all conditions // Extra absorption // Touch screen capability

GL610C S – 2XL

# SYNTHETIC LEATHER



**GL102**  
 EN388: 2003 – 3241  
 Synthetic leather + silicone patches // Spandex plus mesh fabric on back // Embossed neoprene on knuckle // Hook + loop closure // Touchscreen capability  
 GL102 S – 2XL



**GL201**  
 EN388: 2003 – 2121  
 Spandex on back // EVA on index finger // PVC patches with EVA padding // Terry cloth on the back of thumb // Hook + loop closure // TPR // Anti-vibration  
 GL201 S – 2XL



**GL802CR**  
 ANSI/ISEA 105-2016 – CUT A3  
 EN388: 2003 – 3541  
 Polyethylene + fiberglass liner // Spandex on back // Rough PVC palm // Long neoprene cuff // TPR // Hi-vis  
 GL802CR S, M, L, 2XL



**Glove Clips**  
 Keeps gloves handy by clipping to your belt loop or tool belt // Breakaway feature for safety // Dielectric  
 With Pyramex Logo  
 ■ GLC100  
 ■ GLC120  
 Without Pyramex Logo  
 ■ GLC100IMP  
 ■ GLC120IMP





ANSI TYPE R CLASS 2  
VESTS 26 – 29  
SHIRTS 29  
INSULATED WEAR 33

CSA LEVEL 2 CLASS 2  
VESTS 35 – 36  
SHIRTS 36  
OUTERWEAR 37 – 38

ANSI TYPE R CLASS 3  
VESTS 30  
SHIRTS 30  
OUTERWEAR 31 – 32  
RAINWEAR 34

NON-RATED 39  
ACCESSORIES 40

ANSI TYPE R CLASS E  
INSULATED WEAR 33  
RAINWEAR 35



LEARN MORE ABOUT  
NEW WORKWEAR  
IN THE ADDENDUM

### CERTIFICATIONS

ANSI/ISEA 107-2015

Cert. Mod. - CAN/CSA Z96-15

#### ANSI/ISEA 107-2015

##### Type R

Type R provides daytime and nighttime visual enhancement for workers in occupational environments, which include exposure to traffic from public access rights-of-way, roadway temporary traffic control (TTC) zones, or work vehicles and construction equipment within a roadway TTC zone.

##### Type O

Type O provides moderate visibility, ideal for off-road workers.

##### Class 1

Performance Class 1 offers low risk workers with good visibility. Class 1 is ideal for jobs in areas where traffic is traveling under 25 mph or where the work site is a safe distance from roadways.

##### Class 2

Performance Class 2 uses additional high-visibility materials, which allow design opportunities to define the human form more effectively. Compared to Performance Class 1, Class 2 high-visibility safety apparel (HVSA) has the potential to provide detection and identification for longer distances.

##### Class 3

Performance Class 3 can offer greater visibility through a full range of body movements in both complex and non-complex backgrounds by having retro-reflective and combined performance materials on sleeves.

##### Class E

Class E high-visibility garments do not meet ANSI safety requirements when worn alone, but when worn with a Class 2 or Class 3 garment, the overall ensemble is classified as Class 3.

#### CAN/CSA Z96-15

##### Level 2

Level 2 is the highest retro-reflective performance material and is visible under dark conditions from a great distance. Retro-reflective material also reflects light produced by the headlights of oncoming traffic back to the vehicle operator.

##### Class 1

Performance Class 1 offers good visibility with the lowest recognized coverage. Class 1 is ideal for jobs on or in parking areas, warehouses, sidewalks, shipping or receiving operations, etc.

##### Class 2

Performance Class 2 provides moderate body coverage and superior visibility. To comply with CSA standard, apparel has to fully cover the upper torso (front, back, sides and over the shoulders) with the reflective striping composed of retro-reflective or combined performance materials. X-back is used to distinguish whether a worker is facing toward or facing away from a hazard. X-back configuration is mandatory in Canada, but can be used for ANSI apparel.

Sources: ISEA International Safety Equipment Association & CSA Group

#### SELF-EXTINGUISHING

Self-extinguishing high-visibility garments are tested using a small scale vertical flame, and are coated and or comprised of material that is designed to suppress flames. These items are NOT flame resistant.

# VISIBILITY IS KEY

According to the Federal Highway Administration, in 2013 a fatality occurred in workzone crashes every 15 hours.



Source: Federal Highway Administration

### FEATURES



### SELECTION CHART

RVZ2410 • S – 5XL  
RVZ2420 • S – 5XL



## LIME VS. ORANGE

One common question we are often asked is what the difference is between high-visibility lime and high-visibility orange material, if any. ANSI considers both among the approved colors for high-visibility workwear in all classes. The main difference between the two comes when taking the complexity of the background of the wearer into consideration. High-visibility lime is often perceived as brighter, making it ideal for urban environments where it stands out against concrete or other gray backgrounds. High-visibility orange is commonly used for road work. It mimics the same orange used in recognizable traffic cones and road construction signs. It also stands out among the green in heavily foliage areas, making it perfect for hunters or outdoor enthusiasts.

## SINGLE VS. CONTRASTING TAPE

Reflective tape is used on high-visibility garments to help with their overall visibility. Its purpose is to reflect light, adding greater conspicuity to any garment. The more tape that exists against the fluorescent background, the more the garment will stand out. Contrasting tape simply allows for a hi-vis garment to stand out even more against a complex background by being an additional element likely to grab our attention.



### RVHL25 Series ANSI •

TYPE R CLASS 2

			<b>POCKETS</b>
MESH MATERIAL	BREAKAWAY CLOSURE	REINFORCED D-RING SLOT	<b>1 1</b> OUT IN

- RVHL2510BRD • M – 5XL
- RVHL2520BRD • M – 5XL



### RVZ26 Series ANSI •

TYPE R CLASS 2

		<b>POCKETS</b>
MESH MATERIAL	ZIPPER CLOSURE	<b>1 1</b> OUT IN

- RVZ2610 • M – 5XL



### RVZ28 Series ANSI •

TYPE R CLASS 2

		<b>POCKETS</b>
MESH MATERIAL	ZIPPER CLOSURE	<b>6 3</b> OUT IN

- Black trim // Clear chest pocket for badges with hook and loop closure // Reach-through pocket on back with zipper closures // Metal grommets on upper front collar trim // Mic tab
- RVZ2810 • M – 5XL
  - RVZ2820 • M – 5XL

## ANSI TYPE R CLASS 2 VESTS SINGLE TAPE



### RVZ21 Series ANSI •

TYPE R CLASS 2

		<b>POCKETS</b>
MESH MATERIAL	ZIPPER CLOSURE	<b>1 1</b> OUT IN

- RVZ2110 • S – 5XL
- RVZ2120 • S – 5XL



### RVZ21CP Series ANSI •

TYPE R CLASS 2

		<b>POCKETS</b>
MESH MATERIAL	ZIPPER CLOSURE	<b>2 1</b> OUT IN

- Clear chest pocket with hook and loop closure
- RVZ2110CP • S – 5XL
  - RVZ2120CP • S – 5XL



### RVZ21SE Series ANSI •

TYPE R CLASS 2

			<b>POCKETS</b>
SELF-EXTINGUISHING	MESH MATERIAL	ZIPPER CLOSURE	<b>1 1</b> OUT IN

- RVZ2110SE • M – 5XL
- RVZ2120SE • M – 5XL



### RVHL20 Series ANSI •

TYPE R CLASS 2

		<b>POCKETS</b>
MESH MATERIAL	HOOK & LOOP	<b>3 2</b> OUT IN

- Mic tab
- RVHL2010 • S – 6XL
  - RVHL2020 • S – 6XL



### RVHL29 Series ANSI •

TYPE R CLASS 2

		<b>POCKETS</b>
SOLID MATERIAL	HOOK & LOOP	<b>0 0</b> OUT IN

- RVHL2910 • S – 3XL
- RVHL2920 • M – 3XL



### RVHLM29 Series ANSI •

TYPE R CLASS 2

		<b>POCKETS</b>
MESH MATERIAL	HOOK & LOOP	<b>0 0</b> OUT IN

- RVHLM2910 • S – 3XL

### CONTRASTING TAPE

### ANSI TYPE R CLASS 2 SHIRTS SINGLE TAPE



#### RVZ22 Series ANSI •

TYPE R CLASS 2

		<b>POCKETS</b>
MESH MATERIAL	ZIPPER CLOSURE	1 OUT 1 IN

- RVZ2210 • M - 5XL
- RVZ2220 • M - 5XL



#### RVZ22SE Series NOT FR ANSI •

TYPE R CLASS 2

<b>SE</b>			<b>POCKETS</b>
SELF-EXTINGUISHING	MESH MATERIAL	ZIPPER CLOSURE	1 OUT 1 IN

- RVZ2210SE • M - 5XL
- RVZ2220SE • M - 5XL



#### RVZ23 Series ANSI •

TYPE R CLASS 2

		<b>POCKETS</b>
MESH MATERIAL	ZIPPER CLOSURE	4 OUT 2 IN

- Mic tabs
- RVZ2310 • S - 5XL
  - RVZ2320 • S - 5XL



#### RVHL27 Series ANSI •

TYPE R CLASS 2

		<b>POCKETS</b>
MESH MATERIAL	BREAKAWAY CLOSURE	1 OUT 1 IN

- Clear chest pocket with hook and loop closure
- RVHL2710BR • M - 5XL
  - RVHL2720BR • M - 5XL



#### RVZ44B Series ANSI •

TYPE R CLASS 2

		<b>POCKETS</b>
SOLID & MESH MATERIAL	ZIPPER CLOSURE	6 OUT 2 IN

- Clear chest pocket with hook and loop closure // Reach-through pocket on back with zipper closures // Metal grommets on upper front collar and at waist // Padded collar // Mic tabs
- RVZ4410B • M - 5XL
  - RVZ4420B • M - 5XL



#### RTS21 Series ANSI •

TYPE R CLASS 2

	<b>POCKETS</b>
SOLID MATERIAL	1 OUT 0 IN

- Moisture-wicking material // Rated UPF 30+
- RTS2110 • M - 5XL
  - RTS2120 • M - 5XL



#### RVZ24 Series ANSI •

TYPE R CLASS 2

		<b>POCKETS</b>
SOLID & MESH MATERIAL	ZIPPER CLOSURE	5 OUT 3 IN

- Mic tabs
- RVZ2410 • S - 5XL
  - RVZ2420 • S - 5XL



#### RVZ24CP Series ANSI •

TYPE R CLASS 2

		<b>POCKETS</b>
SOLID & MESH MATERIAL	ZIPPER CLOSURE	6 OUT 3 IN

- Clear chest pocket with hook and loop closure // Mic tabs
- RVZ2410CP • S - 5XL
  - RVZ2420CP • S - 5XL



#### RVZ24SE Series NOT FR ANSI •

TYPE R CLASS 2

<b>SE</b>			<b>POCKETS</b>
SELF-EXTINGUISHING	SOLID & MESH MATERIAL	ZIPPER CLOSURE	5 OUT 3 IN

- Mic tabs
- RVZ2410SE • M - 5XL
  - RVZ2420SE • M - 5XL



#### RTS21B Series ANSI •

TYPE R CLASS 2

	<b>POCKETS</b>
SOLID MATERIAL	1 OUT 0 IN

- Moisture-wicking material // Rated UPF 30+
- RTS2110B • M - 4XL/5XL
  - RTS2120B • M - 4XL/5XL



#### RTSHS21 Series ANSI •

TYPE R CLASS 2

	<b>POCKETS</b>
SOLID MATERIAL	1 OUT 0 IN

- Moisture-wicking material // Rated UPF 30+ // Heat sealed tape
- RTSHS2110 • S - 5XL



#### RTS21NP Series ANSI •

TYPE R CLASS 2

	<b>POCKETS</b>
SOLID MATERIAL	0 OUT 0 IN

- Moisture-wicking material // Rated UPF 30+
- RTS2110NP • M - 5XL

# ANSI TYPE R CLASS 3 VESTS

## SINGLE TAPE CONTRASTING TAPE



### RVZ31 Series ANSI •

TYPE R CLASS 3

		<b>POCKETS</b>
MESH MATERIAL	ZIPPER CLOSURE	3 OUT 4 IN

- RVZ3110 • M – 5XL
- RVZ3120 • M – 5XL

### RVZ34 Series ANSI •

TYPE R CLASS 3

		<b>POCKETS</b>
SOLID & MESH MATERIAL	ZIPPER CLOSURE	5 OUT 3 IN

- Mic tabs
- RVZ3410 • S – 5XL
  - RVZ3420 • S – 5XL

### RVZ36 Series ANSI •

TYPE R CLASS 3

		<b>POCKETS</b>
MESH MATERIAL	ZIPPER CLOSURE	4 OUT 0 IN

- Mic tabs // Side zippers
- RVZ3610 • M – 5XL

# ANSI TYPE R CLASS 3 OUTERWEAR

## SINGLE TAPE



### RSSH32 Series ANSI •

TYPE R CLASS 3

	<b>POCKETS</b>
SOLID MATERIAL	1 OUT 0 IN

- Weather resistant // Elastic knit at wrists and waist // Mesh lined hood with adjustable pull cord // Reach-through pocket
- RSSH3210 • M – 5XL

### RSZH32 Series ANSI •

TYPE R CLASS 3

		<b>POCKETS</b>
SOLID MATERIAL	ZIPPER CLOSURE	2 OUT 0 IN

- Weather resistant // Elastic knit at wrists and waist // Mesh lined hood with adjustable pull cord
- RSZH3210 • M – 5XL

### RSZH33 Series ANSI •

TYPE R CLASS 3

		<b>POCKETS</b>
SOLID MATERIAL	ZIPPER CLOSURE	4 OUT 0 IN

- Weather resistant material — Teflon™ treated // Elastic band at the waist and wrists // Clear chest pocket with hook and loop closure // Mic tabs // Drawstring hood
- RSZH3310 • M – 5XL
  - RSZH3320 • M – 5XL

# ANSI TYPE R CLASS 3 SHIRTS

## SINGLE TAPE



### RTS34 Series ANSI •

TYPE R CLASS 3

	<b>POCKETS</b>
SOLID MATERIAL	1 OUT 0 IN

- Moisture-wicking material // Rated UPF 30+
- RTS3410 • M – 5XL
  - RTS3420 • M – 5XL

### RLTS31 Series ANSI •

TYPE R CLASS 3

	<b>POCKETS</b>
SOLID MATERIAL	1 OUT 0 IN

- Moisture-wicking material // Rated UPF 30+
- RLTS3110 • M – 5XL

### RLTS31B Series ANSI •

TYPE R CLASS 3

	<b>POCKETS</b>
SOLID MATERIAL	1 OUT 0 IN

- Moisture-wicking material // Rated UPF 30+
- RLTS3110B • M – 5XL
  - RLTS3120B • M – 5XL



### RJ31 Series ANSI •

TYPE R CLASS 3

		<b>POCKETS</b>
SOLID MATERIAL	ZIPPER CLOSURE	5 OUT 3 IN

- Waterproof – ANSI 107-2015: AATCC 127 // Polyester shell with zip-out polar fleece liner // Elastic band at the waist and wrists // Concealed detachable hood // Cell phone/radio chest pocket with clear panel on outside shell // Mic tabs and pencil pocket
- RJ3110 • S – 5XL
  - RJ3120 • S – 5XL

### RJ32 Series ANSI •

TYPE R CLASS 3

		<b>POCKETS</b>
SOLID MATERIAL	ZIPPER CLOSURE	4 OUT 1 IN

- Waterproof – ANSI 107-2015: AATCC 127 // Polyester shell with quilted lining // Elastic band at the waist and wrists // Concealed hood // Cell phone/radio chest pocket with clear panel on outside shell // Mic tabs and pencil pocket
- RJ3210 • M – 6XL





### RJR33 Series ANSI •

**TYPE R CLASS 3** with sleeves hi-vis side only **TYPE R CLASS 2** without sleeves hi-vis side only

		POCKETS		POCKETS	
SOLID MATERIAL	ZIPPER CLOSURE	4 OUT	3 IN	3 OUT	4 IN
		Hi-vis Side		Black Side	

Weather resistant 4-in-1 reversible quilted polyfil jacket // Removable, zip-out sleeves – converts Class 3 jacket to Class 2 vest // Reverses from hi-vis lime/black bottom to all black // Silver reflective tape on hi-vis side

RJR3310 • M – 5XL

**i** Non-rated when reversed to all black side.



### RJR34 Series ANSI •

**TYPE R CLASS 3** with sleeves hi-vis side only **TYPE R CLASS 2** without sleeves hi-vis side only

		POCKETS		POCKETS	
SOLID MATERIAL	ZIPPER CLOSURE	3 OUT	3 IN	3 OUT	3 IN
		Hi-vis Side		Black Side	

Weather resistant 4-in-1 reversible windbreaker polyester jacket // Elastic band at wrists // Removable, zip-out sleeves – converts Class 3 jacket to Class 2 vest // Reverses from hi-vis lime to gray/black // Silver reflective tape on hi-vis side // Hi-vis reflective piping on gray/black side // Bottom hem adjustment – bungee cord/toggle pull // Mic tab on hi-vis side

RJR3410 • M – 5XL

**i** Non-rated when reversed to all black side.



### RP31 Series ANSI •

**TYPE R CLASS 3**

		POCKETS	
SOLID MATERIAL	ZIPPER CLOSURE	5 OUT	3 IN

Waterproof – ANSI 107-2015: AATCC 127 // Parka has polyester shell with zip out polar fleece liner // Elastic band at the wrists // Concealed detachable hood with drawstring // Zipper front closure // Interior access zipper for print customization // Cell phone/radio chest pocket with clear panel and 2 mic tabs // Drawstring around bottom

RP3110 • M – 5XL  
 RP3120 • M – 5XL



### RPB36 Series ANSI •

**TYPE R CLASS 3**

		POCKETS		POCKETS	
SOLID MATERIAL	ZIPPER CLOSURE	7 OUT	5 IN	2 OUT	2 IN
		Outer Parka		Inner Jacket	

**Outer Parka**  
 Waterproof – ANSI 107-2015: AATCC 127// Parka has rip-stop shell with quilted lining – Teflon™ treated // Elastic band at wrists // Concealed detachable hood with drawstring and slack adjustment // Interior access zipper for print customization // Dual zipper front closure with hook and loop storm flap // Badge lanyard, d-ring hook, and 2 mic tabs // Heat sealed seams // Drawstring around bottom

**Inner Jacket**  
 Fleece // Elastic band at wrists // Drawstring around bottom

RPB3610 • M – 5XL

## ANSI TYPE R CLASS 2 INSULATED WEAR SINGLE TAPE



### RWVZ45 Series ANSI •

**TYPE R CLASS 2**

hi-vis side only

		POCKETS		POCKETS	
SOLID MATERIAL	ZIPPER CLOSURE	2 OUT	2 IN	2 OUT	2 IN
		Hi-vis Side		Black Side	

Weather resistant polyester reversible vest // Quilted fiber fill interior // Silver glass bead reflective tape // Tapered back

RWVZ4510 • S – 5XL

**i** Non-rated when reversed to all black side.

## ANSI TYPE R CLASS E INSULATED WEAR SINGLE TAPE



### RWB46 Series ANSI •

**TYPE R CLASS E**

	POCKETS	
SOLID MATERIAL	8 OUT	0 IN



Weather resistant Oxford polyester with quilted interior insulation // Heavy duty black material at knees to hide dirt // Elastic waistband and adjustable suspenders // Boot zippers with storm flap // Hammer loop

RWB4610 • S – 5XL

# ANSI TYPE R CLASS 3 RAINWEAR SINGLE TAPE

## RRWJ31 Series ANSI •

**TYPE R CLASS 3**

 SOLID MATERIAL	 ZIPPER CLOSURE	<b>POCKETS</b> 2 OUT 0 IN
--	--	------------------------------



Waterproof – ANSI 107-2015: AATCC 127 // Breathable polyester with polyurethane coating // Drawstring hood stows away in collar // Cape back and underarm vents // Heavy duty zipper front closure with snap storm flaps // Sewn and sealed waterproof seams // Elastic cuffs

RRWJ3110 • S – 5XL



## RRWC31 Series ANSI •

**TYPE R CLASS 3**

 SOLID MATERIAL	 ZIPPER CLOSURE	<b>POCKETS</b> 2 OUT 0 IN
--	--	------------------------------

Waterproof – ANSI 107-2015: AATCC 127 // Breathable polyester with polyurethane coating // Drawstring hood stows away in collar // Cape back and underarm vents // Heavy duty zipper front closure with snap storm flaps // Sewn and sealed waterproof seams // Vented bottom // Elastic cuffs

RRWC3110 • S – 5XL




# ANSI TYPE R CLASS E RAINWEAR SINGLE TAPE



## RRWB31 Series ANSI • TYPE R CLASS E

**TYPE R CLASS E**


 SOLID MATERIAL	<b>POCKETS</b> 3 OUT 0 IN
--	------------------------------

Waterproof – ANSI 107-2015: AATCC 127 // Breathable polyester with polyurethane coating // Heavy duty material (Oxford polyester) at knees // Removable knee pads // Metal take up snaps at pant legs // Elastic waistband and adjustable suspenders // Sewn and sealed waterproof seams

RRWB3110 • S – 5XL

## RRWP31 Series ANSI • TYPE R CLASS E

**TYPE R CLASS E**

 SOLID MATERIAL	<b>POCKETS</b> 2 OUT 0 IN
--	------------------------------

Waterproof – ANSI 107-2015: AATCC 127 // Breathable polyester with polyurethane coating // Metal take up snaps at bottom of pant legs // Elastic waistband // Sewn and sealed waterproof seams



RRWP3110 • S – 5XL

# CSA LEVEL 2 CLASS 2 VESTS SINGLE TAPE



## RCZ21 Series ANSI • CSA •




**CSA LEVEL 2 CLASS 2** **ANSI TYPE R CLASS 2**

 MESH MATERIAL	 ZIPPER CLOSURE	<b>POCKETS</b> 1 OUT 1 IN
---	--	------------------------------

RCZ2110 •• M – 5XL  
RCZ2120 •• M – 5XL

## RCA25 Series ANSI • CSA •





**CSA LEVEL 2 CLASS 2** **ANSI TYPE R CLASS 2**

 MESH MATERIAL	 BREAKAWAY CLOSURE	 REINFORCED D-RING SLOT	<b>POCKETS</b> 1 OUT 2 IN
---	---	--	------------------------------

Adjustable waist band  
RCA2510M •• Medium adjusts to XL  
RCA2510X2 •• 2XL adjusts to 5XL

## RCA25SE Series NOT FR ANSI • CSA •

**CSA LEVEL 2 CLASS 2** **ANSI TYPE R CLASS 2**

 SELF-EXTINGUISHING	 MESH MATERIAL	 BREAKAWAY CLOSURE	 REINFORCED D-RING SLOT	<b>POCKETS</b> 1 OUT 2 IN
--	---	---	--	------------------------------

Adjustable waist band  
RCA2510SEM •• Medium adjusts to XL  
RCA2510SEX2 •• 2XL adjusts to 5XL  
RCA2520SEM •• Medium adjusts to XL  
RCA2520SEX2 •• 2XL adjusts to 5XL

CONTRASTING TAPE



**RCZ24 Series** ANSI • CSA •  
 CSA (LEVEL 2) CLASS 2 ANSI (TYPE R) CLASS 2

SOLID & MESH MATERIAL ZIPPER CLOSURE

POCKETS	
5 OUT	3 IN

Mic tabs

- RCZ2410 •• M – 5XL
- RCZ2420 •• M – 5XL

**RCA27 Series** ANSI • CSA •  
 CSA (LEVEL 2) CLASS 2 ANSI (TYPE R) CLASS 2

MESH MATERIAL BREAKAWAY CLOSURE REINFORCED D-RING SLOT

POCKETS	
1 OUT	2 IN

Adjustable waist band

- RCA2710M •• Medium adjusts to XL
- RCA2710X2 •• 2XL adjusts to 5XL

**RCA27SE Series** NOT FR ANSI • CSA •  
 CSA (LEVEL 2) CLASS 2 ANSI (TYPE R) CLASS 2

SE SELF-EXTINGUISHING MESH MATERIAL BREAKAWAY CLOSURE REINFORCED D-RING SLOT

POCKETS	
1 OUT	2 IN

Adjustable waist band

- RCA2710SEM •• Medium adjusts to XL
- RCA2710SEX2 •• 2XL adjusts to 5XL
- RCA2720SEM •• Medium adjusts to XL
- RCA2720SEX2 •• 2XL adjusts to 5XL

CSA LEVEL 2 CLASS 2 OUTERWEAR  
 CONTRASTING TAPE



**RCSZH33 Series** ANSI • CSA •  
 CSA (LEVEL 2) CLASS 2 ANSI (TYPE R) CLASS 3

SOLID MATERIAL ZIPPER CLOSURE

POCKETS	
4 OUT	0 IN

Weather resistant polyester material — Teflon™ treated // Elastic band at the waist and wrists // Chest pocket with clear panel and hook and loop closure // Mic tabs // Drawstring hood

- RCSZH3310 •• M – 5XL

CSA LEVEL 2 CLASS 2 SHIRTS  
 CONTRASTING TAPE



**RCTS21 Series** ANSI • CSA •  
 CSA (LEVEL 2) CLASS 2 ANSI (TYPE R) CLASS 2

SOLID MATERIAL

POCKETS	
1 OUT	0 IN

Moisture-wicking material // Rated UPF 30+

- RCTS2110 •• XL, 3XL

**RCLTS31 Series** ANSI • CSA •  
 CSA (LEVEL 2) CLASS 2 ANSI (TYPE R) CLASS 3

SOLID MATERIAL

POCKETS	
1 OUT	0 IN

Moisture-wicking material // Rated UPF 30+

- RCLTS3110 •• M – 5XL
- RCLTS3111 •• S – 5XL
- RCLTS3120 •• M – 5XL

**i** Black shirt is rated CAN/CSA Z96-15 Level 2 Class 1 and ANSI / ISEA Type 0 Class 1

**RCJ32 Series** ANSI • CSA •  
 CSA (LEVEL 2) CLASS 2 ANSI (TYPE R) CLASS 3

SOLID MATERIAL ZIPPER CLOSURE



POCKETS	
4 OUT	1 IN

Waterproof – ANSI 107-2015: AATCC 127 // Polyester shell with quilted lining // Elastic band at the waist and wrists // Cell phone/radio chest pocket with clear panel, mic tabs and pencil pocket // Concealed hood

- RCJ3210 •• M – 5XL
- RCJ3220 •• M – 5XL



**RCP32 Series** ANSI • CSA •  
 CSA (LEVEL 2 CLASS 2) ANSI (TYPE R CLASS 3)



		<b>POCKETS</b>	
SOLID MATERIAL	ZIPPER CLOSURE	4 OUT	1 IN

Waterproof – ANSI 107-2015: AATCC 127 // Polyester shell with quilted lining // Elastic band at the wrists // Cell phone/radio chest pocket with clear panel, mic tabs and pencil pocket // Storm flap snap pockets // Concealed hood

■ RCP3220 ●● M – 5XL



**RC7P35 Series** ANSI • CSA •  
 CSA (LEVEL 2 CLASS 2) ANSI (TYPE R CLASS 3)

		<b>POCKETS</b>		<b>POCKETS</b>	
SOLID MATERIAL	ZIPPER CLOSURE	3 OUT	3 IN	2 OUT	2 IN
			Outer Jacket	Inner Jacket	

**Outer Parka**  
 Waterproof – ANSI 107-2015: AATCC 127 // Polyester shell with quilted lining and black material on bottom and at storm cuffs // Heavy duty zipper front closure with snap storm flaps // Side zippers for greater range of motion // Concealed detachable hood with drawstring // Interior access zipper for print customization // Snaps to hold inner jacket in place // Inner and outer cell phone pocket, storm flap snap pockets, and mic tabs

**Inner Jacket**  
 Waterproof – ANSI 107-2015: AATCC 127 // Hi-vis orange polyester material with black on bottom and at cuffs— reverses from hi-vis orange to black // Heavy duty zipper front closure // Converts to vest with removable, zip-out elastic sleeves // Knit stand-up collar // Heat sealed seams // Storm flap snap pockets and mic tabs

■ RC7P3520 ●● M – 5XL


**i** Inner jacket is ANSI / ISEA Type R Class 2 when worn without sleeves. When reversed to all black, inner jacket with or without sleeves is non-rated.



**NON-RATED**



**RTS21NS Series** NON-RATED


	<b>POCKETS</b>	
SOLID MATERIAL	1 OUT	0 IN

Moisture-wicking material // Rated UPF 30+

■ RTS2110NS M – 5XL



**RLTS31NS Series** NON-RATED

	<b>POCKETS</b>	
SOLID MATERIAL	1 OUT	0 IN

Moisture-wicking material // Rated UPF 30+

■ RLTS3110NS M – 5XL





**RV1 Series** NON-RATED

	
MESH MATERIAL	HOOK & LOOP

■ RV110 One Size Fits Most  
 ■ RV120 One Size Fits Most





**RV1NS Series** NON-RATED

	
MESH MATERIAL	HOOK & LOOP

■ RV110NS One Size Fits Most  
 ■ RV120NS One Size Fits Most





**RV Series** NON-RATED

	
MESH MATERIAL	HOOK & LOOP

■ RV10 One Size Fits Most  
 ■ RV20 One Size Fits Most



**RV12 Series** NON-RATED

		<b>POCKETS</b>	
MESH MATERIAL	HOOK & LOOP	1 OUT	0 IN

■ RV1227 S – M, L – XL, 2XL – 3XL, 4XL – 5XL  
 ■ RV1235 S – M, L – XL, 2XL – 3XL, 4XL – 5XL  
 ■ RV1265 S – M, L – XL, 2XL – 3XL, 4XL – 5XL  
 ■ RV1270 S – M, L – XL, 2XL – 3XL, 4XL – 5XL



**RAB Series** NON-RATED

Reflective arm bands

■ RAB10 One size fits most  
 ■ RAB20 One size fits most



**RSC Series** NON-RATED

Reflective seat belt covers

■ RSC10  
 ■ RSC20



**RH1 Series** NON-RATED

100% acrylic knit cap // Reflective stripe

■ RH110 One size fits most  
 ■ RH120 One size fits most

# ACCESSORIES

## RLG Series ANSI • (ANSI) SUPPLEMENTAL CLASS E

Reflective leg gaiters

RLG 10 • One size fits most  
RLG 20 • One size fits most

**i** RLG series is non-rated when worn alone. When paired with a ANSI/ISEA 107-2015 Class 2 or Class 3 item, ensemble meets Performance Class E standards.



## RMP10 Series ANSI • (ANSI) SUPPLEMENTAL CLASS E

Reflective mesh pants // Elastic waistband with drawstring // Elastic ankle cuffs // Pass through pockets

RMP10 • S – M, L – XL, 2XL – 3XL, 4XL – 5XL

**i** RMP10 series is non-rated when worn alone. When paired with a ANSI/ISEA 107-2015 Class 2 or Class 3 item, ensemble meets Performance Class E standards.



## HPSHADE Series NON-RATED

Hard hat brim with neck shade // Lightweight material // Fits on the outside of hard hats // Shown with Ridgeline® hard hat – sold separately

HPSHADE30  
HPSHADE40

**i** For more information about the HPSHADE series see page 117.



## HPSHADEC30 NON-RATED

Collapsible hard hat brim with neck shade // Lightweight material // Silver reflective stripe // Fits on the outside of full brim hard hats // Shown with Ridgeline hard hat – sold separately

HPSHADEC30

**i** For more information about the HPSHADEC series see page 117.



## HPESHADE10 NON-RATED

Hard hat neck shade // Mesh material // Elastic ribbing allows shade to fit on the outside of hard hats // Rated UPF 40 // Shown with Ridgeline hard hat – sold separately

HPESHADE10

**i** For more information about the HPESHADE10 see page 117.



## CNS1 Series NON-RATED

Cooling hard hat pad and neck shade // Evaporative quilted hi-vis material // Fits on the suspension of hard hats with hook and loop closures // To activate, soak in cool water // Reusable – just reactivate // Machine washable // Shown with Ridgeline hard hat – sold separately

CNS130  
CNS140

**i** For more information about the CNS1 series see page 116.



## RRH10 NON-RATED

Lightweight ranger style hat // Rated UPF 50 // Reflective piping and tape

RRH10 One size fits most

**i** For more information about the RRH10 see page 117.



## MPB10 NON-RATED

Moisture-wicking // Multi-purpose headwear band // Rated UPF 50 // Reusable // Machine washable

MPB10 One size fits most

**i** For more information about the MPB series see page 118.




## CV200 Series TYPE R CLASS 2

ANSI cooling vest // Inner evaporative PVA panels // 2" silver reflective material // Quilted outer shell is made from soft polyester // Zipper front closure // Adjustable waist band // Submerge in cool water before wearing to activate // Reusable – just reactivate // Machine washable

CV200M Medium adjusts to XL (38" x 48")  
CV200X2 2XL adjusts to 5XL (50" x 64")

**i** For more information about the CV200 series see page 116.





- SEALED 46 – 51
- FULL FRAME 52 – 55
- HALF FRAME 56 – 63
- FRAMELESS 64 – 69
- READERS 70 – 73
- OVER THE SPECTACLE 74 – 75
- GOGGLES 76 – 80
- ACCESSORIES 81 – 82



LEARN MORE ABOUT  
NEW EYEWEAR  
IN THE ADDENDUM

FEATURES

ADJUSTABLE NOSEPIECE	ADJUSTABLE TEMPLES	CO-INJECTED TEMPLES	DIELECTRIC
DUAL PANE LENS	FOAM PADDING	INCLUDES STRAP	LOCKING TEMPLE
MULTI LENSES	MIL-PRF-32432	POLARIZED OPTION	RATCHETING TEMPLES
RUBBER NOSEPIECE	RUBBER TIPS	VENTED FRAME	VENTED LENS

CERTIFICATIONS

- ANSI Z87.1+ High Impact ●
- CE EN166 ●
- Cert. Mod. - CAN/CSA Z94.3 third-party certification ●
- AS/NZS 1337 ●
- MIL-PRF-32432 High Velocity Impact Standards ●

# HAVE AN EYE FOR SAFETY

Experts believe that proper eye protection could have prevented 90% of eye injuries in accidents. 1 in 10 eye injuries result in one or more days away from work.

Source: Prevent Blindness

SELECTION CHART

Frame / Temple Color

Number of Variations

**Black Frame | 6 Variations**

SB9310ST ●●●	Clear H2X AF
SB9310STM ●●●	Clear H2MAX AF
SB9323ST ●●●	Dark Gray H2X AF
SB9323STM ●●●	Dark Gray H2MAX AF
SB9330ST ●●●	Amber H2X AF
SB9380ST ●●●	I/O Mirror AF


Lens Descriptions

Certifications

Part Numbers

Lens Color

MARKING CONFIRMATIONS



# TREATMENTS

## H2MAX ANTI-FOG COATING

The innovative technology behind the **H2MAX** creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleanings without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humid conditions, but it also adds a layer to the lens that is abrasion and chemical resistant. The **H2MAX** anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g of weight. **H2MAX** passes ANSI Z87.1 standards, CE standards for N and K, and Canadian certification CAN/CSA Z94.3.



**WATCH THE VIDEO**  
[Vimeo.com/Pyramex/H2MAX](https://vimeo.com/Pyramex/H2MAX)

**i** H2MAX products can be cleaned with Pyramex lens cleaning towelettes. Do not use abrasive cleaning compounds, solvents, ammonia, or alkaline cleaners.

## H2X ANTI-FOG COATING

**H2X** provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, **H2X** will continue to be effective because the coating is bonded to the lenses. The **H2X** anti-fog coating is made from non-hazardous environmental components. Coating is waterproof with excellent scratch resistance. **H2X** passes ANSI Z87.1 standards and Canadian certification CAN/CSA Z94.3.

# TECHNOLOGY

## POLYCARBONATE

All Pyramex safety eyewear utilize polycarbonate lenses. Polycarbonate lenses are up to 10 times more impact-resistant than plastic or glass lenses and provide 99% protection from the sun's harmful UV rays. They are lightweight and include a scratch-resistant coating to prevent surface scratches.

## POLARIZED

Polarized lenses eliminate glare, increase visual clarity and enhance contrast all while reducing eye strain. We offer polarized options in forest gray, sky red mirror, green mirror, blue mirror and gray.

## PHOTOCHROMIC

Photochromic lenses change from clear to dark, after exposed to direct UV light. Lenses change from dark to clear, after removed from UV light.

# COLORS

## VISIBLE LIGHT TRANSMISSION

When light passes through a lens, some of it is absorbed and some of it is reflected back. The amount of light that passes through is known as the visible light transmission (VLT) and is represented by a percentage. Lens colors with a higher percentage of VLT will be lighter and allow more light to pass through, while lens colors with a lower percentage of VLT will be darker, blocking more light from reaching your eyes.

94% Clear	51% I/O Mirror	20% Sun Block Bronze	11% Smoke Green Mirror
89% Amber	43% Purple Haze	18% Antique Mirror	10% Forest Gray
84% Photochromic	38% Vermilion	18% Blue Mirror	10% Ice Orange Mirror
82% Pink	27% Coffee	18% Gold Mirror	10% Smoke Green
71% Infinity Blue	27% Multi-color Mirror	18% Green Mirror	7% Dark Gray
66% 1.5 IR Filter	27% Sandstone Bronze	18% Silver Mirror	2% 5.0 IR Filter
64% Arc	27% Shooter's Amber	14% Sky Red Mirror	
61% Orange	23% Bronze	13% Ice Blue Mirror	
52% Light Gray	23% Gray	11% 3.0 IR Filter	

## APPLICATIONS

Use our suggested lens color guide to help decide which lens is best for the task at hand.

<b>Outdoor Use</b> <ul style="list-style-type: none"> <li>Light Gray</li> <li>I/O Mirror</li> <li>Coffee</li> <li>Multi-color Mirror</li> <li>Sandstone Bronze</li> <li>Bronze</li> <li>Gray</li> <li>Sun Block Bronze</li> <li>Blue Mirror</li> <li>Gold Mirror</li> <li>Green Mirror</li> <li>Silver Mirror</li> <li>Sky Red Mirror</li> <li>Ice Blue Mirror</li> <li>Smoke Green Mirror</li> <li>Forest Gray</li> <li>Ice Orange Mirror</li> <li>Smoke Green</li> <li>Dark Gray</li> <li>Polarized Gray</li> <li>Polarized Blue Mirror</li> <li>Polarized Green Mirror</li> <li>Polarized Sky Red Mirror</li> <li>Polarized Forest Gray</li> </ul>	<b>Excessive Glare</b> <ul style="list-style-type: none"> <li>Light Gray</li> <li>I/O Mirror</li> <li>Gray</li> <li>Blue Mirror</li> <li>Gold Mirror</li> <li>Green Mirror</li> <li>Silver Mirror</li> <li>Sky Red Mirror</li> <li>Ice Blue Mirror</li> <li>Forest Gray</li> <li>Ice Orange Mirror</li> <li>Dark Gray</li> <li>Polarized Gray</li> <li>Polarized Blue Mirror</li> <li>Polarized Green Mirror</li> <li>Polarized Sky Red Mirror</li> <li>Polarized Forest Gray</li> </ul>	<b>Indoor Use</b> <ul style="list-style-type: none"> <li>Clear</li> <li>Amber</li> <li>Pink</li> <li>Infinity Blue</li> <li>Orange</li> <li>I/O Mirror</li> <li>Purple Haze</li> </ul> <b>Low Light</b> <ul style="list-style-type: none"> <li>Amber</li> <li>Pink</li> <li>Infinity Blue</li> <li>Orange</li> <li>Purple Haze</li> <li>Shooter's Amber</li> <li>Sun Block Bronze</li> </ul>	<b>Enhance Contrast</b> <ul style="list-style-type: none"> <li>Amber</li> <li>Pink</li> <li>Infinity Blue</li> <li>Orange</li> <li>Purple Haze</li> <li>Vermilion</li> <li>Sandstone Bronze</li> <li>Shooter's Amber</li> </ul> <b>Welding</b> <ul style="list-style-type: none"> <li>1.5 IR Filter</li> <li>Arc – 1.5 IR Filter</li> <li>3.0 IR Filter</li> <li>5.0 IR Filter</li> </ul> <p><b>i</b> 1.5 IR is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.</p> <p>Arc is great for use under the welding helmet – allowing welder to see work clearly without suffering “welder’s flash burn” from surrounding welders.</p>
---	--	---	--

# SEALED

## Crossover™ ANSI • CE • CSA •



Removable indirect vented rolled rubber gasket // Adjustable detachable strap with quick release

### Black and Gray Frame | 3 Variations

- SBG10610DT ••• Clear H2X AF
- SBG10620DT ••• Gray H2X AF
- SBG10680DT ••• I/O Mirror AF

### Gray and Lime Frame | 1 Variation

- SGL10610DT ••• Clear H2X AF



SBG106

## Torser™ ANSI • CE • CSA •



Dielectric // Flexible rubber gasket // Ratchet elastic headband with quick-fit retainer // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

### Black Body | 3 Variations

- GB10010TM ••• Clear H2MAX AF
- GB10020TM ••• Gray H2MAX AF
- GB10025TM ••• Light Gray H2MAX AF



## Isotope™ ANSI • CE • CSA • Ballistic •



Dielectric // Interchangeable temples and neoprene strap // Temples adjust to three different lengths // Frame features a rubber gasket // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards when worn with strap // Passes D3: Droplet and Splash Test when worn with strap // Passes D4: Dust Test when worn with strap

### Black Frame | 4 Variations


- GB9410STM •••• Clear H2MAX AF
- GB9420STM •••• Gray H2MAX AF
- GB9430STM •••• Amber H2MAX AF
- GB9480ST •••• I/O Mirror AF



### WATCH THE VIDEO

Vimeo.com/Pyramex/Isotope

## I-Force® and I-Force Slim ANSI • CE • CSA • AS • Ballistic •



Dual pane lens // Outer polycarbonate lens protects against the environment, while inner acetate lens prevents fogging // Outside lens is coated with anti-fog treatment // Quick release interchangeable temples and strap // Removable vented flame resistant foam carriage // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

### I-Force Black Frame | 4 Variations

- SB7010SDT •••• Clear Dual Pane H2X AF
- SB7020SDT •••• Gray Dual Pane H2X AF
- SB7030SDT •••• Amber Dual Pane H2X AF
- SB7080SDT •••• I/O Mirror Dual Pane AF

### I-Force Slim Black Frame | 3 Variations

- SB7010SDNT •••• Clear Dual Pane H2X AF
- SB7020SDNT •••• Gray Dual Pane H2X AF
- SB7080SDNT •••• I/O Mirror Dual Pane AF



148 mm



157 mm



### WATCH THE VIDEO

Vimeo.com/Pyramex/I-Force

**i** I-Force Slim is about 6% smaller than the I-Force.



**V2G®** ANSI • CE • CSA • AS • Ballistic •



Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 8 Variations**

- GB1810ST ••••• Clear **H2X** AF
- GB1810STM ••••• Clear **H2MAX** AF
- GB1820ST ••••• Gray **H2X** AF
- GB1820STM ••••• Gray **H2MAX** AF
- GB1830ST ••••• Amber **H2X** AF
- GB1850SFT • 5.0 IR Filter **H2X** AF
- GB1860SFT • 3.0 IR Filter **H2X** AF
- GB1880ST ••••• I/O Mirror AF



**V2G Rx Insert**

RX1800  
Securely snaps into place above nosepiece // Includes micro-fiber storage case // Accommodates -3.0 to +3.0 prescription lenses // Take insert to local optometrist for Rx lens installation

**i** V2G Readers on page 73.

**Highlander™** ANSI • CE •



Removable soft foam carriage // Durable frame with detachable strap

**Black Frame | 5 Variations**

- SBB5010DT ••• Clear **H2X** AF
- SBB5020DT ••• Gray **H2X** AF
- SBB5055DT ••• Sky Red Mirror AF
- SBB5070DT ••• Silver Mirror AF
- SBB5080DT ••• I/O Mirror AF

**Black and Red Frame | 2 Variations**

- SBR5010DT •• Clear **H2X** AF
- SBR5020DT •• Gray **H2X** AF

**Black and Silver Frame | 2 Variations**

- SSB5020DT •• Gray **H2X** AF
- SSB5065DT •• Ice Blue Mirror AF



SBR50

SSB50

**i** Highlander is partially foam padded which allows for airflow.

**V3T™** ANSI • CSA •



Vented lens and frame // Quick release strap // Flame resistant foam padding // Passes D3: Droplet and Splash Test

**Black Frame | 4 Variations**

- SB10310ST ••• Clear **H2X** AF
- SB10320ST ••• Gray **H2X** AF
- SB10330ST ••• Amber **H2X** AF
- SB10380ST ••• I/O Mirror AF



**Fyxate™** ANSI • CSA •



Dielectric // Rubber temple tips and nosepiece // Single wraparound lens // Flame resistant foam padding available on select options // Quick release strap available on foam padded options only

**Lens and Temples | 5 Variations**

- SB10210S ••• Clear
- SB10210ST ••• Clear **H2X** AF
- SB10220S ••• Gray
- SB10220ST ••• Gray **H2X** AF
- SB10280S ••• I/O Mirror

**Foam Padded | 2 Variations**

- SB10210STMFP ••• Clear **H2MAX** AF
- SB10220STMFP ••• Gray **H2MAX** AF



**Highlander™ Plus** ANSI • CE • CSA • Ballistic •



Removable indirect vented flame resistant foam carriage // Detachable strap // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black and Gray Frame | 5 Variations**

- SBG5010DT ••• Clear **H2X** AF
- SBG5020DT ••• Gray **H2X** AF
- SBG5030DT ••• Amber **H2X** AF
- SBG5055DT ••• Sky Red Mirror AF
- SBG5080DT ••• I/O Mirror AF

**i** Highlander Plus is partially foam padded which allows for airflow.



**XSG®** ANSI • CE • CSA •



Flame resistant foam padding // Strap has quick-fit retainer // Interchangeable temples and strap included

**Black Frame | 4 Variations**

- GB4010ST ••• Clear H2X AF
- GB4010STM ••• Clear H2MAX AF
- GB4020ST ••• Gray H2X AF
- GB4080ST ••• I/O Mirror AF

**i** XSG Readers on page 73.



**XSG Kit** ANSI • CE • Ballistic •



Interchangeable lenses, temples, and strap // Black nylon case for storage // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 3 Interchangeable Options**

- GB4010KIT ••• Clear H2X AF Gray H2X AF Amber H2X AF



**XS3 PLUS®** ANSI • CSA • AS •



Unique slim temple design with co-injected temple tips // Flame resistant foam padding // Detachable strap // Passes D3: Droplet and Splash Test

**Black Frame | 3 Variations**

- SB4610STP ••• Clear H2X AF
- SB4620STP ••• Gray H2X AF
- SB4680STP ••• I/O Mirror AF



**PMXCEL®** ANSI •



Flame resistant inner foam padding // Detachable strap

**Black Frame | 2 Variations**

- SB7320DT ••• Gray AF
- SB7321DT ••• Polarized Gray AF



**Proximity®** ANSI • CE • CSA •



Removable flame resistant foam padding // Lightweight spectacle – 26.3gm // Slim co-injected temples

**Black Frame | 6 Variations**

- SB9310ST ••• Clear H2X AF
- SB9310STM ••• Clear H2MAX AF
- SB9323ST ••• Dark Gray H2X AF
- SB9323STM ••• Dark Gray H2MAX AF
- SB9330ST ••• Amber H2X AF
- SB9380ST ••• I/O Mirror AF



**Accurist®** ANSI • CSA •



Flame resistant foam padding // Built-in rubber nosepiece // Co-injected temple tips

**Black Frame | 4 Variations**

- SB8710DTP ••• Clear AF
- SB8720DTP ••• Gray AF
- SB8725DTP ••• Light Gray AF
- SB8770DP ••• Silver Mirror

**Black and Red Frame | 2 Variations**

- SBR8710DTP ••• Clear AF
- SBR8720DTP ••• Gray AF




SBR87



# FULL FRAME

## Conaire™ ANSI • CSA •



### Black Frame | 2 Variations

- SB10710D •• Clear
- SB10720D •• Gray



## Velar™ ANSI • CE • CSA •



### Black Frame | 3 Variations

- SB10410D ••• Clear
- SB10420D ••• Gray
- SB10465D ••• Ice Blue Mirror

### Black and Red Frame | 1 Variation

- SBRF10445D ••• Ice Orange Mirror

### White and Blue Frame | 1 Variation

- SWBL10465D •• Ice Blue Mirror

### White and Red Frame | 1 Variation

- SWR10455D •• Sky Red Mirror



SB104




SWBL104



SWR104

## Exeter® ANSI • CE • AS •




### Glossy Black Frame | 7 Variations

- SB5110DT ••• Clear H2X AF
- SB5120DT ••• Gray H2X AF
- SB5133DT ••• Shooter's Amber H2X AF
- SB5155DT ••• Sky Red Mirror AF
- SB5170DT ••• Silver Mirror AF
- SB5175DT ••• Blue Mirror AF
- SB5180DT ••• I/O Mirror AF



## Goliath® ANSI • CE • CSA • AS •



### Black Frame | 9 Variations

- SB5610D ••• Clear
- SB5610DT ••• Clear H2X AF
- SB5620D ••• Gray
- SB5620DT ••• Gray H2X AF
- SB5621D ••• Polarized Gray
- SB5645D ••• Ice Orange Mirror
- SB5665D ••• Ice Blue Mirror
- SB5670D ••• Silver Mirror
- SB5680D ••• I/O Mirror




### White Frame | 3 Variations

- SW5620D ••• Gray
- SW5655D ••• Sky Red Mirror
- SW5665D ••• Ice Blue Mirror



SW56

**Solara®** ANSI •



Straight back temples with rubber insert // Built-in rubber nosepiece // Extended lens



**Black Frame | 5 Variations**

- SB4310D • Clear
- SB4320D • Gray
- SB4360D • Infinity Blue
- SB4375D • Blue Mirror
- SB4380D • I/O Mirror

**Translucent Gray Frame | 2 Variations**

- STG4310D • Clear
- STG4370D • Silver Mirror



STG43



**Azera®** ANSI •



Straight back temples // Built-in rubber flange nosepiece

**Black Frame | 1 Variation**

- SB4420D • Gray



**Trifecta®** ANSI •

Provides excellent eye protection for work environments with high humidity that require impact protection // Meets ANSI Z87.1 requirements for screen lenses



SB74

**Black Frame | 2 Variations**

- SB74WMD • Black Wire Mesh
- SB76WMD • Black Punched Steel

**Furix®** ANSI •

Lightweight contemporary frame // Straight back temples

**Black Frame | 4 Variations**

- SB8510DT • Clear AF
- SB8515DT • Coffee AF
- SB8520DT • Gray AF
- SB8575DT • Blue Mirror AF



**Monitor™** ANSI •

Conventional plastic frame with wire core temple for easy adjustment

**Caramel Frame | 1 Variation**

- SC210C • Clear



**Pathfinder™** ANSI •

Metal frame features traditional aviator style // Integrated side shields

**Gold Metal Frame | 1 Variation**

- SG310A • Clear

**Zone II®** ANSI • CE • AS •



Built-in rubber nosepiece // Rubber coated temple tips



**Matte Black Frame | 6 Variations**

- SB3310E • Clear
- SB3320E • Gray
- SB3345E • Ice Orange Mirror
- SB3365E • Ice Blue Mirror
- SB3370E • Silver Mirror
- SB3380E • I/O Mirror

**Silver Frame | 5 Variations**


- SS3320E • Gray
- SS3345E • Ice Orange Mirror
- SS3365E • Ice Blue Mirror
- SS3370E • Silver Mirror
- SS3375E • Blue Mirror



SS33

# HALF FRAME

## Ever-Lite® ANSI • CE • CSA •



Soft nosepiece for snug fit // Slim co-injected temples // Lightweight spectacle – 22 gm



### Black Frame | 19 Variations

SB8610D •••	Clear	SB8630D •••	Amber
SB8610DT •••	Clear H2X AF	SB8650SF •	5.0 IR Filter
SB8610DTM •••	Clear H2MAX AF	SB8660D ••	Infinity Blue
SB8620D •••	Gray	SB8660DT ••	Infinity Blue H2X AF
SB8620DT •••	Gray H2X AF	SB8660DTM •••	Infinity Blue H2MAX AF
SB8620DTM •••	Gray H2MAX AF	SB8660SF •	3.0 IR Filter
SB8623D ••	Dark Gray	SB8665D ••	Ice Blue Mirror
SB8623DT ••	Dark Gray H2X AF	SB8680D •••	I/O Mirror
SB8624D •••	Photochromic	SB8680DT •••	I/O Mirror AF
SB8625DTM ••	Light Gray H2MAX AF		

**i** Photochromic lenses change from clear to dark, after exposed to direct UV light. Lenses change from dark to clear, after removed from UV light.

Ever-Lite Readers on page 71.

## Sitecore™ ANSI • CE • CSA •



Built-in rubber nosepiece // Flexible and ventilated temples // Ratcheting temples // Temples adjust to three different lengths



### Black and Gray Frame | 6 Variations

SBG10110D ••	Clear
SBG10110DTM ••	Clear H2MAX AF
SBG10120D ••	Gray
SBG10120DTM ••	Gray H2MAX AF
SBG10130D ••	Amber
SBG10180D ••	I/O Mirror

### Gray and Lime Frame | 5 Variations

SGL10110D •••	Clear
SGL10110DTM •••	Clear H2MAX AF
SGL10120D •••	Gray
SGL10120DTM •••	Gray H2MAX AF
SGL10180D •••	I/O Mirror



SBG101

## Flex-Lyte™ ANSI • CE • CSA •



Soft nosepiece for snug fit // Special dielectric hinge design // Slim co-injected temples channel away sweat // Lightweight spectacle – 22 gm



### Black and Gray Frame | 5 Variations


SBG10510D ••	Clear
SBG10510DTM ••	Clear H2MAX AF
SBG10520D ••	Gray
SBG10520DTM ••	Gray H2MAX AF
SBG10580D ••	I/O Mirror

### Black and Lime Frame | 5 Variations

SBL10510D •••	Clear
SBL10510DTM •••	Clear H2MAX AF
SBL10520D •••	Gray
SBL10520DTM •••	Gray H2MAX AF
SBL10580D •••	I/O Mirror

SBG105

## Venture 3® ANSI • CE • CSA • AS • Ballistic •



Soft, adjustable nosepiece // Ventilated frame // Adjustable co-injected rubber temples // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



### Black Frame | 9 Variations

SB5710D ••••	Clear
SB5710DT ••••	Clear H2X AF
SB5710DTM ••••	Clear H2MAX AF
SB5720D ••••	Gray
SB5720DT ••••	Gray H2X AF
SB5730D ••••	Amber
SB5760D ••••	Infinity Blue
SB5770D ••••	Silver Mirror
SB5780D ••••	I/O Mirror

**i** Venture 3 retail packaged products on page 143.



**Venture II®** ANSI • CE • CSA • Ballistic •



Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 15 Variations**

- SB1810S • Clear
- SB1810ST • Clear H2X AF
- SB1820S • Gray
- SB1820ST • Gray H2X AF
- SB1830S • Amber
- SB1835S • Sun Block Bronze
- SB1840S • Orange
- SB1850SF • 5.0 IR Filter
- SB1860S • Infinity Blue
- SB1860SF • 3.0 IR Filter
- SB1870S • Silver Mirror
- SB1875S • Blue Mirror
- SB1880S • I/O Mirror
- SB1880ST • I/O Mirror AF
- SB1890S • Gold Mirror



**i** Venture II Readers on page 71.



**Realtree Hardwoods HD® Frame | 3 Variations**

- SH1810S • Clear
- SH1820S • Gray
- SH1830S • Amber

**Slate Gray Frame | 1 Variation**

- SSG1810S • Clear

**Metallic Blue Frame | 3 Variations**

- SMB1810S • Clear
- SMB1820S • Gray
- SMB1880S • I/O Mirror



**V2® Metal** ANSI • CE • CSA •

Spring loaded temples allows for easy positioning // Contemporary metal frame and temples fit most facial sizes

**Gun Metal Frame | 2 Variations**

- SGM1810S • Clear
- SGM1820S • Gray



**Gravex®** ANSI •


Built-in nosepiece

**Black Frame | 4 Variations**

- SB8910S • Clear
- SB8910ST • Clear H2X AF
- SB8920S • Gray
- SB8980S • I/O Mirror



**PMXTREME®** ANSI • CE •



Built-in rubber nosepiece // Ventilated flexible temples with rubber temple tips // Includes black lanyard cord

**Black Frame with Cord | 11 Variations**

- SB6310SP • Clear
- SB6310STP • Clear AF
- SB6320SP • Gray
- SB6320STP • Gray AF
- SB6330SP • Amber
- SB6345SP • Ice Orange Mirror
- SB6360SP • Infinity Blue
- SB6370SP • Silver Mirror
- SB6375SP • Blue Mirror
- SB6376SP • Smoke Green Mirror
- SB6380SP • I/O Mirror

**Camo Frame with Cord | 3 Variations**

- SCM6310STP • Clear AF
- SCM6318STP • Sandstone Bronze AF
- SCM6320STP • Gray AF



**Red Frame with Cord | 1 Variation**

- SR6320SP • Gray



**i** PMXTREME Readers on page 72.



**PMXTREME LED** ANSI • CE •



Super bright swiveling LED bulbs (three lumens per side) allows you to see in dark places while keeping your hands free // Built-in rubber nosepiece and rubber temple tips // The alkaline batteries provide up to 50 hours of use before replacing. Three L44 alkaline batteries per temple (six total) are included // Easy to use push button on/off switches are located at the top of each temple


**Black Frame | 2 Variations**

- SB6310SPLED • Clear
- SB6310STPLED • Clear AF

**i** PMXTREME LED Readers on page 72.



**PMXTREME Rx** ANSI •



Includes RX insert which accommodates -3.0 to +3.0 prescription lenses // Take insert to local optometrist for Rx lens installation

**Black Frame | 2 Variations**

- SB6310STRX • Clear AF
- SB6320STRX • Gray AF

**Rendezvous®** ANSI • CE • Ballistic •



Adjustable nosepiece // Temples adjust to four different lengths // Lens angle aligns to proper position for work application with ratcheting lens pitch adjustment // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



**Black Frame | 10 Variations**

- SB2810S ••• Clear
- SB2810ST ••• Clear H2X AF
- SB2820S ••• Gray
- SB2820ST ••• Gray H2X AF
- SB2830S ••• Amber
- SB2840S ••• Orange
- SB2860S ••• Infinity Blue
- SB2860ST ••• Infinity Blue H2X AF
- SB2870S ••• Silver Mirror
- SB2880S ••• I/O Mirror




SCG28

**Crystal Gray Frame | 1 Variation**

- SCG2810ST ••• Clear H2X AF

**Reatta®** ANSI •



Adjustable rubber nosepiece // Straight back flexible temples // Vented lens allows airflow to prevent fogging



**Charcoal Frame | 2 Variations**

- SCH4810DT • Clear H2X AF
- SCH4820D • Gray

**Charcoal and Blue Frame | 3 Variations**

- SNC4810D • Clear
- SNC4820D • Gray
- SNC4880D • I/O Mirror

SNC48

**Ionix®** ANSI • CSA • Ballistic •



Built-in rubber nosepiece // Flexible and ventilated temples // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



**Black Frame | 6 Variations**

- SB8110D ••• Clear
- SB8110DT ••• Clear AF
- SB8120D ••• Gray
- SB8120DT ••• Gray AF
- SB8165D ••• Ice Blue Mirror
- SB8170D ••• Silver Mirror

**Onix®** ANSI • CE • AS • Ballistic •



Ratcheting co-injected temples // Adjustable rubber nosepiece // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



**Black and Green Frame | 1 Variation**

- SGR4910ST ••• Clear H2X AF

**i** Onix retail packaged products on page 143.

**Onix Plus®** ANSI • CE • AS •




Co-injected temples // Adjustable rubber nosepiece // Unique 3-angle adjustable flip lens // Outer lens flips down for applications where IR lenses are needed



**Black Frame | 2 Variations**

- SB4950STP ••• Clear with 5.0 IR H2X AF
- SB4960STP ••• Clear with 3.0 IR H2X AF

**Fortress®** ANSI •



Adjustable rubber nosepiece // Straight-back rubber coated temple tips // Vented lens allows airflow to prevent fogging



**Black Frame | 4 Variations**

- SB3710D • Clear
- SB3710DT • Clear AF
- SB3720D • Gray
- SB3780D • I/O Mirror

**Gray Frame | 1 Variation**

- SG3710D • Clear

**Silver Frame | 2 Variations**

- SS3710D • Clear
- SS3720D • Gray



SG37

SS37



**Integra®** ANSI • CE • CSA •

- ADJUSTABLE TEMPLES
- RATCHETING TEMPLES
- Adjustable temples ensure reliable performance

**Black Frame | 5 Variations**

- SB410S • Clear
- SB410ST • Clear AF
- SB420S • Gray
- SB450SF • 5.0 IR Filter
- SB460SF • 3.0 IR Filter

**Black Ratchet Frame | 1 Variation**

- SB410SR • Clear



**Mixed Blue Frame | 1 Variation**

- SM410S • Clear

**Red, White & Blue Frame | 1 Variation**

- SNWR410S • Clear

**Blue Frame | 1 Variation**

- SN410S • Clear

**Red Frame | 1 Variation**

- SR410S • Clear



**Avanté®** ANSI •

- VENTED FRAME
- RUBBER NOSEPIECE

Vented frame // Flexible temples // Built-in rubber nosepiece

**Black Frame | 7 Variations**

- SB4510D • Clear
- SB4520D • Gray
- SB4530D • Amber
- SB4560D • Infinity Blue
- SB4570D • Silver Mirror
- SB4575D • Blue Mirror
- SB4580D • I/O Mirror

**Gun Metal | 2 Variations**

- SGM4510D • Clear
- SGM4520D • Gray



**Silver Frame | 5 Variations**

- SS4510D • Clear
- SS4520D • Gray
- SS4545D • Ice Orange Mirror
- SS4580D • I/O Mirror
- SS4585D • Ice Blue Mirror

**Silver and Black Frame | 3 Variations**

- SSB4510D • Clear
- SSB4520D • Gray
- SSB4570D • Silver Mirror



**Surveyor®** ANSI •

- RUBBER NOSEPIECE
- CO-INJECTED TEMPLES

Rubber comfort-fit temples // Soft nosepiece

**Black Temples | 4 Variations**

- SB6110ST • Clear AF
- SB6120S • Gray
- SB6145S • Ice Orange Mirror
- SB6170S • Silver Mirror

**Forum®** ANSI • Ballistic •

- ADJUSTABLE RUBBER NOSEPIECE
- MIL-PRF-32432
- Adjustable rubber nosepiece // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 1 Variation**

- SB6680D • I/O Mirror





# FRAMELESS



## Endeavor™ Plus ANSI • CSA •



Built-in brow guard // Special dielectric hinge design // Curved co-injected temples // One-piece wraparound lens // Soft adjustable nosepiece // Foam padding is available in select options

### Black and Gray Temples | 5 Variations

SBG9610S ●●	Clear
SBG9610ST ●●	Clear <b>H2X AF</b>
SBG9620S ●●	Gray
SBG9620ST ●●	Gray <b>H2X AF</b>
SBG9680S ●●	I/O Mirror

### Black and Green Temples | 4 Variations

SBGR9610S ●●	Clear
SBGR9610ST ●●	Clear <b>H2X AF</b>
SBGR9620S ●●	Gray
SBGR9680S ●●	I/O Mirror



### Black and Gray Temples with Foam Padding | 2 Variations

SBG9610STMFP ●●	Clear <b>H2MAX AF</b>
SBG9620STMFP ●●	Gray <b>H2MAX AF</b>

### Black and Green Temples with Foam Padding | 2 Variations

SBGR9610STMFP ●●	Clear <b>H2MAX AF</b>
SBGR9620STMFP ●●	Gray <b>H2MAX AF</b>

### Black and Pink Temples | 2 Variations

SBP9610S ●●	Clear
SBP9610ST ●●	Clear <b>H2X AF</b>

## Intrepid® II ANSI • CE • Ballistic •



Nosepiece flange eliminates pressure on bridge of nose by evenly distributing weight of glass // Flexible rubber temples provide pressure-free fit behind the ear // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

### Black Temples | 5 Variations

SB8810S ●●●	Clear
SB8820S ●●●	Gray
SB8830S ●●●	Amber
SB8835S ●●●	Sun Block Bronze
SB8880S ●●●	I/O Mirror



## TruLock™ ANSI • CE • CSA •



Dielectric // Lightweight spectacle – 21 gm // Patented temples lock into place

### Black Temples | 8 Variations

SB9510S ●●●	Clear
SB9510ST ●●●	Clear <b>H2X AF</b>
SB9520S ●●●	Gray
SB9520ST ●●●	Gray <b>H2X AF</b>
SB9530S ●●●	Amber
SB9556S ●●●	Multi-color Mirror
SB9580S ●●●	I/O Mirror
SB9580ST ●●●	I/O Mirror AF



WATCH THE VIDEO  
Vimeo.com/Pyramex/TruLock

## TruLock Multi-Colors ANSI • CE • CSA •

Sold in dozen quantity only // Comes with six assorted temple colors: red, blue, green, purple, orange and black // Multi-pack includes two of each temple color with clear lenses // Perfect for work areas where color coding is necessary



### Multi-Color Temples | 2 Variations

S9510SMP ●●●	Clear
S9520SMP ●●●	Gray

## Itek® ANSI • CE • CSA • AS • Ballistic •



Integrated nosepiece with rubber posts // Soft co-injected rubber temple tips // Lens provides excellent side protection // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

### Lens and Temples | 10 Variations

S5810S ●●●●	Clear
S5810ST ●●●●	Clear <b>H2X AF</b>
S5810STM ●●●●	Clear <b>H2MAX AF</b>
S5820S ●●●●	Gray
S5820ST ●●●●	Gray <b>H2X AF</b>
S5830S ●●●●	Amber
S5860S ●●●●	Infinity Blue
S5870S ●●●●	Silver Mirror
S5875S ●●●●	Blue Mirror
S5880S ●●●●	I/O Mirror



**Cortez®** ANSI • CE •



Durable co-injected temples // Ribbed cushioned nosepiece



**Black Temples | 4 Variations**

- SB3610S ••• Clear
- SB3610ST ••• Clear H2X AF
- SB3620S ••• Gray
- SB3680S ••• I/O Mirror

**Orange Temples | 1 Variation**

- S03610S • Clear



**Gray Temples | 2 Variations**

- SG3610S • Clear
- SG3620S • Gray

**Navy Temples | 1 Variation**

- SN3610S • Clear



**PMXSLIM®** ANSI • CE • AS •



Slim fit for smaller facial features // Soft adjustable nosepiece // Co-injected temple design includes soft rubber tips for a non-slip fit



**Black Temples | 6 Variations**

- SB7110S ••• Clear
- SB7110ST ••• Clear H2X AF
- SB7120S ••• Gray
- SB7120ST ••• Gray H2X AF
- SB7138S ••• Sandstone Bronze
- SB7180S ••• I/O Mirror

**Neshoba™** ANSI • CE • CSA •

Frameless design with thin flexible temples // Ultra lightweight spectacle – 16 gm

**Black Temples | 10 Variations**

- S9710S ••• Clear
- S9710ST ••• Clear H2X AF
- S9710STM ••• Clear H2MAX AF
- S9720S ••• Gray
- S9720ST ••• Gray H2X AF
- S9720STM ••• Gray H2MAX AF
- S9730S ••• Amber
- S9760S ••• Infinity Blue
- S9770S ••• Silver Mirror
- S9780S ••• I/O Mirror



**Ztek®** ANSI • CE • CSA •



Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit



**Lens and Temples | 18 Variations**

- S2510S ••• Clear
- S2510ST ••• Clear H2X AF
- S2514S ••• 1.5 IR Filter
- S2515S ••• Coffee
- S2520S ••• Gray
- S2520ST ••• Gray H2X AF
- S2530S ••• Amber
- S2540S ••• Orange
- S2550SF ••• 5.0 IR Filter
- S2560S ••• Infinity Blue
- S2560SF ••• 3.0 IR Filter
- S2560ST ••• Infinity Blue H2X AF
- S2565S ••• Purple Haze
- S2570S ••• Silver Mirror
- S2575S ••• Blue Mirror
- S2580S ••• I/O Mirror
- S2590S ••• Gold Mirror
- S25ARCS ••• Arc – 1.5 IR Filter



128 mm



137 mm

**Mini Ztek** ANSI • CE • CSA •

Mini Ztek has all the great features of Ztek in a design better suited for slimmer facial sizes

**i** Mini Ztek is about 6% smaller than the Ztek.

S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.


S25ARCS is great for use under the welding helmet – allowing welder to see work clearly without suffering “welder’s flash burn” from surrounding welders.

Ztek Readers on page 72.

**Lens and Temples | 8 Variations**

- S2510SN ••• Clear
- S2510SNT ••• Clear H2X AF
- S2517SN ••• Pink
- S2520SN ••• Gray
- S2530SN ••• Amber
- S2560SN ••• Infinity Blue
- S2575SN ••• Blue Mirror
- S2580SN ••• I/O Mirror

**Provoq®** ANSI • CSA •



Soft nosepiece // Rubber temples



**Black Temples | 11 Variations**

- S7210S ••• Clear
- S7210ST ••• Clear AF
- S7220S ••• Gray
- S7220ST ••• Gray AF
- S7230S ••• Amber
- S7255S ••• Multi-Color Mirror
- S7260S ••• Infinity Blue
- S7270S ••• Silver Mirror
- S7275S ••• Blue Mirror
- S7280S ••• I/O Mirror
- S7280ST ••• I/O Mirror AF



SP72

**Pink Temples | 1 Variation**

- SP7210ST • Clear AF



**Intruder®** ANSI • CE • CSA •



Integrated nosepiece // Lightweight frameless protection // Foam padding is available in select options

**Lens and Temples | 11 Variations**

- S4110S ••• Clear
- S4110ST ••• Clear AF
- S4110SUC • Uncoated Clear
- S4120S ••• Gray
- S4120ST ••• Gray AF
- S4130S ••• Amber
- S4160S •• Infinity Blue
- S4170S •• Silver Mirror
- S4175S • Blue Mirror
- S4180S •• I/O Mirror
- S4180ST •• I/O Mirror AF

**Foam Padded Frame | 3 Variations**

- S4110STFP • Clear AF
- S4120STFP • Gray AF
- S4180STFP • I/O Mirror AF

**Black Temples | 1 Variation**

- SB4110S •• Clear

**Blue Temples | 1 Variation**

- SN4110S •• Clear

**Red Temples | 1 Variation**

- SR4110S •• Clear



**i** Intruder Readers on page 73.

**Mini Intruder** ANSI •

Mini Intruder has all the great features of Intruder in a design better suited for smaller facial sizes

**Lens and Temples | 5 Variations**

- S4110SN • Clear
- S4110SNT • Clear AF
- S4120SN • Gray
- S4130SN • Amber
- S4180SN • I/O Mirror



**i** Mini Intruder is about 8% smaller than the Intruder.

**Intruder and Mini Intruder Multi-Colors**

ANSI • CE • CSA •


Sold in dozen quantity only // Comes with six assorted temple colors: red, blue, green, purple, orange and black // Multi-pack includes two of each temple color with clear lenses // Perfect for work areas where color coding is necessary

**Multi-Color Temples | 2 Variations**

- S4110SMP ••• Clear (Intruder)
- S4110SNMP • Clear (Mini Intruder)



**Achieva®** ANSI •



Brow guard // Built-in rubber nosepiece // Unique rubber temple tips

**Gray Temples Tips | 3 Variations**

- SG6510S • Clear
- SG6510ST • Clear H2X AF
- SG6520S • Gray

**Pink Temples Tips | 1 Variation**

- SP6510S • Clear



**Atoka®** ANSI • CSA •



Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

**Lens and Temples | 8 Variations**

- S9110S •• Clear
- S9110ST •• Clear H2X AF
- S9120S •• Gray
- S9120ST •• Clear H2X AF
- S9130S •• Amber
- S9160S •• Infinity Blue
- S9180S •• I/O Mirror
- S9180ST •• I/O Mirror AF



**Alair®** ANSI • CE •

Straight temples // Integrated nosepiece

**Lens and Temples | 7 Variations**

- S3210S •• Clear
- S3210ST •• Clear H2X AF
- S3220S •• Gray
- S3260S •• Infinity Blue
- S3270S • Silver Mirror
- S3275S • Blue Mirror
- S3280S • I/O Mirror



**Fastrac®** ANSI •



Dielectric // Frame/lens combination provides maximum single lens protection

**Lens and Temples | 2 Variations**

- S1410S • Clear
- S1420S • Gray



# READERS

## Emerge® Plus ANSI • CSA •



Rubber temple tips // Soft nosepiece provides comfort for extended use



### Full Readers Translucent Gray Frame | 7 Variations

SG9810R15	••	Clear	+1.5 Mag
SG9810R20	••	Clear	+2.0 Mag
SG9810R25	••	Clear	+2.5 Mag
SG9810R30	••	Clear	+3.0 Mag
SG9820R15	••	Gray	+1.5 Mag
SG9820R20	••	Gray	+2.0 Mag
SG9820R25	••	Gray	+2.5 Mag

### Top Insert Readers Translucent Gray Frame | 2 Variations

SG9810TR15	••	Clear	+1.5 Mag
SG9810TR20	••	Clear	+2.0 Mag

**i** The top insert reader for the EmERGE Plus is strategically placed for applications in which user is frequently looking up.



## Emerge ANSI • CE • CSA •



Soft nosepiece provides comfort for extended use // RX options accommodate an Rx lens to the maximum of +3 to -3 diopters // Available with a full reader +1.5 or +2.0 lens or as a prescription lens // Dual lens design with full eye protection // Plano, prescription, and full reader lens adaptable

### Black Frame | 3 Variations

SB7910DRX	•••	Clear	
SB7910D15	••	Clear	+1.5 Mag
SB7910D20	••	Clear	+2.0 Mag

### Translucent Gray Frame | 3 Variations

SG7910DRX	•••	Clear	
SG7910D15	••	Clear	+1.5 Mag
SG7910D20	••	Clear	+2.0 Mag



SG79

**i** Frame must be presented to your optometrist in order to be fitted with prescription lenses.

## Ever-Lite® Readers ANSI • CSA •

Soft nosepiece for snug fit // Slim co-injected temples // Lightweight spectacle – 22 gm

### Black Frame | 7 Variations

SB8610R15	••	Clear	+1.5 Mag
SB8610R20	••	Clear	+2.0 Mag
SB8610R25	••	Clear	+2.5 Mag
SB8610R30	••	Clear	+3.0 Mag
SB8620R15	••	Gray	+1.5 Mag
SB8620R20	••	Gray	+2.0 Mag
SB8620R25	••	Gray	+2.5 Mag

**i** See more Ever-Lite options on page 56.



## Venture II® Readers ANSI • CE • CSA •

Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping

### Black Frame | 18 Variations

SB1810R10	•••	Clear	+1.0 Mag
SB1810R15	•••	Clear	+1.5 Mag
SB1810R15T	•••	Clear H2X AF	+1.5 Mag
SB1810R20	•••	Clear	+2.0 Mag
SB1810R20T	•••	Clear H2X AF	+2.0 Mag
SB1810R25	•••	Clear	+2.5 Mag
SB1810R25T	•••	Clear H2X AF	+2.5 Mag
SB1810R30	•••	Clear	+3.0 Mag
SB1820R15	••	Gray	+1.5 Mag
SB1820R20	••	Gray	+2.0 Mag
SB1820R25	••	Gray	+2.5 Mag
SB1820R30	••	Gray	+3.0 Mag
SB1830R15	••	Amber	+1.5 Mag
SB1830R20	••	Amber	+2.0 Mag
SB1830R25	••	Amber	+2.5 Mag
SB1880R15	••	I/O Mirror	+1.5 Mag
SB1880R20	••	I/O Mirror	+2.0 Mag
SB1880R25	••	I/O Mirror	+2.5 Mag

**i** See more Venture II options on page 58.



**Ztek® Readers** ANSI • CE • CSA •

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

**Lens and Temples | 8 Variations**

■	S2510R15 •••	Clear	+1.5 Mag
■	S2510R20 •••	Clear	+2.0 Mag
■	S2510R25 •••	Clear	+2.5 Mag
■	S2514R15 •	1.5 IR Filter	+1.5 Mag
■	S2514R20 •	1.5 IR Filter	+2.0 Mag
■	S2520R15 •	Gray	+1.5 Mag
■	S2520R20 •	Gray	+2.0 Mag
■	S2520R25 •	Gray	+2.5 Mag

**i** See more Ztek options on page 67.

S2514R is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.



**PMXTREME® Readers** ANSI •

Built-in rubber nosepiece // Ventilated flexible temples with rubber temple tips // Includes black lanyard cord

**Black Frame with Cord | 3 Variations**

■	SB6310SPR15 •	Clear	+1.5 Mag
■	SB6310SPR20 •	Clear	+2.0 Mag
■	SB6310SPR25 •	Clear	+2.5 Mag

**i** See more PMXTREME options on page 59.



**PMXTREME LED Readers** ANSI •

Super bright swiveling LED bulbs (three lumens per side) allows you to see in dark places while keeping your hands free // Built-in rubber nosepiece and rubber temple tips // The alkaline batteries provide up to 50 hours of use before replacing. Three L44 alkaline batteries per temple (six total) are included // Easy to use push button on/off switches are located at the top of each temple

**Black Frame | 3 Variations**

■	SB6310STPLEDR15 •	Clear AF	+1.5 Mag
■	SB6310STPLEDR20 •	Clear AF	+2.0 Mag
■	SB6310STPLEDR25 •	Clear AF	+2.5 Mag

**i** See more PMXTREME LED options on page 59.



**Intruder® Readers** ANSI •

Integrated nosepiece // Lightweight frameless protection

**Lens and Temples | 3 Variations**

■	S4110R15 •	Clear	+1.5 Mag
■	S4110R20 •	Clear	+2.0 Mag
■	S4110R25 •	Clear	+2.5 Mag

**i** See more Intruder options on page 68.



**V2G® Readers** ANSI • CSA •

Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer

**Black Frame | 3 Variations**

■	GB1810STR15 ••	Clear H2X AF	+1.5 Mag
■	GB1810STR20 ••	Clear H2X AF	+2.0 Mag
■	GB1810STR25 ••	Clear H2X AF	+2.5 Mag

**i** See more V2G options on page 48.



**XSG® Readers** ANSI • CSA •

Flame resistant foam padding // Strap has quick-fit retainer // Interchangeable temples and strap included

**Black Frame | 3 Variations**

■	GB4010STR15 ••	Clear H2X AF	+1.5 Mag
■	GB4010STR20 ••	Clear H2X AF	+2.0 Mag
■	GB4010STR25 ••	Clear H2X AF	+2.5 Mag

**i** See more XSG options on page 50.



# OVER THE SPECTACLE

## OTS® and OTS XL ANSI • CE • CSA • AS •



Fits over prescription glasses // Lightweight nylon temples adjust for length and pitch

### OTS

#### Black Temples | 7 Variations

- S3510SJ ••• Clear
- S3510STJ ••• Clear H2X AF
- S3520SJ ••• Gray
- S3530SJ ••• Amber
- S3550SFJ ••• 5.0 IR Filter
- S3560SFJ ••• 3.0 IR Filter
- S3580SJ ••• I/O Mirror

### OTS XL

#### Black Temples | 4 Variations

- S7510SJ ••• Clear
- S7510STJ ••• Clear H2X AF
- S7520SJ ••• Gray
- S7580SJ ••• I/O Mirror

**i** OTS XL is about 9% larger than the OTS. OTS fits over frames up to 137mm x 44mm. OTS XL fits over frames up to 151mm x 49mm.



## Solo® ANSI • CE • CSA •

Temples are vented to reduce fogging

#### Lens and Temples | 4 Variations

- S510S ••• Clear
- S510SD ••• Clear Dispenser pack – 12 per box
- S510SJ ••• Clear Jumbo
- S520S ••• Gray

**i** Only S510SJ is designed to be used over prescription spectacles.



## Cappture™ and Cappture with Rubber Gasket ANSI • CE • CSA •



Dielectric // Fits over prescription glasses // Temples extend from browbar to avoid interference with prescription frame's temples // Rubber gasket is available in select options

#### Lens and Temples | 3 Variations

- S9910ST ••• Clear H2X AF
- S9920ST ••• Gray H2X AF
- S9930ST ••• Amber H2X AF

#### Rubber Gasket | 2 Variations

- S9910STMRG ••• Clear H2MAX AF
- S9920STMRG ••• Gray H2MAX AF

**i** Cappture retail packaged product on page 143.



## Defiant® ANSI • CE •



Tilt type adjustment allows optimum visibility // Temples adjust to four settings

#### Black Temples | 2 Variations

- SB1010S ••• Clear
- SB1010SJ ••• Clear Jumbo

**i** Only SB1010SJ is designed to be used over prescription spectacles.



# GOGGLES

## Capstone® Shield ANSI • CE • CSA •

Fully adjustable elastic band // Fits over prescription glasses // Lens is coated to prevent fogging // GG504TSHIELD goggle has a dual pane lens // Soft vinyl goggle body conforms to facial contours // Goggles pass D3: Droplet and Splash Test // Goggles pass D4: Dust Test // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Goggle combined with removable shield provides full face protection // Four ventilation holes provide airflow // Ratchet shield allows user to open or close in three positions for adjustment // Polycarbonate shield conforms to the face offering increased impact and dust protection

### Lens and Shield | 5 Variations

- GG504TSHIELD ••• Clear H2X AF
- GG504DTSHIELD • Clear Dual Pane H2X AF
- GG504TSHIELDIR3 ••• 3.0 IR Filter H2X AF
- GG504TSHIELDIR5 ••• 5.0 IR Filter H2X AF
- GG524TSHIELD ••• Gray H2X AF

**i** Fits over most prescription glasses.

Only the goggles for GG504TSHIELDIR3 and GG504TSHIELDIR5 contain IR dye. Due to the nature of the vented holes, the shield is only green tinted and does not contain the IR resin.



## Capstone Face Shield and Strap

CAPSHIELD

Ratcheting shield includes strap and clips allowing the user to add to either of the Capstone 500 Series goggles // Sold as a replacement shield for GG504TSHIELD and GG504DTSHIELD



## Disposable Capstone Shield Visors

VPACK6

Pack of 6 clear disposable, tear-off visors, suitable for high dust or muddy working environments



## Capstone® Dual Lens ANSI • CE • CSA • AS • Ballistic •



Fully adjustable elastic strap // Fits over prescription glasses // Outer polycarbonate lens protects against the environment while an inner acetate lens prevents fogging // Soft vinyl goggle body conforms to facial contours // Provides protection against dust and chemical splash // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

### Gray Body with Quick Release Strap | 1 Variation

- GG504DT ••••• Clear Dual Pane H2X AF

**i** Fits over most prescription glasses.



## Capstone 500 ANSI • CE • CSA • AS • Ballistic •



Fits over prescription glasses // Soft vinyl goggle body conforms to facial contours // Goggle provides protection against dust and chemical splash // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

### Gray Body with Quick Release Strap | 2 Variations

- GG504T ••••• Clear H2X AF
- GG504TM ••••• Clear H2MAX AF

### Chemical Green Body with Neoprene Strap | 1 Variation

- GC504TN ••••• Clear H2X AF

**i** Fits over most prescription glasses.



GC504TN

### Capstone® 600 ANSI • CE • CSA • AS • Ballistic •



Fits over prescription glasses // Indirect ventilation system prevents fogging // Includes interchangeable cloth and neoprene straps // Co-material goggle provides superior protection against dust entry and chemical splash // Thermoplastic (TPE) body with universal nose bridge is flexible and contours to the user's face // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

#### Gray Body with Adjustable Strap | 1 Variation

G604T2 ••••• Clear H2X AF

**i** Fits over most prescription glasses.



### V2G-Plus® ANSI • CE • CSA • AS • Ballistic •



Includes a wide adjustable elastic strap with quick release system for secure fit // TPU frame features excellent resistance to cold and heat // Thermo lens system provides excellent resistance to fog caused by temperature differences in your environment // Special indirect ventilation system located at the top and bottom of frame allows airflow and heat release // Multi-functional goggle with 180° vision protects against chemical splash, sun glare, dust, flying particles, and wind // Outer polycarbonate lens protects against the environment while an inner acetate lens prevents fogging // Inner lens is separated by a thin spacer of air and sealed together with foam // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Passes D3: Droplet and Splash Test

#### Black Body with Strap | 2 Variations

GB6410SDT ••••• Clear Dual Pane H2X AF  
GB6420SDT ••••• Gray Dual Pane H2X AF

#### V2G-Plus Rx Insert

RX6400

Accommodates -3.0 to +3.0 prescription lenses // Securely snaps into place above nosepiece // Includes micro-fiber storage case // Take insert to local optometrist for Rx lens installation



### Top Shelf Chemical Splash Goggle ANSI • CE • CSA •

Special one-way vent allows air in while keeping liquids out // Generously sized heavy duty body and lens // Fits over prescription spectacles // Tinted body helps reduce glare // G304TN comes with a neoprene strap // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

#### Tinted Body with Black Strap | 2 Variations

G304 ••••• Clear  
G304T ••••• Clear H2X AF

#### Tinted Body with Neoprene Strap | 1 Variation

G304TN ••••• Clear H2X AF

**i** Fits over most prescription glasses.



### Top Shelf Chemical Splash Goggle with Foam Padding ANSI • CSA •



Special one-way vent allows air to enter while keeping liquids out // Breakaway headband provides added protection and features quick-fit retainer // Fits over prescription spectacles // Tinted body helps reduce glare // Generously sized heavy duty body and lens with foam padding for comfort // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

#### Tinted Body with Black Strap | 1 Variation

G404T ••••• Clear H2X AF

**i** Fits over most prescription glasses.



### Low-Profile Chemical Splash Goggle ANSI • CE •

Low-profile, modern sport design with anti-glare frame // Direct ventilation // Adjustable elastic band and soft PVC frame // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

#### Gray Body with Black Strap | 2 Variations

G704T ••••• Clear AF  
G724T ••••• Gray AF





# ACCESSORIES

## Wire Mesh Goggle ANSI •

Single wire mesh lens with PVC frame // Ideal for: forestry, landscaping, and agriculture applications // For work environments with extreme heat and high humidity where impact protection is required // Low-profile design with wide elastic strap provides secure fit // Soft rubber gasket seals out unwanted particles and is comfortable for all day wear // Meets ANSI Z87.1 requirements for screen lenses

### Black Body with Adjustable Strap | 1 Variation

■ G9WMG • Black Wire Mesh



## Chemical Splash Goggle ANSI •

Vent caps restrict influx of liquids

### Clear Body with Black Strap | 2 Variations

■ G204 • Clear  
■ G204T • Clear AF



## Perforated Goggle ANSI •

Goggles provides excellent ventilation

### Clear Body with Black Strap | 2 Variations

■ G201 • Clear  
■ G201T • Clear AF



## Ventless Goggle ANSI •

Goggle provides protection against vapors // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // D5: Fine Dust Test

### Clear Body with Black Strap | 1 Variation

■ G200T • Clear H2X AF



CLIPCORDS Clip-On Cord



CORDS Lanyard Loop



CORDS1A Cotton Cord



CORDS7A Cord with Rubber Tips



CORDS8A Breakaway Cord



CORDS9A Bungee Cord



NEOCORD Neoprene Breakaway Cord



NEO1 Neoprene Cord



CA200B Zippered Case



CA500B Hard Case



NEOCASE Neoprene Case



PYRBAGS Cloth Drawstring Spectacle Bag (6.25" x 3.75")

PYRBAGLG Large Cloth Drawstring Spectacle Bag (9.50" x 5")



PYRBAGSU Suede Drawstring Spectacle Bag (6.25" x 3.75")



CLEANCLOTH Nylon Microfiber Cleaning Cloth



IDBADGE Identification Badge Lanyard



SS100 Pliable Slip on Side Shields

Meets ANSI Z87.1 High Impact Requirements Only

**i** Products shown with cases are sold separately.



CRA003 60 Individually Packaged Fog Buster™ Towelettes



GALS0L Gallon of Lens Cleaning Solution



HCW100 100 Individually Packaged Alcohol Free Hygienic Wipes (5" x 8")  
 HCW100A 100 Individually Packaged Alcohol Hygienic Wipes (5" x 8")  
 HCW100XL 100 Individually Packaged Alcohol Free Hygienic Wipes (8" x 11")

**i** Safe and effective for cleaning respirators, hard hat suspensions and other personal protective equipment, but not to be used on disposable particulate respirators.



LCC100 Canister with 100 Lens Cleaning Wet Tissues



LCS10 8 oz. Lens Cleaning Station with 600 Tissues  
 LT300 Refill Tissues for LCS10 and LCS20  
 LT760 760 Pack of 5x8 Cleaning Tissues



LCS20 16 oz. Lens Cleaning Station with 1,200 Tissues  
 LCB16 16 oz. Cleaning Solution Replacement Bottle with Pump



LCT100 100 Individually Packaged 5x8 Cleaning Towelettes  
 LCTBULK 100 Individually Packaged 5x8 Cleaning Towelettes in a bag

**i** Packaging for cleaning products may vary. Products shown with displays are sold separately.



DIS5BL Stationary Display - holds up to 5 units




DIS9TR Stationary Display - holds up to 9 units



DIS10 Stationary Display - holds up to 10 units



DISPLAY Rotating Display - holds up to 36 units





RIDGELINE® 86 – 89

SL SERIES 90 – 91

BASEBALL BUMP CAPS 91

HARD HAT STICKERS 92

ADAPTERS 92 – 93

FACE SHIELDS 93 – 94

HEADGEAR 94

KITS 95

N95 RESPIRATORS 96


BALACLAVAS 96

# USE YOUR HEAD

According to the Bureau of Labor Statistics, only 16% of workers who sustained head injuries in recent years were wearing a hard hat.

Source: Bureau of Labor Statistics

### CERTIFICATIONS

ANSI Z89.1 (hard hats)	●
ANSI Z87.1 (brackets and face shields)	●
ANSI Z87.1+ (polycarbonate face shields)	●
CE EN 397:2012 + A1:2012	●
Cert. Mod. - CAN/CSA Z94.1-15  third-party certification	●

### ANSI/ISEA Z89.1 & CSA Z94.1 - 2015

**Type 1 – Top Impact**  
 ANSI: Type I hard hat is designed to reduce the force of impact on top of the head.  
 CSA: Type I hard hat provides impact and penetration protection for the crown only.

**Class E – Electrical High-Voltage / Non-Conducting**  
 Class E hard hats are intended to protect against falling objects and reduce the risk of exposure to high-voltage electrical shocks and burns. Class E offers the highest protection with high-voltage shock and burn protection up to 20,000 volts.

**Class G – General Limited Voltage / Non-Conducting**  
 Class G hard hats are intended to protect against falling objects and reduce the risk of exposure to low voltage electrical conductors. Class G offers impact and penetration resistance and protection from up to 2,200 volts.

**Class C – Conductive**  
 Class C hard hats are not intended to protect against electrical danger. Class C offers lightweight comfort and impact protection.



### CE EN 397:2012 + A1:2012

EN 397 certifies that safety helmets are designed to offer protection from lateral impact or top impact. All helmets certified according to EN 397 must meet these requirements: shock absorption – vertical, penetration resistance, flame resistance, chin strap attachment: chin strap releases at minimum 150 N and maximum 250 N.

### CE EN 12492:2012

EN 12492 certifies helmets for mountaineers. Ridgeline XR7 meets Shock Absorption [Clauses 4.2.1.1; 4.2.1.2; 4.2.1.3; 4.2.1.4] and Penetration [Clause 4.2.2] only.

### SELECTION CHART





INDUSTRIAL SAFETY HELMETS


# NEW TO THE RIDGELINE SERIES



## RIDGELINE XR7

ABS + PC material blend offers superior strength and heat resistance // Interior crown foam // 6-point ratchet suspension with swinging hinge points // Suspension can adjust for height and angle // Easy to grasp knob adjust suspension for head size // Soft breakaway 4-point chin strap // Packaging includes reflective decals // Universal accessory slots // Custom imprinting available

- HP76110 White
- HP76113 Slate Gray
- HP76117 Black Graphite Pattern
- HP76130 Yellow
- HP76131 Hi-vis Lime
- HP76160 Blue

 **LEARN MORE ABOUT  
RIDGELINE XR7  
IN THE ADDENDUM**

Ridgeline XR7 passes ANSI Z89.1-2014 Type I, Class E and CE EN 397:2012 +A1:2012 / EN 12492 Shock Absorption [Clauses 4.2.1.1; 4.2.1.2; 4.2.1.3; 4.2.1.4] and Penetration [Clause 4.2.2] only.



# HARD HATS



Non-vented

Vented

## Ridgeline® Cap Style ANSI • CSA • (with clip only)

ABS material // Low-profile design // Available with 4- and 6-point ratchet suspensions // Swinging hinge points // 4-position harness points // Easy to grasp knob adjusts the suspension from 6½ to 8 head size // Rear padded suspension // Vented pressure pad // Universal accessory slots // Passes reverse orientation, high temperature (HT) and low temperature (LT) // Non-vented options meet Class E, G, and C // Vented options meet Class C // Hi-vis colors have been tested for the HV mark // Custom imprinting available



**WATCH THE VIDEO**  
Vimeo.com/Pyramex/Ridgeline

### 4-Point Ratchet | 15 Variations

- HP44110 • White
- HP44110C •• White
- HP44112 • Gray
- HP44113 • Slate Gray
- HP44120 • Red
- HP44130 • Yellow
- HP44130C •• Yellow
- HP44131 • Hi-vis Lime
- HP44131C •• Hi-vis Lime
- HP44135 • Green
- HP44141 • Hi-vis Orange
- HP44160 • Blue
- HP44162 • Light Blue
- HP44165C •• Dark Blue
- HP44170 • Hi-vis Pink

### Vented 4-Point Ratchet | 7 Variations

- HP44110V • White
- HP44112V • Gray
- HP44120V • Red
- HP44130V • Yellow
- HP44131V • Hi-vis Lime
- HP44141V • Hi-vis Orange
- HP44160V • Blue



HPR441  
Cap Style 4-point Ratchet  
Replacement Suspension




HPR461  
Cap Style 6-point Ratchet  
Replacement Suspension

### 6-Point Ratchet | 7 Variations

- HP46110 • White
- HP46120 • Red
- HP46130 • Yellow
- HP46131 • Hi-vis Lime
- HP46135 • Green
- HP46141 • Hi-vis Orange
- HP46160 • Blue



 HP44110C | HP44130C | HP44131C | HP44165C  
Ridgeline Cap Style with side clips to meet CSA standards.



Non-vented

Vented

## Ridgeline® Full Brim ANSI • CSA •

ABS material // 4-point and 6-point ratchet suspension // 4-point ratchet suspension may be converted to 6-point ratchet suspension with optional strap (HP6PTSUS) // Vented options have universal accessory slots // Passes high temperature (HT) and low temperature (LT) // Non-vented options meet Class E, G, and C // Vented options meet Class C // Hi-vis colors have been tested for the HV mark // Custom imprinting available

### 4-Point Ratchet | 11 Variations

HP54110 ••	White
HP54111 ••	Black
HP54112 ••	Gray
HP54113 ••	Slate Gray
HP54120 ••	Red
HP54130 ••	Yellow
HP54131 ••	Hi-vis Lime
HP54135 ••	Green
HP54141 ••	Hi-vis Orange
HP54160 ••	Blue
HP54170 ••	Hi-vis Pink

### Vented 4-Point Ratchet | 6 Variations

HP54110V ••	White
HP54113V ••	Slate Gray
HP54130V ••	Yellow
HP54131V ••	Hi-vis Lime
HP54141V ••	Hi-vis Orange
HP54160V ••	Blue

### 6-Point Ratchet | 5 Variations

HP56110 •	White
HP56120 •	Red
HP56130 •	Yellow
HP56135 •	Green
HP56160 •	Blue



HPR541  
Full Brim 4-point Ratchet  
Replacement Suspension



HPRBANDR  
Ridgeline Cap Style and Full  
Brim Hard Hat Sweat Band



HP6PTSUS  
6-point Ratchet Replacement  
Suspension Strap

## Ridgeline Bump Caps NON-RATED

Polyethylene material // For applications where hard hats are not required, but some protection from minor bumps and scalp lacerations are needed // Available with 4-point glide lock suspension // Ventilation holes // Replaceable sweat band // Not designed to meet the safety standards for industrial head protection // Custom imprinting available

### 4-Point Glide Lock | 11 Variations

HP40010	White	HP40035	Green
HP40011	Black	HP40040	Orange
HP40012	Gray	HP40041	Hi-vis Orange
HP40015	Brown	HP40060	Blue
HP40020	Red		
HP40030	Yellow		
HP40031	Hi-vis Lime		



BPRBAND  
Bump Cap Sweat Band



Matte White Graphite Pattern

Shiny White Graphite Pattern

Matte Black Graphite Pattern

Shiny Black Graphite Pattern



Matte Copper Pattern

Matte Realtree AP® Camo Pattern

Matte Red Pattern

Matte Blue Pattern

## Ridgeline® Hydro Dipped ANSI • CSA •

### Cap Style 4-Point Ratchet | 10 Variations

HP44116 •	Matte White Graphite Pattern
HP44116S •	Shiny White Graphite Pattern
HP44117 •	Matte Black Graphite Pattern
HP44117C ••	Matte Black Graphite Pattern (CSA with clip only)
HP44117S •	Shiny Black Graphite Pattern
HP44118 •	Matte Copper Pattern
HP44119 •	Matte Realtree AP Camo Pattern
HP44121 •	Matte Red Pattern
HP44122 •	Matte Blue Pattern
HP44MIX •	HP44116 (4), HP44117 (4), HP44118 (4) + HP44119 (4)

### Cap Style Vented 4-Point Ratchet | 2 Variations

HP44116SV •	Shiny White Graphite Pattern
HP44117V •	Matte Black Graphite Pattern

### Full Brim 4-Point Ratchet | 9 Variations

HP54116 ••	Matte White Graphite Pattern
HP54116S ••	Shiny White Graphite Pattern
HP54117 ••	Matte Black Graphite Pattern
HP54117S ••	Shiny Black Graphite Pattern
HP54118 ••	Matte Copper Pattern
HP54119 ••	Matte Realtree AP Camo Pattern
HP54121 ••	Matte Red Pattern
HP54122 ••	Matte Blue Pattern
HP54MIX ••	HP54116 (3), HP54117 (3), HP54118 (3) + HP54119 (3)

### Full Brim Vented 4-Point Ratchet | 1 Variation

HP54117V ••	Matte Black Graphite Pattern
-------------	------------------------------

**i** HP44117C  
Ridgeline Cap Style with side clips to meet CSA standards.



### SL Series Cap Style ANSI • CSA •

Low-profile design // High density polyethylene materials // Rain trough // Universal accessory slots // Available with 4- and 6-point nylon suspensions – snap lock and ratchet styles // Passes for reverse orientation and low temperature (LT) // Meets Class E, G, and C // Hi-vis colors have been tested for the HV mark // Custom imprinting available

#### 4-Point Ratchet | 13 Variations

- HP14110 • White
- HP14111 • Black
- HP14112 • Gray
- HP14120 • Red
- HP14130 • Yellow
- HP14131 • Hi-vis Lime
- HP14135 • Green
- HP14140 • Orange
- HP14141 • Hi-vis Orange
- HP14160 • Blue
- HP14162 • Light Blue
- HP14165 • Dark Blue
- HP14170 • Hi-vis Pink

#### 6-Point Ratchet | 7 Variations

- HP16110 • White
- HP16120 • Red
- HP16130 • Yellow
- HP16135 • Green
- HP16140 • Orange
- HP16141 • Hi-vis Orange
- HP16160 • Blue

#### 4-Point Snap Lock | 8 Variations

- HP14010 • White
- HP14020 • Red
- HP14030 • Yellow
- HP14031 • Hi-vis Lime
- HP14035 • Green
- HP14040 • Orange
- HP14060 • Blue
- HP14062 • Light Blue

#### 6-Point Snap Lock | 6 Variations

- HP16010 • White
- HP16020 • Red
- HP16030 • Yellow
- HP16035 • Green
- HP16040 • Orange
- HP16060 • Blue



### SL Series Full Brim ANSI • CSA •

High density polyethylene materials // Available with 4- and 6-point ratchet suspensions // Passes low temperature (LT) // Meets Class E, G, and C // Hi-vis colors have been tested for the HV mark // Custom imprinting available

#### 4-Point Ratchet | 10 Variations

- HP24110 • White
- HP24111 • Black
- HP24120 • Red
- HP24130 • Yellow
- HP24131 • Hi-vis Lime
- HP24135 • Green
- HP24140 • Orange
- HP24141 • Hi-vis Orange
- HP24160 • Blue
- HP24162 • Light Blue

#### 6-Point Ratchet | 6 Variations

- HP26110 • White
- HP26120 • Red
- HP26130 • Yellow
- HP26135 • Green
- HP26140 • Orange
- HP26160 • Blue



### SL Series Sleek Shell ANSI •

Seamless low-profile design // Polyethylene materials // 4-point ratchet suspension // Ideal for linemen // Options meet Class E, G, and C // Custom imprinting available

#### Cap Style 4-Point Ratchet | 5 Variations

- HPS14110 • White
- HPS14112 • Gray
- HPS14120 • Red
- HPS14130 • Yellow
- HPS14160 • Blue

#### Full Brim 4-Point Ratchet | 5 Variations

- HPS24110 • White
- HPS24112 • Gray
- HPS24120 • Red
- HPS24130 • Yellow
- HPS24160 • Blue

### SL Series Accessories

HP141 Cap Style 4-point Ratchet Replacement Suspension	HP161 Cap Style 6-point Ratchet Replacement Suspension	HP241 Full Brim 4-point Ratchet Replacement Suspension	HP261 Full Brim 6-point Ratchet Replacement Suspension	HPSSUS Sleek Shell 4-point Ratchet Replacement Suspension	HPCSTRAP Chin Strap	HPTRBANBL Universal Hard Hat Blue Terry Cloth Sweat Band
HPTRBAN Universal Hard Hat Gray Terry Cloth Sweat Band	HHBAND SL Series Cap Style and Full Brim Hard Hat Sweat Band					HPTBL20 Universal Hard Hat Blue Terry Cloth Sweat Band (20 bulk pack)
				HPTBL100 Universal Hard Hat Blue Terry Cloth Sweat Band (100 bulk pack)		

### Baseball Bump Caps NON-RATED

Bump cap and baseball cap in one // Soft inner foam cushion // Adjustable size // ABS removable shell // Outer cap is fully washable // Ventilation holes // Ideal for meter readers, food processors, and other industries that don't require full hard hat protection // Not designed to meet the safety standards for industrial head protection // Custom imprinting available

#### 4 Variations

- HP50011 • Black
- HP50031 • Hi-vis Lime
- HP50041 • Hi-vis Orange
- HP50065 • Navy



HP500REP  
Replacement Insert



# HARD HAT STICKERS



## Reflective Hard Hat Stickers NON-RATED

Microprismatic vinyl stickers increase visibility // Self-adhesive back with a peel-off liner // 16 stickers per sheet // Shown with Ridgeline hard hat – sold separately

### 3 Variations

- HVRSLM Hi-vis Lime
- HVRSOR Hi-vis Orange
- HVRSWH White

## Hard Hat ID Sticker NON-RATED

Sticker stores medical info and emergency contacts // Fixes securely to hard hat // Tamper-proof seal // 3M Scotchlite™ reflective material // Weather resistant

### 1 Variation

- HPID ID Sticker

# ADAPTERS & FACE SHIELDS



## Ridgeline® Cap Style Adapter

ANSI •

Fits Ridgeline cap style hard hats and accommodates a variety of face shields // Dielectric // Hard hat adapters fit into slots of cap style hard hats // Use with cap mounted earmuff (CM6010) // Adjustable while using cap mounted earmuff // Shown with Ridgeline hard hat and CM6010 earmuff – sold separately

HHABCMR •



## SL Series Cap Style Adapter

ANSI •

Fits SL Series cap style hard hats and accommodates a variety of face shields // Dielectric // Hard hat adapters fit into slots of cap style hard hats // Use with cap mounted earmuff (CM6010) // Adjustable while using cap mounted earmuff // Shown with SL Series hard hat and CM6010 earmuff – sold separately

HHABCMS •



## Aluminum Cap Style Adapter

ANSI •

Lightweight aluminum // Fits most cap style hard hats

HHA •



## Deluxe Aluminum Cap Style Adapter

ANSI •

Lightweight aluminum // Designed to fit more rounded cap style hard hats // Accommodates a variety of face shields – does not fit S1060

HHAAD •



## Aluminum Full Brim Adapter

ANSI •

Lightweight aluminum // Fits most full brim hard hats

HHA •



## Cap Style Adapter

ANSI •

Durable nylon with plastic coated tension spring // Fits most cap style hard hats

HHAB •

**i** Adapters accommodates a variety of face shields.



## Dielectric Cap Style Adapter

ANSI •

Dielectric // Nylon material // Fits most cap style hard hats

HHAN •



## Dielectric Full Brim Adapter

ANSI •

Dielectric // High impact resistant ABS resin // Fits most full brim hard hats

HHABW •



## Polyethylene Face Shield

ANSI •

Meets ANSI Z87.1 // 8" x 15" // .040" thick

S1010 •



## Aluminum Bound Polyethylene Face Shield

ANSI •

Meets ANSI Z87.1 // 8" x 15" // .040" thick // Aluminum bound allows shield to bend into preferred shape

S1015 •



## Dark Green Tinted Polyethylene Face Shield

ANSI •

Meets ANSI Z87.1 // 8" x 15" // .040" thick // Not IR resin – use for heat and glare

S1035 •



## Polycarbonate Face Shield

ANSI •

Meets ANSI Z87.1+ // 8" x 15" // .040" thick // Provides 99% UVA/B/C protection

S1020 •



## Aluminum Bound Polycarbonate Face Shield

ANSI •

Meets ANSI Z87.1+ // 8" x 15" // .040" thick // Aluminum bound allows shield to bend into preferred shape // Provides 99% UVA/B/C protection

S1040 •



## Tapered Polycarbonate Face Shield

ANSI •

Meets ANSI Z87.1+ // 8" x 15" // .078" thick // Provides 99% UVA/B/C protection

S1110 •

**i** All face shields are shown with HGBR - sold separately.

Face Shields with universal slots will accommodate a wide variety of adapters and headgear. Face shields offer secondary protection and must be worn with spectacles or goggles.

S1040 retail packaged product on page 143.



## Cylinder Polycarbonate Face Shield

ANSI •

Meets ANSI Z87.1+ // 8" x 15.5" // .078" thick // Provides 99% UVA/B/C protection

S1210 •



## Tapered IR5 Polycarbonate Face Shield

ANSI •

Meets ANSI Z87.1+ // 8" x 15.5" // .078" thick // Provides 99% UVA/B/C protection

S1150 •



## Cylinder IR5 Polycarbonate Face Shield

ANSI •

Meets ANSI Z87.1+ // 8" x 15.5" // .078" thick // Provides 99% UVA/B/C protection

S1250 •



## Steel Wire Mesh Face Shield

ANSI •

Meets ANSI Z87.1 requirements for screen window // 8" x 15.5" // Provides good airflow for comfort // Does not accommodate the HHAAD hard hat adapter

S1060 •



## Cylinder Polycarbonate Face Shield with slots for Chin Cup

ANSI •

Meets ANSI Z87.1+ // 8" x 15.5" // .078" thick // Provides 99% UVA/B/C protection // Accessory slots on bottom accommodate CHICUP – sold separately

S1210CC •



## Chin Protector for S1210CC

NON-RATED

8.46" x 2.74" // 0.09" thick // Accommodates S1210CC – sold separately

CHICUP



## Ridgeline® Ratchet Headgear

ANSI •

Meets ANSI Z87.1+ // Constructed from durable nylon // Ratchet adjustment for easy fit // Pivoting action allows user to lift face shield while wearing // Adjustable pegs will accommodate a wide variety of face shields

HGBR •



## Face Shield & Ridgeline Ratchet Headgear Combo

ANSI •

Aluminum Bound Polycarbonate Face Shield with Ridgeline® Ratchet Headgear in a packaged combo kit // See page 94 for HGBR features // See page 93 for S1040 features

HGBRKITCS •



## New Hire Kits

Intruder® – S4110S clear lens or S4120S gray lens // RVZ2110 lime or orange RVZ2120 Type R Class 2 vest // SL Series hard hat – HP14010 white cap style with 4-point snap lock suspension or HP24110 white full brim 4-point ratchet suspension // DP1001 disposable corded earplugs – NRR 32dB SNR 37dB // GL401L polyurethane gloves – 13 gauge nylon liner

### SL Series Cap Style | 11 Variations

NHCM	HP14010 - S4110S - DP1001 - RVZ2110M - GL401L
NHCL	HP14010 - S4110S - DP1001 - RVZ2110L - GL401L
NHCXL	HP14010 - S4110S - DP1001 - RVZ2110XL - GL401L
NHCX2	HP14010 - S4110S - DP1001 - RVZ2110X2 - GL401L
NHGL	HP14010 - S4120S - DP1001 - RVZ2110L - GL401L
NHGX1	HP14010 - S4120S - DP1001 - RVZ2110XL - GL401L
NHGX2	HP14010 - S4120S - DP1001 - RVZ2110X2 - GL401L
NHCORM	HP14010 - S4110S - DP1001 - RVZ2120M - GL401L
NHCORL	HP14010 - S4110S - DP1001 - RVZ2120L - GL401L
NHCORXL	HP14010 - S4110S - DP1001 - RVZ2120XL - GL401L
NHCORX2	HP14010 - S4110S - DP1001 - RVZ2120X2 - GL401L

### SL Series Full Brim | 4 Variations

NHFBCL	HP24110 - S4110S - DP1001 - RVZ2110L - GL401L
NHFBCLXL	HP24110 - S4110S - DP1001 - RVZ2110XL - GL401L
NHFBGL	HP24110 - S4120S - DP1001 - RVZ2110L - GL401L
NHFBGLXL	HP24110 - S4120S - DP1001 - RVZ2110XL - GL401L

Intruder meets ANSI Z87.1+, CE EN166, CSA Z94.3 and AS/NZS 1337 standards. All lenses are hard coated scratch-resistant polycarbonate and provide 99% protection from harmful UV rays. Hi-vis workwear meets ANSI/ISEA 107-2015 Type R Class 2 standards. SL series hard hats meet ANSI Z89.1, CSA Z94.1 - 2015, Type 1, Class C, G, and E standards for industrial head protection standards. Disposable corded earplugs meet ANSI S3.19 and CE EN-352:2002 standards. Gloves meet European EN388:2003 and EN388:2016 standards. Contents are subject to change.



## Ridgeline® Forestry Kits

HHABCMR Ridgeline ratchet headgear // HP44110 white Ridgeline cap style hard hat with 4-point ratchet suspension or HP44141 hi-vis orange Ridgeline cap style hard hat with 4-point ratchet suspension // CM6010 cap mounted earmuff – NRR 23dB // S1060 steel wire mesh face shield

### Ridgeline Cap Style | 2 Variations

FORKIT10	HP44110 - HHABCMR - S1060 - CM6010
FORKIT41	HP44141 - HHABCMR - S1060 - CM6010

Ridgeline headgear meets ANSI Z87.1 standards. Ridgeline hard hat meets ANSI Z89.1, Type 1, Class C, G, and E standards for industrial head protection standards. Cap mounted earmuff meets ANSI S3.19 standards. Face shield meets ANSI Z87.1 requirements for screen window. Face shield offers secondary protection and must be worn with spectacles or goggles.



## SL Series Forestry Kits

HHABCMS SL series ratchet headgear // HP14110 white SL series cap style hard hat with 4-point ratchet suspension or HP14141 hi-vis orange SL series cap style hard hat with 4-point ratchet suspension // CM6010 cap mounted earmuff – NRR 23dB // S1060 steel wire mesh face shield

### SL Series Cap Style | 2 Variations

FORKIT10SL	HP14110 - HHABCMS - S1060 - CM6010
FORKIT41SL	HP14141 - HHABCMS - S1060 - CM6010

SL series headgear meets ANSI Z87.1 standards. SL series hard hats meet ANSI Z89.1, CSA Z94.1 - 2015, Type 1, Class C, G, and E standards for industrial head protection standards. Cap mounted earmuff meets ANSI S3.19 standards. Face shield meets ANSI Z87.1 requirements for screen window. Face shield offers secondary protection and must be worn with spectacles or goggles.

**i** All face shields are shown with HGBR - sold separately.  
Face Shields with universal slots will accommodate a wide variety of adapters and headgear. Face shields offer secondary protection and must be worn with spectacles or goggles.  
HGBRKITCS retail packaged product on page 143.



# N95 RESPIRATORS

## Disposable Particulate Respirators

N95 – 95% efficient respiratory protection in non-oil areas // Ultrasonically welded straps eliminate the need for staples // Straps are latex free // Shell is durable and keeps structure under heavy humidity // Soft, smooth outer and inner layer is comfortable on the skin // Inner foam strip reduces the potential for eyewear fogging // Outer aluminum adjustable nosepiece holds shape for proper fit

### N95 Particulate Respirator | 1 Variation

RM 10 One Size Fits Most

### N95 Particulate Respirator with One Way Valve | 1 Variation

RM 10V One Size Fits Most

#### Do Not Use Against

Vapors, paint spray, oil-based aerosols, asbestos and sand blasting. Any contaminant whose concentration is unknown, or immediately dangerous to life. Concentrations of dust and mists which exceed the maximum use of concentration or 10 times contaminant's permissible exposure limit established by OSHA.

#### Use Against

NIOSH approved for protection against particulate aerosols free of oils. Pyramex recommends this respirator for use against particulates containing materials such as flour, iron ore, coal and minerals.



Disposable Respirators meet the NIOSH standard for N95 particulate respirators.



**i** N95 Respirator retail packaged products on page 143.

# BALACLAVAS

## BL1 Series NON-RATED



SELF-EXTINGUISHING

Balaclava can be worn in a variety of ways from face mask to neck gaiter // Mesh breathing panels increase airflow while minimizing condensation on your eyewear // Self-extinguishing thermal fleece and mesh material

### 2 Variations

- BL 111 Black One Size Fits Most
- BL 140 Hi-vis Orange One Size Fits Most

**i** BL1 series has been third party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).





AUTO-DARKENING HELMETS 100 - 101

ACCESSORIES 102

PASSIVE HELMET 102

IR FILTER PROTECTION 103 - 104

# SPARK AN INTEREST

32 feet is the minimum distance you must be away from an arc flash in order to not be at risk for Welder's Flash; a welding eye injury that occurs from exposure to intense ultraviolet light.

Source: High Speed Training UK



## WELDING HELMET CERTIFICATIONS

- ANSI Z87.1 + ●
- CE EN175: 1997 (shells)
- CE EN379: 2003 + A1: 2009 (filters) ●
- CE EN166: 2001 (cover plates)
- Cert. Mod. - CAN/CSA Z94.3 ● third-party certification ●

## IR PRODUCTS CERTIFICATIONS

- ANSI Z87.1+ High Impact ●
- CE EN166 ●
- Cert. Mod. - CAN/CSA Z94.3 ● third-party certification ●
- AS/NZS 1337 ●

## SELECTION CHART







# AUTO-DARKENING HELMETS

**LEADHEAD®**

## WHAM30 Series ANSI • CE • CSA •

4 / 5-8 / 9-13 stepless variable shade // 3.858" x 3.425" (98 x 87 mm) view area // Manual internal controls // Four independent sensors in staggered design // Solar cells and replaceable lithium-battery // Cutting, grinding and welding modes // 1/30,000 second switch speed // 5 amps and below TIG rating // High-impact resistant nylon // Up to shade DIN16 at all times

-  WHAM3030AE • American Eagle
-  WHAM3030FL • Flame
-  WHAM3030FM • Fire Metal
-  WHAM3030GB • Glossy Black



## WHAM1020MB ANSI • CE •

4 / 9-13 stepless variable shade // 3.937" x 1.77" (100 x 45 mm) view area // Manual external/internal controls // Four independent sensors in staggered design // Solar cells and replaceable lithium-battery // Grinding and welding modes // 1/30,000 second switch speed // 5 amps and below TIG rating // High-impact resistant nylon // Up to shade DIN16 at all times

-  WHAM1020MB • Matte Black



WHAM3030AE



WHAM3030FL

WHAM3030FM

WHAM3030GB

## WHAD60 Series ANSI •

4 / 5-13 digital display // 3.937" x 2.362" (100 x 60 mm) view area // Digital internal controls // Four independent sensors in staggered design // Solar cells and replaceable lithium-battery // Cutting, grinding and welding modes // 1/30,000 second switch speed // 5 amps and below TIG rating // High-impact resistant nylon // Up to shade DIN16 at all times

-  WHAD6030GB • Glossy Black
-  WHAD6030MB • Metallic Blue



WHAD6030GB

**i** Auto-darkening helmets are suitable for all types of electro-weldings: covered electrodes, MIG/MAG, TIG/WIG, plasma welding, cutting and laser welding (only selected models with two shade ranges, i.e.5-8 and 9-13), except for gas welding. Pyramex recommends Duracell® DL2450 replacement lithium coin battery for WHAM30 and WHAD60 and Duracell® DL2032 for WHAM10.



# ACCESSORIES AND REPLACEMENT PARTS

## Magnifying Inserts | 3 Variations

- WMAG1.5 +1.5 magnifying insert – fits all
- WMAG2.0 +2.0 magnifying insert – fits all
- WMAG2.5 +2.5 magnifying insert – fits all

**i** Auto-darkening helmets include a magnification lens holder.

## Replacement Inside Cover Plates | 3 Variations

- RIWH10PK5 • Inside cover plate 5 pack – WHAM10
- RIWH30PK5 • Inside cover plate 5 pack – WHAM30
- RIWH60PK5 • Inside cover plate 5 pack – WHAD60

## Replacement Filters | 3 Variations

- WRAM10 • Auto-darkening filter – WHAM10
- WRAM30 • Auto-darkening filter – WHAM30
- WRAD60 • Auto-darkening filter – WHAD60

## Replacement Headgear | 1 Variation

- WHARS1 Headgear – fits all

## Replacement Sweatband | 1 Variation

- WHBAND2 Sweatband 2 pack – fits all

## Replacement Front Cover Plates | 2 Variations

- ROWH10PK5 • Front cover plate 5 pack – WHAM10
- ROWH3060PK5 • Front cover plate 5 pack – WHAM30 & WHAD60

# PASSIVE HELMET

## WHP100 ANSI •

IR shade #10 welding filter // Lift front lens // 4.25" x 2" (107.95 x 50.8 mm) view area // Thermoplastic shell with nylon suspension // Optimally balanced "shake down" helmet minimizes carbon monoxide build up // Ample space for respirators

- WHP100 • Black



# IR FILTER PROTECTION



## Tapered IR5 Face Shield

ANSI •  
Tapered polycarbonate face shield // Shown with HGBR – sold separately

- S1150 • 5.0 IR Filter

**i** For more information about the S1150 see page 94.



## Cylinder IR5 Face Shield

ANSI •  
Cylinder polycarbonate face shield // Shown with HGBR – sold separately

- S1250 • 5.0 IR Filter

**i** For more information about the S1250 see page 94.



## Capstone® Shield ANSI • CE •

Fully adjustable elastic band // Fits over most prescription glasses // Goggles pass D3: Droplet and Splash Test // Goggles pass D4: Dust Test // Removable vent caps // Goggle combined with removable shield provides full face protection

### Lens and Shield | 2 Variations

- GG504TSHIELDIR3 • 3.0 IR Filter H2X AF
- GG504TSHIELDIR5 • 5.0 IR Filter H2X AF

**i** For more information about the Capstone Shield see page 76.

Only the goggles contain IR dye. The shield is only green tinted.



## V2G® ANSI • AS •

Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer

### Black Frame | 2 Variations

- GB1850SFT • 5.0 IR Filter H2X AF
- GB1860SFT • 3.0 IR Filter H2X AF

**i** For more information about the V2G see page 48.

V2G Readers on page 73.



## Emerge® ANSI • CSA •

Soft nosepiece provides comfort for extended use

### Black Frame | 2 Variations

- SB7950SF • 5.0 IR Filter
- SB7960SF • 3.0 IR Filter

**i** For more information about the Emerge see page 70.



## Ever-Lite® ANSI •

Soft nosepiece for snug fit // Slim co-injected temples // Lightweight spectacle – 22 gm

### Black Frame | 2 Variations

- SB8650SF • 5.0 IR Filter
- SB8660SF • 3.0 IR Filter

**i** For more information about the Ever-Lite see page 56.

Ever-Lite Readers on page 71.





**Venture II®** ANSI • CE •

Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping

**Black Frame | 2 Variations**

- SB1850SF • 5.0 IR Filter
- SB1860SF • 3.0 IR Filter

**i** For more information about the Venture II see page 58.

Venture II Readers on page 71.



**Integra®** ANSI • CE •

Adjustable temples ensure reliable performance

**Black Frame | 2 Variations**

- SB450SF • 5.0 IR Filter
- SB460SF • 3.0 IR Filter

**i** For more information about the Integra see page 62.



**Onix® Plus** ANSI • CE • AS •

Co-injected temples // Adjustable rubber nosepiece // Unique 3-angle adjustable flip lens // Outer lens flips down for applications where IR lenses are needed

**Black Frame | 2 Variations**

- SB4950STP • Clear with 5.0 IR H2X AF
- SB4960STP • Clear with 3.0 IR H2X AF

**i** For more information about the Onix Plus see page 61.



**OTS®** ANSI •

Fits over most prescription glasses // Lightweight nylon temples adjust for length and pitch

**Black Temples | 2 Variations**

- S3550SFJ • 5.0 IR Filter
- S3560SFJ • 3.0 IR Filter

**i** For more information about the OTS see page 74.



**Ztek®** ANSI • CE • CSA •

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

**Lens and Temples | 4 Variations**

- S2514S • 1.5 IR Filter
- S2550SF • 5.0 IR Filter
- S2560SF • 3.0 IR Filter
- S25ARCS • Arc – 1.5 IR Filter

**i** For more information about the Ztek see page 67.

S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

S25ARCS is great for use under the welding helmet – allowing welder to see work clearly without suffering “welder’s flash burn” from surrounding welders.





**Ztek Readers** ANSI •

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

**Lens and Temples | 2 Variations**

- S2514R15 • 1.5 IR Filter +1.5 Mag
- S2514R20 • 1.5 IR Filter +2.0 Mag





ELECTRONIC EARMUFFS 108

PASSIVE EARMUFFS 109

CAP MOUNTED EARMUFFS 110

METAL DETECTABLE EARPLUGS 110

EARPLUGS 111 - 112

# HEAR US OUT

24% of hearing loss in the U.S has been attributed to workplace exposure.

Source: Hearing Health Foundation

## FEATURES



**BLUETOOTH**  
CAPABILITY


**HEARING**  
AMPLIFICATION

**HD**  
CLEAR SOUND  
SPEAKERS

**AUX JACK**

**RAPID**  
NOISE  
SUPPRESSION

## SELECTION CHART



## CERTIFICATIONS

ANSI S3.19 ●


CE EN 352:2002 ●

### ANSI S3.19

**NRR**  
Noise Reduction Rating (NRR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn.

### CE EN 352:2002

**SNR**  
Single Number Rating (SNR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn. SNR also rates hearing protection by the noise environments in three categories: high-frequency (H), mid-frequency (M), and low-frequency (L).



# ELECTRONIC EARMUFFS

## Amp BT™ ANSI •

NRR 26dB



Quad microphones // Bluetooth capability // Noise suppression after 85db // Easy-adjust volume and ambient noise controls // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell

- VGPME30BT • Black
- VGPME31BT • Tan
- VGPME32BT • Urban Gray



## Sentinel™ ANSI •

NRR 26dB



Front facing microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell

- VGPME20 • Black
- VGPME26 • Powder Blue



## Clandestine™ ANSI •

NRR 24dB



Omnidirectional microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // External access for easy battery replacement // 2 AAA batteries are included // Available in a VG capture clam

- VGPME10 • Black
- VGPME17 • Black Graphite



**i** Amp BT | Sentinel | Clandestine  
Electronic earmuffs are VG packaged products. See page 140 for more information.

# PASSIVE EARMUFFS

## PM80 Series ANSI • CE •

NRR 26dB SNR 30dB

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband

- PM8010 • Gray
- PM8031 • Hi-vis Lime
- PM8041 • Hi-vis Orange



## BH9010 ANSI •

NRR 22dB

Can be worn with hard hats, shields, and other PPE // Adjustable and durable neckband // Ear cups tilt for optimum comfort and efficiency

BH9010 •



## PM9011 ANSI •

NRR 19dB

Smaller headband designed for slimmer fit // Height adjustment to fit most // Fold-away padded headband

PM9011 •

## PM3010 ANSI • CE •

NRR 27dB SNR 28dB

Height adjustment to fit most // Fold-away padded headband

PM3010 •



## PM9010 ANSI •

NRR 24dB

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband

■ PM9010 • Gray

**i** PM80 | PM9010  
For additional color options, see the Venture Gear section on page 141.



## PM2010 ANSI •

NRR 23dB

Dielectric // Lightweight and comfortable // Durable nylon headband

PM2010 •



## PM2000 ANSI •

NRR 21dB

Soft padded ear cups // Rotatable headband

PM2000 •



# CAP MOUNTED EARMUFFS



**CM6010** ANSI •  
NRR 22dB

Cap mounted earmuff – fits slotted cap style hard hats // Dielectric // Easily accessible while working // Flip down over ears to use or flip up when not in use // Shown with SL Series hard hat – sold separately

CM6010 •



**CMFB6010** ANSI •  
NRR 23dB

Cap mounted earmuff – fits slotted full brim hard hats // Dielectric // Easily accessible while working // Flip down over ears to use or flip up when not in use // Shown with Ridgeline® hard hat – sold separately

CMFB6010 •

# EARPLUGS



**RP4000** ANSI •  
NRR 25dB



Stem eliminates earplug contact with fingers // Three flexible rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RP4000 •



**RP3001** ANSI • CE •  
NRR 25dB SNR 30dB



Three flexible rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RP3001 ••

RP3001PC • Small case with RP3001

**i** RP3001 retail packaged product on page 143.



**RP2001** ANSI •  
NRR 26dB



Three rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RP2001 •

# METAL DETECTABLE EARPLUGS



**RPD3001**  
ANSI • CE •  
NRR 25dB SNR 30dB




Metal shavings embedded in the plug and cord for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Three flexible rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RPD3001 ••



**RPD2001**  
ANSI •  
NRR 25dB



Iron ball embedded in the plug for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Three rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RPD2001 •



**DPD1001MS**  
ANSI •  
NRR 31dB




Iron ball embedded in the plug and metal shavings embedded in cord for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DPD1001MS •



**DPD1001**  
ANSI • CE •  
NRR 30dB SNR 37dB



Iron ball embedded in the plug for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DPD1001 ••

**i** RPD2001 | RPD3001 | DPD1001 | DPD1001MS

Metal detectable earplugs are designed for those working in food manufacturing. Almost all food manufacturing facilities use some form of metal detection in order to test outgoing products, ensuring they are free from contaminants. The blue color is an important component of the earplug — it is a popular choice because it contrasts with most food color.



**DP3000** ANSI •  
NRR 30dB



No earplug roll down required // Stem eliminates earplug contact with fingers // Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP3000 •



**DP1201** ANSI •  
NRR 30dB



Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP1201 •



**DP1200** ANSI •  
NRR 30dB



Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP1200 •







**DP1001** ANSI • CE •  
NRR 31dB SNR 37dB



DISPOSABLE  
EARPLUG

Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP1001 ••



**DP1000** ANSI • CE •  
NRR 32dB SNR 38dB



DISPOSABLE  
EARPLUG

Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP1000 ••

**i** DP1000 retail packaged products on page 143.



**BP3000** ANSI • CE •  
NRR 22dB SNR 27dB



REUSABLE  
EARPLUG

Designed for environments with intermittent noise hazards // Flexible band can rest around neck when not in use // Conical shaped earplugs that require no roll down

BP3000 ••



### PD500

Convenient dispenser with twist knob and catch basin // 500 pair of disposable uncoiled earplugs (included) // Can be wall mounted or used as freestanding display

- PD 500 Earplug Dispenser with DP1000
- PD 500R Replacement 500 pair of DP1000





EVAPORATIVE 116 - 117

SUN SHADE 117

MOISTURE-WICKING 118




LEARN MORE ABOUT  
NEW COOLING  
IN THE ADDENDUM


# THE HEAT IS ON

Each year an estimated 10 million workers in the U.S will be affected by heat stress.

Source: OSHA Occupational Heat Exposure





**THE HOURS MATTER**  
The most dangerous heat hours are between 11 am–5 pm. Schedule frequent rest breaks to ensure you will not overheat.



**DRINK MORE WATER**  
Drink about 1 cup of water every 15 to 20 minutes to prevent heat related stress or injury. Drink water before becoming thirsty.

## SELECTION CHART



**KNOW THE SYMPTOMS**  
Be aware of the signs and symptoms of heat-induced illnesses. Heat causes more deaths than any other weather-related hazards.



**THE RIGHT CLOTHING**  
Wear clothing that is breathable, lightweight, and loose-fitting. Cooling products work as an additional relief from the heat.

**ANSI/ISEA COMPLIANT**  
CNS1 series, CPH160, CSK1 series, and CSKT2 series have been third-party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).





# EVAPORATIVE



## CV200 Series TYPE R CLASS 2



ANSI cooling vest // Inner evaporative PVA panels // 2" silver reflective material // Quilted outer shell is made from soft polyester // Zipper front closure // Adjustable waist band // Submerge in cool water before wearing to activate // Reusable – just reactivate // Machine washable

-  CV200M Medium adjusts to XL (38" x 48")
-  CV200X2 2XL adjusts to 5XL (50" x 64")



## CV100 Series NON-RATED


Cooling vest // Inner evaporative PVA panels // Quilted outer shell is made from soft polyester // Zipper front closure // Adjustable waist band // Submerge in cool water before wearing to activate // Reusable – just reactivate // Machine washable

-  CV100M Medium adjusts to XL (38" x 48")
-  CV100X2 2XL adjusts to 5XL (50" x 64")



## CPH160 NON-RATED

Cooling hard hat pad // Evaporative cooling material // Fits on the suspension of cap style and full brim hard hats with hook and loop closures // To activate, soak in cool water // Reusable – just reactivate // Shown with Ridgeline® hard hat – sold separately

-  CPH160 Blue

**i** CPH160 has been third-party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).



## C260 NON-RATED

Cooling towel wrap // Evaporative PVA material // Anti-microbial treated to help prevent mold build-up and unwanted odors // Use as a neck wrap by pulling end of wrap through slit // To activate, simply soak in cool water // Reusable – just reactivate // Machine washable

-  C260 Blue (26" x 8.5")



## C160 NON-RATED

Cooling towel // Evaporative PVA material // Anti-microbial treated to help prevent mold build-up and unwanted odors // To activate, simply soak in cool water // Reusable – just reactivate // Machine washable





-  C160 Blue (26" x 17")

# SUN SHADE



## HPSHADE Series NON-RATED





Hard hat brim with neck shade // Lightweight material // Fits on the outside of hard hats // Shown with Ridgeline® hard hat – sold separately

-  HPSHADE10 White
-  HPSHADE30 Hi-vis Lime
-  HPSHADE40 Hi-vis Orange
-  HPSHADE60 Blue



## HPSHADEC Series NON-RATED

Collapsible hard hat brim with neck shade // Lightweight material // Fits on the outside of full brim hard hats // Shown with Ridgeline hard hat – sold separately

-  HPSHADEC10 White
-  HPSHADEC30 Hi-vis Lime with Silver Reflective Stripe
-  HPSHADEC60 Blue
-  HPSHADECCKH Khaki



## HPESHADE10 NON-RATED



Hard hat neck shade // Mesh material // Elastic ribbing allows shade to fit on the outside of hard hats // Rated UPF 40 // Shown with Ridgeline hard hat – sold separately

-  HPESHADE10 Hi-vis Lime



## CNS1 Series NON-RATED

Cooling hard hat pad and neck shade // Evaporative quilted hi-vis material // Fits on the suspension of hard hats with hook and loop closures // To activate, soak in cool water // Reusable – just reactivate // Machine washable // Shown with Ridgeline hard hat – sold separately

-  CNS130 Hi-vis Lime
-  CNS140 Hi-vis Orange

**i** CNS1 series has been third-party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).



## CNB12PK + CNB100 Series NON-RATED

Cooling beaded bandana // Polymer crystal beads // Conveniently ties around neck // To activate, simply soak in cool water then knead and spread cooling gel for comfortable fit // Reusable – just reactivate // Machine washable // One size fits most

### 12 Pack


-  CNB12PKB Blue Paisley
-  CNB12PKFLG American Flag
-  CNB12PKKH Khaki
-  CNB12PKR Red Paisley
-  CNB12PKRB Royal Blue

### 100 Pack

-  CNB100B Blue Paisley
-  CNB100G Gray Paisley
-  CNB100MIX Blue Paisley, Gray Paisley, Red Paisley & Royal Blue
-  CNB100R Red Paisley
-  CNB100RB Royal Blue

## RRH10 NON-RATED

Lightweight ranger style hat // Rated UPF 50 // Reflective piping and tape // One size fits most

-  RRH10 Hi-vis Lime




# MOISTURE-WICKING



## C330 NON-RATED



Microfiber towel // Provides hours of cooling relief by regulating core body temperature // Reusable – simply soak in cool water // Machine washable

 C330 Lime (11.5" x 33")



## CSKT2 Series NON-RATED



Skull cap with ties // Traps and absorbs sweat, keeping it out of your eyes // Designed for easy tying // Rated UPF 50 // Machine washable // One size fits most

 CSKT212 Gray  
 CSKT260 Blue



## CSK1 Series NON-RATED

Skull cap // Traps sweat, keeping it out of your eyes // Fits under hard hats // Rated UPF 45 // Machine washable // One size fits most



 CSK111 Black  
 CSK1FLG American Flag

**i** CSK1 series and CSKT2 series have been third-party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).



## MPB Series NON-RATED



Multi-purpose headwear band // Rated UPF 50 // Reusable // Machine washable // One size fits most

 MPB10 Hi-vis Lime  
 MPB60 Blue



## CS1 Series NON-RATED

Nylon/spandex sleeve with thumb hole // Rated UPF 50 // Reusable // Machine washable // One size fits most

 CS111 Black  
 CS160 Blue





# LIFT LIKE YOU SHOULD

According to the Federal Bureau of Labor Statistics, back injuries of more than 1 million workers account for nearly 20 percent of all injuries and illnesses in the workplace.

Source: Bureau of Labor Statistics

## BACK SUPPORT



### BBS100 Series NON-RATED

General use back support – economy weight // Constructed from lightweight, durable material // Plastic support stays // Features breakaway suspenders // 2 overlap style adjustable panels // Contoured shape allows flexibility and complete freedom of movement // Washable and shrink resistant

BBS100 S – 3XL

## KNEE PADS



### BKP100 Series NON-RATED

Economy light duty knee pads // Wide and long for wraparound comfort // Durable 600D polyester fabric cover // 15mm closed cell foam padding // Injection plastic button/clip strap connectors provide easy adjustment and secure fit // Washable and shrink resistant

BKP100 One Size Fits Most



### BKP200 Series NON-RATED

Hard cap knee pads // Smooth hard cap attached with nickel plated grommets easily slides over various surfaces // Durable 600D polyester fabric // 15mm EVA foam padding // Anti-bacterial treated // Injection plastic button/clip strap connectors provide easy adjustment and secure fit // Washable and shrink resistant

BKP200 One Size Fits Most

# OUT PERFORM AT EVERY LEVEL

Don't rationalize away the need for safety protection during recreational activities. More than 40,000 adults and children suffer eye injuries each year, while more than 28 million people have hearing impairments.

*Source: Center for Hearing and Communication*



VENTURE GEAR TACTICAL® 124 – 126

VENTURE GEAR® 127 – 131

CARHARTT® 132 – 135

DUCKS UNLIMITED® 136 – 137

DISPLAYS 138


PACKAGING 139

HEARING 140 – 141

KITS 142

PYRAMEX® RETAIL 143

## EYEWEAR FEATURES



## BRANDS YOUR CUSTOMERS KNOW

Our longstanding relationships with major distributors, buy groups, and co-ops allow us to offer competitive pricing for the most in-demand brands on the market, including Carhartt, Ducks Unlimited, Venture Gear, and Venture Gear Tactical.



## PROGRAMS CUSTOMIZED FOR YOU

Pyramex strives to bolster our service through meeting our customers face to face at trade shows so we can understand what helps your business amplify its sales. We customize our proven programs to present you with researched solutions that help maximize your keystone margins while making multiple turns on inventory.

## MERCHANDISING SOLUTIONS

We offer customized planograms and retail-ready packaging, removing an extra step of work for you. Our branded displays maximize floor space, so all you have to decide is what products best serve your business.

## EYEWEAR CERTIFICATIONS

ANSI Z87.1+ High Impact	ANSI
CE EN166	CE
Cert. Mod. - CAN/CSA Z94.3 third-party certification	CSA
MIL-PRF-32432 High Velocity Impact Standards	MIL-PRF-32432

## HEARING CERTIFICATIONS

ANSI S3.19 NRR - Noise Reduction Rating	ANSI
CE EN 352:2002 SNR - Single Number Rating	CE



**VENTUREGEAR**  
TACTICAL

**Overwatch®** ANSI MIL-PRF-32432



Available in a VGT clamshell and includes microfiber cleaning bag

- Black Frame**
- VGSB718T Bronze Anti-fog
  - VGSB722T Forest Gray Anti-fog
- OD Green Frame**
- VGSG718T Bronze Anti-fog
  - VGSG722T Forest Gray Anti-fog
- Urban Gray Frame**
- VGSUG710T Clear Anti-fog
  - VGSUG722T Forest Gray Anti-fog



**Stonewall®** ANSI MIL-PRF-32432



Available in a VGT clamshell and includes microfiber cleaning bag

- Black Frame**
- VGSB418T Bronze Anti-fog
  - VGSB470T Silver Mirror Anti-fog



**Howitzer™** ANSI CSA MIL-PRF-32432



Available in a VGT clamshell and includes microfiber cleaning bag

- Black Frame**
- VGSB1310T Clear Anti-fog
  - VGSB1318T Bronze Anti-fog
  - VGSB1322T Forest Gray Anti-fog

- Tan Frame**
- VGST1310T Clear Anti-fog
  - VGST1318T Bronze Anti-fog
  - VGST1322T Forest Gray Anti-fog



**Drone®** ANSI MIL-PRF-32432



Available in a VGT clamshell and includes microfiber cleaning bag

- Black Frame**
- VGSB8310ST Clear Anti-fog
  - VGSB8320ST Gray Anti-fog



RETAIL

RETAIL

**Semtex 2.0™** ANSI CSA MIL-PRF-32432



Available in a VGT clamshell and includes microfiber cleaning bag



**Gun Metal Frame**

- VGSGM1410T Clear Anti-fog
- VGSGM1418T Bronze Anti-fog
- VGSGM1422T Forest Gray Anti-fog

**Tan Frame**

- VGST1410T Clear Anti-fog
- VGST1418T Bronze Anti-fog
- VGST1422T Forest Gray Anti-fog

**Loadout™** ANSI MIL-PRF-32432



Fits over prescription glasses // Passes 3: Droplet and Splash Test // Passes D4: Dust Test // Integrated sleeve protects lens when not in use // Available in a VGT box and includes canvas storage case with MOLLE compatible snap straps

**Black Body**


- VGGB1510STM Clear H2MAX Anti-fog



Loadout ballistic goggle shot with 12 gauge shotgun and 2 3/4 inch steel #6 at 25 yards.



**Vallejo®** ANSI CSA



Available in a VG polybag

**Black Frame**

- VGSB922T Forest Gray Anti-fog
- VGSB931 Polarized Green Mirror
- VGSB965T Ice Blue Mirror Anti-fog



**Clear Frame**

- VGSC965T Ice Blue Mirror Anti-fog



**Tortoise Frame**

- VGST918T Bronze Anti-fog



**White Frame**

- VGSW922T Forest Gray Anti-fog
- VGSW931 Polarized Green Mirror
- VGSW965T Ice Blue Mirror Anti-fog



## Brevard® ANSI



Available in a VG polybag



### Shiny Black Frame

- VGSB1010DTB Clear Anti-fog
- VGSB1026DTB Forest Gray Anti-fog
- VGSB1057DTB Green Mirror Anti-fog



### Camo Frame

- VGSCM1010DTB Clear Anti-fog
- VGSCM1026DTB Forest Gray Anti-fog

## Pagosa® ANSI



Available in a VG box



### Black Frame


- VGSB518T Bronze Anti-fog
- VGSB522T Forest Gray Anti-fog
- VGSB523 Polarized Forest Gray
- VGSB565T Ice Blue Mirror Anti-fog
- VGSB570T Silver Mirror Anti-fog



### White Frame

- VGSW518T Bronze Anti-fog
- VGSW522T Forest Gray Anti-fog
- VGSW561 Polarized Ice Blue Mirror
- VGSW565T Ice Blue Mirror Anti-fog

## Tensaw® ANSI



Available in a VG box



### Black and Gray Frame

- VGSB310T Clear Anti-fog
- VGSB318T Bronze Anti-fog
- VGSB322T Forest Gray Anti-fog
- VGSB323 Polarized Forest Gray
- VGSB327T Vermilion Anti-fog
- VGSB331 Polarized Green Mirror
- VGSB365T Ice Blue Mirror Anti-fog
- VGSB370T Silver Mirror Anti-fog



### White and Gray Frame

- VGSW365T Ice Blue Mirror Anti-fog



### White and Blue Frame


- VGSWB365T Ice Blue Mirror Anti-fog



### White and Red Frame

- VGSWR351 Polarized Sky Red Mirror
- VGSWR355T Sky Red Mirror Anti-fog

## Waverton™ ANSI



Available in a VG polybag



### Black Frame

- VGSB1110DB Clear
- VGSB1126DB Forest Gray
- VGSB1165DB Ice Blue Mirror
- VGSB1170DB Silver Mirror



### Brown Frame

- VGSBR1118DB Bronze
- VGSBR1156DB Multi-color Mirror

## Monteagle™ ANSI



Available in a VG polybag



### Clear and Blue Frame

- VGSC1620T Gray Anti-fog
- VGSC1665T Ice Blue Mirror Anti-fog

### Gun Metal and Black Frame

- VGSGM1618T Bronze Anti-fog
- VGSGM1620T Gray Anti-fog
- VGSGM1622T Forest Gray Anti-fog
- VGSGM1665T Ice Blue Mirror Anti-fog



### Gun Metal and Hi-vis Yellow Frame

- VGSGMV1620T Gray Anti-fog
- VGSGMV1657T Ice Blue Mirror Anti-fog

## Atwater™ ANSI



Available in a VG polybag



### Black Frame


- VGSB1226TB Forest Gray H2X Anti-fog



### Silver Frame

- VGSSB1226TB Forest Gray H2X Anti-fog
- VGSSB1265TB Ice Blue Mirror Anti-fog

## Zumbro® ANSI



Available in a VG box



### Bronze Frame

- VGSR222T Forest Gray Anti-fog

## Drop Zone® ANSI CE MIL-PRF-32432



Includes: removable temples, crush-resistant neoprene storage case, microfiber cleaning cloth, and four interchangeable lenses // Available in a VG clamshell

### Black Temples

#### VGSB88KIT

- Clear H2X Anti-fog
- Forest Gray H2X Anti-fog
- Orange H2X Anti-fog
- Vermilion H2X Anti-fog





### Carthage® ANSI CSA



Available in a Carhartt polybag



#### Black and Tan Frame

- CHB410DTP Clear Anti-fog
- CHB418DTP Sandstone Bronze Anti-fog
- CHB420DTP Gray Anti-fog

### Toccoa™ ANSI CE CSA



Available in a Carhartt polybag



#### Black and Tan Frame

- CHB1010DTMP Clear H2MAX Anti-fog
- CHB1018DTMP Sandstone Bronze H2MAX Anti-fog
- CHB1020DTMP Gray H2MAX Anti-fog

### Carbondale® ANSI CSA



Available in a Carhartt capture clam or polybag

#### Black and Tan Frame (capture clam)


- CHB210DCC Clear
- CHB218DCC Sandstone Bronze
- CHB220DCC Gray
- CHB290DCC Antique Mirror

#### Black and Tan Frame (polybag)

- CHB210D Clear
- CHB210DT Clear Anti-fog
- CHB218D Sandstone Bronze
- CHB219 Polarized Sandstone Bronze
- CHB220D Gray
- CHB220DT Gray Anti-fog
- CHB221 Polarized Gray
- CHB290D Antique Mirror
- CHB291 Polarized Antique Mirror



### Ironside® ANSI



Available in a Carhartt capture clam or polybag

#### Black and Tan Frame (capture clam)

- CHB618DTCC Sandstone Bronze Anti-fog
- CHB620DTCC Gray Anti-fog
- CHB690DTCC Antique Mirror Anti-fog

#### Black and Tan Frame (polybag)

- CHB618DT Sandstone Bronze Anti-fog
- CHB620DT Gray Anti-fog
- CHB690DT Antique Mirror Anti-fog



## Braswell™ ANSI CSA



Available in a Carhartt polybag



### Black and Tan Frame

- CHB1110DT Clear Anti-fog
- CHB1118DT Sandstone Bronze Anti-fog
- CHB1120DT Gray Anti-fog

### Black and Tan Frame – Readers

- CHB1110TR15 Clear Anti-fog +1.5 Mag
- CHB1110TR20 Clear Anti-fog +2.0 Mag
- CHB1110TR25 Clear Anti-fog +2.5 Mag



## Spokane® ANSI CSA



Available in a Carhartt capture clam or polybag



### Black Frame (capture clam)

- CHB310DCC Clear
- CHB318DCC Sandstone Bronze
- CHB320DCC Gray

### Black Frame (polybag)

- CHB310D Clear
- CHB318D Sandstone Bronze
- CHB319 Polarized Sandstone Bronze
- CHB320D Gray
- CHB321 Polarized Gray
- CHB361 Polarized Blue Mirror



## Easley™ ANSI CE CSA



Available in a Carhartt polybag

### Black and Tan Frame

- CHB810ST Clear Anti-fog
- CHB818ST Sandstone Bronze Anti-fog
- CHB820ST Gray Anti-fog



## Cayce™ ANSI CE CSA



Available in a Carhartt polybag

### Black Frame

- CHB910ST Clear Anti-fog
- CHB918ST Sandstone Bronze Anti-fog
- CHB920ST Gray Anti-fog



## Rockwood® ANSI



Available in a Carhartt capture clam or polybag

### Black and Tan Frame (capture clam)

- CHB718DTCC Sandstone Bronze Anti-fog
- CHB720DTCC Gray Anti-fog

### Black and Tan Frame (polybag)

- CHB710DT Clear Anti-fog
- CHB718DT Sandstone Bronze Anti-fog
- CHB720DT Gray Anti-fog



## Billings® ANSI CSA



Available in a Carhartt clamshell or polybag

### Lens and Temples (clamshell)

- CH110STCS Clear Anti-fog
- CH120STCS Gray Anti-fog

### Lens and Temples (polybag)

- CH110S Clear
- CH110ST Clear Anti-fog
- CH118S Sandstone Bronze
- CH120S Gray
- CH120ST Gray Anti-fog



DUCKS  
UNLIMITED

**DUCAB and DUCLAM1** ANSI MIL-PRF-32432



Includes: neoprene case with DU logo, microfiber cleaning bag with DU logo, and five interchangeable lenses // Available in a DU clamshell or box

**Black Frame (clamshell)**

DUCLAM1

- Clear H2X Anti-fog
- Amber H2X Anti-fog
- Sun Block Bronze H2X Anti-fog
- Orange H2X Anti-fog
- Vermilion H2X Anti-fog

**Black Frame (box)**

DUCAB

- Clear H2X Anti-fog
- Amber H2X Anti-fog
- Sun Block Bronze H2X Anti-fog
- Orange H2X Anti-fog
- Vermilion H2X Anti-fog



**DUCAB2 and DUCLAM2** ANSI CSA



Includes: neoprene case with DU logo, microfiber cleaning bag with DU logo, and four interchangeable lenses // Available in a DU clamshell or box

**Black Frame (clamshell)**

DUCLAM2

- Clear
- Forest Gray
- Amber
- Vermilion

**Black Frame (box)**

DUCAB2

- Clear
- Forest Gray
- Amber
- Vermilion



**Shooting Eyewear** ANSI MIL-PRF-32432



Includes microfiber storage bag // Available in a DU clamshell

**OD Green Frame**

- DUSB6628D Forest Gray



# DISPLAYS



**CHBD 144**  
Carhartt Unit Bulk Display - holds up to 144 units  
Display Dimensions: 27.78" x 13.99" x 40.97"  
*(product sold separately)*



**CHBDBASE**  
Carhartt Unit Bulk Display with Base - holds up to 144 units  
Display Dimensions: 27.78" x 14" x 63.54"  
*(product sold separately)*



**CHCSD 24**  
Carhartt Unit Countertop Spinner Display - holds up to 24 units  
Display Dimensions: 20" x 20" x 34"  
*(product sold separately)*



**CHIC 6**  
Carhartt Stationary Display - holds up to 6 units  
Display Dimensions: 7" x 7.5" x 23.21"  
*(product sold separately)*



**VGTDIS 6**  
Venture Gear Tactical Stationary Display - holds up to 6 units  
Display Dimensions: 10.5" x 7.63" x 26.33"  
*(product sold separately)*



**VGDIS 16**  
Venture Gear Stationary Display - holds up to 16 units  
Display Dimensions: 16" x 8" x 29"  
*(product sold separately)*



**VGDIS 9**  
Venture Gear Stationary Display - holds up to 9 units  
Display Dimensions: 10" x 8" x 31.25"  
*(product sold separately)*

**i** VGTDIS6 | VGDIS16 | VGDIS9  
Hardware is included to mount display to slatwall, pegboard or gridwall.  
Display designs may vary.  
Product sold separately.

# PACKAGING

**DUCKS UNLIMITED®**  
Products come packaged in either a branded clamshell or box.



Clamshell

Box

**i** Packaging design may vary.

**CARHARTT®**  
Products come packaged in either a branded clamshell, capture clam, or polybag.



Clamshell

Capture Clam

Polybag for Display Box

**VENTURE GEAR®**  
Products come packaged in either a branded clamshell, capture clam, box or polybag.



Capture Clam

Box

Clamshell

Polybag for Display Box

**VENTURE GEAR TACTICAL®**  
Products come packaged in either a branded clamshell or box.



Clamshell  
Includes microfiber cleaning bag

Box  
Includes canvas storage case with MOLLE compatible snap straps

# HEARING

## Amp BT™ ANSI

NRR 26dB

BLUETOOTH CAPABILITY

AUX JACK

RAPID NOISE SUPPRESSION

Electronic earmuff // Quad microphones // Bluetooth capability // Noise suppression after 85db // Easy-adjust volume and ambient noise controls // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell

### Black Headband

- VGPME30BT Black
- VGPME31BT Tan
- VGPME32BT Urban Gray



## VG80 Series ANSI

NRR 36dB when worn with earplugs

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband // Earmuffs (NRR 26dB) are packaged with free disposable earplugs (NRR 32dB) // Available in a VG clamshell

### Black Headband

- VGPM8010C Gray
- VGPM8010PC Pink
- VGPM8011C Black
- VGPM8031C Hi-vis Lime
- VGPM8041C Hi-vis Orange
- VGPM8063C Teal
- VGPM8065C Purple



## Sentinel™ ANSI

NRR 26dB

AUX JACK

HEARING AMPLIFICATION

RAPID NOISE SUPPRESSION

Electronic earmuff // Front facing microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell

### Black Headband

- VGPME20 Black
- VGPME26 Powder Blue



## Clandestine™ ANSI

NRR 24dB

HD CLEAR SOUND SPEAKERS

HEARING AMPLIFICATION

RAPID NOISE SUPPRESSION

Electronic earmuff // Omnidirectional microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // External access for easy battery replacement // 2 AAA batteries are included // Available in a VG capture clam

### Black Headband

- VGPME10 Black
- VGPME17 Black Graphite Pattern



## VG90 Series ANSI

NRR 34dB when worn with earplugs

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband // Earmuffs (NRR 24dB) are packaged with free disposable earplugs (NRR 32dB) // Available in a VG clamshell

### Black Headband

- VGPM9010C Gray
- VGPM9010PC Pink
- VGPM9022C OD Green
- VGPM9026C Powder Blue



## VGBH9010C ANSI

NRR 22dB

Behind the head earmuffs // Adjustable and durable neckband // Earcups tilt for optimum comfort and efficiency // Available in a VG capture clam

### Black Neckband

- VGBH9010C Gray with Hi-vis Green

# KITS

## Ever-Lite® Range Kit

Eyewear meets ANSI Z87.1+, CE EN166 and CSA Z94.3 standards. All lenses are hard coated scratch-resistant polycarbonate and provide 99% protection from harmful UV rays. Earmuffs meet ANSI S3.19 standards.

### Earmuff **NRR 26dB**

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband

### Eyewear

Soft nosepiece for snug fit // Lightweight spectacle – 22 gm



VGCOMB08610 (clamshell)  
Clear Lens with Black Frame  
Gray Ear Cup with Black Headband



VGCOMB08617 (clamshell)  
Pink Lens with Black Frame  
Pink Ear Cup with Black Headband



VGCOMB08630 (clamshell)  
Amber Lens with Black Frame  
Gray Ear Cup with Black Headband

## Shooting Kits

Eyewear meets ANSI Z87.1+ and CSA Z94.3 standards. All lenses are hard coated scratch-resistant polycarbonate and provide 99% protection from harmful UV rays. Earmuff meets ANSI S3.19 standards.

### Earmuff **NRR 26dB**

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband

### Eyewear

Ventilated nosepiece is soft and adjustable // Top of frame is ventilated allowing air to circulate // Soft dual-injected rubber temple tips combined with fully adjustable straight back temples reinforce the highest level of comfort and fit



DUCOMB05710 (clamshell)  
Clear Lens with Black Frame  
Gray Ear Cup with Black Headband



DUCOMB05740 (clamshell)  
Orange Lens with Black Frame  
Gray Ear Cup with Black Headband

# PYRAMEX RETAIL

## Cappture™ (clamshell)

ANSI  
For more information, see page 75.

PYS9910ST Clear H2X AF Lens with Clear Temples



## Onix® (clamshell)

ANSI MIL-PRF-32432  
For more information, see page 61.

PYSB4910S Clear Lens with Black Frame  
PYSB4910S Clear Lens with Black and Pink Frame



## Venture 3® (clamshell)

ANSI CE CSA MIL-PRF-32432  
For more information, see page 57.

PYSB5710D Clear Lens with Black Frame  
PYSB5730D Amber Lens with Black Frame



## PYS25 Combo Kits (polybag)

For more information, see page 67 (Ztek® and Mini Ztek) and page 112 (DP1000).

### Ztek **NRR 32dB / SNR 38dB**

PYS2510SDP Clear Lens with Clear Temples with Disposable Uncorded Earplugs  
PYS2530SDP Amber Lens with Amber Temples with Disposable Uncorded Earplugs

### Mini Ztek **NRR 32dB / SNR 38dB**

PYS2510SDP Clear Lens with Clear Temples with Disposable Uncorded Earplugs  
PYS2517SDP Pink Lens with Pink Temples with Disposable Uncorded Earplugs  
PYS2530SDP Amber Lens with Amber Temples with Disposable Uncorded Earplugs



Eyewear meets ANSI Z87.1+, CE EN166 and CSA Z94.3 standards. All lenses are hard coated scratch-resistant polycarbonate and provide 99% protection from harmful UV rays. Disposable uncorded earplugs meet ANSI S3.19 and CE EN-352:2002 standards.

## Reusable Earplugs (blister card)

ANSI **NRR 24dB**  
For more information, see page 111.

PYRP3001 Pair of Reusable Corded Earplugs



## Disposable Earplugs (blister card or bin)

ANSI **NRR 32dB**  
For more information, see page 112.

PYDP1000 5 Pair of Disposable Uncorded Earplugs in Blister Card  
PYDP1000BN 100 Pair of Disposable Uncorded Earplugs in Bin  
PYDP1000PC 5 Pair of Disposable Uncorded Earplugs with Case in Blister Card



## N95 Respirators (clamshell)

NIOSH – N95  
For more information, see page 96.

PYRM10C 3 Pack of N95 Disposable Particulate Respirators  
PYRM10VC 1 Pack of a N95 Disposable Particulate Respirator with One Way Valve for Easy Exhalation




## Face Shields (hang tag polybag)

ANSI  
For more information, see page 93 (face shield) and page 94 (headgear combo).

PYS1040 Aluminum Bound Polycarbonate Face Shield  
PYHGBRKITCS S1040 Face Shield with Ridgeline® Ratchet Headgear Combo



 Packaging design may vary.



OUR CUSTOMERS DESERVE QUALITY.



**PYRAMEX**

[PYRAMEXSAFETY.COM](http://PYRAMEXSAFETY.COM)