

1991

1999

2010

2007

2013

2014

2015

2016

2017

2021

PYRAMEX®



FAMILY OWNED THEN. FAMILY OWNED NOW.
30 YEARS OF PROTECTING YOU.

30

GLOVES

WORK WEAR

EYEWEAR

HEADGEAR

WELDING

HEARING

COOLING

RETAIL

TABLE OF CONTENTS

GLOVES

Accessories	13
Corded Cotton	26
Knit Liner	26
Latex Dipped	19
Leather Drivers	15
Leather Palms	14
Nitrile Dipped	20
Polyurethane Dipped	18
Welding	17

WORK WEAR

Accessories	44
Black Reflective	42
Ergonomics	46
Face Coverings	45
Insulated Wear	41
Outerwear	38
Rainwear	41
Shirts	36
Vests	30

EYEWEAR

Accessories	87
Accurist®	57
Achieva®	75
Alair®	75
Atoka®	75
Atrex™	57
Avanté®	68
Cappture™	81

Cappture Plus	81
Cappture Pro	81
Capstone® 500	83
Capstone 600	84
Capstone Dual	83
Capstone Shield	82
Conaire™	58
Cortez®	72
Crossovr™	52
Defiant®	80
Displays	88
Emerge®	76
Emerge Plus	76
Endeavor™ Plus	70
Ever-Lite®	62
Ever-Lite Readers	77
Exeter®	59
Fastrac®	75
Flex-Lyte™	63
Fortress®	69
Furix®	61
Fyxate™	56
Goggles	85
Goliath®	59
Gravex®	65
Highlander™	54
Highlander Plus	54
I-Force®	53
I-Force Slim	53
Integra®	67
Intrepid® II	70

Intruder®	74
Intruder and Mini Multi-Colors	74
Intruder Readers	79
Ionix®	69
Isotope™	52
Itek®	71
Lens Cleaning	88
Mini Intruder	74
Mini Ztek	73
Monitor™	61
Neshoba™	72
Onix®	68
Onix Plus	68
OTS®	80
OTS XL	80
Pathfinder™	61
PMXSLIM®	72
PMXTREME®	66
PMXTREME LED	66
PMXTREME LED Readers	78
PMXTREME Readers	78
PMXTREME Rx	66
Provoq®	73
Proximity®	57
Reatta®	67
Rendezvous®	65
Sitecore™	63
Solo®	80
Surveyor®	69

Torsor™	53
Trifecta®	60
TruLock™	71
TruLock Multi-Colors	71
V2® Metal	65
V2G®	56
V2G Readers	79
V2G-Plus®	84
V3T™	54
Velar™	58
Venture II®	64
Venture II Readers	77
Venture 3®	64
XS3 Plus®	55
XSG®	55
XSG Kit	55
XSG Readers	79
Zone II®	60
Ztek®	73
Ztek Readers	78

HEADGEAR

Accessories	99
Adapters	99
Baseball Bump Caps	98
Face Shields	100
Headgear	101
Kits	102
Ridgeline® Bump Caps	95
Ridgeline Cap Style	94
Ridgeline Full Brim	95
Ridgeline Hydro Dipped	96
Ridgeline XR7®	92
SL Series Cap Style	97
SL Series Full Brim	97
SL Series Sleek Shell	98

WELDING

Accessories	107
Auto-darkening	106
IR Filter Eyewear	109
IR Filter Face Shields	108
Passive Helmet	108

HEARING

Cap Mounted Earmuffs	116
Earplugs	117
Electronic Earmuffs	114
Metal Detectable	116
Passive Earmuffs	115

COOLING

Evaporative	122
Moisture-wicking	123
Sun Shade	124

RETAIL SOLUTIONS

VENTURE GEAR® TACTICAL

Display	135
Drone 2.0™	130
Howitzer™	130
Loadout™	129
Overwatch®	129
Semtex 2.0™	130

VENTURE GEAR®

Atwater™	133
Displays	135
Drop Zone®	135
Monteagle™	134
Pagosa®	132
Tensaw®	133
Vallejo®	132
Waverton™	134

HEARING

Amp BT™	136
Clandestine™	136
Ever-Lite® Range Kit	138
Sentinel™	136
VG80 Series	137
VG90 Series	137
VGBH9010C	137

PYRAMEX® RETAIL

Cappture™	138
Chemical Splash Goggle	139
Disposable Earplugs	139
Endeavor™ Plus	138
Ever-lite®	138
Face Shields	139
Intruder®	138
Perforated Goggle	138
PYS25 Combo Kits	139
Reusable Earplugs	139
Venture 3®	138

DUCKS UNLIMITED®

DUCAB	141
DUCAB2	141
DUCLAM1	141
DUCLAM2	141

CARHARTT®

Billings®	146
Braswell™	146
Carbondale®	144
Carthage®	143
Cayce™	145
Displays	147
Easley™	145
Ironside®	143
Rockwood®	145
Spokane®	144
Toccoa™	143

A LETTER FROM OUR PRESIDENT

OUR COMPANY HAS GROWN. OUR CULTURE REMAINS.

As Pyramex celebrates 30 years as a company, there is so much thanksgiving in our hearts. None of this would have been possible without you, our customers. Thank you for allowing us to serve your needs all these years. It has been our honor and privilege to partner with you in growing your business. We hope we have served you well and will continue to do so for many years to come.

Looking back on Pyramex's history, I am thankful that 30 years ago four partners came together, one of which is my father. They were willing to dream, to take a risk, and to launch the company. 30 years later that partnership remains intact, and stronger than ever, as the second generation of family has risen up to lead the company. In a day and age in which so much consolidation is happening in our industry, Pyramex remains consistent. Pyramex remains constant. We were family owned then, and we are family owned now.

I am so thankful for the great employees of Pyramex and all of those that represent us on a day-to-day basis. It is truly the people of Pyramex that make us special. I am thankful for the love, respect, and kindness that we have for one another. And, I am thankful for our outward mindset of serving you, our customers.

It is our desire to provide the highest level of quality, in products and customer service, to help protect hardworking men and women. For 30 years we have been able to fulfill this desire. What a blessing it has been. On behalf of Pyramex, we want to thank you, our customers, for making this possible. What an incredible journey it has been.

James Slater



ENHANCING THE CUSTOMER EXPERIENCE

WE GOT WHAT YOU NEED

No matter what job or activity you do, Pyramex's extensive line of PPE products will protect you. We offer a broad range of gloves, work wear, eyewear, headgear, welding products, hearing protection, and cooling options. All of our products have been independently tested for various standards and certifications. Pyramex Safety Products are available for sale through authorized distributors.

OUR BRANDS



LICENSE BRANDS



WE ARE HERE TO HELP

PHONE 800-736-8673 | FAX 877-PYRAMEX

305 Keough Drive, Piperton, TN 38017

help@pyramex.com

Pyramex.com

Live Web Chat available at Pyramex.com

@PyramexSafety

MARKETING AT YOUR FINGERTIPS

PYRAMEX WEBSITE

Stay up to date on all things Pyramex by using our website as a tool. There, you will be able to browse our lines – including our closeout and new items. In addition, you can view images, product sheets, catalogs, videos, etc. You can even Live Chat with us to get the answers you need. To utilize everything our website has to offer, visit Pyramex.com.

PYRAMEX BLOG

The Pyramex blog is another excellent resource. We provide you with the knowledge you need to understand the safety market better. Go to Blog.PyramexSafety.com.



BOX.COM

Need to get our marketing materials anytime? Sign up to be a part of our box.com group. Ask your sales representative for access and we will send you an invite. Once you have created a free box.com account, you will be able to view and download all our images, flyers, catalogs, brochures, guidelines, etc.

CATALOG

Download the PDF version of this catalog on the website or request a printed version from your sales representative.



CUSTOMIZE YOUR PPE

PAD PRINTING | SCREEN PRINTING | HEAT TRANSFER

Our in-house print team can add your logo or your customer's logo on Pyramex eyewear, earmuffs, hard hats, and work wear. To start the order process, we only need your vectored artwork. Contact your sales representative for further details.

CUSTOM PRODUCT FLYERS

Our marketing team can create custom Pyramex product flyers for you. Discuss with your sales representative what products you would like to promote.



2017

We dipped our hand in the glove market with only a few offerings. Now, we are proud to have dozens of styles in our growing line.

ACCESSORIES 13

CORDED COTTON 26

KNIT LINER 26

LATEX DIPPED 19 – 20

LEATHER DRIVERS 15 – 17

LEATHER PALMS 14

NITRILE DIPPED 20 – 25


POLYURETHANE DIPPED 18

WELDING 17



GLOVES

HAVE THE UPPER HAND



One-fourth of all workplace accidents involve hands and fingers. Luckily, wearing gloves reduces the risk of hand injury by 60%.

Source: Safety Pro Resources

CERTIFICATIONS

CE EN388:2016

The TDM-100 Test is an additional cut test. This test is done after the first 60 rotations of the Coup test to assess the durability of a glove more accurately. Levels include A (200-508 grams), B (509-1019 grams), C (1020-1529 grams), D (1530-2242 grams), E (2243-3058 grams), and F (3059+ grams). The standard also features an Impact Protection Test. This test is only for gloves that are intended to provide impact protection. The impact rating is based on the amount of impact energy (5 joules) dropped on the surface of the glove. Ratings include P (pass), F (fail), and X (not tested).

CE EN511:2006

The EN511 standard measures how well the glove can withstand cold. It tests for Convective Cold-thermal insulation (1-4), Contact Cold- thermal resistance (1-4), and Water Permeation (0 - fail or 1 - pass). Each clause can be tested independently. An "X" signifies a clause was not tested.

CE EN407:2020

EN 407 standard measures how well the glove can withstand thermal risks. The gloves can be tested and rated against any or all of the following six risks - Naked Flame, Contact Heat, Convective Heat, Radiant Heat, Small Splashes of Molten Metal and Large Splashes of Molten Metal. Our current glove range offers protection against Contact Heat only. Contact Heat resistance levels are measured by the rate of temperature rise when a heated plate is placed on the glove. Gloves must withstand increasing temperatures less than 10 degrees in 15 seconds to pass each level. Levels are Level 1 (100°C), Level 2 (250°C), Level 3 (350°C), and Level 4 (500°C).

CE EN ISO 21420:2020

Gloves meet general requirements for structure, fiber content, fit, and markings.

CE EN 420:2003 + A1:2009

Gloves meet general requirements and test methods.

ANSI/ISEA 105-2016

ANSI/ISEA 105 standard features cut ratings that range from A1 through A9. Cut ratings are based on the grams of weight needed to cut through the material. Our ANSI cut level glove options include A1 (200-499 gm), A2 (500-999 gm), A3 (1,000-1,499 gm), A4 (1,500-2,199 gm), A5 (2,200-2,999 gm), A6 (3,000-3,999 gm), and A7 (4,000-4,999 gm). The standard also measures abrasion levels based on the number of revolutions with a specified weight that it takes to abrade the glove. Level 0 (500 gm, < 100 rev), Level 1 (500 gm, > 100 rev), Level 2 (500 gm, > 500 rev), Level 3 (500 gm, > 1000 rev), Level 4 (1,000 gm, > 3,000 rev), Level 5 (1,000 gm, > 10,000 rev), and Level 6 (1,000 gm, > 20,000 rev). The standard also includes a performance test for puncture resistance—the test measures how the glove will resist puncture by a blunt pointed object. Higher puncture forces indicate a greater puncture resistance. Level 1 (≥ 10 N), Level 2 (≥ 20 N), Level 3 (≥ 60 N), Level 4 (≥ 100 N), and Level 5 (≥ 150 N)


ANSI/ISEA 138-2019

ANSI/ISEA 138 standard establishes a minimum performance for gloves designed to protect the back of hand from impact forces. The standard features three performance levels, with Level 3 providing the most impact protection. Level 1 (≤ 9 kN), Level 2 (≤ 6.5 kN), and Level 3 (≤ 4 kN). The less force transmitted to the wearer's hand earns a higher performance level indicating a greater degree of protection.

i Product markings may vary. Refer to the product sheet for the most current test report results.

BASIC GLOVE KNOWLEDGE

FEATURES



IMPACT PROTECTION LEVELS


ANSI/ISEA 138 standard establishes a minimum performance for gloves designed to protect the back of hand from impact forces.




CE CUT TESTING DIFFERENCES

Historically, the Circular Blade / Coup Test was the only cut test under EN 388. However, this test cannot accurately test modern cut-resistant materials, therefore the TDM-100 / ISO 13997 test was introduced in 2016 to test these materials.

Under this new system, the Circular Blade test is always done first, and a rating number from 1 - 5 is assigned. However, if the blade makes 60 passes over the test glove without cutting through, then an X is designated as the Circular Blade test result to indicate no result could be achieved. Then the TDM-100 test must be done, and a rating letter from A - F is assigned.



GLOVE PATTERNS



Clute Cut
Palms are seam-free with stitching on the back of the hands + Provides good comfort and hand protection

Gunn Cut
Seamless back with a seam at the base of the two middle fingers at the natural crease in the hand + Most often used pattern in work gloves

Reversible
Thumb is positioned on the side of the hand so that it can be worn on either hand + Good for situations where palm or thumb receive a lot of wear

THUMB TYPES



Straight Thumb
Thumb lies straight with index finger + Most common to fabric and leather gloves

Wing Thumb
Thumb that is angled diagonally across the palm + Improved comfort

Keystone Thumb
Inset thumb + Provides additional wear and greater comfort

CUFF STYLES



Knit
Elasticized, stitched or plain material + Provides snug fit to keep water and debris out

Slip-on
No cuff + Glove material extends over wrist area

Safety
2.5" cuff + Quickly removed in case of emergency


Gauntlet
4.5" cuff + More protection to forearm

LEATHER GLOVES

GRAIN VS SPLIT LEATHER

Grain Leather

Taken from the outer layer of the hide + Provides products that are soft, smooth, and flexible



Split Leather

Leather that remains after the outer layer has been removed + Coarser, more resistant to abrasion, and repels water better

HIDE SELECTION

Belly Leather


Most economical version + Least durable

Shoulder Leather

More economical than side leather + Good durability

Side Leather

Most durable + Highest quality



LEATHER TYPES



Cowhide
Great value + Durability



Goatskin
Strong + Comfortable



Pigskin
Stays soft after getting wet + Breathable

LINERS

Fleece

Warmth + Flexibility + Soft + Durable + Lightweight + Moisture resistant

Para-aramid

Outstanding thermal resistance + Inherently flame & heat resistant + Non-conductive + High tensile strength

SIZING

The color of the binding around the cuff indicates the glove size.

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11	3X-Large 12
------------	-------------	------------	---------------	----------------	----------------

DIPPED GLOVES

COATINGS



Latex

Flexibility in extreme temperatures + Tear resistant + Suited for wet and dry conditions



Nitrile

Latex alternative + Absorbs oil + Outstanding grip



Polyurethane

Value work glove + Low particulate shed + Touch sensitivity with dexterity

GRIPS

Crinkle

Outstanding grip in wet/dry conditions + Channels away liquids

Micro-Foam

Excellent dry grip + Touch sensitivity + Channels away liquids

Pattern

Reinforces grip performance + Durable

Sandy

Enhances grip in wet/harsh conditions

Smooth

Great dry grip + Does not absorb liquids

LINERS

Acrylic

Warmth + Fast drying + Comfort

HPPE

Higher performance polyethylene + Cut resistant + Maximum strength + Minimum weight

Nylon

Abrasion resistant + Highly absorbent + Touch sensitivity with dexterity

Para-aramid

Outstanding thermal resistance + Inherently flame & heat resistant + Non-conductive + High tensile strength

Polyester

Resistant to shrinking and stretching + Quick drying

Spandex

Lightweight + Superior elasticity + Durable + Strong

Steel

Cut resistant + High tensile strength

GAUGE

The gauge of the liner is the number of rows of stitches per inch. A glove with a higher gauge will fit better and have more dexterity + tactile feel.

SIZING

The color of the binding around the cuff indicates the glove size.

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11	3X-Large 12
------------	-------------	------------	---------------	----------------	----------------

ACCESSORIES

Glove Clips

Keeps gloves handy by clipping to your belt loop or tool belt // Breakaway feature for safety // Dielectric

With Pyramex Logo

- GLC100 Black
- GLC120 Lime

Without Pyramex Logo

- GLC100IMP Black
- GLC120IMP Lime



LEATHER PALMS

LEATHER DRIVERS



GL1001W 

Select split shoulder cowhide // Wing thumb // Rubberized safety cuff // Gunn cut // Unlined

GL1001W L-2XL



GL1002W 

Select split shoulder cowhide // Wing thumb // Rubberized gauntlet cuff // Gunn cut // Unlined

GL1002W L-XL



GL1003W 

Premium grain cowhide // Wing thumb // Rubberized safety cuff // Gunn cut // Unlined

GL1003W L-XL



GL2001K 

Value shoulder grain cowhide // Keystone thumb // Gunn cut // Unlined

GL2001K S-2XL



GL2002K  

Value grain shoulder cowhide // Hi-vis orange finger tips and "Watch Your Hands" logo // Keystone thumb // Gunn cut // Unlined

GL2002K S-2XL



GL2003K  

Select grain shoulder cowhide // Hi-vis orange finger tips and "Watch Your Hands" logo // Keystone thumb // Gunn cut // Unlined

GL2003K S-2XL



GL1004W 

Premium grain cowhide // Wing thumb // Rubberized gauntlet cuff // Gunn cut // Unlined

GL1004W L-XL



GL1005W 

Select split shoulder cowhide with full leather back // Wing thumb // Rubberized gauntlet cuff // Gunn cut // Unlined

GL1005W L-XL



GL1006W 

Select split shoulder cowhide with reinforced double palm // Wing thumb // Rubberized safety cuff // Gunn cut // Unlined

GL1006W L-XL




GL2004 

Select grain shoulder cowhide // Straight thumb // Gunn cut // Unlined

GL2004 S-2XL



GL2004K 

Select grain shoulder cowhide // Keystone thumb // Gunn cut // Unlined

GL2004K S-3XL



GL2005K 

Premium grain cowhide with split leather palm patch // Keystone thumb // Gunn cut // Unlined

GL2005K S-2XL



GL2006K  

Value shoulder grain cowhide // Keystone thumb // Gunn cut // Fleece lined

GL2006K S-2XL



GL2007K 

Value grain + split cowhide // Keystone thumb // Gunn cut // Unlined

GL2007K S-2XL



GL3004CW



ANSI/ISEA 105-2016 – CUT A7 | PUNCTURE 5 | ABRASION 4
ANSI/ISEA 138-2019 – IMPACT 1
EN388: 2016 – 3X43FP

Premium grain goatskin // Reinforced wing thumb // Gunn cut // Para-aramid liner // TPR // Hi-vis // Hook + loop closure

GL3004CW S-3XL



GL4001K 

Select grain pigskin // Keystone thumb // Gunn cut // Unlined

GL4001K S-2XL

WELDING



GL2008K 

Premium grain + split cowhide // Kevlar® stitching // Keystone thumb // Gunn cut // Unlined

GL2008K S-3XL



GL3001K 

Select grain goatskin // Keystone thumb // Gunn cut // Unlined

GL3001K S-2XL



GL4003K  

Select grain pigskin // Keystone thumb // Gunn cut // Fleece lined

GL4003K S-2XL



GL6001W  

Premium grain + split cowhide // MIG + TIG welding // Wing thumb // Gauntlet cuff // Gunn cut // Kevlar® stitching // Unlined

GL6001W S-XL

POLYURETHANE

LATEX



GL401



ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 1
EN388: 2016 – 4131X

Polyurethane palm coating // 13 gauge nylon liner // Touch sensitivity // Low particulate shed

GL401 S – 2XL

GL402C5



ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 3
EN388: 2016 – 4X43D

Polyurethane palm coating // 13 gauge HPPE liner // Touch sensitivity // Low particulate shed

GL402C5 S – 2XL

GL403C



ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 3 | ABRASION 2
EN388: 2016 – 4X42B

Polyurethane palm coating // 13 gauge HPPE liner // Touch sensitivity // Low particulate shed

GL403C S – 2XL

GL501C5



ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 4
EN388: 2016 – 3X42D

Latex crinkle palm coating // 13 gauge HPPE liner // Good grip in all conditions

GL501C5 S – 2XL

GL502



ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 4
EN388: 2016 – 3131X

Latex smooth full dipped coating // Double dipped latex sandy palm coating // 13 gauge nylon liner // Hi-vis // Water-resistant

GL502 S – 2XL



GL404C



ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 4
EN388: 2016 – 4X42D

Polyurethane palm coating // 13 gauge HPPE liner // Hi-vis // Touch sensitivity // Low particulate shed

GL404C S – 2XL

GL405C



ANSI/ISEA 105-2016 – CUT A3 | PUNCTURE 4 | ABRASION 4
EN388: 2016 – 4X42C

Polyurethane palm coating // 13 gauge nylon liner // Touch sensitivity // Low particulate shed

GL405C S – 2XL

GL503



ANSI/ISEA 105-2016 – CUT A1 | PUNCTURE 3 | ABRASION 4
EN388: 2016 – 3142X

Latex crinkle palm coating // 10 gauge polyester liner // Good grip in all conditions

GL503 S – 2XL

GL504



ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 2 | ABRASION 3
EN388: 2016 – 2241X
EN511:2006 – X2X

Latex sandy palm coating // 10 gauge acrylic liner // Contact cold protection // Good grip in all conditions // Hi-vis

GL504 S – 2XL



GL505



ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 2 | ABRASION 4
EN388:2016 – 3241X
EN511:2006 – X2X

Latex smooth full dipped coating // Double dipped latex sandy palm coating // 13 gauge polyester outer liner // 10 gauge acrylic inner liner // Contact cold protection // Water-resistant // Hi-vis

GL505 S – 2XL



GL506C



ANSI/ISEA 105-2016 – CUT A5 | PUNCTURE 4 | ABRASION 5
EN388:2016 – 3X43E
EN511:2006 – X2X

Latex smooth full dipped coating // Double dipped latex sandy palm coating // 13 gauge HPPE outer liner // 10 gauge acrylic inner liner // Water-resistant

GL506C S – 2XL



GL602C3



ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 3 | ABRASION 4
EN388: 2016 – 4X42B

Nitrile micro-foam palm coating // 13 gauge HPPE liner // Good grip in all conditions

GL602C3 S – 2XL



GL603C5



ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 4
EN388: 2016 – 4X43D

Nitrile micro-foam palm coating // 13 gauge HPPE liner // Good grip in all conditions // Hides stains

GL603C5 S – 2XL

NITRILE



GL601



ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 6
EN388: 2016 – 4131X

Nitrile micro-foam palm coating // 15 gauge nylon + spandex liner (silicone free) // Touch sensitivity // Good grip in all conditions

GL601 S – 2XL



GL601DP



ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 6
EN388: 2016 – 4131X

Nitrile micro-foam palm coating // Dotted palm // 15 gauge nylon + spandex liner (silicone free) // Reinforced thumb // Touch sensitivity // Good grip in all conditions

GL601DP S – 2XL



GL603DPC5



ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 4
EN388: 2016 – 4X43D

Nitrile micro-foam palm coating // Dotted palm // 13 gauge HPPE liner // Reinforced thumb // Good grip in all conditions // Hides stains

GL603DPC5 S – 2XL



GL604C5



ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 3 | ABRASION 6
EN388: 2016 – 4X43D

Nitrile sandy palm coating // 13 gauge HPPE liner // Good grip in all conditions // Extra absorption

GL604C5 S – 2XL



GL605



ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 6
EN388: 2016 – 4131X

Nitrile smooth full dipped coating // Double dipped nitrile sandy palm coating // 15 gauge polyester liner // Water-resistant // Good grip in all conditions // Extra absorption

GL605 S – 2XL



GL606DPC



ANSI/ISEA 105-2016 – CUT A3 | PUNCTURE 4 | ABRASION 6
EN388: 2016 – 4X42C

Nitrile micro-foam palm coating // Dotted palm // 18 gauge HPPE liner // Reinforced thumb // Good grip in all conditions

GL606DPC S – 2XL



GL609C



ANSI/ISEA 105-2016 – CUT A6 | PUNCTURE 4 | ABRASION 6
ANSI/ISEA 138-2019 – IMPACT 2
EN388: 2016 – 4X43EP

Nitrile sandy palm coating // 13 gauge HPPE liner // Reinforced thumb // TPR // Good grip in all conditions // Extra absorption

GL609C S – 2XL



GL607C



ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4 | ABRASION 5
EN388: 2016 – 4X43D

Nitrile micro-foam palm coating // 13 gauge HPPE liner // Hi-vis // Good grip in all conditions

GL607C S – 2XL



GL608C



ANSI/ISEA 105-2016 – CUT A6 | PUNCTURE 4 | ABRASION 4
EN388: 2016 – 4X43F

Nitrile sandy palm coating // 13 gauge HPPE liner // Hi-vis // Good grip in all conditions // Extra absorption

GL608C S – 2XL



GL610C



ANSI/ISEA 105-2016 – CUT A6 | PUNCTURE 4 | ABRASION 6
ANSI/ISEA 138-2019 – IMPACT 2
EN388: 2016 – 4X43EP

Nitrile sandy palm, fingers + knuckles coating // 13 gauge HPPE liner // Reinforced thumb // TPR // Hook and loop closure // Good grip in all conditions // Extra absorption // Touch screen capability

GL610C S – 2XL



GL611



ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 3 | ABRASION 4
EN388:2016 – 4231X
EN511:2006 – X2X

Nitrile smooth palm, fingers + knuckles coating // Double dipped nitrile sandy palm coating // 13 gauge polyester outer liner // 10 gauge acrylic inner liner // Contact cold protection // Water-resistant

GL611 S – 2XL



GL612C



ANSI/ISEA 105-2016 – CUT A5 | PUNCTURE 4 | ABRASION 6
ANSI/ISEA 138-2019 – IMPACT 2
EN388:2016 – 4X43EP
EN511:2006 – X2X

Nitrile sandy dipped coating // 13 gauge HPPE outer liner // 10 gauge acrylic inner liner // Contact cold protection // TPR // Thumb saddle // Hi-vis

GL612C S – 2XL



GL615



ANSI/ISEA 105-2016 – CUT A1 | PUNCTURE 2 | ABRASION 6
EN388:2016 – 4131X

Nitrile micro-foam palm coating // 15 gauge nylon + spandex liner (silicone free) // Touch sensitivity // Good grip in all conditions

GL615 S – 2XL



GL613C




ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 3 | ABRASION 5
EN388:2016 – 4X42D

Nitrile micro-foam palm coating // 18 gauge HPPE liner // Good grip in all conditions // Reinforced thumb saddle // Touchscreen capability

GL613C S – 3XL



GL616C



ANSI/ISEA 105-2016 – CUT A6 | PUNCTURE 2 | ABRASION 5
EN388:2016 – 4X42D
EN407:2020 – X2XXXX

Nitrile micro-foam palm coating // 13 gauge para-aramid + steel liner // Contact heat protection // Good grip in all conditions

GL616C S – 2XL



GL614



ANSI/ISEA 105-2016 – CUT A1 | PUNCTURE 2 | ABRASION 6
EN388:2016 – 4121X

Nitrile smooth palm coating // 13 gauge polyester liner // Good grip in all conditions

GL614 S – 2XL



GL617



ANSI/ISEA 105-2016 – PUNCTURE 2 | ABRASION 6
EN388:2016 – 4131X

Nitrile micro-foam palm, fingers + knuckles coating // 15 gauge nylon + spandex liner (silicone free) // Touch sensitivity // Good grip in all conditions

GL617 S – 2XL

KNIT LINER



GL701



13 gauge ThermoLite® thermal yarn // Seamless knit // Traps warm air for insulation // Moisture-wicking // Warmth and comfort without weight // Blue liner color contrasts with most food products for easy detection

GL701 L

CORDED COTTON



GL803C



ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 3 | ABRASION 1
ANSI/ISEA 138-2019 – IMPACT 1
EN388:2016 – 1121BP

Green corded cotton palm // Polyester inner liner // Hook and loop closure // TPR // Thumb saddle // Hi-vis

GL803C S – 2XL




GL804C



ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 4 | ABRASION 3
ANSI/ISEA 138-2019 – IMPACT 1
EN388:2016 – 1322BP
EN511:2006 – 111

Green corded cotton palm // Polyester inner liner // Contact cold protection // Hook and loop closure // TPR // Water-resistant bladder // Thumb saddle // Hi-vis

GL804C S – 2XL



2014

Entering into work wear was a natural progression. One vest became several, and now the work wear line has branched into so much more than hi-visibility.



ACCESSORIES 44

BLACK REFLECTIVE 42 – 43

ERGONOMICS 46

FACE COVERINGS 45 – 46

INSULATED WEAR 41

OUTERWEAR 38 – 40


RAINWEAR 41 – 42

SHIRTS 36 – 37

VESTS 30 – 35

WORK WEAR

NOW YOU SEE IT



Workers wearing hi-vis clothing are identified three seconds faster than those who do not wear hi-vis clothing.

Source: Interesting Reality: Interesting Facts About High Visibility Work Wear

CERTIFICATIONS

Use the dots [••] next to each part number to reference which options meet what standards and certifications.

- ANSI/ISEA 107-2020 ●
- CAN/CSA Z96-15 (reaffirmed 2020) ●

ANSI/ISEA 107-2020

Type R

Type R provides daytime and nighttime visual enhancement for workers in occupational environments, including exposure to traffic from public access rights-of-way, roadway temporary traffic control (TTC) zones, or work vehicles and construction equipment within a roadway TTC zone.

Type O

Type O work wear provides the minimum amount of required material to differentiate the wearer from visually non-complex environments.

Class 1

Performance Class 1 offers low-risk workers with good visibility. Class 1 is ideal for jobs where the worksite is a safe distance from roadways.

Class 2

Performance Class 2 uses additional high-visibility materials, which allow design opportunities to define the human form more effectively. In addition, Class 2 high-visibility safety apparel (HVSA) can provide detection and identification for longer distances.

Class 3

Performance Class 3 can offer greater visibility through a full range of body movements in complex and non-complex backgrounds by having retro-reflective and combined performance materials on sleeves.

Class E

Class E high-visibility garments do not meet ANSI safety requirements when worn alone, but when worn with a Class 2 or Class 3 garment, the overall ensemble is classified as Class 3.

AATCC 127

This test method measures the resistance of a fabric to the penetration of water under hydrostatic pressure.

CAN/CSA Z96-15 (reaffirmed 2020)

Class 1

Performance Class 1 offers good visibility with the lowest recognized coverage. Class 1 is ideal for jobs on or in parking areas, warehouses, sidewalks, shipping or receiving operations, etc.

Class 2


Performance Class 2 provides moderate body coverage and superior visibility. Apparel must fully cover the upper torso (front, back, sides and over the shoulders) with the reflective striping composed of retro-reflective or combined performance materials. X-back is used to distinguish whether a worker is facing toward or facing away from a hazard. X-back configuration is mandatory in Canada but can be used for ANSI apparel.

Sources: ISEA International Safety Equipment Association & CSA Group

Level 2

Level 2 is the highest retro-reflective performance material and is visible under dark conditions from a great distance. Retro-reflective material also reflects light produced by the headlights of oncoming traffic back to the vehicle operator.

FEATURES



BACKGROUND OPTIONS

The main difference between the colors comes when taking the complexity of the wearer's background into consideration. High-visibility lime is often perceived as brighter, making it ideal for urban environments where it stands out against concrete or other gray locations. On the other hand, high-visibility orange is commonly used for road work. It mimics the same orange used in recognizable traffic cones and road construction signs. It also stands out among the green in heavy foliage areas, making it perfect for hunters or outdoor enthusiasts. Black reflective work wear is intended for off-road use only, often indoors or in more controlled environments. An advantage it has over lime and orange is that the black fabric hides dirt, oil, and grease.

SINGLE VS. CONTRASTING TAPE

Reflective tape is used on high-visibility garments to help with their overall visibility. Its purpose is to reflect light, adding greater conspicuity to any garment. The more tape that exists against the fluorescent background, the more the garment will stand out. Contrasting tape allows for a high-visibility garment to stand out even more against a complex background by being an additional element likely to grab our attention.

SELF-EXTINGUISHING

Self-extinguishing high-visibility garments are tested using a small-scale vertical flame and are coated and or comprised of material designed to suppress flames. However, these items are NOT flame resistant.

CUSTOMIZE YOUR WORK WEAR

Screen printing and heat transfer customization available in most styles.



RVZ22 Series ANSI •

TYPE R CLASS 2

		POCKETS	
MESH MATERIAL	ZIPPER CLOSURE	1 OUT	1 IN

- RVZ2210 • M – 5XL
- RVZ2220 • M – 5XL



RVZ22SE Series NOT FR ANSI •

TYPE R CLASS 2

			POCKETS	
SELF-EXTINGUISHING	MESH MATERIAL	ZIPPER CLOSURE	1 OUT	1 IN

- RVZ2210SE • M – 5XL
- RVZ2220SE • M – 5XL



RVZ23 Series ANSI •

TYPE R CLASS 2

		POCKETS	
MESH MATERIAL	ZIPPER CLOSURE	4 OUT	2 IN

Mic tabs

- RVZ2310 • S – 5XL
- RVZ2320 • S – 5XL

VESTS ANSI TYPE R CLASS 2 // CSA CLASS 2 LEVEL 2 // ANSI TYPE R CLASS 3 // NON-RATED VESTS



RVZ21 Series ANSI •

TYPE R CLASS 2

		POCKETS	
MESH MATERIAL	ZIPPER CLOSURE	1 OUT	1 IN

- RVZ2110 • S – 5XL
- RVZ2120 • S – 5XL



RVZ21CP Series ANSI •

TYPE R CLASS 2

		POCKETS	
MESH MATERIAL	ZIPPER CLOSURE	2 OUT	1 IN

Clear chest pocket with hook and loop closure

- RVZ2110CP • S – 5XL
- RVZ2120CP • S – 5XL



RVZ21SE Series NOT FR ANSI •

TYPE R CLASS 2

			POCKETS	
SELF-EXTINGUISHING	MESH MATERIAL	ZIPPER CLOSURE	1 OUT	1 IN

- RVZ2110SE • M – 5XL
- RVZ2120SE • M – 5XL



RVZ24 Series ANSI •

TYPE R CLASS 2

		POCKETS	
SOLID & MESH MATERIAL	ZIPPER CLOSURE	4 OUT	2 IN

Mic tabs

- RVZ2410 • S – 5XL
- RVZ2420 • S – 5XL



RVZ24CP Series ANSI •

TYPE R CLASS 2

		POCKETS	
SOLID & MESH MATERIAL	ZIPPER CLOSURE	4 OUT	2 IN

Clear chest pocket with hook and loop closure // Mic tabs

- RVZ2410CP • S – 5XL
- RVZ2420CP • S – 5XL



RVZ24SE Series NOT FR ANSI •

TYPE R CLASS 2

			POCKETS	
SELF-EXTINGUISHING	SOLID & MESH MATERIAL	ZIPPER CLOSURE	4 OUT	2 IN


Mic tabs

- RVZ2410SE • M – 5XL
- RVZ2420SE • M – 5XL



RVZ26 Series ANSI •

TYPE R CLASS 2




RVZ2610 • M – 5XL



RVZ28 Series ANSI •

TYPE R CLASS 2




Black trim // Clear chest pocket for badges with hook and loop closure // Tablet pockets (12" x 7") with hook and loop closures // Reach-through pocket on back with zipper closures // Metal grommets on upper front collar trim // Mic tab

RVZ2810 • M – 5XL
RVZ2820 • M – 5XL



RVZ44B Series ANSI •

TYPE R CLASS 2



Clear chest pocket with hook and loop closure // Expandable tablet pockets (13" x 10") with hook and loop closures // Reach-through pocket on back with zipper closures // Metal grommets on upper front collar and at waist // Padded collar // Mic tabs

RVZ4410B • M – 5XL
RVZ4420B • M – 5XL



RVHL27 Series ANSI •

TYPE R CLASS 2



Clear chest pocket with hook and loop closure

RVHL2710BR • M – 5XL
RVHL2720BR • M – 5XL



RVHL29 Series ANSI •

TYPE R CLASS 2



RVHL2910 • S – 3XL
RVHL2920 • M – 3XL



RVHLM29 Series ANSI •

TYPE R CLASS 2




RVHLM2910 • S – 3XL
RVHLM2920 • S – 3XL



RVZT44B Series ANSI •

TYPE R CLASS 2



Reinforced seams // Accessory loops on back of collar, on front, and one each in either lower outer pocket // Padded collar // Grommets including grommets in lower front pockets // Clear chest pocket with hook and loop closure // Expandable tablet pockets (13" x 10") with hook and loop closures // Reach-through pocket on back with zipper closure // Mic tabs


RVZT4410B • S – 5XL

i Not tested to any dropped object or tethering standard.



RVHL20 Series ANSI •

TYPE R CLASS 2




Mic tab
RVHL2010 • S – 6XL
RVHL2020 • S – 6XL



RVHL25 Series ANSI •

TYPE R CLASS 2




RVHL2510BRD • M – 5XL
RVHL2520BRD • M – 5XL



RCZ21 Series ANSI • CSA •

ANSI TYPE R CLASS 2 CSA CLASS 2 LEVEL 2



RCZ2110 • M – 5XL
RCZ2120 • M – 5XL



RCA25 Series ANSI • CSA •

ANSI TYPE R CLASS 2 CSA CLASS 2 LEVEL 2




Adjustable waist band

RCA2510M • Medium adjusts to XL
RCA2510X2 • 2XL adjusts to 5XL



RCA25SE Series ANSI • CSA •

ANSI TYPE R CLASS 2 CSA CLASS 2 LEVEL 2




Adjustable waist band

RCA2510SEM • Medium adjusts to XL
RCA2510SEX2 • 2XL adjusts to 5XL
RCA2520SEM • Medium adjusts to XL
RCA2520SEX2 • 2XL adjusts to 5XL



RCZ24 Series ANSI • CSA •
ANSI (TYPE R) CLASS 2 CSA (CLASS 2) LEVEL 2




Mic tabs

- RCZ2410 •• M – 5XL
- RCZ2420 •• M – 5XL



RCA27 Series ANSI • CSA •
ANSI (TYPE R) CLASS 2 CSA (CLASS 2) LEVEL 2




Adjustable waist band

- RCA2710M •• Medium adjusts to XL
- RCA2710X2 •• 2XL adjusts to 5XL



RCA27SE Series NOT FR ANSI • CSA •
ANSI (TYPE R) CLASS 2 CSA (CLASS 2) LEVEL 2




Adjustable waist band

- RCA2710SEM •• Medium adjusts to XL
- RCA2710SEX2 •• 2XL adjusts to 5XL
- RCA2720SEM •• Medium adjusts to XL
- RCA2720SEX2 •• 2XL adjusts to 5XL




RVHL31BR Series ANSI •
TYPE R CLASS 3



● RVHL3110BR • S – 6XL



RV Series
NON-RATED



- RV10 One Size Fits Most
- RV20 One Size Fits Most




RV1 Series
NON-RATED



- RV110 One Size Fits Most
- RV120 One Size Fits Most




RVZ31 Series ANSI •
TYPE R CLASS 3



- RVZ3110 • M – 5XL
- RVZ3120 • M – 5XL



RVZ34 Series ANSI •
TYPE R CLASS 3




Mic tabs

- RVZ3410 • S – 5XL
- RVZ3420 • S – 5XL



RVZ36 Series ANSI •
TYPE R CLASS 3



Clear chest pocket with hook and loop closure // Mic tabs // Side zippers

- RVZ3610 • S – 5XL



RV1NS Series
NON-RATED



- RV110NS One Size Fits Most
- RV120NS One Size Fits Most



RV12 Series
NON-RATED



Mic tab

- RV1227 S – M, L – XL, 2XL – 3XL, 4XL – 5XL
- RV1235 S – M, L – XL, 2XL – 3XL, 4XL – 5XL
- RV1265 S – M, L – XL, 2XL – 3XL, 4XL – 5XL
- RV1270 S – M, L – XL, 2XL – 3XL, 4XL – 5XL


SHIRTS

ANSI TYPE R CLASS 2 // CSA CLASS 2 LEVEL 2 //
ANSI TYPE R CLASS 3 // NON-RATED SHIRTS



RTS21 Series ANSI •

TYPE R CLASS 2




Moisture-wicking material // Rated UPF 30+

- RTS2110 • M – 5XL
- RTS2120 • M – 5XL



RTS21B Series ANSI •

TYPE R CLASS 2



Moisture-wicking material // Rated UPF 30+

- RTS2110B • M – 4XL/5XL
- RTS2120B • M – 4XL/5XL



RTS21NP Series ANSI •

TYPE R CLASS 2




Moisture-wicking material // Rated UPF 30+

- RTS2110NP • M – 5XL



RLTS31B Series ANSI •

TYPE R CLASS 3




Moisture-wicking material // Rated UPF 30+

- RLTS3110B • M – 5XL
- RLTS3120B • M – 5XL



RCLTS31 Series ANSI • CSA •

ANSI TYPE R CLASS 3 CSA CLASS 2 LEVEL 2




Moisture-wicking material // Rated UPF 30+

- RCLTS3110 • M – 5XL
- RCLTS3120 • M – 5XL



RTSHS21 Series ANSI •

TYPE R CLASS 2




Moisture-wicking material // Rated UPF 30+ // Heat sealed tape

- RTSHS2110 • S – 5XL



RTS34 Series ANSI •

TYPE R CLASS 3




Moisture-wicking material // Rated UPF 30+

- RTS3410 • M – 5XL
- RTS3420 • M – 5XL



RLTS31 Series ANSI •

TYPE R CLASS 3




Moisture-wicking material // Rated UPF 30+

- RLTS3110 • M – 5XL



RTS21NS Series NON-RATED

NON-RATED




Moisture-wicking material // Rated UPF 30+

- RTS2110NS • M – 5XL



RLTS31NS Series NON-RATED

NON-RATED



Moisture-wicking material // Rated UPF 30+

- RLTS3110NS • M – 5XL

OUTERWEAR

ANSI TYPE R CLASS 3 // ANSI TYPE R CLASS 2 // CSA CLASS 2 LEVEL 2 OUTERWEAR



RSSH32 Series ANSI •

TYPE R CLASS 3	
SOLID MATERIAL	POCKETS
1 OUT	0 IN

Weather resistant // Elastic knit at wrists and waist // Mesh lined hood with adjustable pull cord // Reach-through pocket

● RSSH3210 • M – 5XL



RSZH32 Series ANSI •

TYPE R CLASS 3	
SOLID MATERIAL	ZIPPER CLOSURE
2 OUT	0 IN

Weather resistant // Elastic knit at wrists and waist // Mesh lined hood with adjustable pull cord

● RSZH3210 • M – 5XL



RSZH33 Series ANSI •

TYPE R CLASS 3	
SOLID MATERIAL	ZIPPER CLOSURE
4 OUT	0 IN

Weather resistant material — Teflon™ treated // Elastic band at the waist and wrists // Clear chest pocket with hook and loop closure // Mic tabs // Drawstring hood

● RSZH3310 • M – 5XL
● RSZH3320 • M – 5XL



RJ31 Series ANSI •

TYPE R CLASS 3	
SOLID MATERIAL	ZIPPER CLOSURE
5 OUT	3 IN

Waterproof – ANSI 107-2020: AATCC 127 // Polyester shell with zip-out polar fleece liner // Elastic band at the waist and wrists // Concealed detachable hood // Cell phone/radio chest pocket with clear panel on outside shell // Mic tabs and pencil pocket

● RJ3110 • S – 5XL
● RJ3120 • S – 5XL



RJ32 Series ANSI •

TYPE R CLASS 3	
SOLID MATERIAL	ZIPPER CLOSURE
4 OUT	1 IN

Waterproof – ANSI 107-2020: AATCC 127 // Polyester shell with quilted lining // Elastic band at the waist and wrists // Concealed hood // Cell phone/radio chest pocket with clear panel on outside shell // Mic tabs and pencil pocket

● RJ3210 • M – 6XL



RJR34 Series ANSI •

TYPE R CLASS 3		TYPE R CLASS 2	
with sleeves hi-vis side only		without sleeves hi-vis side only	
SOLID MATERIAL	ZIPPER CLOSURE	POCKETS	POCKETS
		3 OUT	3 IN
		3 OUT	3 IN
		Hi-vis Side	Black Side

i Non-rated when reversed to all black side.

Weather resistant 4-in-1 reversible windbreaker polyester jacket // Elastic band at wrists // Removable, zip-out sleeves – converts Class 3 jacket to Class 2 vest // Reverses from hi-vis lime to gray/black // Silver reflective tape on hi-vis side // Hi-vis reflective piping on gray/black side // Bottom hem adjustment — bungee cord/toggle pull // Mic tab on hi-vis side

● ● ● RJR3410 • M – 5XL



RPB36 Series ANSI •

TYPE R CLASS 3	
SOLID MATERIAL	ZIPPER CLOSURE
8 OUT	2 IN
2 OUT	2 IN
Outer Parka	Inner Jacket

Outer Parka

Waterproof – ANSI 107-2020: AATCC 127 // Parka has rip-stop shell with quilted lining — Teflon™ treated // Elastic band at wrists // Concealed detachable hood with drawstring and slack adjustment // Interior access zipper for print customization // Dual zipper front closure with hook and loop storm flap // Badge lanyard, d-ring hook, and 2 mic tabs // Heat sealed seams // Drawstring around bottom

Inner Jacket

Fleece // Elastic band at wrists // Drawstring around bottom

● RPB3610 • M – 5XL



RP31 Series ANSI •

TYPE R CLASS 3	
SOLID MATERIAL	ZIPPER CLOSURE
5 OUT	3 IN

Waterproof – ANSI 107-2020: AATCC 127 // Parka has polyester shell with zip out polar fleece liner // Elastic band at the wrists // Concealed detachable hood with drawstring // Zipper front closure // Interior access zipper for print customization // Cell phone/radio chest pocket with clear panel and 2 mic tabs // Drawstring around bottom

● RP3110 • M – 5XL
● RP3120 • M – 5XL



RCSZH33 Series ANSI • CSA •

ANSI TYPE R CLASS 3		CSA CLASS 2 LEVEL 2	
SOLID MATERIAL	ZIPPER CLOSURE	POCKETS	
		4 OUT	0 IN

Weather resistant polyester material — Teflon™ treated // Elastic band at the waist and wrists // Chest pocket with clear panel and hook and loop closure // Mic tabs // Detachable drawstring hood

● RCSZH3310 • M – 5XL
● RCSZH3320 • M – 5XL



RCJ32 Series ANSI • CSA •
ANSI TYPE R CLASS 3 CSA CLASS 2 LEVEL 2

		POCKETS
SOLID MATERIAL	ZIPPER CLOSURE	4 OUT 1 IN

Waterproof – ANSI 107-2020: AATCC 127 // Polyester shell with quilted lining // Elastic band at the waist and wrists // Cell phone/radio chest pocket with clear panel, mic tabs and pencil pocket // Concealed hood

- RCJ3210 ●● M – 5XL
- RCJ3220 ●● M – 5XL



RCP32 Series ANSI • CSA •
ANSI TYPE R CLASS 3 CSA CLASS 2 LEVEL 2

		POCKETS
SOLID MATERIAL	ZIPPER CLOSURE	4 OUT 1 IN

Waterproof – ANSI 107-2020: AATCC 127 // Polyester shell with quilted lining // Elastic band at the wrists // Cell phone/radio chest pocket with clear panel, mic tabs and pencil pocket // Storm flap snap pockets // Concealed hood

- RCP3210 ●● M – 5XL
- RCP3220 ●● M – 5XL



RWVZ45 Series ANSI •
TYPE R CLASS 2

hi-vis side only

		POCKETS	POCKETS
SOLID MATERIAL	ZIPPER CLOSURE	2 OUT 2 IN	2 OUT 2 IN
		Hi-vis Side	Black Side

i Non-rated when reversed to all black side.

Weather resistant polyester reversible vest // Quilted fiber fill interior // Silver glass bead reflective tape // Tapered back

- RWVZ4510 ● S – 5XL



RWB46 Series ANSI •
TYPE R CLASS E

	POCKETS
SOLID MATERIAL	8 OUT 0 IN

Weather resistant Oxford polyester with quilted interior insulation // Heavy duty black material at knees to hide dirt // Elastic waistband and adjustable suspenders // Boot zippers with storm flap // Hammer loop

- RWB4610 ● S – 5XL

RC7P35 Series ANSI • CSA •
ANSI TYPE R CLASS 3 CSA CLASS 2 LEVEL 2

		POCKETS	POCKETS
SOLID MATERIAL	ZIPPER CLOSURE	3 OUT 3 IN	2 OUT 2 IN
		Outer Jacket	Inner Jacket

Outer Parka

Waterproof – ANSI 107-2020: AATCC 127 // Polyester shell with quilted lining and black material on bottom and at storm cuffs // Heavy duty zipper front closure with snap storm flaps // Side zippers for greater range of motion // Concealed detachable hood with drawstring // Interior access zipper for print customization // Snaps to hold inner jacket in place // Inner and outer cell phone pocket, storm flap snap pockets, and mic tabs

Inner Jacket

Waterproof – ANSI 107-2020: AATCC 127 // Hi-vis orange polyester material with black on bottom and at cuffs—reverses from hi-vis orange to black // Heavy duty zipper front closure // Converts to vest with removable, zip-out elastic sleeves // Knit stand-up collar // Heat sealed seams // Storm flap snap pockets and mic tabs

- RC7P3520 ●● M – 5XL

i Inner jacket is ANSI / ISEA Type R Class 2 when worn without sleeves. When reversed to all black, inner jacket with or without sleeves is non-rated.



ANSI TYPE R CLASS 3 // ANSI TYPE R CLASS E **RAINWEAR**

RRWJ31 Series ANSI •
TYPE R CLASS 3

		POCKETS
SOLID MATERIAL	ZIPPER CLOSURE	2 OUT 0 IN

Waterproof – ANSI 107-2020: AATCC 127 // Breathable polyester with polyurethane coating // Drawstring hood stows away in collar // Cape back and underarm vents // Heavy duty zipper front closure with snap storm flaps // Sewn and sealed waterproof seams // Elastic cuffs

- RRWJ3110 ● S – 5XL

WATCH THE RAINWEAR VIDEO





RRWC31 Series ANSI •

TYPE R CLASS 3

SOLID MATERIAL	ZIPPER CLOSURE	POCKETS
		2 OUT 0 IN

Waterproof – ANSI 107-2020: AATCC 127 // Breathable polyester with polyurethane coating // Drawstring hood stows away in collar // Cape back and underarm vents // Heavy duty zipper front closure with snap storm flaps // Sewn and sealed waterproof seams // Vented bottom // Elastic cuffs

● RRWC3110 • S – 5XL

RRWB31 Series ANSI •

TYPE R CLASS E

SOLID MATERIAL	POCKETS
	1 OUT 0 IN

Waterproof – ANSI 107-2020: AATCC 127 // Breathable polyester with polyurethane coating // Heavy duty material (Oxford polyester) at knees // Removable knee pads // Metal take up snaps at pant legs // Elastic waistband and adjustable suspenders // Sewn and sealed waterproof seams

● RRWB3110 • S – 5XL

RRWP31 Series ANSI •

TYPE R CLASS E

SOLID MATERIAL	POCKETS
	2 OUT 0 IN

Waterproof – ANSI 107-2020: AATCC 127 // Breathable polyester with polyurethane coating // Metal take up snaps at bottom of pant legs // Elastic waistband // Sewn and sealed waterproof seams

● RRWP3110 • S – 5XL

BLACK REFLECTIVE WORK WEAR ANSI TYPE O CLASS 1 // CSA CLASS 1 LEVEL 2



RPB3511 ANSI •

TYPE O CLASS 1

SOLID MATERIAL	ZIPPER CLOSURE	POCKETS
		3 OUT 2 IN

Waterproof – ANSI 107-2020: AATCC 127 // Parka has rip-stop shell – Teflon™ treated // Quilted interior // Elastic band at wrists // Concealed detachable hood // Interior access zipper for print customization // Dual zipper front closure with hook and loop storm flap // Badge lanyard, d-ring hook, and 2 mic tabs // Heat sealed seams // Drawstring around bottom

● RPB3511 • S – 5XL

WATCH THE BLACK REFLECTIVE WORK WEAR VIDEO



RSZH3411 ANSI •

TYPE O CLASS 1

SOLID MATERIAL	ZIPPER CLOSURE	POCKETS
		2 OUT 0 IN

Weather resistant polyester // Elastic knit at wrists and waist // Mesh lined hood with adjustable pull cord

● RSZH3411 • S – 5XL

RTS2311 ANSI •

TYPE O CLASS 1

SOLID MATERIAL	POCKETS
	1 OUT 0 IN

Moisture-wicking material // Rated UPF 30+ // Non-connected reflective material with contrasting tape

● RTS2311 • S – 5XL

RVZ2411CP ANSI •

TYPE O CLASS 1

SOLID & MESH MATERIAL	ZIPPER CLOSURE	POCKETS
		4 OUT 2 IN

Clear chest pocket with hook and loop closure // Mic tabs

● RVZ2411CP • S – 5XL



RCLTS3111 ANSI • CSA •

ANSI TYPE O CLASS 1 CSA CLASS 1 LEVEL 2

SOLID MATERIAL	POCKETS	Moisture-wicking material // Rated UPF 30+
	1 OUT 0 IN	

● RCLTS3111 • S – 5XL

RCSZH3311 ANSI • CSA •

ANSI TYPE O CLASS 1 CSA CLASS 1 LEVEL 2

SOLID MATERIAL	ZIPPER CLOSURE	POCKETS
		4 OUT 0 IN

Weather resistant polyester material – Teflon™ treated // Elastic band at the waist and wrists // Chest pocket with clear panel and hook and loop closure // Mic tabs // Detachable drawstring hood

● RCSZH3311 • M – 5XL

RCZ2411 ANSI • CSA •

ANSI TYPE O CLASS 1 CSA CLASS 1 LEVEL 2

SOLID & MESH MATERIAL	ZIPPER CLOSURE	POCKETS
		4 OUT 3 IN

Mic tabs

● RCZ2411 • M – 5XL

ACCESSORIES NON-RATED // SUPPLEMENTAL CLASS E



RAB Series NON-RATED

Reflective arm bands // One size fits most

- RAB10 Hi-vis Lime
- RAB20 Hi-vis Orange



RH1 Series NON-RATED

Acrylic knit cap // Reflective stripe // One size fits most

- RH110 Hi-vis Lime
- RH120 Hi-vis Orange



RH2 Series NON-RATED

Fleece beanie // One size fits most

- RH210 Hi-vis Lime
- RH211 Black
- RH220 Hi-vis Orange



RLG Series NON-RATED

(ANSI) SUPPLEMENTAL CLASS E

Reflective leg gaiters // One size fits most

- RLG10 Hi-vis Lime
- RLG20 Hi-vis Orange



RMP Series NON-RATED

(ANSI) SUPPLEMENTAL CLASS E

Reflective mesh pants // Elastic waistband with drawstring // Elastic ankle cuffs // Pass through pockets

- RMP10 S - M, L - XL, 2XL - 3XL, 4XL - 5XL



RSC Series NON-RATED

Reflective seat belt covers

- RSC10 Hi-vis Lime
- RSC20 Hi-vis Orange



WL1 Series NON-RATED

Acrylic knit winter liner // One size fits most

- WL160 Navy



WQL1SE Series NON-RATED

SE SELF-EXTINGUISHING
Self-extinguishing treatment // Cotton twill quilted hat // Adjustable chin strap // Hard hat suspension straps // One size fits most

- WQL160SE Navy

i RMP series and RLG series are non-rated when worn alone. When paired with a ANSI/ISEA 107-2020 Class 2 or Class 3 item, ensemble meets Performance Class E standards.

WL160 and WQL160SE have been third-party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).

FACE COVERINGS NON-RATED // NIOSH STANDARD FOR N95 RESPIRATORS



BL1 Series NON-RATED



Balaclava can be worn in a variety of ways from face mask to neck gaiter // Mesh breathing panels increase airflow while minimizing condensation on your eyewear // Self-extinguishing thermal fleece and mesh material // Machine washable // One size fits most

- BL111 Black
- BL140 Hi-vis Orange

i BL1 series has been third party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).



FM1 Series NON-RATED

Cotton blend mask // Anti-virus treatment – meets ISO 18184 for textiles [Determination of Antiviral Activity of Textile Products] // Drawstring adjustment at back // Machine washable // One size fits most

- FM111 Black



MPB Series NON-RATED

Moisture-wicking multi-purpose band // Rated UPF 50+ // Machine washable // One size fits most

- MPB10 Hi-vis Lime
- MPB11 Black
- MPB12 Winter Camo
- MPB60 Blue



MPBDL Series NON-RATED

Double-layered moisture-wicking multi-purpose band // Rated UPF 50+ // Machine washable // One size fits most

- MPBDL10 Hi-vis Lime
- MPBDL60 Blue



MPBEL Series NON-RATED

Moisture-wicking multi-purpose band with ear loops // Rated UPF 50+ // Machine washable // One size fits most

- MPBEL10 Hi-vis Lime
- MPBEL60 Blue
- MPBELFLG Camo Flag



MPBFL Series NON-RATED

Fleece lined moisture-wicking multi-purpose band // Rated UPF 50+ // Machine washable // One size fits most

- MPBFL10 Hi-vis Lime
- MPBFL11 Black



MPBFR Series NFPA 2112

Flame resistant moisture-wicking multi-purpose band // Rated UPF 50+ // Meets NFPA 2112 // Machine washable // One size fits most

- MPB11FR Black

Disposable N95 Respirators

N95 – 95% efficient respiratory protection in non-oil areas // Ultrasonically welded straps eliminate the need for staples // Straps are latex free // Shell is durable and keeps structure under heavy humidity // Soft, smooth outer and inner layer is comfortable on the skin // Inner foam strip reduces the potential for eyewear fogging // Outer aluminum adjustable nosepiece holds shape for proper fit // One size fits most

N95 Particulate Respirator
RM10

N95 Particulate Respirator with One Way Valve
RM10V



Do Not Use Against

Vapors, paint spray, oil-based aerosols, asbestos and sand blasting. Any contaminant whose concentration is unknown, or immediately dangerous to life. Concentrations of dust and mists which exceed the maximum use of concentration or 10 times contaminant's permissible exposure limit established by OSHA.

Use Against

NIOSH approved for protection against particulate aerosols free of oils. Pyramex recommends this respirator for use against particulates containing materials such as flour, iron ore, coal and minerals.



Disposable Respirators meet the NIOSH standard for N95 particulate respirators.

ERGONOMICS NON-RATED



BBS100 Series NON-RATED

General use back support – economy weight // Constructed from lightweight, durable material // Plastic support stays // Features breakaway suspenders // 2 overlap style adjustable panels // Contoured shape allows flexibility and complete freedom of movement // Washable and shrink resistant

BBS100 S – 3XL



BKP100 Series NON-RATED

Economy light duty knee pads // Wide and long for wraparound comfort // Durable 600D polyester fabric cover // 15mm closed cell foam padding // Injection plastic button/clip strap connectors provide easy adjustment and secure fit // Washable and shrink resistant // One size fits most


BKP100



BKP200 Series NON-RATED

Hard cap knee pads // Smooth hard cap attached with nickel plated grommets easily slides over various surfaces // Durable 600D polyester fabric // 15mm EVA foam padding // Anti-bacterial treated // Injection plastic button/clip strap connectors provide easy adjustment and secure fit // Washable and shrink resistant // One size fits most

BKP200



WORK WEAR

1999

Our iconic Venture II® glass became one of the first safety eyewear products of its kind on the market with a 9.75 base curve lens. To this day, we never lose sight of the importance of our eyewear line.



ACCESSORIES 87 – 88

FRAMELESS 70 – 75

FULL FRAME 58 – 61

GOGGLES 82 – 86

HALF FRAME 62 – 69


OVER THE SPECTACLE 80 – 81

READERS 76 – 79

SEALED 52 – 57

EYEWEAR

THE EYES HAVE IT



3 out of 5 injured workers are not wearing eyewear at the time of their injury. 90% of eye injuries can be prevented if the wearer is using the proper protective eyewear.

Source: Industrial Hygiene in the Workplace, Vision Protection

CERTIFICATIONS

Use the dots (•••••) next to each part number to reference which options meet what standards and certifications.

ANSI Z87.1+ High Impact •

CE EN166 | UKCA •

Cert. Mod. - CAN/CSA Z94.3-20 •

MIL-PRF-32432 High Velocity Impact •

FEATURES



EYEWEAR MARKINGS

You can find the frame or temple markings on the body of the eyewear. In addition, markings can be found on either lens. For an in-depth explanation of markings, see the individual product sheets on our website.

TREATMENTS

H2MAX ANTI-FOG COATING

The innovative technology behind the **H2MAX** creates a high-performing, superior anti-fog coating durable enough to withstand repeated cleanings without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humid conditions, but it also adds a layer to the lens that is abrasion and chemical resistant. The **H2MAX** anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g of weight. **H2MAX** passes ANSI Z87.1 standards for X, CE standards for N and K, and Canadian certification CAN/CSA Z94.3.



WATCH THE H2MAX VIDEO

i H2MAX products can be cleaned with Pyramex lens cleaning towelettes. Do not use abrasive cleaning compounds, solvents, ammonia, or alkaline cleaners.

H2X ANTI-FOG COATING

H2X provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, **H2X** will continue to be effective because the coating is bonded to the lenses. The **H2X** anti-fog coating is made from non-hazardous environmental components. The coating is waterproof with excellent scratch resistance. **H2X** passes ANSI Z87.1 standards and Canadian certification CAN/CSA Z94.3.

TECHNOLOGY

POLYCARBONATE

All Pyramex safety eyewear utilizes polycarbonate lenses. Polycarbonate lenses are up to 10 times more impact-resistant than plastic or glass lenses and provide 99% protection from the sun's harmful UV rays. In addition, they are lightweight and include a scratch-resistant coating to prevent surface scratches.

POLARIZED

Polarized lenses eliminate glare, increase visual clarity, and enhance contrast all while reducing eye strain. We offer polarized options in forest gray, sky red mirror, green mirror, blue mirror, and gray.

PHOTOCHROMIC

Photochromic lenses change from clear to dark after being exposed to direct UV light. Likewise, lenses change from dark to clear when removed from UV light.

VISIBLE LIGHT TRANSMISSION

When light passes through a lens, some of it is absorbed and some of it is reflected. The amount of light that passes through is known as the visible light transmission (VLT) and is represented by a percentage. Lens colors with a higher percentage of VLT will be lighter and allow more light to pass through, while lens colors with a lower percentage of VLT will be darker, blocking more light from reaching your eyes.

94% Clear	52% Light Gray	23% Gray	11% 3.0 IR Filter
92% UV400 Blue Block	51% I/O Mirror	20% Sun Block Bronze	11% Smoke Green Mirror
89% Amber	43% Purple Haze	18% Antique Mirror	10% Forest Gray
84% Photochromic	38% Vermilion	18% Blue Mirror	10% Ice Orange Mirror
82% Pink	27% Coffee	18% Gold Mirror	10% Smoke Green
71% Infinity Blue	27% Multi-color Mirror	18% Green Mirror	7% Dark Gray
66% 1.5 IR Filter	27% Sandstone Bronze	18% Silver Mirror	2% 5.0 IR Filter
64% Arc IR Filter	27% Shooter's Amber	14% Sky Red Mirror	
61% Orange	23% Bronze	13% Ice Blue Mirror	

APPLICATIONS

Use our suggested lens color guide to help decide which lens is best for the task at hand.

Outdoor Use

- Light Gray
- I/O Mirror
- Coffee
- Multi-color Mirror
- Sandstone Bronze
- Bronze
- Gray
- Sun Block Bronze
- Blue Mirror
- Gold Mirror
- Green Mirror
- Silver Mirror
- Sky Red Mirror
- Ice Blue Mirror
- Smoke Green Mirror
- Forest Gray
- Ice Orange Mirror
- Smoke Green
- Dark Gray
- Polarized Gray
- Polarized Blue Mirror
- Polarized Green Mirror
- Polarized Sky Red Mirror
- Polarized Forest Gray

Excessive Glare

- Light Gray
- I/O Mirror
- Gray
- Blue Mirror
- Gold Mirror
- Green Mirror
- Silver Mirror
- Sky Red Mirror
- Ice Blue Mirror
- Forest Gray
- Ice Orange Mirror
- Dark Gray
- Polarized Gray
- Polarized Blue Mirror
- Polarized Green Mirror
- Polarized Sky Red Mirror
- Polarized Forest Gray

Indoor Use

- Clear
 - Amber
 - Pink
 - Infinity Blue
 - Orange
 - I/O Mirror
 - Purple Haze
- #### Low Light
- Amber
 - Pink
 - Infinity Blue
 - Orange
 - Purple Haze
 - Shooter's Amber
 - Sun Block Bronze

Enhance Contrast

- UV400 Blue Block
- Amber
- Pink
- Infinity Blue
- Orange
- Purple Haze
- Vermilion
- Sandstone Bronze
- Shooter's Amber

Welding


- 1.5 IR Filter
- Arc IR Filter
- 3.0 IR Filter
- 5.0 IR Filter

i 1.5 IR is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

Arc is great for use under the welding helmet. It allows the welder to see work clearly without suffering "welder's flash burn" from surrounding welders.

SEALED

Crossover™ ANSI • CE • CSA •



Removable indirect vented rolled rubber gasket
// Adjustable detachable strap with quick release
// Custom imprinting available

Black and Gray Frame | 3 Variations

- SBG 10610DT ••• Clear H2X AF
- SBG 10620DT ••• Gray H2X AF
- SBG 10680DT ••• I/O Mirror AF

Gray and Lime Frame | 1 Variation

- SGL 10610DT ••• Clear H2X AF



SBG 106



WATCH THE CROSSOVR VIDEO

Isotope™ ANSI • CE • CSA • Ballistic •



Dielectric // Interchangeable temples and neoprene strap // Temples adjust to three different lengths // Frame features a rubber gasket // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards when worn with strap // Passes D3: Droplet and Splash Test when worn with strap // Passes D4: Dust Test when worn with strap // Custom imprinting available

Black Frame | 4 Variations

- GB9410STM •••• Clear H2MAX AF
- GB9420STM •••• Gray H2MAX AF
- GB9430STM •••• Amber H2MAX AF
- GB9480ST •••• I/O Mirror AF



WATCH THE ISOTOPE VIDEO

Torser™ ANSI • CE • CSA •



Dielectric // Flexible rubber gasket // Ratchet elastic headband with quick-fit retainer // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes D5: Fine Dust Test // Custom imprinting available


Black Body | 3 Variations

- GB 10010TM ••• Clear H2MAX AF
- GB 10020TM ••• Gray H2MAX AF
- GB 10025TM ••• Light Gray H2MAX AF



WATCH THE TORSER VIDEO

I-Force® and I-Force Slim ANSI • CE • CSA • Ballistic •




Dual pane lens // Outer polycarbonate lens protects against the environment, while inner acetate lens prevents fogging // Outside lens is coated with anti-fog treatment // Quick release interchangeable temples and strap // Removably vented flame resistant foam carriage // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available

I-Force Black Frame | 4 Variations

- SB7010SDT •••• Clear Dual Pane H2X AF
- SB7020SDT •••• Gray Dual Pane H2X AF
- SB7030SDT •••• Amber Dual Pane H2X AF
- SB7080SDT •••• I/O Mirror Dual Pane AF

I-Force Slim Black Frame | 3 Variations

- SB7010SDNT •••• Clear Dual Pane H2X AF
- SB7020SDNT •••• Gray Dual Pane H2X AF
- SB7080SDNT •••• I/O Mirror Dual Pane AF




148 mm



157 mm

i I-Force Slim is about 6% smaller than the I-Force.

V3T™ ANSI • CSA • Ballistic •




Vented lens and frame // Quick release strap // Flame resistant foam padding // Passes D3: Droplet and Splash Test // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available

Black Frame | 4 Variations

- SB10310ST ••• Clear H2X AF
- SB10320ST ••• Gray H2X AF
- SB10330ST ••• Amber H2X AF
- SB10380ST ••• I/O Mirror AF



Highlander™ ANSI • CE •



Removable soft foam carriage // Durable frame with detachable strap // Custom imprinting available

Black Frame | 5 Variations

- SBB5010DT ••• Clear H2X AF
- SBB5020DT ••• Gray H2X AF
- SBB5055DT ••• Sky Red Mirror AF
- SBB5070DT ••• Silver Mirror AF
- SBB5080DT ••• I/O Mirror AF


Black and Red Frame | 2 Variations

- SBR5010DT ••• Clear H2X AF
- SBR5020DT ••• Gray H2X AF



i Highlander is partially foam padded which allows for airflow.

Highlander™ Plus ANSI • CE • CSA • Ballistic •



Removable indirect vented flame resistant foam carriage // Detachable strap // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available


Black and Gray Frame | 5 Variations

- SBG5010DT ••• Clear H2X AF
- SBG5020DT ••• Gray H2X AF
- SBG5030DT ••• Amber H2X AF
- SBG5055DT ••• Sky Red Mirror AF
- SBG5080DT ••• I/O Mirror AF

i Highlander Plus is partially foam padded which allows for airflow.



XSG® ANSI • CE • CSA • Ballistic •



Flame resistant foam padding // Strap has quick-fit retainer // Interchangeable temples and strap included // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available

Black Frame | 4 Variations

- GB4010ST ••• Clear H2X AF
- GB4010STM ••• Clear H2MAX AF
- GB4020ST ••• Gray H2X AF
- GB4080ST ••• I/O Mirror AF

i XSG Readers on page 79.



XSG Kit ANSI • CE • Ballistic •



Interchangeable lenses, temples, and strap // Black nylon case for storage // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available

Black Frame | 3 Interchangeable Options

- GB4010KIT ••• Clear H2X AF Gray H2X AF Amber H2X AF



XS3 PLUS® ANSI • CSA •



Unique slim temple design with co-injected temple tips // Flame resistant foam padding // Detachable strap // Passes D3: Droplet and Splash Test // Custom imprinting available

Black Frame | 3 Variations

- SB4610STP ••• Clear H2X AF
- SB4620STP ••• Gray H2X AF
- SB4680STP ••• I/O Mirror AF



V2G® ANSI • CE • CSA • Ballistic •



Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available

Black Frame | 8 Variations

- GB1810ST ●●●● Clear **H2X** AF
- GB1810STM ●●●● Clear **H2MAX** AF
- GB1820ST ●●●● Gray **H2X** AF
- GB1820STM ●●●● Gray **H2MAX** AF
- GB1830ST ●●●● Amber **H2X** AF
- GB1850SFT ● 5.0 IR Filter **H2X** AF
- GB1860SFT ● 3.0 IR Filter **H2X** AF
- GB1880ST ●●●● I/O Mirror AF



V2G Rx Insert

RX1800

Securely snaps into place above nosepiece // Includes micro-fiber storage case // Accommodates -3.0 to +3.0 prescription lenses // Take insert to local optometrist for Rx lens installation

i V2G Readers on page 79.

Fyxate™ ANSI • CSA •



Dielectric // Rubber temple tips and nosepiece // Single wraparound lens // Flame resistant foam padding available on select options // Quick release strap available on foam padded options only

Black Temples | 5 Variations

- SB10210S ●● Clear
- SB10210ST ●● Clear **H2X** AF
- SB10220S ●● Gray
- SB10220ST ●● Gray **H2X** AF
- SB10280S ●● I/O Mirror

Black Temples with Foam Padding | 3 Variations

- SB10210STMFP ●● Clear **H2MAX** AF
- SB10220STMFP ●● Gray **H2MAX** AF
- SB10225STMFP ●● Light Gray **H2MAX** AF

Lime Temples with Foam Padding | 2 Variations

- SBL10210STMFP ●● Clear **H2MAX** AF
- SBL10220STMFP ●● Gray **H2MAX** AF



Atrex™ ANSI • CSA •



Foam padding // Built-in rubber nosepiece // Co-injected temples

Black Frame | 3 Variations

- SB10810DT ●● Clear AF
- SB10820DT ●● Gray AF
- SB10880DT ●● I/O Mirror AF

Pearl Gray Frame | 1 Variation

- SPG10810DT ●● Clear AF

Translucent Brown Frame | 1 Variation

- STB10815DT ●● Coffee AF




Red Frame | 1 Variation

- SR10870D ●● Silver Mirror

Restraining Strap

108STRAP

Proximity® ANSI • CE • CSA •



Removable flame resistant foam padding // Lightweight spectacle – 26.3gm // Slim co-injected temples // Custom imprinting available

Black Frame | 6 Variations

- SB9310ST ●●● Clear **H2X** AF
- SB9310STM ●●● Clear **H2MAX** AF
- SB9323ST ●● Dark Gray **H2X** AF
- SB9323STM ●● Dark Gray **H2MAX** AF
- SB9330ST ●●● Amber **H2X** AF
- SB9380ST ●●● I/O Mirror AF

Black and Lime Frame | 2 Variations

- SBL9310STM ●● Clear **H2MAX** AF
- SBL9323STM ●● Dark Gray **H2MAX** AF



Accurist® ANSI • CSA •



Flame resistant foam padding // Built-in rubber nosepiece // Co-injected temple tips // Custom imprinting available

Black Frame | 4 Variations

- SB8710DTP ●● Clear AF
- SB8720DTP ●● Gray AF
- SB8725DTP ●● Light Gray AF
- SB8770DP ●● Silver Mirror

Black and Red Frame | 2 Variations

- SBR8710DTP ●● Clear AF
- SBR8720DTP ●● Gray AF



FULL FRAME

Conaire™ ANSI • CSA •



Lightweight // Rubber temples // Integrated side shields provide additional protection // Custom imprinting available

Black Frame | 3 Variations

- SB 10710D •• Clear
- SB 10720D •• Gray
- SB 10734D •• UV400 Blue Block

i SB10734D offers high contrast, 100% UV protection with an anti-reflective coating.



Exeter® ANSI • CE •



Built-in rubber nosepiece // Co-injected rubber temples // Extended lens // Custom imprinting available

Glossy Black Frame | 7 Variations

- SB 5110DT •• Clear H2X AF
- SB 5120DT •• Gray H2X AF
- SB 5133DT •• Shooter's Amber H2X AF
- SB 5155DT •• Sky Red Mirror AF
- SB 5170DT •• Silver Mirror AF
- SB 5175DT •• Blue Mirror AF
- SB 5180DT •• I/O Mirror AF



Velar™ ANSI • CE • CSA •



Built-in rubber nosepiece // Co-injected rubber temples

Black Frame | 3 Variations

- SB 10410D ••• Clear
- SB 10420D ••• Gray
- SB 10465D ••• Ice Blue Mirror

Black and Red Frame | 1 Variation

- SBRF10445D ••• Ice Orange Mirror

White and Blue Frame | 1 Variation

- SWBL10465D •• Ice Blue Mirror

White and Red Frame | 1 Variation

- SWR10455D •• Sky Red Mirror



SB104



SWBL104



SWR104

Goliath® ANSI • CE • CSA •



Co-injected rubber temples // Custom imprinting available

Black Frame | 8 Variations

- SB 5610D ••• Clear
- SB 5610DT •• Clear H2X AF
- SB 5620D ••• Gray
- SB 5620DT ••• Gray H2X AF
- SB 5621D ••• Polarized Gray
- SB 5665D ••• Ice Blue Mirror
- SB 5670D •• Silver Mirror
- SB 5680D •• I/O Mirror



White Frame | 3 Variations

- SW 5620D ••• Gray
- SW 5655D •• Sky Red Mirror
- SW 5665D ••• Ice Blue Mirror



SW56

Zone II® ANSI • CE •



Built-in rubber nosepiece // Rubber coated temple tips // Custom imprinting available



Matte Black Frame | 6 Variations

- SB3310E • Clear
- SB3320E • Gray
- SB3345E • Ice Orange Mirror
- SB3365E • Ice Blue Mirror
- SB3370E • Silver Mirror
- SB3380E • I/O Mirror

Silver Frame | 5 Variations

- SS3320E • Gray
- SS3345E • Ice Orange Mirror
- SS3365E • Ice Blue Mirror
- SS3370E • Silver Mirror
- SS3375E • Blue Mirror



SS33

Trifecta® ANSI Z87.1

Provides excellent eye protection for work environments with high humidity that require impact protection // Meets ANSI Z87.1 requirements for screen lenses

Black Frame | 2 Variations

- SB74WMD • Black Wire Mesh
- SB76WMD • Black Punched Steel



Furix® ANSI •

Lightweight contemporary frame // Straight back temples // Custom imprinting available

Black Frame | 4 Variations

- SB8510DT • Clear AF
- SB8515DT • Coffee AF
- SB8520DT • Gray AF
- SB8575DT • Blue Mirror AF



Monitor™ ANSI •

Integrated side shields provide additional protection // Custom imprinting available

Caramel Frame | 1 Variation

- SC210C • Clear



Pathfinder™ ANSI •

Metal frame features traditional aviator style // Integrated side shields provide additional protection // Custom imprinting available

Gold Metal Frame | 1 Variation

- SG310A • Clear




HALF FRAME



SB86

Ever-Lite® ANSI • CE • CSA •



Soft nosepiece for snug fit // Slim co-injected temples // Lightweight spectacle – 22 gm // Custom imprinting available



WATCH THE
EVER-LITE
VIDEO

Black Frame | 19 Variations

- SB8610D ••• Clear
- SB8610DT ••• Clear H2X AF
- SB8610DTM ••• Clear H2MAX AF
- SB8620D ••• Gray
- SB8620DT ••• Gray H2X AF
- SB8620DTM ••• Gray H2MAX AF
- SB8623D ••• Dark Gray
- SB8623DT ••• Dark Gray H2X AF
- SB8624D ••• Photochromic
- SB8625DTM ••• Light Gray H2MAX AF
- SB8630D ••• Amber
- SB8650SF ••• 5.0 IR Filter
- SB8660D ••• Infinity Blue
- SB8660DT ••• Infinity Blue H2X AF

- SB8660DTM ••• Infinity Blue H2MAX AF
- SB8660SF ••• 3.0 IR Filter
- SB8665D ••• Ice Blue Mirror
- SB8680D ••• I/O Mirror
- SB8680DT ••• I/O Mirror AF

Black and Lime Frame | 2 Variations

- SBL8610DTM ••• Clear H2MAX AF
- SBL8620DTM ••• Gray H2MAX AF

i Ever-Lite Readers on page 77.
Ever-Lite retail packaged products on page 138.



Photochromic lenses change from clear to dark after exposure to direct UV light. Lenses change from dark to clear after removal from UV light.

Flex-Lyte™ ANSI • CE • CSA •



Soft nosepiece for snug fit // Special dielectric hinge design // Slim co-injected temples channel away sweat // Lightweight spectacle – 22 gm // Custom imprinting available

Black and Gray Frame | 5 Variations

- SBG10510D ••• Clear
- SBG10510DTM ••• Clear H2MAX AF
- SBG10520D ••• Gray
- SBG10520DTM ••• Gray H2MAX AF
- SBG10580D ••• I/O Mirror



SBG105

Black and Lime Frame | 5 Variations

- SBL10510D ••• Clear
- SBL10510DTM ••• Clear H2MAX AF
- SBL10520D ••• Gray
- SBL10520DTM ••• Gray H2MAX AF
- SBL10580D ••• I/O Mirror

Sitecore™ ANSI • CE • CSA •



Built-in rubber nosepiece // Flexible and ventilated temples // Ratcheting temples // Temples adjust to three different lengths // Custom imprinting available

Black and Gray Frame | 6 Variations

- SBG10110D ••• Clear
- SBG10110DTM ••• Clear H2MAX AF
- SBG10120D ••• Gray
- SBG10120DTM ••• Gray H2MAX AF
- SBG10130D ••• Amber
- SBG10180D ••• I/O Mirror



SBG101

Gray and Lime Frame | 5 Variations

- SGL10110D ••• Clear
- SGL10110DTM ••• Clear H2MAX AF
- SGL10120D ••• Gray
- SGL10120DTM ••• Gray H2MAX AF
- SGL10180D ••• I/O Mirror



WATCH THE
SITECORE
VIDEO

Venture II® ANSI • CE • CSA • Ballistic •



Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available

Black Frame | 15 Variations

- SB 1810S •••• Clear
- SB 1810ST •••• Clear **H2X AF**
- SB 1820S •••• Gray
- SB 1820ST •••• Gray **H2X AF**
- SB 1830S •••• Amber
- SB 1835S •••• Sun Block Bronze
- SB 1840S •••• Orange
- SB 1850SF •••• 5.0 IR Filter
- SB 1860S •••• Infinity Blue
- SB 1860SF •••• 3.0 IR Filter
- SB 1870S •••• Silver Mirror
- SB 1875S •••• Blue Mirror
- SB 1880S •••• I/O Mirror
- SB 1880ST •••• I/O Mirror AF
- SB 1890S •••• Gold Mirror



i Venture II Readers on page 77.



SH18



SMB18



SSG18

Realtree Hardwoods HD® Frame | 3 Variations

- SH 1810S •• Clear
- SH 1820S •• Gray
- SH 1830S •• Amber

Slate Gray Frame | 1 Variation

- SSG 1810S •• Clear

Metallic Blue Frame | 3 Variations

- SMB 1810S •••• Clear
- SMB 1820S •••• Gray
- SMB 1880S •••• I/O Mirror

- SMB 1810S •••• Clear
- SMB 1820S •••• Gray
- SMB 1880S •••• I/O Mirror

- SMB 1810S •••• Clear
- SMB 1820S •••• Gray
- SMB 1880S •••• I/O Mirror

- SMB 1810S •••• Clear
- SMB 1820S •••• Gray
- SMB 1880S •••• I/O Mirror

- SMB 1810S •••• Clear
- SMB 1820S •••• Gray
- SMB 1880S •••• I/O Mirror

- SMB 1810S •••• Clear
- SMB 1820S •••• Gray
- SMB 1880S •••• I/O Mirror

- SMB 1810S •••• Clear
- SMB 1820S •••• Gray
- SMB 1880S •••• I/O Mirror

- SMB 1810S •••• Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror

- SMB 1810S ••~ Clear
- SMB 1820S ••~ Gray
- SMB 1880S ••~ I/O Mirror



Venture 3® ANSI • CE • CSA • Ballistic •



Soft, adjustable nosepiece // Ventilated frame // Adjustable co-injected rubber temples // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available

Black Frame | 9 Variations

- SB5710D •••• Clear
- SB5710DT •••• Clear **H2X AF**
- SB5710DTM •••• Clear **H2MAX AF**
- SB5720D •••• Gray
- SB5720DT •••• Gray **H2X AF**
- SB5730D •••• Amber
- SB5760D •••• Infinity Blue
- SB5770D •••• Silver Mirror
- SB5780D •••• I/O Mirror

i Venture 3 retail packaged products on page 138.

V2® Metal ANSI • CE • CSA •



Spring loaded temples allows for easy positioning // Contemporary metal frame and temples fit most facial sizes // Custom imprinting available

Gun Metal Frame | 2 Variations

- SGM1810S •••• Clear
- SGM1820S •••• Gray



Gravex® ANSI •

Built-in nosepiece // Custom imprinting available

Black Frame | 4 Variations

- SB8910S • Clear
- SB8910ST • Clear **H2X AF**
- SB8920S • Gray
- SB8980S • I/O Mirror



Rendezvous® ANSI • CE • Ballistic •



Adjustable nosepiece // Temples adjust to four different lengths // Lens angle aligns to proper position for work application with ratcheting lens pitch adjustment // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available

Black Frame | 10 Variations

- SB2810S •••• Clear
- SB2810ST •••• Clear **H2X AF**
- SB2820S •••• Gray
- SB2820ST •••• Gray **H2X AF**
- SB2830S •••• Amber
- SB2840S •••• Orange
- SB2860S •••• Infinity Blue
- SB2860ST •••• Infinity Blue **H2X AF**
- SB2870S •••• Silver Mirror
- SB2880S •••• I/O Mirror




SCG28

Crystal Gray Frame | 1 Variation

- SCG2810ST •••• Clear **H2X AF**

PMXTREME® ANSI • CE •



Built-in rubber nosepiece // Ventilated flexible temples with rubber temple tips // Includes black lanyard cord // Custom imprinting available

Black Frame with Cord | 11 Variations

- SB6310SP • Clear
- SB6310STP • Clear AF
- SB6320SP • Gray
- SB6320STP • Gray AF
- SB6330SP • Amber
- SB6345SP • Ice Orange Mirror
- SB6360SP • Infinity Blue
- SB6370SP • Silver Mirror
- SB6375SP • Blue Mirror
- SB6376SP • Smoke Green Mirror
- SB6380SP • I/O Mirror



Camo Frame with Cord | 3 Variations

- SCM6310STP • Clear AF
- SCM6318STP • Sandstone Bronze AF
- SCM6320STP • Gray AF

Red Frame with Cord | 1 Variation

- SR6320SP • Gray

i PMXTREME Readers on page 78.

PMXTREME LED ANSI • CE •



Super bright swiveling LED bulbs (three lumens per side) allow you to see in dark places while keeping your hands free // Built-in rubber nosepiece and rubber temple tips // The alkaline batteries provide up to 50 hours of use before replacing. Three L44 alkaline batteries per temple (six total) are included // Easy to use push button on/off switches are located at the top of each temple // Custom imprinting available


Black Frame | 2 Variations

- SB6310SPLED • Clear
- SB6310STPLED • Clear AF

i Replacement batteries are not available.
PMXTREME LED Readers on page 78.



PMXTREME Rx ANSI •



Includes Rx insert which accommodates -3.0 to +3.0 prescription lenses // Take insert to local optometrist for Rx lens installation // Custom imprinting available

Black Frame | 2 Variations

- SB6310STRX • Clear AF
- SB6320STRX • Gray AF



Integra® ANSI • CE • CSA •



Adjustable temples ensure reliable performance // Custom imprinting available



Black Frame | 5 Variations

- SB410S • Clear
- SB410ST • Clear AF
- SB420S • Gray
- SB450SF • 5.0 IR Filter
- SB460SF • 3.0 IR Filter



Mixed Blue Frame | 1 Variation

- SM410S • Clear

Red, White & Blue Frame | 1 Variation

- SNWR410S • Clear

Black Ratchet Frame | 1 Variation

- SB410SR • Clear

Blue Frame | 1 Variation

- SN410S • Clear

Red Frame | 1 Variation

- SR410S • Clear

Reatta® ANSI •



Adjustable rubber nosepiece // Straight back flexible temples // Vented lens allows airflow to prevent fogging // Custom imprinting available

Charcoal Frame | 2 Variations

- SCH4810DT • Clear H2X AF
- SCH4820D • Gray

Charcoal and Blue Frame | 3 Variations

- SNC4810D • Clear
- SNC4820D • Gray
- SNC4880D • I/O Mirror



SNC48

Onix® ANSI • Ballistic •



Ratcheting co-injected temples // Adjustable rubber nosepiece // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available

Black and Green Frame | 1 Variation

● SGR4910ST ●● Clear H2X AF



Onix Plus ANSI • CE •



Co-injected temples // Adjustable rubber nosepiece // Unique 3-angle adjustable flip lens // Outer lens flips down for applications where IR lenses are needed // Custom imprinting available

Black Frame | 2 Variations

● SB4950STP ●● Clear with 5.0 IR H2X AF
● SB4960STP ●● Clear with 3.0 IR H2X AF



Avanté® ANSI •



Vented frame // Flexible temples // Built-in rubber nosepiece // Custom imprinting available

Black Frame | 7 Variations

● SB4510D ● Clear
● SB4520D ● Gray
● SB4530D ● Amber
● SB4560D ● Infinity Blue
● SB4570D ● Silver Mirror
● SB4575D ● Blue Mirror
● SB4580D ● I/O Mirror



Fortress® ANSI •



Adjustable rubber nosepiece // Straight-back rubber coated temple tips // Vented lens allows airflow to prevent fogging // Custom imprinting available

Black Frame | 4 Variations

● SB3710D ● Clear
● SB3710DT ● Clear AF
● SB3720D ● Gray
● SB3780D ● I/O Mirror



Ionix® ANSI • CSA • Ballistic •




Built-in rubber nosepiece // Flexible and ventilated temples // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available

Black Frame | 6 Variations

● SB8110D ●●● Clear
● SB8110DT ●●● Clear AF
● SB8120D ●●● Gray
● SB8120DT ●●● Gray AF
● SB8165D ●●● Ice Blue Mirror
● SB8170D ●●● Silver Mirror



Surveyor® ANSI •



Rubber comfort-fit temples // Soft nosepiece // Custom imprinting available

Black Temples | 4 Variations

● SB6110ST ● Clear AF
● SB6120S ● Gray
● SB6145S ● Ice Orange Mirror
● SB6170S ● Silver Mirror



FRAMELESS



Endeavor™ Plus ANSI • CSA •



Built-in brow guard // Special dielectric hinge design // Curved co-injected temples // One-piece wraparound lens // Soft adjustable nosepiece // Foam padding is available in select options // Custom imprinting available

Black and Gray Temples | 5 Variations

- SBG9610S •• Clear
- SBG9610ST •• Clear **H2X AF**
- SBG9620S •• Gray
- SBG9620ST •• Gray **H2X AF**
- SBG9680S •• I/O Mirror

Black and Green Temples | 4 Variations

- SBGR9610S •• Clear
- SBGR9610ST •• Clear **H2X AF**
- SBGR9620S •• Gray
- SBGR9680S •• I/O Mirror



Black and Gray Temples with Foam Padding | 2 Variations

- SBG9610STMFP •• Clear **H2MAX AF**
- SBG9620STMFP •• Gray **H2MAX AF**

Black and Green Temples with Foam Padding | 2 Variations

- SBGR9610STMFP •• Clear **H2MAX AF**
- SBGR9620STMFP •• Gray **H2MAX AF**

Black and Pink Temples | 2 Variations

- SBP9610S •• Clear
- SBP9610ST •• Clear **H2X AF**

i Endeavor Plus retail packaged products on page 138.

Intrepid® II ANSI • CE • Ballistic •



Nosepiece flange eliminates pressure on bridge of nose by evenly distributing weight of glass // Flexible rubber temples provide pressure-free fit behind the ear // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available

Black Temples | 2 Variations

- SB8810S ••• Clear
- SB8820S ••• Gray



TruLock™ ANSI • CE • CSA •



Dielectric // Lightweight spectacle – 21 gm // Patented temples lock into place // Custom imprinting available

Black Temples | 8 Variations

- SB9510S ••• Clear
- SB9510ST ••• Clear **H2X AF**
- SB9520S ••• Gray
- SB9520ST ••• Gray **H2X AF**
- SB9530S ••• Amber
- SB9556S ••• Multi-color Mirror
- SB9580S ••• I/O Mirror
- SB9580ST ••• I/O Mirror AF



TruLock Multi-Colors ANSI • CE • CSA •

Sold in dozen quantity only // Comes with six assorted temple colors: red, blue, green, purple, orange and black // Multi-pack includes two of each temple color // Perfect for work areas where color coding is necessary // Custom imprinting available



Multi-Color Temples | 2 Variations

- S9510SMP ••• Clear
- S9520SMP ••• Gray

Itek® ANSI • CE • CSA • Ballistic •



Integrated nosepiece with rubber posts // Soft co-injected rubber temple tips // Lens provides excellent side protection // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available

Lens and Temples | 10 Variations

- S5810S •••• Clear
- S5810ST •••• Clear **H2X AF**
- S5810STM •••• Clear **H2MAX AF**
- S5820S •••• Gray
- S5820ST •••• Gray **H2X AF**
- S5830S •••• Amber
- S5860S •••• Infinity Blue
- S5870S •••• Silver Mirror
- S5875S •••• Blue Mirror
- S5880S •••• I/O Mirror



Neshoba™ ANSI • CE • CSA •

Frameless design with thin flexible temples // Ultra lightweight spectacle – 16 gm // Custom imprinting available

Black Temples | 10 Variations

- S9710S ●●● Clear
- S9710ST ●●● Clear H2X AF
- S9710STM ●●● Clear H2MAX AF
- S9720S ●●● Gray
- S9720ST ●●● Gray H2X AF
- S9720STM ●●● Gray H2MAX AF
- S9730S ●●● Amber
- S9760S ●●● Infinity Blue
- S9770S ●●● Silver Mirror
- S9780S ●●● I/O Mirror



Cortez® ANSI • CE •



Durable co-injected temples // Ribbed cushioned nosepiece // Custom imprinting available

Black Temples | 4 Variations

- SB3610S ●● Clear
- SB3610ST ●● Clear H2X AF
- SB3620S ●● Gray
- SB3680S ●● I/O Mirror



S036

SN36

Orange Temples | 1 Variation

- S03610S ● Clear

Navy Temples | 1 Variation

- SN3610S ● Clear

PMXSLIM® ANSI • CE •



Slim fit for smaller facial features // Soft adjustable nosepiece // Co-injected temple design includes soft rubber tips for a non-slip fit // Custom imprinting available

Black Temples | 6 Variations

- SB7110S ●● Clear
- SB7110ST ●● Clear H2X AF
- SB7120S ●● Gray
- SB7120ST ●● Gray H2X AF
- SB7138S ●● Sandstone Bronze
- SB7180S ●● I/O Mirror



Ztek® ANSI • CE • CSA •



Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit // Custom imprinting available



Lens and Temples | 18 Variations

- S2510S ●●● Clear
- S2510ST ●●● Clear H2X AF
- S2514S ●●● 1.5 IR Filter
- S2515S ●●● Coffee
- S2520S ●●● Gray
- S2520ST ●●● Gray H2X AF
- S2530S ●●● Amber
- S2540S ●●● Orange
- S2550SF ●●● 5.0 IR Filter
- S2560S ●●● Infinity Blue
- S2560SF ●●● 3.0 IR Filter
- S2560ST ●●● Infinity Blue H2X AF
- S2565S ●●● Purple Haze
- S2570S ●●● Silver Mirror
- S2575S ●●● Blue Mirror
- S2580S ●●● I/O Mirror
- S2590S ●●● Gold Mirror
- S25ARCS ●●● Arc – 1.5 IR Filter



128 mm



137 mm

Mini Ztek ANSI • CE • CSA •

Mini Ztek has all the great features of Ztek in a design better suited for slimmer facial sizes

i Mini Ztek is about 6% smaller than the Ztek. S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

S25ARCS is great for use under the welding helmet – allowing welder to see work clearly without suffering “welder’s flash burn” from surrounding welders.

Ztek Readers on page 78.

Ztek retail packaged products on page 139.

Lens and Temples | 8 Variations

- S2510SN ●●● Clear
- S2510SNT ●●● Clear H2X AF
- S2517SN ●●● Pink
- S2520SN ●●● Gray
- S2530SN ●●● Amber
- S2560SN ●●● Infinity Blue
- S2575SN ●●● Blue Mirror
- S2580SN ●●● I/O Mirror

Provoq® ANSI • CSA •



Soft nosepiece // Rubber temples // Custom imprinting available

Black Temples | 11 Variations

- S7210S ●● Clear
- S7210ST ●● Clear AF
- S7220S ●● Gray
- S7220ST ●● Gray AF
- S7230S ●● Amber
- S7255S ●● Multi-Color Mirror
- S7260S ●● Infinity Blue
- S7270S ●● Silver Mirror
- S7275S ●● Blue Mirror
- S7280S ●● I/O Mirror
- S7280ST ●● I/O Mirror AF




SP72

Pink Temples | 1 Variation

- SP7210ST ●● Clear AF



Intruder® ANSI • CE • CSA •



Integrated nosepiece // Lightweight frameless protection // Foam padding is available in select options // Custom imprinting available

Lens and Temples | 13 Variations

- S4110S ••• Clear
- S4110ST ••• Clear AF
- S4110STM ••• Clear H2MAX AF
- S4110SUC • Uncoated Clear
- S4120S ••• Gray
- S4120ST ••• Gray AF
- S4120STM ••• Gray H2MAX AF
- S4130S ••• Amber
- S4160S ••• Infinity Blue
- S4170S ••• Silver Mirror
- S4175S ••• Blue Mirror
- S4180S ••• I/O Mirror
- S4180ST ••• I/O Mirror AF

Foam Padded Frame | 3 Variations

- S4110STFP ••• Clear AF
- S4120STFP ••• Gray AF
- S4180STFP ••• I/O Mirror AF



i Intruder Readers on page 79.
Intruder retail packaged products on page 138.

Black Temples | 1 Variation

- SB4110S ••• Clear

Blue Temples | 1 Variation

- SN4110S ••• Clear

Red Temples | 1 Variation

- SR4110S ••• Clear

Mini Intruder ANSI •

Mini Intruder has all the great features of Intruder in a design better suited for smaller facial sizes

Lens and Temples | 5 Variations

- S4110SN ••• Clear
- S4110SNT ••• Clear AF
- S4120SN ••• Gray
- S4130SN ••• Amber
- S4180SN ••• I/O Mirror



i Mini Intruder is about 8% smaller than the Intruder.

Intruder and Mini Intruder Multi-Colors

ANSI • CE • CSA •

Sold in dozen quantity only // Comes with six assorted temple colors: red, blue, green, purple, orange and black // Multi-pack includes two of each temple color with clear lenses // Perfect for work areas where color coding is necessary // Custom imprinting available

Multi-Color Temples | 2 Variations

- S4110SMP ••• Clear (Intruder)
- S4110SNMP ••• Clear (Mini Intruder)



Achieva® ANSI •



Brow guard // Built-in rubber nosepiece // Unique rubber temple tips // Custom imprinting available



Gray Temples Tips | 3 Variations

- SG6510S ••• Clear
- SG6510ST ••• Clear H2X AF
- SG6520S ••• Gray

Pink Temples Tips | 1 Variation

- SP6510S ••• Clear

Atoka® ANSI • CSA •



Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit // Custom imprinting available



Lens and Temples | 8 Variations

- S9110S ••• Clear
- S9110ST ••• Clear H2X AF
- S9120S ••• Gray
- S9120ST ••• Gray H2X AF
- S9130S ••• Amber
- S9160S ••• Infinity Blue
- S9180S ••• I/O Mirror
- S9180ST ••• I/O Mirror AF

Alair® ANSI • CE •

Straight temples // Integrated nosepiece // Custom imprinting available



Lens and Temples | 7 Variations

- S3210S ••• Clear
- S3210ST ••• Clear H2X AF
- S3220S ••• Gray
- S3260S ••• Infinity Blue
- S3270S ••• Silver Mirror
- S3275S ••• Blue Mirror
- S3280S ••• I/O Mirror

Fastrac® ANSI •



Dielectric // Frame/lens combination provides maximum single lens protection // Custom imprinting available



Lens and Temples | 2 Variations

- S1410S ••• Clear
- S1420S ••• Gray

READERS

Emerge® Plus ANSI • CSA •



Rubber temple tips // Soft nosepiece provides comfort for extended use // Custom imprinting available



Full Readers Translucent Gray Frame | 7 Variations

- SG9810R15 ●● Clear +1.5 Mag
- SG9810R20 ●● Clear +2.0 Mag
- SG9810R25 ●● Clear +2.5 Mag
- SG9810R30 ●● Clear +3.0 Mag
- SG9820R15 ●● Gray +1.5 Mag
- SG9820R20 ●● Gray +2.0 Mag
- SG9820R25 ●● Gray +2.5 Mag



WATCH THE
EMERGE PLUS
VIDEO


Top Insert Readers Translucent Gray Frame | 2 Variations

- SG9810TR15 ●● Clear +1.5 Mag
- SG9810TR20 ●● Clear +2.0 Mag



i The top insert reader for the Emerge Plus is strategically placed for applications in which user is frequently looking up.

Emerge ANSI • CE • CSA •



Soft nosepiece provides comfort for extended use // Rx options accommodate an Rx lens to the maximum of +3 to -3 diopters // Available with a full reader +1.5 or +2.0 lens or as a prescription lens // Dual lens design with full eye protection // Plano, prescription, and full reader lens adaptable // Custom imprinting available

Black Frame | 3 Variations

- SB7910DRX ●●● Clear
- SB7910D15 ●● Clear +1.5 Mag
- SB7910D20 ●● Clear +2.0 Mag

Translucent Gray Frame | 3 Variations

- SG7910DRX ●●● Clear
- SG7910D15 ●● Clear +1.5 Mag
- SG7910D20 ●● Clear +2.0 Mag

i Frame must be presented to your optometrist in order to be fitted with prescription lenses.

See more Emerge options on page 109.



SG 79

Ever-Lite® Readers ANSI • CSA •



Soft nosepiece for snug fit // Slim co-injected temples // Lightweight spectacle – 22 gm // Custom imprinting available

Black Frame | 14 Variations

- SB8610R15 ●● Clear +1.5 Mag
- SB8610R15TM ●● Clear H2MAX AF +1.5 Mag
- SB8610R20 ●● Clear +2.0 Mag
- SB8610R20TM ●● Clear H2MAX AF +2.0 Mag
- SB8610R25 ●● Clear +2.5 Mag
- SB8610R25TM ●● Clear H2MAX AF +2.5 Mag
- SB8610R30 ●● Clear +3.0 Mag
- SB8610R30TM ●● Clear H2MAX AF +3.0 Mag
- SB8620R15 ●● Gray +1.5 Mag
- SB8620R15TM ●● Gray H2MAX AF +1.5 Mag
- SB8620R20 ●● Gray +2.0 Mag
- SB8620R20TM ●● Gray H2MAX AF +2.0 Mag
- SB8620R25 ●● Gray +2.5 Mag
- SB8620R25TM ●● Gray H2MAX AF +2.5 Mag

i See more Ever-Lite options on page 62.



Venture II® Readers ANSI • CE • CSA •



Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Custom imprinting available

Black Frame | 18 Variations


- SB1810R10 ●●● Clear +1.0 Mag
- SB1810R15 ●●● Clear +1.5 Mag
- SB1810R15T ●●● Clear H2X AF +1.5 Mag
- SB1810R20 ●●● Clear +2.0 Mag
- SB1810R20T ●●● Clear H2X AF +2.0 Mag
- SB1810R25 ●●● Clear +2.5 Mag
- SB1810R25T ●●● Clear H2X AF +2.5 Mag
- SB1810R30 ●●● Clear +3.0 Mag
- SB1820R15 ●● Gray +1.5 Mag
- SB1820R20 ●● Gray +2.0 Mag
- SB1820R25 ●● Gray +2.5 Mag
- SB1820R30 ●● Gray +3.0 Mag

- SB1830R15 ● Amber +1.5 Mag
- SB1830R20 ● Amber +2.0 Mag
- SB1830R25 ● Amber +2.5 Mag
- SB1880R15 ●● I/O Mirror +1.5 Mag
- SB1880R20 ●● I/O Mirror +2.0 Mag
- SB1880R25 ●● I/O Mirror +2.5 Mag

i See more Venture II options on page 64.



PMXTREME® Readers ANSI •



Built-in rubber nosepiece // Ventilated flexible temples with rubber temple tips // Includes black lanyard cord // Custom imprinting available

Black Frame with Cord | 3 Variations

- SB6310SPR15 • Clear +1.5 Mag
- SB6310SPR20 • Clear +2.0 Mag
- SB6310SPR25 • Clear +2.5 Mag

i See more PMXTREME options on page 66.



PMXTREME LED Readers ANSI •



Super bright swiveling LED bulbs (three lumens per side) allow you to see in dark places while keeping your hands free // Built-in rubber nosepiece and rubber temple tips // The alkaline batteries provide up to 50 hours of use before replacing. Three L44 alkaline batteries per temple (six total) are included // Easy to use push button on/off switches are located at the top of each temple


Black Frame | 3 Variations

- SB6310STPLEDR15 • Clear AF +1.5 Mag
- SB6310STPLEDR20 • Clear AF +2.0 Mag
- SB6310STPLEDR25 • Clear AF +2.5 Mag

i Replacement batteries are not available.
See more PMXTREME LED options on page 66.



Ztek® Readers ANSI • CE • CSA •



Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit // Custom imprinting available

Lens and Temples | 8 Variations

- S2510R15 • Clear +1.5 Mag
- S2510R20 • Clear +2.0 Mag
- S2510R25 • Clear +2.5 Mag
- S2514R15 • 1.5 IR Filter +1.5 Mag
- S2514R20 • 1.5 IR Filter +2.0 Mag
- S2520R15 • Gray +1.5 Mag
- S2520R20 • Gray +2.0 Mag
- S2520R25 • Gray +2.5 Mag

i See more Ztek options on page 73.

S2514R is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.



Intruder® Readers ANSI •



Integrated nosepiece // Lightweight frameless protection // Custom imprinting available

Lens and Temples | 3 Variations

- S4110R15 • Clear +1.5 Mag
- S4110R20 • Clear +2.0 Mag
- S4110R25 • Clear +2.5 Mag

i See more Intruder options on page 74.



V2G® Readers ANSI • CSA •



Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer // Custom imprinting available


Black Frame | 3 Variations

- GB1810STR15 • Clear H2X AF +1.5 Mag
- GB1810STR20 • Clear H2X AF +2.0 Mag
- GB1810STR25 • Clear H2X AF +2.5 Mag

i See more V2G options on page 56.



XSG® Readers ANSI • CSA •



Flame resistant foam padding // Strap has quick-fit retainer // Interchangeable temples and strap included // Custom imprinting available

Black Frame | 3 Variations

- GB4010STR15 • Clear H2X AF +1.5 Mag
- GB4010STR20 • Clear H2X AF +2.0 Mag
- GB4010STR25 • Clear H2X AF +2.5 Mag

i See more XSG options on page 55.



OVER THE SPECTACLE

OTS® and OTS XL ANSI • CE • CSA •



Fits over most prescription glasses // Lightweight nylon temples adjust for length and pitch // Custom imprinting available



OTS Black Temples | 7 Variations

- S3510SJ ••• Clear
- S3510STJ ••• Clear H2X AF
- S3520SJ ••• Gray
- S3530SJ •• Amber
- S3550SFJ • 5.0 IR Filter
- S3560SFJ • 3.0 IR Filter
- S3580SJ ••• I/O Mirror

OTS XL Black Temples | 4 Variations

- S7510SJ ••• Clear
- S7510STJ ••• Clear H2X AF
- S7520SJ ••• Gray
- S7580SJ ••• I/O Mirror

i OTS XL is about 9% larger than the OTS. OTS fits over frames up to 137mm x 44mm. OTS XL fits over frames up to 151mm x 49mm.



Solo® ANSI • CE • CSA •

Temples are vented to reduce fogging // Custom imprinting available

Lens and Temples | 4 Variations

- S510S ••• Clear
- S510SD •• Clear Dispenser pack – 12 per box
- S510SJ • Clear Jumbo
- S520S • Gray

i Only S510SJ is designed to be used over prescription spectacles.

Defiant® ANSI • CE •

Tilt type adjustment allows optimum visibility // Temples adjust to four settings // Custom imprinting available



Black Temples | 2 Variations

- SB1010S • Clear
- SB1010SJ •• Clear Jumbo

i Only SB1010SJ is designed to be used over prescription spectacles.

Cappture™ ANSI • CE • CSA •



Dielectric // Fits over most prescription glasses // Temples extend from browbar to avoid interference with prescription frame's temples // Custom imprinting available

Lens and Temples | 6 Variations

- S9910ST ••• Clear H2X AF
- S9910STM ••• Clear H2MAX AF
- S9920ST ••• Gray H2X AF
- S9920STM ••• Gray H2MAX AF
- S9930ST •• Amber H2X AF
- S9960ST •• Infinity Blue H2X AF

i Cappture retail packaged products on page 138.



WATCH THE CAPPTURE + CAPPTURE PLUS VIDEO

Cappture Plus ANSI • CE • CSA •



Dielectric // Fits over most prescription glasses // Flexible rubber gasket // Temples extend from browbar to avoid interference with prescription frame's temples // Custom imprinting available

Rubber Gasket with Temples | 2 Variations

- S9910STM RG ••• Clear H2MAX AF
- S9920STM RG ••• Gray H2MAX AF



Cappture Pro ANSI • CE • CSA •



Dielectric // Fits over most prescription glasses // Flexible rubber gasket // Full strap with quick release // Passes D3: Droplet and Splash Test // Passes D4: Dust Test


Rubber Gasket with Strap | 2 Variations

- GG9910TM ••• Clear H2MAX AF
- GG9920TM ••• Gray H2MAX AF



GOGGLES

Capstone® Shield ANSI • CE • CSA • Ballistic •



Fully adjustable elastic band // Fits over most prescription glasses // Lens is coated to prevent fogging // GG504TSHIELD goggle has a dual pane lens // Soft vinyl goggle body conforms to facial contours // Goggles pass D3: Droplet and Splash Test // Goggles pass D4: Dust Test // Some goggles options pass Ballistic MIL-PRF-32432 High Velocity Impact standards // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Goggle combined with removable shield provides full face protection // Four ventilation holes provide airflow // Ratchet shield allows user to open or close in three positions for adjustment // Polycarbonate shield conforms to the face offering increased impact and dust protection

Lens and Shield | 5 Variations

- GG504TSHIELD •••• Clear H2X AF
- GG504TSHIELD •• Clear Dual Pane H2X AF
- GG504TSHIELDIR3 ••• 3.0 IR Filter H2X AF
- GG504TSHIELDIR5 ••• 5.0 IR Filter H2X AF
- GG524TSHIELD •••• Gray H2X AF

i Fits over most prescription glasses.

Only the goggles for GG504TSHIELDIR3 and GG504TSHIELDIR5 contain IR dye. Due to the nature of the vented holes, the shield is green tinted and does not contain the IR resin.



Capstone Face Shield and Strap

CAPSHIELD

Ratcheting shield includes strap and clips allowing the user to add to either of the Capstone 500 Series goggles // Sold as a replacement shield for GG504TSHIELD and GG504DTSHIELD




Disposable Capstone Shield Visors

VPACK6

Pack of 6 clear disposable, tear-off visors, suitable for high dust or muddy working environments

Capstone® Dual Lens ANSI • CE • CSA • Ballistic •



Fully adjustable elastic strap // Fits over most prescription glasses // Outer polycarbonate lens protects against the environment while an inner acetate lens prevents fogging // Soft vinyl goggle body conforms to facial contours // Provides protection against dust and chemical splash // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards


Gray Body with Quick Release Strap | 1 Variation

- GG504DT •••• Clear Dual Pane H2X AF

i Fits over most prescription glasses.



Capstone 500 ANSI • CE • CSA • Ballistic •



Fits over most prescription glasses // Soft vinyl goggle body conforms to facial contours // Goggle provides protection against dust and chemical splash // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Some options passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Gray Body with Quick Release Strap | 4 Variations

- GG504T •••• Clear H2X AF
- GG504TM •••• Clear H2MAX AF
- GG504TIR3 ••• 3.0 IR Filter H2X AF
- GG504TIR5 ••• 5.0 IR Filter H2X AF

Chemical Green Body with Neoprene Strap | 1 Variation


- GC504TN •••• Clear H2X AF

i Fits over most prescription glasses.



GC504TN

Capstone® 600 ANSI • CE • CSA • Ballistic •



Fits over most prescription glasses // Indirect ventilation system prevents fogging // Includes interchangeable cloth and neoprene straps // Co-material goggle provides superior protection against dust entry and chemical splash // Thermoplastic (TPE) body with universal nose bridge is flexible and contours to the user's face // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards


Gray Body with Adjustable Strap | 1 Variation

● G604T2 ●●●● Clear H2X AF

i Fits over most prescription glasses.



V2G-Plus® ANSI • CE • CSA • Ballistic •



Includes a wide adjustable elastic strap with quick release system for secure fit // TPU frame features excellent resistance to cold and heat // Thermo lens system provides excellent resistance to fog caused by temperature differences in your environment // Special indirect ventilation system located at the top and bottom of frame allows airflow and heat release // Multi-functional goggle with 180° vision protects against chemical splash, sun glare, dust, flying particles, and wind // Outer polycarbonate lens protects against the environment while an inner acetate lens prevents fogging // Inner lens is separated by a thin spacer of air and sealed together with foam // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Passes D3: Droplet and Splash Test // Custom imprinting available

Black Body with Strap | 2 Variations

● GB6410SDT ●●●● Clear Dual Pane H2X AF
● GB6420SDT ●●●● Gray Dual Pane H2X AF

V2G-Plus Rx Insert


RX6400

Accommodates -3.0 to +3.0 prescription lenses // Securely snaps into place above nosepiece // Includes micro-fiber storage case // Take insert to local optometrist for Rx lens installation



Top Shelf Chemical Splash Goggle

ANSI • CE • CSA •



Special one-way vent allows air in while keeping liquids out // Generously sized heavy duty body and lens // Fits over prescription spectacles // Tinted body helps reduce glare // G304TN comes with a neoprene strap // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

Tinted Body with Black Strap | 2 Variations

● G304 ●●●● Clear
● G304T ●●●● Clear H2X AF

Tinted Body with Neoprene Strap | 1 Variation


● G304TN ●●●● Clear H2X AF

i Fits over most prescription glasses.



Top Shelf Chemical Splash Goggle with Foam Padding

ANSI • CSA •



Special one-way vent allows air to enter while keeping liquids out // Breakaway headband provides added protection and features quick-fit retainer // Fits over prescription spectacles // Tinted body helps reduce glare // Generously sized heavy duty body and lens with foam padding for comfort // Passes D3: Droplet and Splash Test // Passes D4: Dust Test


Tinted Body with Black Strap | 1 Variation

● G404T ●●●● Clear H2X AF

i Fits over most prescription glasses.

Low-Profile Chemical Splash Goggle

ANSI • CE •



Low-profile, modern sport design with anti-glare frame // Direct ventilation // Adjustable elastic band and soft PVC frame // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

Gray Body with Black Strap | 2 Variations

● G704T ●●●● Clear AF
● G724T ●●●● Gray AF



ACCESSORIES



Wire Mesh Goggle ANSI Z87.1

Single wire mesh lens with PVC frame // Ideal for: forestry, landscaping, and agriculture applications // For work environments with extreme heat and high humidity where impact protection is required // Low-profile design with wide elastic strap provides secure fit // Soft rubber gasket seals out unwanted particles and is comfortable for all day wear // Meets ANSI Z87.1 requirements for screen lenses

Black Body with Adjustable Strap | 1 Variation

- G9WMG Black Wire Mesh



Ventless Goggle ANSI •

Goggle provides protection against vapors // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes D5: Fine Dust Test



Clear Body with Black Strap | 1 Variation

- G200T Clear H2XAF



Perforated Goggle ANSI •

Goggle provides excellent ventilation

Clear Body with Black Strap | 2 Variations

- G201 Clear
- G201T Clear AF

i Perforated Goggle retail packaged product on page 138.



Chemical Splash Goggle ANSI •

Vent caps restrict influx of liquids

Clear Body with Black Strap | 2 Variations

- G204 Clear
- G204T Clear AF



Chemical Splash Goggle ANSI • CE •

Thick goggle body // Vent caps restrict influx of liquids // Passes D3: Droplet and Splash Test




Clear Body with Black Strap | 2 Variations

- G205 Clear
- G205T Clear AF

i Chemical Splash Goggle retail packaged product on page 139.



CLIPCORDS Clip-On Cord



CORDS Lanyard Loop



CORDS1A Cotton Cord



CORDS7A Cord with Rubber Tips



CORDS8A Breakaway Cord



CORDS9A Bungee Cord



NEOCORD Neoprene Breakaway Cord



NEO1 Neoprene Cord



CA200B Zippered Case



CA500B Hard Case



NEOCASE Neoprene Case



PYRBAGS Cloth Drawstring Spectacle Bag (6.25" x 3.75")



PYRBAGSU Suede Drawstring Spectacle Bag (6.25" x 3.75")



CLEANCLOTH Nylon Microfiber Cleaning Cloth



IDBADGE Identification Badge Lanyard



SS100 Pliable Slip on Side Shields

Meets ANSI Z87.1 High Impact Requirements Only

i Products shown with cases are sold separately.



CRA003 60 Individually Packaged Fog Buster™ Towelettes

i 2 step process with applicator towelette and buffing towelette.



GALSOL 1 Gallon of Lens Cleaning Solution



HCW100 100 Individually Packaged 5" x 8" Alcohol Free Hygienic Wipes
HCW100A 100 Individually Packaged 5" x 8" Alcohol Hygienic Wipes
HCW100XL 100 Individually Packaged 8" x 11" Alcohol Free Hygienic Wipes

i Safe and effective for cleaning respirators, hard hat suspensions and other personal protective equipment, but not to be used on disposable particulate respirators.



LCC100 Canister with 100 Lens Cleaning Wet Tissues



LCS10 8 oz. Lens Cleaning Station with 600 Tissues



LCS20 16 oz. Lens Cleaning Station with 1,200 Tissues



LCT100 100 Individually Packaged 5x8 Cleaning Towelettes

i Packaging for cleaning products may vary. Products shown with displays are sold separately.

LT300 Refill Tissues for LCS10 and LCS20
LT760 760 Pack of 5x8 Cleaning Tissues

LCSB16 16 oz. Cleaning Solution Replacement Bottle with Pump

LCTBULK 100 Individually Packaged 5x8 Cleaning Towelettes in a bag



DIS5BL Stationary Display - holds up to 5 units



DIS9TR Stationary Display - holds up to 9 units



DIS10 Stationary Display - holds up to 10 units



DISPLAY Rotating Display - holds up to 36 units



EYEWEAR

2013

The Ridgeline® was born out of our desire to create a uniquely lightweight hard hat. The patented ridge and light ABS material help to make this hard hat distinguishable from the rest.



ACCESSORIES 99

ADAPTERS 99 – 100

BASEBALL BUMP CAPS 98

FACE SHIELDS 100 – 101

HEADGEAR 101

KITS 102


RIDGELINE® 94 – 96

RIDGELINE XR7® 92 – 93

SL SERIES 97 – 98

HEADGEAR

BE HARD HEADED



Since OSHA made the wearing of hard hats mandatory in the 1970s, worker deaths decreased by 65% over 46 years.

Source: Occupational Health & Safety

CERTIFICATIONS

Use the dots (•••) next to each part number to reference which options meet what standards and certifications.

ANSI Z89.1 (hard hats) | ANSI Z87.1 (brackets and face shields) | ANSI Z87.1+ (polycarbonate face shields) ●

CE EN 397:2012 + A1:2012 | CE EN 12492:2012 | CE EN 50365:2002 | UKCA ●

• Cert. Mod. - CAN/CSA Z94.1-20 ●

ANSI/ISEA Z89.1 & CAN/CSA Z94.1

Type 1 – Top Impact

ANSI: Type 1 hard hats are designed to reduce the force of impact on top of the head. CSA: Type 1 hard hats provide impact and penetration protection for the crown only.

Class E – Electrical High-Voltage / Non-Conducting

Class E hard hats are intended to protect against falling objects and reduce the risk of exposure to high-voltage electrical shocks and burns. Class E offers the highest protection with high-voltage shock and burn protection up to 20,000 volts.

Class G – General Limited Voltage / Non-Conducting

Class G hard hats are intended to protect against falling objects and reduce the risk of exposure to low voltage electrical conductors. Class G offers impact and penetration resistance and protection from up to 2,200 volts.

Class C – Conductive

Class C hard hats are not intended to protect against electrical danger. Class C offers lightweight comfort and impact protection.

CE EN 397:2012 + A1:2012

EN 397 certifies that safety helmets are designed to offer protection from lateral impact or top impact. All helmets certified according to EN 397 must meet these requirements: shock absorption – vertical, penetration resistance, flame resistance, chin strap attachment: chin strap releases at minimum 150 N and maximum 250 N.


CE EN 12492:2012

EN 12492 certifies safety helmets for mountaineers. Ridgeline XR7 meets Shock Absorption (Clause 4.2.1.1-Vertical; 4.2.1.2-Front; 4.2.1.3-Side; 4.2.1.4-Rear) and Penetration (Clause 4.2.2) only.

CE EN 50365:2002

EN 50365 certifies insulated helmets for use on low voltage installations. It exceeds the basic electrical requirements of EN 397 by protecting up to 10,000 volts.

Ridgeline XR7® Accessories



Ridgeline XR7®

ABS + PC material blend offers superior strength and heat resistance // Interior crown foam // 6-point ratchet suspension with swinging hinge points // Suspension can adjust for height and angle // Easy to grasp knob adjusts the suspension from 6½ to 8 head size // Soft breakaway 4-point chin strap // Packaging includes reflective decals // Universal accessory slots // Custom imprinting available

6-Point Ratchet | 7 Variations

- HP76110 White
- HP76113 Slate Gray
- HP76116 White Graphite Pattern
- HP76117 Black Graphite Pattern
- HP76130 Yellow
- HP76131 Hi-vis Lime
- HP76160 Blue



WATCH THE
RIDGELINE XR7
VIDEO

Ridgeline XR7 safety helmets meet the following standards: ANSI Z89.1-2014 Type 1, Class E / CE EN 397:2012 +A1:2012 / EN 12492 Shock Absorption [Clause 4.2.1.1-Vertical; 4.2.1.2-Front; 4.2.1.3-Side; 4.2.1.4-Rear] and Penetration [Clause 4.2.2] / EN 50365 Electrical Insulation.



Ridgeline XR7 Lens Accessories

- XR710STM Clear H2MAX AF
- XR720STM Gray H2MAX AF

i Shown with Ridgeline XR7 – sold separately



Shown with CM6010



Shown with HHABCMR and S1110

Ridgeline XR7 is compatible with cap mounted muffs (CM6010) and all Pyramex face shields using the Ridgeline Adapter (HHABCMR)— each sold separately.



HPR761
6-point Ratchet
Replacement Suspension



XR7CSTRAP
4-point Replacement
Chin Strap



i Reflective decals are included.



XR7DIS
Ridgeline XR7 Display - holds 20 units
[Products shown with displays are sold separately]



HARD HATS



WATCH THE
RIDGELINE
VIDEO

Ridgeline® Cap Style

ANSI • CSA • (with clip only)

ABS material // Low-profile design // Available with 4- and 6-point ratchet suspensions // Swinging hinge points // 4-position harness points // Easy to grasp knob adjusts the suspension from 6½ to 8 head size // Rear padded suspension // Vented pressure pad // Universal accessory slots // Passes reverse orientation, high temperature (HT) and low temperature (LT) // Non-vented options meet Class E, G, and C // Vented options meet Class C // Hi-vis colors have been tested for the HV mark // Custom imprinting available



Non-vented

Vented

4-Point Ratchet | 15 Variations

- HP44110 • White
- HP44110C • White (CSA with clip only)
- HP44112 • Gray
- HP44113 • Slate Gray
- HP44120 • Red
- HP44130 • Yellow
- HP44130C • Yellow (CSA with clip only)
- HP44131 • Hi-vis Lime
- HP44131C • Hi-vis Lime (CSA with clip only)
- HP44135 • Green
- HP44141 • Hi-vis Orange
- HP44160 • Blue
- HP44162 • Light Blue
- HP44165C • Dark Blue (CSA with clip only)
- HP44170 • Pink

Vented 4-Point Ratchet | 7 Variations

- HP44110V • White
- HP44112V • Gray
- HP44120V • Red
- HP44130V • Yellow
- HP44131V • Hi-vis Lime
- HP44141V • Hi-vis Orange
- HP44160V • Blue



HPR441
Cap Style 4-point Ratchet
Replacement Suspension



HPR461
Cap Style 6-point Ratchet
Replacement Suspension

6-Point Ratchet | 7 Variations

- HP46110 • White
- HP46120 • Red
- HP46130 • Yellow
- HP46131 • Hi-vis Lime
- HP46135 • Green
- HP46141 • Hi-vis Orange
- HP46160 • Blue



HP44110C | HP44130C | HP44131C | HP44165C
Ridgeline Cap Style with side clips to meet CSA standards.

Ridgeline Accessories

Accessories can be used with Ridgeline Cap Style and Full Brim hard hats. HPRG11 and Ridgeline Lens Accessories are shown with Ridgeline hard hats – sold separately.



Ridgeline Lens Accessories
RIDGE10STM Clear H2MAX AF
RIDGE20STM Gray H2MAX AF



RidgeGuard™
HPRG11
Mouth Guard Protector



HPRBANDR
Ridgeline Sweat Band



Non-vented

Vented

Ridgeline Full Brim ANSI • CSA •

ABS material // 4-point and 6-point ratchet suspension // 4-point ratchet suspension may be converted to 6-point ratchet suspension with optional strap (HP6PTSUS) // Easy to grasp knob adjusts the suspension from 6½ to 8 head size // Vented options have universal accessory slots // Passes high temperature (HT) and low temperature (LT) // Non-vented options meet Class E, G, and C // Vented options meet Class C // Hi-vis colors have been tested for the HV mark // Custom imprinting available



WATCH THE
RIDGELINE
VIDEO

4-Point Ratchet | 11 Variations

- HP54110 • White
- HP54111 • Black
- HP54112 • Gray
- HP54113 • Slate Gray
- HP54120 • Red
- HP54130 • Yellow
- HP54131 • Hi-vis Lime
- HP54135 • Green
- HP54141 • Hi-vis Orange
- HP54160 • Blue
- HP54170 • Pink

Vented 4-Point Ratchet | 7 Variations

- HP54110V • White
- HP54111V • Black
- HP54113V • Slate Gray
- HP54130V • Yellow
- HP54131V • Hi-vis Lime
- HP54141V • Hi-vis Orange
- HP54160V • Blue

6-Point Ratchet | 5 Variations

- HP56110 • White
- HP56120 • Red
- HP56130 • Yellow
- HP56135 • Green
- HP56160 • Blue



HP6PTSUS
6-point Ratchet
Replacement
Suspension Strap



HPR541
Full Brim 4-point Ratchet
Replacement Suspension

Ridgeline Bump Caps NON-RATED

Polyethylene material // For applications where hard hats are not required, but some protection from minor bumps and scalp lacerations are needed // Available with 4-point glide lock suspension // Ventilation holes // Replaceable sweat band // Not designed to meet the safety standards for industrial head protection // Custom imprinting available

4-Point Glide Lock | 10 Variations

- HP40010 • White
- HP40011 • Black
- HP40012 • Gray
- HP40015 • Brown
- HP40020 • Red
- HP40030 • Yellow
- HP40031 • Hi-vis Lime
- HP40035 • Green
- HP40041 • Hi-vis Orange
- HP40060 • Blue



HP400
Bump Cap Replacement
Suspension



BPRBAND
Bump Cap Sweat Band



Matte White Graphite Pattern



Shiny White Graphite Pattern



Matte Black Graphite Pattern



Shiny Black Graphite Pattern



Matte Copper Graphite Pattern



Matte Realtree AP® Camo Pattern



Matte Red Graphite Pattern



Matte Blue Graphite Pattern

Ridgeline® Hydro Dipped ANSI • CSA •

Cap Style 4-Point Ratchet | 11 Variations

- HP44116 • Matte White Graphite Pattern
- HP44116C • Matte White Graphite Pattern (CSA with clip only)
- HP44116S • Shiny White Graphite Pattern
- HP44117 • Matte Black Graphite Pattern
- HP44117C • Matte Black Graphite Pattern (CSA with clip only)
- HP44117S • Shiny Black Graphite Pattern
- HP44118 • Matte Copper Graphite Pattern
- HP44119 • Matte Realtree AP Camo Pattern
- HP44121 • Matte Red Graphite Pattern
- HP44122 • Matte Blue Graphite Pattern
- HP44MIX • HP44116 (4), HP44117 (4), HP44118 (4) + HP44119 (4)

Cap Style Vented 4-Point Ratchet | 2 Variations

- HP44116SV • Shiny White Graphite Pattern
- HP44117V • Matte Black Graphite Pattern

i HP44116C | HP44117C
Ridgeline Cap Style with side clips to meet CSA standards.

Full Brim 4-Point Ratchet | 10 Variations

- HP54116 • Matte White Graphite Pattern
- HP54116S • Shiny White Graphite Pattern
- HP54117 • Matte Black Graphite Pattern
- HP54117S • Shiny Black Graphite Pattern
- HP54118 • Matte Copper Graphite Pattern
- HP54119 • Matte Realtree AP Camo Pattern
- HP54121 • Matte Red Graphite Pattern
- HP54122 • Matte Blue Graphite Pattern
- HP54123 • Matte Silver Graphite Pattern
- HP54MIX • HP54116 (3), HP54117 (3), HP54118 (3) + HP54119 (3)

Full Brim Vented 4-Point Ratchet | 1 Variation

- HP54117V • Matte Black Graphite Pattern



Matte Silver Graphite Pattern

SL Series Cap Style ANSI • CSA •

Low-profile design // High density polyethylene materials // Rain trough // Universal accessory slots // Available with 4- and 6-point nylon suspensions – snap lock and ratchet styles // Suspensions adjust from 6½ to 8 head size // Passes for reverse orientation and low temperature (LT) // Meets Class E, G, and C // Hi-vis colors have been tested for the HV mark // Custom imprinting available



4-Point Ratchet | 13 Variations

- HP14110 • White
- HP14111 • Black
- HP14112 • Gray
- HP14120 • Red
- HP14130 • Yellow
- HP14131 • Hi-vis Lime
- HP14135 • Green
- HP14140 • Orange
- HP14141 • Hi-vis Orange
- HP14160 • Blue
- HP14162 • Light Blue
- HP14165 • Dark Blue
- HP14170 • Pink

6-Point Ratchet | 7 Variations

- HP16110 • White
- HP16120 • Red
- HP16130 • Yellow
- HP16135 • Green
- HP16140 • Orange
- HP16141 • Hi-vis Orange
- HP16160 • Blue

4-Point Snap Lock | 8 Variations

- HP14010 • White
- HP14020 • Red
- HP14030 • Yellow
- HP14031 • Hi-vis Lime
- HP14035 • Green
- HP14040 • Orange
- HP14060 • Blue
- HP14062 • Light Blue

6-Point Snap Lock | 6 Variations

- HP16010 • White
- HP16020 • Red
- HP16030 • Yellow
- HP16035 • Green
- HP16040 • Orange
- HP16060 • Blue

SL Series Full Brim ANSI • CSA •

High density polyethylene materials // Available with 4- and 6-point ratchet suspensions // Suspensions adjust from 6½ to 8 head size // Passes low temperature (LT) // Meets Class E, G, and C // Hi-vis colors have been tested for the HV mark // Custom imprinting available



4-Point Ratchet | 10 Variations

- HP24110 • White
- HP24111 • Black
- HP24120 • Red
- HP24130 • Yellow
- HP24131 • Hi-vis Lime
- HP24135 • Green
- HP24140 • Orange
- HP24141 • Hi-vis Orange
- HP24160 • Blue
- HP24162 • Light Blue

6-Point Ratchet | 6 Variations

- HP26110 • White
- HP26120 • Red
- HP26130 • Yellow
- HP26135 • Green
- HP26140 • Orange
- HP26160 • Blue

ACCESSORIES


SL Series Sleek Shell ANSI •

Seamless low-profile design // Polyethylene materials // 4-point ratchet suspension adjusts from 6⁵/₈ to 7³/₄ head size // Ideal for linemen // Options meet Class E, G, and C // Custom imprinting available

- | | |
|--|--|
| Cap Style
4-Point Ratchet 2 Variations | Full Brim
4-Point Ratchet 2 Variations |
| ● HPS14110 • White | ● HPS24110 • White |
| ● HPS14112 • Gray | ● HPS24112 • Gray |



SL Series Accessories



- | | | | | | | |
|---|---|---|---|--|-------------------------------|---|
| HP141
Cap Style
4-point Ratchet
Replacement
Suspension | HP161
Cap Style
6-point Ratchet
Replacement
Suspension | HP241
Full Brim
4-point Ratchet
Replacement
Suspension | HP261
Full Brim
6-point Ratchet
Replacement
Suspension | HPSSUS
Sleek Shell
4-point Ratchet
Replacement
Suspension | HPCSTRAP
Chin Strap | HPTRBANBL
Universal Hard Hat Blue
Terry Cloth Sweat Band |
| HPTRBAN
Universal Hard Hat Gray
Terry Cloth Sweat Band | HHBAND
SL Series Cap Style and Full Brim
Hard Hat Sweat Band | HPTBL100
Universal Hard Hat Blue
Terry Cloth Sweat Band
(100 bulk pack) | | | | |

Baseball Bump Caps NON-RATED

Bump cap and baseball cap in one // Soft inner foam cushion // Adjustable size // ABS removable shell // Outer cap is fully washable // Ventilation holes // Ideal for meter readers, food processors, and other industries that don't require full hard hat protection // Not designed to meet the safety standards for industrial head protection // Custom imprinting available

- 4 Variations**
- | | |
|-----------|---------------|
| ● HP50011 | Black |
| ● HP50031 | Hi-vis Lime |
| ● HP50041 | Hi-vis Orange |
| ● HP50065 | Navy |
- HP500REP
Replacement Insert



Reflective Hard Hat Stickers NON-RATED

Microprismatic vinyl stickers increase visibility // Self-adhesive back with a peel-off liner // 16 stickers per sheet // Shown with Ridgeline hard hat – sold separately

- 3 Variations**
- | | |
|----------|---------------|
| ● HVRSLM | Hi-vis Lime |
| ● HVRSOR | Hi-vis Orange |
| ● HVRSWH | White |



Hard Hat ID Sticker NON-RATED

Sticker stores medical info and emergency contacts // Fixes securely to hard hat // Tamper-proof seal // 3M Scotchlite™ reflective material // Weather resistant

- 1 Variation**
- HPID ID Sticker



Hard Hat Clips

NON-RATED
Keeps hard hat handy by clipping to your belt loop, tool belt or d-ring // Dielectric

- 2 Variations**
- | | |
|----------|-------|
| ● HHC100 | Black |
| ● HHC120 | Lime |

ADAPTERS



Ridgeline® Cap Style Adapter

ANSI •
Fits Ridgeline cap style hard hats and accommodates a variety of face shields // Dielectric // Hard hat adapters fit into slots of cap style hard hats // Use with cap mounted earmuff [CM6010] // Adjustable while using cap mounted earmuff // Shown with Ridgeline hard hat and CM6010 earmuff – sold separately

- HHABCMR



SL Series Cap Style Adapter

ANSI •
Fits SL Series cap style hard hats and accommodates a variety of face shields // Dielectric // Hard hat adapters fit into slots of cap style hard hats // Use with cap mounted earmuff [CM6010] // Adjustable while using cap mounted earmuff // Shown with SL Series hard hat and CM6010 earmuff – sold separately

- HHABCMS

ADAPTERS & FACE SHIELDS



Aluminum Cap Style Adapter

ANSI •
Lightweight aluminum // Fits most cap style hard hats
HHAA •



Deluxe Aluminum Cap Style Adapter

ANSI •
Lightweight aluminum // Designed to fit more rounded cap style hard hats // Accommodates a variety of face shields – does not fit S1060
HHAAD •



Aluminum Full Brim Adapter

ANSI •
Lightweight aluminum // Fits most full brim hard hats
HHAAW •



Cap Style Adapter

ANSI •
Durable nylon with plastic coated tension spring // Fits most cap style hard hats
HHAB •



Dielectric Cap Style Adapter

ANSI •
Dielectric // Nylon material // Fits most cap style hard hats
HHAN •



Dielectric Full Brim Adapter

ANSI •
Dielectric // High impact resistant ABS resin // Fits most full brim hard hats
HHABW •



Polyethylene Face Shield

ANSI •
Meets ANSI Z87.1 // 8" x 15.5" // .040" thick
S1010 •



Aluminum Bound Polyethylene Face Shield

ANSI •
Meets ANSI Z87.1 // 9" x 15.5" // .040" thick // Aluminum bound allows shield to bend into preferred shape
S1015 •



Dark Green Tinted Polyethylene Face Shield

ANSI •
Meets ANSI Z87.1 // 8" x 15.5" // .040" thick // Not IR resin – use for heat and glare
S1035 •



Polycarbonate Face Shield

ANSI •
Meets ANSI Z87.1+ // 8" x 15.5" // .040" thick // Provides 99% UVA/B/C protection
S1020 •



Aluminum Bound Polycarbonate Face Shield

ANSI •
Meets ANSI Z87.1+ // 8" x 15.5" // .040" thick // Aluminum bound allows shield to bend into preferred shape // Provides 99% UVA/B/C protection
S1040 •



Tapered Polycarbonate Face Shield

ANSI •
Meets ANSI Z87.1+ // 8" x 15" // .078" thick // Provides 99% UVA/B/C protection
S1110 •



Cylinder Polycarbonate Face Shield

ANSI •
Meets ANSI Z87.1+ // 8" x 15.5" // .078" thick // Provides 99% UVA/B/C protection
S1210 •



Tapered IR5 Polycarbonate Face Shield

ANSI •
Meets ANSI Z87.1+ // 8" x 15.5" // .078" thick // Provides 99% UVA/B/C protection
S1150 •



Cylinder IR5 Polycarbonate Face Shield

ANSI •
Meets ANSI Z87.1+ // 8" x 15.5" // .078" thick // Provides 99% UVA/B/C protection
S1250 •



Steel Wire Mesh Face Shield

ANSI •
Meets ANSI Z87.1 requirements for screen window // 8" x 15.5" // Provides good airflow for comfort // Does not accommodate the HHAAD hard hat adapter
S1060 •



Cylinder Polycarbonate Face Shield with slots for Chin Cup

ANSI •
Meets ANSI Z87.1+ // 8" x 15.5" // .078" thick // Provides 99% UVA/B/C protection // Accessory slots on bottom accommodate CHICUP – sold separately
S1210CC •



Chin Protector for S1210CC

NON-RATED
8.46" x 2.74" // 0.09" thick // Accommodates S1210CC – sold separately

CHICUP



Ridgeline® Ratchet Headgear

ANSI •
Meets ANSI Z87.1+ // Constructed from durable nylon // Ratchet adjustment for easy fit // Pivoting action allows user to lift face shield while wearing // Adjustable pegs will accommodate a wide variety of face shields

HGBR •



Face Shield & Ridgeline Ratchet Headgear Combo

ANSI •
Aluminum Bound Polycarbonate Face Shield with Ridgeline® Ratchet Headgear in a packaged combo kit // See page 101 for HGBR features // See page 100 for S1040 features

HGBRKITCS •



S1000 Series NOT RATED FOR HIGH IMPACT



DROPLET AND SPLASH TEST

Medical shield // Single user only // Foam headband // Adjustable head strap holds face shield in place // Can be worn over prescription eyewear and face masks // Replacement face shields available // Meets ANSI Z87.1-2020 face shield base model general requirements // Passes ANSI D3: droplet and splash test

S1000 1 headband with 5 shields
S1000R 20 replacement shields

i All face shields are shown with HGBR - sold separately.

Face Shields with universal slots will accommodate a wide variety of adapters and headgear. Face shields offer secondary protection and must be worn with spectacles or goggles.

HGBRKITCS retail packaged product on page 139.

i Adapters accommodate a variety of face shields. S1040 retail packaged product on page 139.

KITS



New Hire Kits

Intruder® – S4110S clear lens or S4120S gray lens // RVZ2110 lime or orange RVZ2120 Type R Class 2 vest // SL Series hard hat – HP14010 white cap style with 4-point snap lock suspension or HP24110 white full brim 4-point ratchet suspension // DP1001 disposable corded earplugs – NRR 31dB SNR 37dB // GL401L polyurethane gloves – 13 gauge nylon liner

SL Series Cap Style | 11 Variations

	NHCM	HP14010 - S4110S - DP1001 - RVZ2110M - GL401L
	NHCL	HP14010 - S4110S - DP1001 - RVZ2110L - GL401L
	NHCXL	HP14010 - S4110S - DP1001 - RVZ2110XL - GL401L
	NHCX2	HP14010 - S4110S - DP1001 - RVZ2110X2 - GL401L
	NHGL	HP14010 - S4120S - DP1001 - RVZ2110L - GL401L
	NHGXL	HP14010 - S4120S - DP1001 - RVZ2110XL - GL401L
	NHGX2	HP14010 - S4120S - DP1001 - RVZ2110X2 - GL401L
	NHCORM	HP14010 - S4110S - DP1001 - RVZ2120M - GL401L
	NHCORL	HP14010 - S4110S - DP1001 - RVZ2120L - GL401L
	NHCORXL	HP14010 - S4110S - DP1001 - RVZ2120XL - GL401L
	NHCORX2	HP14010 - S4110S - DP1001 - RVZ2120X2 - GL401L

SL Series Full Brim | 4 Variations

	NHFBCL	HP24110 - S4110S - DP1001 - RVZ2110L - GL401L
	NHFBCL	HP24110 - S4110S - DP1001 - RVZ2110L - GL401L
	NHFBCL	HP24110 - S4110S - DP1001 - RVZ2110L - GL401L
	NHFBCL	HP24110 - S4110S - DP1001 - RVZ2110L - GL401L

Intruder meets ANSI Z87.1+, CE EN166, and CSA Z94.3 standards. All lenses are hard coated scratch-resistant polycarbonate and provide 99% protection from harmful UV rays. Hi-vis work wear meets ANSI/ISEA 107 Type R, Class 2 standards. SL series hard hats meet ANSI Z89.1, CSA Z94.1, Type 1, Class C, G, and E standards for industrial head protection standards. Disposable corded earplugs meet ANSI S3.19 and CE EN352 standards. Gloves meets ANSI 105 and EN388 standards. Contents are subject to change.



Ridgeline® Forestry Kits

HHABCMR Ridgeline ratchet headgear // HP44110 white Ridgeline cap style hard hat with 4-point ratchet suspension or HP44141 hi-vis orange Ridgeline cap style hard hat with 4-point ratchet suspension // CM6010 cap mounted earmuff – NRR 22dB // S1060 steel wire mesh face shield

Ridgeline Cap Style | 2 Variations

	FORKIT10	HP44110 - HHABCMR - S1060 - CM6010
	FORKIT41	HP44141 - HHABCMR - S1060 - CM6010

Ridgeline headgear meets ANSI Z87.1 standards. Ridgeline hard hat meets ANSI Z89.1, Type 1, Class C, G, and E standards for industrial head protection standards. Cap mounted earmuff meets ANSI S3.19 standards. Face shield meets ANSI Z87.1 requirements for screen window. Face shield offers secondary protection and must be worn with spectacles or goggles.



SL Series Forestry Kits

HHABCMS SL series ratchet headgear // HP14110 white SL series cap style hard hat with 4-point ratchet suspension or HP14141 hi-vis orange SL series cap style hard hat with 4-point ratchet suspension // CM6010 cap mounted earmuff – NRR 22dB // S1060 steel wire mesh face shield

SL Series Cap Style | 2 Variations

	FORKIT10SL	HP14110 - HHABCMS - S1060 - CM6010
	FORKIT41SL	HP14141 - HHABCMS - S1060 - CM6010

SL series headgear meets ANSI Z87.1 standards. SL series hard hats meet ANSI Z89.1, CSA Z94.1, Type 1, Class C, G, and E standards for industrial head protection standards. Cap mounted earmuff meets ANSI S3.19 standards. Face shield meets ANSI Z87.1 requirements for screen window. Face shield offers secondary protection and must be worn with spectacles or goggles.



HEADGEAR

2016

Auto-darkening helmets were released under our Leadhead® brand with artistic designs like the ever-popular American Eagle, Flame, and Fire Metal.



ACCESSORIES AND REPLACEMENT PARTS 107

AUTO-DARKENING HELMETS 106 – 107


IR FILTER EYEWEAR 109

IR FILTER FACE SHIELDS 108

PASSIVE HELMET 108

WELDING

A STRONG BOND



50% of all manufactured products go through some type of welding during their manufacturing.

Source: Welding Insider

WELDING HELMET CERTIFICATIONS

Use the dots (•••) next to each part number to reference which options meet what standards and certifications.

ANSI Z87.1+ High Impact	●
CE EN175: 1997 (shells)	
CE EN379: 2003 + A1: 2009 (filters)	●
CE EN166: 2001 (cover plates)	●
UKCA	
☞ Cert. Mod. - CAN/CSA Z94.3-20	●

IR PRODUCTS CERTIFICATIONS

Use the dots (•••) next to each part number to reference which options meet what standards and certifications.

ANSI Z87.1+ High Impact	●
CE EN166 UKCA	●
☞ Cert. Mod. - CAN/CSA Z94.3-20	●
MIL-PRF-32432 High Velocity Impact	●

AUTO-DARKENING VS PASSIVE





Auto-darkening helmets are designed for maximum efficiency and maximum safety. They are designed to darken instantaneously at the light of a welding torch and clear up when the torch is turned off. The variable shade is intended to eliminate the process of lifting and lowering the helmet to see. Because an inactive lens often rests at either shade 3 or 4, seeing and starting the arc while still staying protected is easy. Auto-darkening helmets run off of solar power and batteries. Passive helmets are known for their reliability and maintainability, which have made them staples for many welders. Though they lack many of the bells and whistles of auto-darkening helmets, they often provide better optical clarity.

AUTO-DARKENING HELMETS

LEADHEAD®

WHAM30 Series ANSI • CE • CSA •

4 / 5-8 / 9-13 stepless variable shade // 3.858" x 3.425" [98 x 87 mm] view area // Manual internal controls // Four independent sensors in staggered design // Solar cells and replaceable lithium-battery // Cutting, grinding and welding modes // 1/30,000 second switch speed // 5 amps and below TIG rating // High-impact resistant nylon // Up to shade DIN16 at all times

-  WHAM3030AE • American Eagle
-  WHAM3030FL • Flame
-  WHAM3030FM • Fire Metal
-  WHAM3030GB • Glossy Black



WHAM1020MB ANSI • CE •

4 / 9-13 stepless variable shade // 3.937" x 1.77" [100 x 45 mm] view area // Manual external/internal controls // Four independent sensors in staggered design // Solar cells and replaceable lithium-battery // Grinding and welding modes // 1/30,000 second switch speed // 5 amps and below TIG rating // High-impact resistant nylon // Up to shade DIN16 at all times

-  WHAM1020MB • Matte Black



WHAM3030AE

WHAM3030FL

WHAM3030FM

WHAM3030GB

i Auto-darkening helmets are suitable for all types of electro-weldings: covered electrodes, MIG/MAG, TIG/WIG, plasma welding, cutting and laser welding (only selected models with two shade ranges, i.e.5-8 and 9-13), except for gas welding. Pyramex recommends Duracell® DL2450 replacement lithium coin battery for WHAM30 and Duracell® DL2032 for WHAM10.

ACCESSORIES AND REPLACEMENT PARTS



Adapter | 1 Variation

WHHADP Hard Hat Adapter for WHAM10 and WHAM30 – fits Ridgeline® and SL Series cap style

i WHHADP is shown with a Ridgeline hard hat – sold separately.

Replacement Filters | 2 Variations

WRAM10 •• Auto-darkening filter – WHAM10
WRAM30 ••• Auto-darkening filter – WHAM30

Replacement Front Cover Plates | 2 Variations

ROWH10PK5 •• Front cover plate 5 pack – WHAM10
ROWH3060PK5 ••• Front cover plate 5 pack – WHAM30

Replacement Inside Cover Plates | 2 Variations

RIWH10PK5 •• Inside cover plate 5 pack – WHAM10
RIWH30PK5 ••• Inside cover plate 5 pack – WHAM30

Replacement Headgear | 1 Variation

WHARS1 Headgear – WHAM10 and WHAM30

Replacement Sweatband | 1 Variation

WHBAND2 Sweatband 2 pack – WHAM10 and WHAM30

PASSIVE HELMET

WHP100 ANSI •

IR shade #10 welding filter // Lift front lens // 4.25" x 2" (107.95 x 50.8 mm) view area // Thermoplastic shell with nylon suspension // Optimally balanced "shake down" helmet minimizes carbon monoxide build up // Ample space for respirators

● WHP100 • Black



IR FILTER FACE SHIELDS



Tapered IR5 Face Shield ANSI •

Tapered polycarbonate face shield // Shown with HGBR – sold separately

● S1150 • 5.0 IR Filter

i For more information about the S1150 see page 101.



Cylinder IR5 Face Shield ANSI •

Cylinder polycarbonate face shield // Shown with HGBR – sold separately

● S1250 • 5.0 IR Filter

i For more information about the S1250 see page 101.

IR FILTER EYEWEAR



Capstone® Shield ANSI • CE •

Fully adjustable elastic band // Fits over most prescription glasses // Goggles pass D3: Droplet and Splash Test // Goggles pass D4: Dust Test // Removable vent caps // Goggle combined with removable shield provides full face protection

Lens and Shield | 2 Variations

● GG504TSHIELDIR3 •● 3.0 IR Filter H2X AF
● GG504TSHIELDIR5 •● 5.0 IR Filter H2X AF

i Only the goggles contain IR dye. The shield is green tinted.

Fits over most prescription glasses.

For more information about the Capstone Shield see page 82.



Capstone 500 ANSI • CE •

Fits over most prescription glasses // Removable vent caps // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

Gray Body with Quick Release Strap | 2 Variations

● GG504TIR3 •● 3.0 IR Filter H2X AF
● GG504TIR5 •● 5.0 IR Filter H2X AF

i Fits over most prescription glasses.

For more information about the Capstone 500 see page 83.



V2G® ANSI •

Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer // Custom imprinting available

Black Frame | 2 Variations

● GB1850SFT • 5.0 IR Filter H2X AF
● GB1860SFT • 3.0 IR Filter H2X AF

i For more information about the V2G see page 56.

V2G Readers on page 79.



Emerge® ANSI • CSA •

Soft nosepiece provides comfort for extended use // Custom imprinting available

Black Frame | 2 Variations

● SB7950SF •● 5.0 IR Filter
● SB7960SF •● 3.0 IR Filter

i For more information about the EmERGE see page 76.



Ever-Lite® ANSI •

Soft nosepiece for snug fit // Slim co-injected temples // Lightweight spectacle – 22 gm // Custom imprinting available

Black Frame | 2 Variations

● SB8650SF • 5.0 IR Filter
● SB8660SF • 3.0 IR Filter

i For more information about the Ever-Lite see page 62.

Ever-Lite Readers on page 77.



Venture II® ANSI • CE • CSA •

Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping // Custom imprinting available

Black Frame | 2 Variations

● SB1850SF •● 5.0 IR Filter
● SB1860SF •● 3.0 IR Filter

i For more information about the Venture II see page 64.

Venture II Readers on page 77.



Integra® ANSI • CE •

Adjustable temples ensure reliable performance // Custom imprinting available

Black Frame | 2 Variations

- SB450SF • ● 5.0 IR Filter
- SB460SF • ● 3.0 IR Filter

i For more information about the Integra see page 67.

Onix® Plus ANSI • CE •

Co-injected temples // Adjustable rubber nosepiece // Unique 3-angle adjustable flip lens // Outer lens flips down for applications where IR lenses are needed // Custom imprinting available

Black Frame | 2 Variations

- SB4950STP • ● Clear with 5.0 IR H2X AF
- SB4960STP • ● Clear with 3.0 IR H2X AF

i For more information about the Onix Plus see page 68.

OTS® ANSI •

Lightweight nylon temples adjust for length and pitch // Custom imprinting available

Black Temples | 2 Variations

- S3550SFJ • ● 5.0 IR Filter
- S3560SFJ • ● 3.0 IR Filter

i Fits over most prescription glasses.

For more information about the OTS see page 80.



Ztek® ANSI • CE • CSA •

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit // Custom imprinting available

Lens and Temples | 4 Variations

- S2514S • ● ● 1.5 IR Filter
- S2550SF • ● 5.0 IR Filter
- S2560SF • ● 3.0 IR Filter
- S25ARCS • ● Arc – 1.5 IR Filter

i S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

S25ARCS is great for use under the welding helmet. It allows the welder to see work clearly without suffering “welder’s flash burn” from surrounding welders.

For more information about the Ztek see page 73.

Ztek Readers on page 78.

Ztek Readers ANSI •

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit // Custom imprinting available

Lens and Temples | 2 Variations

- S2514R15 • ● 1.5 IR Filter +1.5 Mag
- S2514R20 • ● 1.5 IR Filter +2.0 Mag



WELDING

2007

Hearing protection became an essential addition as one of our earliest product lines. The line has grown from earplugs to both electronic and Bluetooth earmuffs.



ELECTRONIC EARMUFFS 114

PASSIVE EARMUFFS 115


CAP MOUNTED EARMUFFS 116

METAL DETECTABLE EARPLUGS 116

EARPLUGS 117 – 118

HEARING

HEAR YE HEAR YE



About 22% of U.S. workers are exposed to hazardous noise levels on the job site.

Source: Hearing Health Foundation

CERTIFICATIONS

Use the dots (••) next to each part number to reference which options meet what standards and certifications.

ANSI S3.19

CE EN 352:2002 | UKCA

ANSI S3.19 **NRR**

Noise Reduction Rating (NRR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn.

CE EN 352:2002 **SNR**

Single Number Rating (SNR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn. SNR also rates hearing protection by the noise environments in three categories: high-frequency (H), mid-frequency (M), and low-frequency (L).

FEATURES

BLUETOOTH CAPABILITY

HEARING AMPLIFICATION

HD CLEAR SOUND SPEAKERS

AUX JACK

RAPID NOISE SUPPRESSION

REUSABLE EARPLUG

DISPOSABLE EARPLUG

METAL DETECTABLE

ELECTRONIC EARMUFFS



Amp BT™ ANSI •

NRR 26dB



Quad microphones // Bluetooth capability // Noise suppression after 85db // Easy-adjust volume and ambient noise controls // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell

- VG PME30BT • Black
- VG PME31BT • Tan
- VG PME32BT • Urban Gray



Clandestine™ ANSI •

NRR 24dB



Omnidirectional microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // External access for easy battery replacement // 2 AAA batteries are included // Available in a VG capture clam

- VG PME10 • Black
- VG PME17 • Black Graphite Pattern



Sentinel™ ANSI •

NRR 26dB



Front facing microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell // Custom imprinting available

- VG PME20 • Black
- VG PME26 • Powder Blue



i Amp BT | Sentinel | Clandestine
Electronic earmuffs are VG packaged products.

PASSIVE EARMUFFS



BH9010 ANSI •

NRR 22dB

Can be worn with hard hats, shields, and other PPE // Adjustable and durable neckband // Ear cups tilt for optimum comfort and efficiency

BH9010 •



PM2000 ANSI •

NRR 21dB

Soft padded ear cups // Rotatable headband
PM2000 •



PM2010 ANSI •

NRR 23dB

Dielectric // Lightweight and comfortable // Durable nylon headband // Custom imprinting available

PM2010 •



PM3010 ANSI • CE •

NRR 27dB SNR 30.4dB

Height adjustment to fit most // Fold-away padded headband // Custom imprinting available

PM3010 ••



PM80 Series ANSI • CE •

NRR 25dB SNR 30dB

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband // Custom imprinting available

- PM8010 •• Gray
- PM8031 •• Hi-vis Lime
- PM8041 •• Hi-vis Orange



PM9010 ANSI •

NRR 24dB

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband // Custom imprinting available

PM9010 •

i PM80 Series | PM9010
For additional options, see the Venture Gear section on page 137.



PM9011 ANSI •

NRR 19dB

Smaller headband designed for slimmer fit // Fold-away padded headband

PM9011 •

CAP MOUNTED EARMUFFS



CM6010 ANSI •
NRR 22dB

Cap mounted earmuff – fits slotted cap style hard hats // Dielectric // Easily accessible while working // Flip down over ears to use or flip up when not in use // Shown with SL Series cap style hard hat – sold separately

CM6010 •



CMFB6010 ANSI •
NRR 23dB

Cap mounted earmuff – fits slotted full brim hard hats // Dielectric // Easily accessible while working // Flip down over ears to use or flip up when not in use // Shown with vented Ridgeline® full brim hard hat – sold separately

CMFB6010 •

EARPLUGS



RP4000 ANSI •
NRR 25dB



Stem eliminates earplug contact with fingers // Three flexible rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RP4000 •



RP3001 ANSI • CE •
NRR 25dB SNR 30dB



Three flexible rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RP3001 ••

RP3001PC • Small case with RP3001

i RP3001 retail packaged product on page 139.



RP2001 ANSI •
NRR 26dB



Three rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RP2001 •

METAL DETECTABLE EARPLUGS



RPD3001 ANSI • CE •
NRR 25dB SNR 30dB



Metal shavings embedded in the plug and cord for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Three flexible rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RPD3001 ••



RPD2001 ANSI •
NRR 25dB



Iron ball embedded in the plug for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Three rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RPD2001 •



DPD1001MS ANSI •
NRR 31dB



Iron ball embedded in the plug and metal shavings embedded in cord for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DPD1001MS •



DPD1001 ANSI • CE •
NRR 30dB SNR 37dB



Iron ball embedded in the plug for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DPD1001 ••



DP3000 ANSI •
NRR 30dB



No earplug roll down required // Stem eliminates earplug contact with fingers // Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP3000 •



DP1201 ANSI •
NRR 30dB



Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP1201 •



DP1200 ANSI •
NRR 30dB



Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP1200 •

i RPD2001 | RPD3001 | DPD1001 | DPD1001MS

Metal detectable earplugs are designed for those working in food manufacturing. Almost all food manufacturing facilities use some form of metal detection in order to test outgoing products, ensuring they are free from contaminants. The blue color is an important component of the earplug — it is a popular choice because it contrasts with most food color.



DP1001 ANSI • CE •
NRR 31dB SNR 37dB



DISPOSABLE
EARPLUG

Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP1001 ••



DP1000 ANSI • CE •
NRR 32dB SNR 38dB



DISPOSABLE
EARPLUG

Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP1000 ••

i DP1000 retail packaged products on page 139.



BP3000 ANSI • CE •
NRR 22dB SNR 27dB



REUSABLE
EARPLUG

Designed for environments with intermittent noise hazards // Flexible band can rest around neck when not in use // Conical shaped earplugs that require no roll down

BP3000 ••



PD500

Convenient dispenser with twist knob, carrying handle and catch basin // 500 pair of disposable uncorded earplugs (included) // Can be wall mounted or used as freestanding display

PD 500 Earplug Dispenser with DP1000
PD 500R Replacement 500 pair of DP1000



HEARING

2015


With heat stress being a significant concern in the workforce, the introduction of cooling solution products became necessary.



- EVAPORATIVE 122 – 123
- MOISTURE-WICKING 123
- SUN SHADE 124

COOLING

KEEP YOUR COOL



An estimated 6 million workers are exposed to occupational heat stress, resulting in tens of thousands of injuries and hundreds of deaths each year.

Source: Safety Skills

ANSI/ISEA COMPLIANT

CNS1 series, CPH160, CSK1 series, and CSKT2 series have been third-party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).

EVAPORATIVE VS. MOISTURE-WICKING

Most Pyramex cooling products are either made from evaporative or moisture-wicking materials. Evaporative products use moisture and air within the material to create a cooling sensation. Moisture-wicking products pull moisture away from the wearer to produce a cool, dry feel.

UPF RATED

Ultraviolet Protection Factor is the rating system used for apparel. UPF gauges a fabric's effectiveness against Ultraviolet A (UVA) and Ultraviolet B (UVB) light. For example, a material with a UPF rating between 40 - 50+ will reduce your skin's UV radiation exposure by 97.5% to 98% in areas where the fabric covers the skin.

CUSTOMIZE YOUR COOLING PRODUCT

Screen printing and heat transfer customization available on select styles.

PROTECT YOURSELF FROM THE HEAT

THE HOURS MATTER

The most dangerous heat hours are between 11 am–5 pm. Schedule frequent rest breaks to ensure you will not overheat.

DRINK MORE WATER

Drink about 1 cup of water every 15 to 20 minutes to prevent heat related stress or injury. Drink water before becoming thirsty.

KNOW THE SYMPTOMS

Be aware of the signs and symptoms of heat-induced illnesses. Heat causes more deaths than any other weather-related hazard.

THE RIGHT CLOTHING

Wear clothing that is breathable, lightweight, and loose-fitting. Cooling products work as an additional relief from the heat.

EVAPORATIVE



CV200 Series TYPE R CLASS 2

ANSI cooling vest // Inner evaporative PVA panels // 2" silver reflective material // Quilted outer shell is made from soft polyester // Zipper front closure // Adjustable waist band // Submerge in cool water before wearing to activate // Reusable – just reactivate // Machine washable

- CV200M Hi-vis Lime – M adjusts to XL (38" x 48")
- CV200X2 Hi-vis Lime – 2XL adjusts to 5XL (50" x 64")

CV100 Series NON-RATED

Cooling vest // Inner evaporative PVA panels // Quilted outer shell is made from soft polyester // Zipper front closure // Adjustable waist band // Submerge in cool water before wearing to activate // Reusable – just reactivate // Machine washable

- CV100M Gray – M adjusts to XL (38" x 48")
- CV100X2 Gray – 2XL adjusts to 5XL (50" x 64")

CPH160 NON-RATED

Cooling hard hat pad // Evaporative cooling material // Fits on the suspension of cap style and full brim hard hats with hook and loop closures // To activate, soak in cool water // Reusable – just reactivate // Shown with Ridgeline® hard hat – sold separately

- CPH160 Blue

i CPH160 has been third-party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).



C260 NON-RATED

Cooling towel wrap (26" x 8.5") // Evaporative PVA material // Anti-microbial treated to help prevent mold build-up and unwanted odors // Use as a neck wrap by pulling end of wrap through slit // To activate, simply soak in cool water // Reusable – just reactivate // Machine washable

- C260 Blue



C1 Series NON-RATED

Cooling towel (26" x 17") // Evaporative PVA material // Anti-microbial treated to help prevent mold build-up and unwanted odors // To activate, simply soak in cool water // Reusable – just reactivate // Machine washable

- C140 Orange
- C160 Blue

MOISTURE-WICKING



C3 Series NON-RATED

Microfiber towel (11.5" x 33") // Provides hours of cooling relief by regulating core body temperature // Rated UPF 50+ // Machine washable

- C311 Black
- C330 Lime
- C365 Dark Blue



CS1 Series NON-RATED

Nylon/spandex sleeve with thumb hole // Rated UPF 50 // Machine washable // One size fits most

- CS111 Black
- CS160 Blue



CSK1 Series NON-RATED

Skull cap // Traps sweat, keeping it out of your eyes // Fits under hard hats // Rated UPF 50+ // Machine washable // One size fits most

- CSK111 Black
- CSK131 Hi-vis Lime
- CSK1FLG American Flag



CSKT2 Series NON-RATED

Skull cap with ties // Traps and absorbs sweat, keeping it out of your eyes // Designed for easy tying // Rated UPF 50+ // Machine washable // One size fits most

- CSKT212 Gray
- CSKT260 Blue

i CSK1 series and CSKT2 series have been third-party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).



CNS1 Series NON-RATED

Cooling hard hat pad and neck shade // Evaporative quilted hi-vis material // Fits on the suspension of hard hats with hook and loop closures // To activate, soak in cool water // Reusable – just reactivate // Machine washable // Shown with Ridgeline hard hat – sold separately

- CNS130 Hi-vis Lime
- CNS140 Hi-vis Orange

i CNS1 series has been third-party tested and can be worn under ANSI/ISEA compliant Pyramex hard hats (except SL Sleek Shell series).



CNB12PK + CNB100 Series NON-RATED

Cooling beaded bandana // Polymer crystal beads // Conveniently ties around neck // To activate, simply soak in cool water then knead and spread cooling gel for comfortable fit // Reusable – just reactivate // Machine washable // One size fits most

12 Pack

- CNB12PKB Blue Paisley
- CNB12PKFLG American Flag
- CNB12PKKH Khaki
- CNB12PKR Red Paisley
- CNB12PKRB Royal Blue

100 Pack

- CNB100B Blue Paisley
- CNB100G Gray Paisley
- CNB100MIX Blue Paisley, Gray Paisley, Red Paisley & Royal Blue
- CNB100R Red Paisley
- CNB100RB Royal Blue

SUN SHADE



HPSHADE Series NON-RATED
Hard hat brim with neck shade // Lightweight material // Fits on the outside of hard hats // Shown with Ridgeline® hard hat – sold separately

- HPSHADE10 White
- HPSHADE30 Hi-vis Lime
- HPSHADE40 Hi-vis Orange
- HPSHADE60 Blue



HPSHADEEC Series NON-RATED
Collapsible hard hat brim with neck shade // Lightweight material // Fits on the outside of full brim hard hats // Shown with Ridgeline hard hat – sold separately

- HPSHADEEC10 White
- HPSHADEEC30 Hi-vis Lime with Silver Reflective Stripe
- HPSHADEEC60 Blue
- HPSHADEECKH Khaki



HPESHADE10 NON-RATED
Hard hat neck shade // Mesh material // Elastic ribbing allows shade to fit on the outside of hard hats // Shown with Ridgeline hard hat – sold separately

- HPESHADE10 Hi-vis Lime



RRH10 NON-RATED
Lightweight ranger style hat // Rated UPF 50+ // Reflective piping and tape // One size fits most

- RRH10 Hi-vis Lime

BEAT THE HEAT WITH THESE ADDITIONAL ITEMS.



Terry Cloth Sweat Bands

- HPTRBAN**
Universal Hard Hat Gray Terry Cloth Sweat Band
- HPTBL100**
Universal Hard Hat Blue Terry Cloth Sweat Band (100 bulk pack)
- HPTRBANBL**
Universal Hard Hat Blue Terry Cloth Sweat Band

i For more information about the Terry Cloth Sweat Bands see page 98.

For more information about the Multi-purpose Bands see page 45.



Multi-purpose Bands

- MPB Series**
Multi-purpose Band available in Hi-vis Lime, Black, Winter Camo, and Blue (Rated UPF 50+)
- MPBDL Series**
Double-layer Multi-purpose Band available in Hi-vis Lime and Blue (Rated UPF 50+)
- MPBEL Series**
Multi-purpose Band with Ear Loops available in Hi-vis Lime, Blue, and Camo Flag (Rated UPF 50+)
- MPBFR Series**
Flame resistant Multi-purpose Band available in Black (Rated UPF 50+ and Meets NFPA 2112)



COOLING

2010

Venture Gear offered us a chance to move into the recreational side of safety, which eventually led to the creation of Venture Gear Tactical to focus on shooting sports.



RETAIL

ANY JOB ANYWHERE

An accident can happen in the blink of an eye. While it's true that many eye injuries occur on the job, almost as many happen around the home.

Source: Mayo Clinic

CERTIFICATIONS

EYEWEAR

ANSI Z87.1+ High Impact	ANSI
CE EN166 UKCA	CE
Cert. Mod. - CAN/CSA Z94.3-20	CSA
MIL-PRF-32432 High Velocity Impact Standards	MIL-PRF-32432

HEARING

ANSI S3.19	ANSI
CE EN 352:2002 UKCA	CE

FEATURES

ADJUSTABLE NOSEPIECE	ADJUSTABLE TEMPLES	CO-INJECTED TEMPLES	PASSES D3 DROPLET AND SPLASH TEST	PASSES D4 DUST TEST
FOAM PADDING	INCLUDES STRAP	MIL-PRF-32432	MULTI LENSES	POLARIZED OPTION
RATCHETING TEMPLES	RUBBER NOSEPIECE	RUBBER TIPS	VENTED FRAME	VENTED LENS

BRANDS YOUR CUSTOMERS KNOW

Our longstanding relationships with major distributors, buy groups, and co-ops allow us to offer competitive pricing for the most in-demand brands on the market, including Carhartt, Ducks Unlimited, Venture Gear, and Venture Gear Tactical.



PROGRAMS CUSTOMIZED FOR YOU

Pyramex strives to bolster our service by meeting customers face to face at trade shows so we can understand what helps your business amplify its sales. We customize our proven programs to present you with solutions that help maximize your keystone margins while making multiple turns on inventory.

MERCHANDISING SOLUTIONS

We offer customized planograms and retail-ready packaging, removing an extra step of work for you. Our branded displays maximize floor space, so all you have to decide is what products best serve your business.

VENTURE GEAR TACTICAL® 128 – 130 PYRAMEX® RETAIL 138 – 139

VENTURE GEAR® 131 – 135 DUCKS UNLIMITED® 140 – 141

HEARING 136 – 138 CARHARTT® 142 – 147



Loadout™ ANSI MIL-PRF-32432



Fits over most prescription glasses // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Integrated sleeve protects lens when not in use // Available in a VGT box and includes canvas storage case with MOLLE compatible snap straps

Black Body

- VGG1510STM Clear **H2MAX** Anti-fog



Loadout ballistic goggle shot with 12 gauge shotgun and 2 3/4 inch steel #6 at 25 yards.



Overwatch® ANSI MIL-PRF-32432



Available in a VGT clamshell and includes microfiber cleaning bag

Black Frame

- VGSB718T Bronze Anti-fog
- VGSB722T Forest Gray Anti-fog


OD Green Frame

- VGS6718T Bronze Anti-fog
- VGS6722T Forest Gray Anti-fog



Urban Gray Frame

- VGSUG710T Clear Anti-fog
- VGSUG722T Forest Gray Anti-fog



VGSB7

VGS67

Howitzer™ ANSI CSA MIL-PRF-32432



Available in a VGT clamshell and includes microfiber cleaning bag

Black Frame

- VGSB 1310T Clear Anti-fog
- VGSB 1318T Bronze Anti-fog
- VGSB 1322T Forest Gray Anti-fog



VGSB13

Tan Frame

- VGST 1310T Clear Anti-fog
- VGST 1318T Bronze Anti-fog
- VGST 1322T Forest Gray Anti-fog

Drone 2.0™ ANSI MIL-PRF-32432



Available in a VGT clamshell and includes microfiber cleaning bag

Black Frame

- VGSB 1710T Clear Anti-fog
- VGSB 1720T Gray Anti-fog



VGSG17

OD Green Frame

- VGSG 1710T Clear Anti-fog
- VGSG 1720T Gray Anti-fog

Semtex 2.0™ ANSI CSA MIL-PRF-32432



Available in a VGT clamshell and includes microfiber cleaning bag

Gun Metal Frame


- VGSGM 1410T Clear Anti-fog
- VGSGM 1418T Bronze Anti-fog
- VGSGM 1422T Forest Gray Anti-fog




VGST14

Tan Frame

- VGST 1410T Clear Anti-fog
- VGST 1418T Bronze Anti-fog
- VGST 1422T Forest Gray Anti-fog



Vallejo® ANSI CSA



Available in a VG polybag

- Black Frame**
- VGSB922T Forest Gray Anti-fog
 - VGSB931 *Polarized* Green Mirror
 - VGSB965T Ice Blue Mirror Anti-fog
- Clear Frame**
- VGSC965T Ice Blue Mirror Anti-fog
- Tortoise Frame**
- VGST918T Bronze Anti-fog



- White Frame**
- VGSW922T Forest Gray Anti-fog
 - VGSW931 *Polarized* Green Mirror
 - VGSW965T Ice Blue Mirror Anti-fog

Pagosa® ANSI



Available in a VG polybag


- Black Frame**
- VGSB518T Bronze Anti-fog
 - VGSB522T Forest Gray Anti-fog
 - VGSB523 *Polarized* Forest Gray
 - VGSB565T Ice Blue Mirror Anti-fog
 - VGSB570T Silver Mirror Anti-fog



- White Frame**
- VGSW518T Bronze Anti-fog
 - VGSW522T Forest Gray Anti-fog
 - VGSW561 *Polarized* Ice Blue Mirror
 - VGSW565T Ice Blue Mirror Anti-fog

VGSB5

Tensaw® ANSI



Available in a VG polybag

- Black and Gray Frame**
- VGSB310T Clear Anti-fog
 - VGSB322T Forest Gray Anti-fog
 - VGSB323 *Polarized* Forest Gray
 - VGSB327T Vermilion Anti-fog
 - VGSB331 *Polarized* Green Mirror
 - VGSB365T Ice Blue Mirror Anti-fog
 - VGSB370T Silver Mirror Anti-fog

- White and Gray Frame**
- VGSW365T Ice Blue Mirror Anti-fog



- White and Blue Frame**
- VGSWB365T Ice Blue Mirror Anti-fog

- White and Red Frame**
- VGSWR351 *Polarized* Sky Red Mirror
 - VGSWR355T Sky Red Mirror Anti-fog

Atwater™ ANSI



Available in a VG polybag

- Black Frame**
- VGSB1226TB Forest Gray **H2X** Anti-fog
- Black and Silver Frame**
- VGSSB1226TB Forest Gray **H2X** Anti-fog



VGSSB12

Monteagle™ ANSI



Available in a VG polybag

Clear and Blue Frame

- VGSC1620T Gray Anti-fog
- VGSC1665T Ice Blue Mirror Anti-fog

Gun Metal and Black Frame

- VGSGM1618T Bronze Anti-fog
- VGSGM1620T Gray Anti-fog
- VGSGM1622T Forest Gray Anti-fog
- VGSGM1665T Ice Blue Mirror Anti-fog

Gun Metal and Hi-vis Yellow Frame

- VGSGMV1620T Gray Anti-fog
- VGSGMV1657T Ice Blue Mirror Anti-fog



VGSGM16



VGSGMV16

Drop Zone® ANSI CE MIL-PRF-32432



Includes: removable temples, crush-resistant neoprene storage case, microfiber cleaning cloth, and four interchangeable lenses // Available in a VG clamshell


Black Temples

VGSB88KIT

- Clear H2X Anti-fog
- Forest Gray H2X Anti-fog
- Orange H2X Anti-fog
- Vermilion H2X Anti-fog



Waverton™ ANSI



Available in a VG polybag

Black Frame

- VGSB1110DB Clear
- VGSB1126DB Forest Gray
- VGSB1165DB Ice Blue Mirror
- VGSB1170DB Silver Mirror

Brown Frame

- VGsBR1118DB Bronze
- VGsBR1156DB Multi-color Mirror



VGsB11

DISPLAYS



VGTDIS6
Venture Gear Tactical Stationary Display - holds 6 units
Display Dimensions: 10.5" x 7.63" x 26.33"
(product sold separately)



VGDIS16
Venture Gear Stationary Display - holds 16 units
Display Dimensions: 16" x 8" x 29"
(product sold separately)



VGDIS9
Venture Gear Stationary Display - holds 9 units
Display Dimensions: 10" x 8" x 31.25"
(product sold separately)

i Hardware is included to mount display to slatwall, pegboard, or gridwall. Display designs may vary. Product sold separately.

HEARING

Amp BT™ ANSI NRR 26dB



Electronic earmuff // Quad microphones // Bluetooth capability // Noise suppression after 85db // Easy-adjust volume and ambient noise controls // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell

Black Headband

- VGPM30BT Black
- VGPM31BT Tan
- VGPM32BT Urban Gray



VG80 Series ANSI NRR 37dB when worn with earplugs

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband // Earmuffs (NRR 25dB) are packaged with free disposable earplugs (NRR 32dB) // Custom imprinting available // Available in a VG clamshell

Black Headband

- | | |
|-------------------------|---------------------------|
| ● VGPM8010C Gray | ● VGPM8041C Hi-vis Orange |
| ● VGPM8010PC Pink | ● VGPM8063C Teal |
| ● VGPM8011C Black | ● VGPM8065C Purple |
| ● VGPM8031C Hi-vis Lime | |



Sentinel™ ANSI NRR 26dB



Electronic earmuff // Front facing microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Custom imprinting available // Available in a VG clamshell

Black Headband

- VGPM20 Black
- VGPM26 Powder Blue



Clandestine™ ANSI NRR 24dB



Electronic earmuff // Omnidirectional microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // External access for easy battery replacement // 2 AAA batteries are included // Available in a VG capture clam

Black Headband

- VGPM10 Black
- VGPM17 Black Graphite Pattern



VG90 Series ANSI NRR 34dB when worn with earplugs

Low-profile ear cup design // Height adjustment to fit most // Fold-away padded headband // Earmuffs (NRR 24dB) are packaged with free disposable earplugs (NRR 32dB) // Custom imprinting available // Available in a VG clamshell

Black Headband

- VGPM9010C Gray
- VGPM9010PC Pink
- VGPM9022C OD Green
- VGPM9026C Powder Blue



VGBH9010C ANSI NRR 22dB

Behind the head earmuff // Adjustable and durable neckband // Earcups tilt for optimum comfort and efficiency // Available in a VG capture clam

Black Neckband

- VGBH9010C Gray with Hi-vis Green

Ever-Lite® Range Kit

Eyewear meets ANSI Z87.1+, CE EN166 and CSA Z94.3 standards. All lenses are hard coated scratch-resistant polycarbonate and provide 99% protection from harmful UV rays. Earmuffs meet ANSI S3.19 standards.

Earmuff **NRR 25dB**

Low-profile ear cup design // Black fold-away padded headband // Height adjustment to fit most

Eyewear

Soft nosepiece for snug fit // Lightweight spectacle – 22 gm

Available in a VG clamshell

Black Frame // Black Headband

- VGCOMB08610 Clear Lens // Gray Ear Cup
- VGCOMB08617 Pink Lens // Pink Ear Cup
- VGCOMB08630 Amber Lens // Gray Ear Cup



Chemical Splash Goggle (polybag)

ANSI
For more information, see page 86.

PYG205T Clear AF Lens with Clear Body and Black Strap



i Packaging design may vary.

Disposable Earplugs (blister card or bin)

ANSI **NRR 32dB**
For more information, see page 118.

PYDP1000 5 Pair of Disposable Uncorded Earplugs in Blister Card
 PYDP1000BN 100 Pair of Disposable Uncorded Earplugs in Bin
 PYDP1000PC 5 Pair of Disposable Uncorded Earplugs with Case in Blister Card



Face Shields (hang tag polybag)

ANSI
For more information, see page 100 (face shield) and page 101 (headgear combo).
 PYS1040 shown with HGBR - sold separately.

PYS1040 Aluminum Bound Polycarbonate Face Shield
 PYHGBRKITCS S1040 Face Shield with Ridgeline® Ratchet Headgear Combo



PYRAMEX RETAIL

Venture 3® (clamshell)

ANSI CE CSA MIL-PRF-32432
For more information, see page 64.

PYSB5710D Clear Lens with Black Frame
 PYSB5730D Amber Lens with Black Frame



Ever-Lite® (clamshell)

ANSI CE CSA
For more information, see page 62.

PYSB8610DT Clear **H2X** AF Lens with Black Frame
 PYSB8620DT Gray **H2X** AF Lens with Black Frame



Endeavor™ Plus (clamshell)

ANSI CSA
For more information, see page 70.

PYSBG9610ST Clear **H2X** AF Lens with Black and Gray Temples
 PYSBG9620ST Gray **H2X** AF Lens with Black and Gray Temples



Intruder® (hang tag polybag)

ANSI CE CSA
For more information, see page 74.

PYS4110S4PK 4 Pack of Clear Lens with Clear Temples



Capture™ (clamshell)

ANSI CE CSA
For more information, see page 81.

PYS9910ST Clear **H2X** AF Lens with Clear Temples



Perforated Goggle (polybag)

ANSI
For more information, see page 86.

PYG201T Clear AF Lens with Clear Body and Black Strap



Reusable Earplugs (blister card)

ANSI **NRR 25dB**
For more information, see page 117.

PYRP3001 Pair of Reusable Corded Earplugs



PYS25 Combo Kits (polybag)

For more information, see page 73 (Ztek® and Mini Ztek) and page 118 (DP1000).

Ztek **NRR 32dB / SNR 38dB**

PYS2510SDP Clear Lens with Clear Temples with Disposable Uncorded Earplugs
 PYS2530SDP Amber Lens with Amber Temples with Disposable Uncorded Earplugs

Eyewear meets ANSI Z87.1+, CE EN166 and CSA Z94.3 standards. All lenses are hard coated scratch-resistant polycarbonate and provide 99% protection from harmful UV rays. Disposable uncorded earplugs meet ANSI S3.19 and CE EN-352:2002 standards.



Mini Ztek **NRR 32dB / SNR 38dB**

PYS2510SNDP Clear Lens with Clear Temples with Disposable Uncorded Earplugs
 PYS2517SNDP Pink Lens with Pink Temples with Disposable Uncorded Earplugs
 PYS2530SNDP Amber Lens with Amber Temples with Disposable Uncorded Earplugs

DUCAB and DUCLAM1







DUCAB and DUCLAM1 ANSI MIL-PRF-32432



Includes: neoprene case with DU logo, microfiber cleaning bag with DU logo, and five interchangeable lenses // Available in a DU clamshell or box






Black Frame (clamshell)

DUCLAM1

-  Clear H2X Anti-fog
-  Amber H2X Anti-fog
-  Sun Block Bronze H2X Anti-fog
-  Orange H2X Anti-fog
-  Vermilion H2X Anti-fog

Black Frame (box)

DUCAB

-  Clear H2X Anti-fog
-  Amber H2X Anti-fog
-  Sun Block Bronze H2X Anti-fog
-  Orange H2X Anti-fog
-  Vermilion H2X Anti-fog

DUCAB2 and DUCLAM2 ANSI



Includes: neoprene case with DU logo, microfiber cleaning bag with DU logo, and four interchangeable lenses // Available in a DU clamshell or box

Black Frame (clamshell)

DUCLAM2

-  Clear
-  Forest Gray
-  Amber
-  Vermilion

Black Frame (box)

DUCAB2

-  Clear
-  Forest Gray
-  Amber
-  Vermilion










EYEWEAR

Full Frame Interchangeable Strap Foam Padded Safety Glasses

Carhage® | ANSI | CSA

 Rubber Nosepiece
  Foam Padding
  Anti-Fog
  Ultraviolet Protection
  Scratch Resistant

FEATURES

- Rubber nosepiece
- Indirect vented foam padded carriage
- Interchangeable temples/strap





MODEL NO: EG410 **STYLE NO:** CHB410DTP ● Clear Anti-fog
 EG418 CHB418DTP ● Sandstone Bronze Anti-fog
 EG420 CHB420DTP ● Gray Anti-fog

Available in a Carhartt polybag
Carhartt packaging design subject to change



Full Frame Foam Padded Safety Glasses

Toccoa™ | ANSI | CSA

 Foam Padding
  Anti-Fog
  Ultraviolet Protection
  Scratch Resistant

FEATURES

- Clip-on foam padded carriage
- Co-injected temple design with detachable strap





MODEL NO: ET010 **STYLE NO:** CHB1010DTMP ● Clear Anti-fog
 ET018 CHB1018DTMP ● Sandstone Bronze Anti-fog
 ET020 CHB1020DTMP ● Gray Anti-fog

Available in a Carhartt polybag
Carhartt packaging design subject to change



Full Frame Vented Temple Safety Glasses

Ironside® | ANSI

 Rubber Nosepiece
  Anti-Fog
  Ultraviolet Protection
  Scratch Resistant

FEATURES

- Rubber nosepiece
- Straight-back vented co-injected temples

CAPTURE CLAM

MODEL NO: EN678 **STYLE NO:** CHB618DTCC ● Sandstone Bronze Anti-fog
 EN672 CHB620DTCC ● Gray Anti-fog
 EN679 CHB690DTCC ● Antique Mirror Anti-fog

POLYBAG

MODEL NO: EN618 **STYLE NO:** CHB618DT ● Sandstone Bronze Anti-fog
 EN620 CHB620DT ● Gray Anti-fog
 EN690 CHB690DT ● Antique Mirror Anti-fog

Available in a Carhartt capture clam or polybag
Carhartt packaging design subject to change



Full Frame Heavy Duty Safety Glasses

Carbondale® ANSI CSA



FEATURES
 · Rubber nosepiece
 · Co-injected temples

CAPTURE CLAM

MODEL NO:	STYLE NO:	
EC271	CHB210DCC	Clear
EC278	CHB218DCC	Sandstone Bronze
EC272	CHB220DCC	Gray
EC279	CHB290DCC	Antique Mirror

POLYBAG

MODEL NO:	STYLE NO:	
EC210	CHB210D	Clear
EC211	CHB210DT	Clear Anti-fog
EC218	CHB218D	Sandstone Bronze
EC219	CHB219	POLARIZED Sandstone Bronze
EC220	CHB220D	Gray
EC222	CHB220DT	Gray Anti-fog
EC221	CHB221	POLARIZED Gray
EC290	CHB290D	Antique Mirror
EC291	CHB291	POLARIZED Antique Mirror


Available in a Carhartt capture clam or polybag
 Carhartt packaging design subject to change



MODEL NO: EC290
 STYLE NO: CHB290D

Half Frame Safety Glasses

Spokane® ANSI CSA



FEATURES
 · Rubber nosepiece
 · Straight-back co-injected temples

CAPTURE CLAM

MODEL NO:	STYLE NO:	
ES371	CHB310DCC	Clear
ES378	CHB318DCC	Sandstone Bronze
ES372	CHB320DCC	Gray

POLYBAG

MODEL NO:	STYLE NO:	
ES310	CHB310D	Clear
ES318	CHB318D	Sandstone Bronze
ES319	CHB319	POLARIZED Sandstone Bronze
ES320	CHB320D	Gray
ES321	CHB321	POLARIZED Gray
ES361	CHB361	POLARIZED Blue Mirror

Available in a Carhartt capture clam or polybag
 Carhartt packaging design subject to change



MODEL NO: ES361
 STYLE NO: CHB361

Half Frame Slim Temple Safety Glasses

Gayce™ ANSI CSA



FEATURES
 · Adjustable rubber nosepiece
 · Slim temple design
 · Wraparound coverage

CAPTURE CLAM

MODEL NO:	STYLE NO:	
EY910	CHB910ST	Clear Anti-fog
EY918	CHB918ST	Sandstone Bronze Anti-fog
EY920	CHB920ST	Gray Anti-fog

Available in a Carhartt polybag
 Carhartt packaging design subject to change



MODEL NO: EY918
 STYLE NO: CHB918ST

Half Frame Suspended Lens Safety Glasses

Rockwood® ANSI



FEATURES
 · Suspended anti-fog lens
 · Adjustable rubber nosepiece
 · Co-injected temples

CAPTURE CLAM

MODEL NO:	STYLE NO:	
ER778	CHB718DTCC	Sandstone Bronze Anti-fog
ER772	CHB720DTCC	Gray Anti-fog

POLYBAG

MODEL NO:	STYLE NO:	
ER710	CHB710DT	Clear Anti-fog
ER718	CHB718DT	Sandstone Bronze Anti-fog
ER720	CHB720DT	Gray Anti-fog

Available in a Carhartt capture clam or polybag
 Carhartt packaging design subject to change



MODEL NO: ER710
 STYLE NO: CHB710DT

Frameless Wraparound Safety Glasses

Easley™ ANSI CSA



FEATURES
 · Built-in browguard
 · Adjustable nosepiece
 · Vented co-injected temples

CAPTURE CLAM

MODEL NO:	STYLE NO:	
EE810	CHB810ST	Clear Anti-fog
EE818	CHB818ST	Sandstone Bronze Anti-fog
EE820	CHB820ST	Gray Anti-fog

Available in a Carhartt polybag
 Carhartt packaging design subject to change



MODEL NO: EE820
 STYLE NO: CHB820ST

Half Frame Ratcheting Temple Safety Glasses

Braswell™ | ANSI | CSA

Ratcheting Temples
 Adjustable Nosepiece
 Anti-Fog
 Ultraviolet Protection
 Scratch Resistant

FEATURES

- Ratcheting temples
- Adjustable rubber nosepiece
- Lightweight half-frame design

MODEL NO:	STYLE NO:	
EW110	CHB1110DT	Clear Anti-fog
EW118	CHB1118DT	Sandstone Bronze Anti-fog
EW120	CHB1120DT	Gray Anti-fog
MODEL NO:	STYLE NO:	
EW150	CHB1110TR15	Clear Anti-fog +1.5 Mag
EW200	CHB1110TR20	Clear Anti-fog +2.0 Mag
EW250	CHB1110TR25	Clear Anti-fog +2.5 Mag

Available in a Carhartt polybag
Carhartt packaging design subject to change



Frameless Lightweight Safety Glasses

Billings® | ANSI | CSA

Anti-Fog
 Scratch Resistant
 Ultraviolet Protection

FEATURES

- Rubber temple tips
- Lightweight frameless design
- Wraparound coverage

CLAMSHELL	MODEL NO:	STYLE NO:	
	EB171	CH110STCS	Clear Anti-fog
	EB172	CH120STCS	Gray Anti-fog
POLYBAG	MODEL NO:	STYLE NO:	
	EB110	CH110S	Clear
	EB111	CH110ST	Clear Anti-fog
	EB118	CH118S	Sandstone Bronze
	EB120	CH120S	Gray
	EB121	CH120ST	Gray Anti-fog

Available in a Carhartt clamshell or polybag
Carhartt packaging design subject to change



Stationary Display

CHIC6

FEATURES

- Holds 6 units
- Display dimensions: 7" x 7.5" x 23.21"

Product sold separately
Carhartt display design subject to change



Spinner Counter Display

CHCSD24

FEATURES

- Holds 24 units
- Display dimensions: 20" x 20" x 34"

Product sold separately
Carhartt display design subject to change



Bulk Displays

CHBD144

FEATURES

- Holds 144 units
- Display dimensions: 27.78" x 14" x 40.97"

CHBDBASE

FEATURES

- Holds 144 units
- Base included
- Display dimensions: 27.78" x 14" x 63.54"

Product sold separately
Carhartt display design subject to change




THE PYRAMEX PROMISE

TO OUR CUSTOMERS

Our promise to our customers is to provide the best possible products, the best possible service, and most importantly, an attitude of making our customers' lives easier on a day-to-day basis. Our values challenge us toward a commitment to truth and to deliver what we promise.

TO EACH OTHER

Our promise to each other is, to first and foremost, honor God in all that we do. We recognize the dignity, worth, and potential of each individual. We acknowledge that every job and worker matters. We remain focused on our relationships and strive to develop people, enabling them to succeed. We seek to always remain thankful for our customers and community to continually seek better methods of delivering service and working together.





PYRAMEX

PYRAMEX.COM
@PYRAMEXSAFETY



2021 | 2022