

CORE PRODUCTS



TABLE OF CONTENTS

EYEWEAR

FRAMELESS	05
HALF FRAME	07
FULL FRAME	08
SEALED	09
GOGGLES	12
OVER THE SPEC	13
VENTURE GEAR® KIT	14
LENS CLEANING	14

GLOVES

SYNTHETIC	19
NITRILE	21
POLYURETHANE	23
LATEX	23

HEARING

EARPLUGS	16
PASSIVE EARMUFFS	16


PYRAMEX HAS WHAT YOU NEED

PYRAMEX WEBSITE

Stay up to date on all things Pyramex by using our website as a tool. There, you will be able to browse our product lines – including our closeout and new items. In addition, you can view images, product sheets, catalogs, videos, etc. You can even Live Chat with us to get the answers you need. To utilize everything our website has to offer, visit Pyramex.com.

CORE PRODUCTS

Check out the online core products collection on our website. From the landing page you'll be able to download a PDF version of this brochure and product sheets.



LANDING PAGE

WE'RE HERE TO HELP

PHONE +44 (0) 1635 254220

Pyramex.com

help@pyramex.com

Live Web Chat available at Pyramex.com

Unit 10, Lane End Farm Industrial Units,
East Woodhay
Newbury, Berkshire RG20 0NG
UK

[f](#) [@](#) @PyramexSafety


EYEWEAR



FRAMELESS	05
HALF FRAME	07
FULL FRAME	08
SEALED	09
GOGGLES	12
OVER THE SPEC	13
VENTURE GEAR® KIT	14
LENS CLEANING	14

STANDARDS

CE/UCKA EN 166
 ASTM F2879-19 Standard Specification for Eye Protective Devices for Airsoft
 MIL-PRF-32432 High Velocity Impact Standards




D3: Droplet and Splash Test

A **D3** rating offers protection against splashes and droplets on the glasses, from molten items to liquids and chemicals.

D4: Dust Test

A **D4** rating gives an additional layer of protection against dust particles and blocks any debris from reaching the inside of the goggle.



H2MAX Anti-fog Coating

The innovative technology behind **H2MAX** creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleanings without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humid conditions, it also adds a layer to the lens that is abrasion and chemical resistant. The **H2MAX** anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g weight. **H2MAX** passes CE/UKCA standards for N and K.

H2X Anti-fog Coating

H2X provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, **H2X** will continue to be effective because the coating is bonded to the lenses. The **H2X** anti-fog coating is made from non-hazardous environmental components. Coating is waterproof with excellent scratch resistance.

FEATURE ICONS

The icons below and in the following pages represent some of the most requested features for safety eyewear.



Ztek®



Lens and Temples | 3 Variations

- ES2510ST Clear H2X AF
- ES2520S Grey
- ES2530S Amber



MINI ZTEK

Mini Ztek

Lens and Temples | 1 Variation

- ES2510SN Clear

i Mini Ztek is about 6% smaller than the Ztek.



ZTEK

Intruder®



Lens and Temples | 4 Variations

- ES4110S Clear
- ES4110ST Clear AF
- ES4120S Grey
- ES4120ST Grey AF



Neshoba™



Black Temples | 4 Variations

- ES9710ST Clear H2X AF
- ES9720ST Grey H2X AF
- ES9730S Amber
- ES9780ST I/O Mirror AF



PMXSLIM®



Black Temples | 4 Variations

- ESB7110ST Clear H2X AF
- ESB7120ST Grey H2X AF
- ESB7138S Sandstone Bronze
- ESB7180S I/O Mirror



ltek®




Black Temples | 3 Variations

- ES5810ST Clear H2X AF
- ES5820ST Grey H2X AF
- ES5880ST I/O Mirror AF




Legacy®




Lens and Temples | 6 Variations

- ES10910S Clear
- ES10910STM Clear H2MAX AF
- ES10920S Grey
- ES10920STM Grey H2MAX AF
- ES10950SF 5.0 IR Filter
- ES10960SF 3.0 IR Filter





Ever-Lite®



Black Frame | 10 Variations

- | | | | |
|--------------|----------------|--------------|---------------|
| ● ESB8610D | Clear | ● ESB8620DTM | Grey H2MAX AF |
| ● ESB8610DT | Clear H2X AF | ● ESB8624D | Photochromic |
| ● ESB8610DTM | Clear H2MAX AF | ● ESB8630D | Amber |
| ● ESB8620D | Grey | ● ESB8680D | I/O Mirror |
| ● ESB8620DT | Grey H2X AF | ● ESB8680DT | I/O Mirror AF |

i Photochromic lenses change from clear to dark after exposure to direct UV light. Lenses change from dark to clear after removal from UV light.



Venture II® Readers



Black Frame | 5 Variations

- | | | |
|--------------|-------|----------|
| ● ESB1810R10 | Clear | +1.0 Mag |
| ● ESB1810R15 | Clear | +1.5 Mag |
| ● ESB1810R20 | Clear | +2.0 Mag |
| ● ESB1810R25 | Clear | +2.5 Mag |
| ● ESB1810R30 | Clear | +3.0 Mag |



Venture 3®



Black Frame | 3 Variations

- | | |
|-------------|--------------|
| ● ESB5710DT | Clear H2X AF |
| ● ESB5720DT | Grey H2X AF |
| ● ESB5730D | Amber |



FULL FRAME

Velar™



Black Frame | 1 Variation

- | | |
|-------------|-----------------|
| ● ESB10420D | Grey |
| ● ESB10465D | Ice Blue Mirror |

Black and Red Frame | 1 Variation

- | | |
|--------------|----------------|
| ● ESBR10455D | Sky Red Mirror |
|--------------|----------------|



Fyxate™



Lime Temples | 4 Variations

- ESGL10210ST Clear H2X AF
- ESGL10220S Grey
- ESGL10220ST Grey H2X AF
- ESGL10280S I/O Mirror

Lime Temples with Foam Padding | 2 Variations

- ESGL10210STMFP Clear H2MAX AF
- ESGL10220STMFP Grey H2MAX AF



ESGL102



ESGL102 with Foam Padding

Proximity®




Black Frame | 2 Variations

- ESB9310STM Clear H2MAX AF
- ESB9320STM Grey H2MAX AF



Crossover™



Black and Grey Frame | 2 Variations

- ESBG10610DT Clear H2X AF
- ESBG10620DT Grey H2X AF

Grey and Lime Frame | 1 Variation

- ESGL10610DT Clear H2X AF



ESBG106

ESGL106

Highlander™ Plus



Black and Grey Frame | 3 Variations

- ESBG5010DT Clear H2X AF
- ESBG5020DT Grey H2X AF
- ESBG5080DT I/O Mirror AF




I-FORCE



I-FORCE SLIM

I-Force®



Black Frame | 3 Variations

- ESB7010SDT Clear Dual Pane H2X AF
- ESB7020SDT Grey Dual Pane H2X AF
- ESB7080SDT I/O Mirror Dual Pane AF

I-Force® Slim

Black Frame | 2 Variations

- ESB7010SDNT Clear Dual Pane H2X AF
- ESB7020SDNT Grey Dual Pane H2X AF

i I-Force Slim is about 6% smaller than the I-Force.

Interchangeable temple and strap.

Isotope™



Black Frame | 2 Variations

- EGB9410STM Clear **H2MAX AF**
- EGB9420STM Grey **H2MAX AF**

i Interchangeable temple and strap.



V2G®




Black Frame | 2 Variations

- EGB1810ST Clear **H2X AF**
- EGB1820ST Grey **H2X AF**

i Interchangeable temple and strap.



V2G-Plus®




Black Body with Strap | 2 Variations

- EGB6410SDT Clear Dual Pane **H2X AF**
- EGB6420SDT Grey Dual Pane **H2X AF**



GOGGLES

Capstone® Shield



Lens and Shield | 1 Variation

- EGG504TSHIELD Clear **H2X AF**



Capstone Face Shield and Strap

ECAPSHIELD

Ratcheting shield includes strap and clips allowing the user to add to either of the Capstone 500 Series goggles // Sold as a replacement shield for GG504TSHIELD

Disposable Capstone Shield Visors

VPACK6

Pack of 6 clear disposable, tear-off visors, suitable for high dust or muddy working environments



Capstone 500




Grey Body with Quick Release Strap | 1 Variation

- EGG504T Clear **H2X AF**



EG205



Clear Body with Black Strap | 1 Variation

- EG205 Clear



EG704T



Grey Body with Black Strap | 1 Variation

- EG704T Clear AF

OVER THE SPEC



Cappture™



Lens and Temples | 2 Variations

- ES9910ST Clear H2X AF
- ES9920ST Grey H2X AF

Cappture Pro



Rubber Gasket with Strap | 2 Variations

- EGG9910TM Clear H2MAX AF
- EGG9920TM Grey H2MAX AF



Cappture Plus



Rubber Gasket with Temples | 2 Variations

- ES9910STMGRG Clear H2MAX AF
- ES9920STMGRG Grey H2MAX AF



VENTURE GEAR® KIT

Drop Zone®



Black Temples

EVGSB88KIT

- Clear H2X Anti-fog
- Forest Grey H2X Anti-fog
- Orange H2X Anti-fog
- Vermilion H2X Anti-fog



LENS CLEANING



HCW100 100 Individually Packaged 5" x 8" Alcohol Free Hygienic Wipes



LCT100 100 Individually Packaged 5x8 Cleaning Towellettes




LCS10 8 oz. Lens Cleaning Station with 600 Tissues



LCS20 16 oz. Lens Cleaning Station with 1,200 Tissues

HEARING



EARPLUGS AND PASSIVE EARMUFFS



SNR 38dB

DP1000



DISPOSABLE
EARPLUGS



SNR 37dB

DP1001



DISPOSABLE
EARPLUGS



SNR 37dB

DPD1001



DISPOSABLE
EARPLUGS

METAL
DETECTABLE



SNR 27dB

EBP3000



REUSABLE
EARPLUGS



SNR 30dB

RP3001



REUSABLE
EARPLUGS



SNR 30dB

RPD3001



REUSABLE
EARPLUGS

METAL
DETECTABLE

STANDARDS

CE/UKCA EN 352:2020

SNR

Single Number Rating (SNR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn. SNR also rates hearing protection by the noise environments in three categories: high-frequency (H), mid-frequency (M), and low-frequency (L).

FEATURE ICONS

The icons below and in the following pages represent some of the most requested features for hearing protection.



DISPOSABLE
EARPLUGS



METAL
DETECTABLE



REUSABLE
EARPLUGS



SNR 30.4dB

EPM3010



SNR 30dB

EPM8010




PD500

PD500 Earplug Dispenser with DP1000

PD500R Replacement 500 pair of DP1000

GLOVES



SYNTHETIC	19
NITRILE	21
POLYURETHANE	23
LATEX	23

STANDARDS

- ANSI/ISEA 105-2016

- ANSI/ISEA 138-2019

- CE/UKCA EN 388:2016

- CE/UKCA EN ISO 21420:2020




DIPPED COATING TYPES

Latex Flexibility in extreme temps + Tear resistant + Suited for wet and dry conditions	Nitrile Latex alternative + Absorbs oil + Outstanding grip	Polyurethane Value work glove + Low particulate shed + Touch sensitivity with dexterity

FEATURE ICONS

The icons below and in the following pages represent some of the most requested features for safety gloves.



GAUGES

The gauge of the liner is the number of rows of stitches per inch. A glove with a higher gauge will fit better and have more dexterity + tactile feel.





GL103HT

ANSI/ISEA 105-2015 – ABRASION 3 | PUNCTURE 2
EN388:2016 – ABRASION 3 | CUT 1 | TEAR 2 | PUNCTURE 1 | CUT TDM-100 X



GL103HT S – 3XL



GL104HT

ANSI/ISEA 105-2015 – ABRASION 6 | PUNCTURE 4
EN388:2016 – ABRASION 4 | CUT 1 | TEAR 2 | PUNCTURE 1 | CUT TDM-100 X



GL104HT S – 3XL



GL105HT

ANSI/ISEA 105-2015 – ABRASION 3 | PUNCTURE 2
EN388:2016 – ABRASION 3 | CUT 1 | TEAR 2 | PUNCTURE 1 | CUT TDM-100 X



GL105HT S – 3XL



GL204HT

ANSI/ISEA 105-2015 – ABRASION 4 | PUNCTURE 5
EN388:2016 – ABRASION 3 | CUT 1 | TEAR 2 | PUNCTURE 1 | CUT TDM-100 X | IMPACT P



GL204HT S – 3XL



GL204CHT

ANSI/ISEA 105-2015 – CUT A6 | ABRASION 4 | PUNCTURE 4
EN388:2016 – ABRASION 3 | CUT X | TEAR 2 | PUNCTURE 1 | CUT TDM-100 F | IMPACT P



GL204CHT S – 3XL



GL805HT

ANSI/ISEA 105-2015 – ABRASION 6 | PUNCTURE 3
ANSI/ISEA 138-2019 – IMPACT 2
EN388:2016 – ABRASION 4 | CUT 1 | TEAR 1 | PUNCTURE 2 | CUT TDM-100 X | IMPACT P



GL805HT S – 3XL



GL105CHT

ANSI/ISEA 105-2015 – CUT A6 | ABRASION 3 | PUNCTURE 4
EN388:2016 – ABRASION 2 | CUT X | TEAR 2 | PUNCTURE 2 | CUT TDM-100 F



GL105CHT S – 3XL



GL202HT

ANSI/ISEA 105-2015 – ABRASION 6 | PUNCTURE 5
ANSI/ISEA 138-2019 – IMPACT 1
EN388:2016 – ABRASION 4 | CUT 1 | TEAR 1 | PUNCTURE 2 | CUT TDM-100 X | IMPACT P



GL202HT S – 3XL



GL203HT

ANSI/ISEA 105-2015 – ABRASION 6 | PUNCTURE 2
ANSI/ISEA 138-2019 – IMPACT 1
EN388:2016 – ABRASION 2 | CUT 1 | TEAR 3 | PUNCTURE 1 | CUT TDM-100 X | IMPACT P



GL203HT S – 3XL



GL806HT

ANSI/ISEA 105-2015 – CUT A2 | ABRASION 4 | PUNCTURE 4
ANSI/ISEA 138-2019 – IMPACT 2
EN388:2016 – ABRASION 2 | CUT 1 | TEAR 4 | PUNCTURE 3 | CUT TDM-100 X | IMPACT P



GL806HT S – 3XL



GL807HT

ANSI/ISEA 105-2015 – ABRASION 6 | PUNCTURE 2
ANSI/ISEA 138-2019 – IMPACT 2
EN388:2016 – ABRASION 2 | CUT 1 | TEAR 2 | PUNCTURE 1 | CUT TDM-100 X | IMPACT P



GL807HT S – 3XL



GL807CHT

ANSI/ISEA 105-2015 – CUT A5 | ABRASION 6 | PUNCTURE 4
ANSI/ISEA 138-2019 – IMPACT 2
EN388:2016 – ABRASION 3 | CUT X | TEAR 2 | PUNCTURE 2 | CUT TDM-100 F | IMPACT P



GL807CHT S – 3XL



GL604C5

ANSI/ISEA 105-2015 – CUT A4 | ABRASION 6 | PUNCTURE 3
EN388:2016 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
CUT TDM-100 D



GL604C5 S-2XL



GL605

ANSI/ISEA 105-2015 – ABRASION 6 | PUNCTURE 2
EN388:2016 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |
CUT TDM-100 X



GL605 S-2XL



GL606DPC

ANSI/ISEA 105-2015 – CUT A3 | ABRASION 6 | PUNCTURE 4
EN388:2016 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |
CUT TDM-100 C



GL606DPC XS-3XL

NITRILE DIPPED



GL601

ANSI/ISEA 105-2015 – ABRASION 6 | PUNCTURE 2
EN388:2016 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |
CUT TDM-100 X



GL601 XS-3XL
GL601DP S-2XL (Dotted Palm)



GL602C3

ANSI/ISEA 105-2015 – CUT A4 | ABRASION 4 | PUNCTURE 3
EN388:2016 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |
CUT TDM-100 B



GL602C3 S-2XL



GL603C5

ANSI/ISEA 105-2015 – CUT A4 | ABRASION 4 | PUNCTURE 4
EN388:2016 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
CUT TDM-100 D



GL603C5 XS-3XL
GL603DPC5 S-2XL (Dotted Palm)



GL609C

ANSI/ISEA 105-2015 – CUT A6 | ABRASION 6 | PUNCTURE 4
ANSI/ISEA 138-2019 – IMPACT 2
EN388:2016 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
CUT TDM-100 E | IMPACT P



GL609C S-3XL



GL610C

ANSI/ISEA 105-2015 – CUT A6 | ABRASION 6 | PUNCTURE 4
ANSI/ISEA 138-2019 – IMPACT 2
EN388:2016 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
CUT TDM-100 E | IMPACT P



GL610C S-3XL

POLYURETHANE DIPPED



GL401

ANSI/ISEA 105-2015 – ABRASION 3 | PUNCTURE 2
EN388:2016 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |
CUT TDM-100 X



POLYURETHANE 13 GAUGE ABRASION PUNCTURE

GL401 XS – 3XL



GL402C5

ANSI/ISEA 105-2016 – CUT A4 | ABRASION 3 | PUNCTURE 4
EN388:2016 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
CUT TDM-100 D



POLYURETHANE 13 GAUGE ABRASION CUT PUNCTURE

GL402C5 XS – 3XL



THE PYRAMEX PROMISE

TO OUR CUSTOMERS

Our promise to our customers is to provide the best possible products, the best possible service, and most importantly, an attitude of making our customers' lives easier on a day-to-day basis. Our values challenge us toward a commitment to truth and to deliver what we promise.

TO EACH OTHER

Our promise to each other is, to first and foremost, honor God in all that we do. We recognize the dignity, worth, and potential of each individual. We acknowledge that every job and worker matters. We remain focused on our relationships and strive to develop people, enabling them to succeed. We seek to always remain thankful for our customers and community to continually seek better methods of delivering service and working together.

LATEX DIPPED



GL501C5

ANSI/ISEA 105-2015 – CUT A4 | ABRASION 4 | PUNCTURE 4
EN388:2016 – ABRASION 3 | CUT X | TEAR 4 | PUNCTURE 2 |
CUT TDM-100 D



CRINKLE LATEX 13 GAUGE ABRASION



GL501C5 S – 2XL



GL502

ANSI/ISEA 105-2015 – ABRASION 4 | PUNCTURE 2
EN388:2016 – ABRASION 3 | CUT 1 | TEAR 3 | PUNCTURE 1 |
CUT TDM-100 X



SANDY SMOOTH LATEX 13 GAUGE ABRASION PUNCTURE WATER RESISTANT

GL502 S – 2XL

PYRAMEX[®]
THERE'S MORE TO SEE AT PYRAMEX.COM