

# CORE PRODUCTS



# TABLE OF CONTENTS

## EYEWEAR

FRAMELESS	05
HALF FRAME	09
FULL FRAME	13
SEALED	15
GOGGLES	19
OVER THE SPEC	21
READERS	23

## GLOVES

SYNTHETIC	27
NITRILE	29
LATEX	32
POLYURETHANE	33
INSULATED DIPPED	34
LEATHER PALMS	35
LEATHER DRIVERS	36
ARC FLASH	38
INSULATED DRIVERS	38

## WORK WEAR

COOLING	41
VESTS	41
SHIRTS	44
LIGHTWEIGHT SERIES	45
HOODIES	46
JACKETS	47
PARKAS	48

## HEADGEAR

RIDGELINE®	51
RIDGELINE XR7®	53
SL SERIES	54
FACESHIELDS/ ADAPTERS	55
SUNSHADES	56
BUMP CAP	56

## WELDING

HELMETS	58
---------	----

## HEARING

EARPLUGS	60
ELECTRONIC EARMUFF	60
CAP MOUNTED EARMUFF	60
PASSIVE EARMUFFS	61

## CHARTS

EYEWEAR	62
GLOVES	69
HEADGEAR	79
WORK WEAR	80

# PYRAMEX HAS WHAT YOU NEED

## VIEW OUR FULL LINE ON THE PYRAMEX WEBSITE

Stay up to date on all things Pyramex by using our website as a tool. There, you will be able to browse our full product lines – including new and trending items. In addition, you can view images, product sheets, catalogs, videos, etc.



LANDING PAGE

CHARTS

## CORE PRODUCTS

Check out the online core products collection on our website. From the landing page you'll be able to download a PDF version of this brochure, product sheets, and comparison charts.



## CUSTOMIZE YOUR PPE

### PAD PRINTING | SCREEN PRINTING | HEAT TRANSFER

Our in-house print team can add your logo or your customer's logo on Pyramex eyewear, earmuffs, hard hats, and work wear. To start the order process all we need is your vectored artwork. Contact your sales representative for further details.

Products available for customization are indicated by the custom logo icon.



CUSTOM LOGO



## WE'RE HERE TO HELP

PHONE 800-736-8673 | FAX 877-PYRAMEX

Pyramex.com

305 Keough Drive, Piperton, TN 38017

Live Web Chat available at Pyramex.com

help@pyramex.com

@PyramexSafety


# EYEWEAR



FRAMELESS	05
HALF FRAME	09
FULL FRAME	13
SEALED	15
GOGGLES	19
OVER THE SPEC	21
READERS	23

# STANDARDS

ANSI/ISEA Z87.1-2020 + High Impact

 Certified Model - CAN/CSA Z94.3-2020

ASTM F2879-19 Standard Specification for Eye Protective Devices for Airsoft

MIL-PRF-32432 High Velocity Impact Standards



AIRSOFT



BALLISTIC



DROPLET AND SPLASH TEST



DUST TEST

## D3: Droplet and Splash Test



A **D3** rating offers protection against splashes and droplets on the glasses, from molten items to liquids and chemicals.

## D4: Dust Test

A **D4** rating gives an additional layer of protection against dust particles and blocks any debris from reaching the inside of the goggle.

# FULL EYEWEAR COLLECTION AND COMPARISON CHARTS

Visit the Core Products landing page to download comparison charts and view the entirety of the Pyramex eyewear line.



# FEATURE ICONS

The icons below and in the following pages represent some of the most requested features for safety eyewear.



ADJUSTABLE NOSEPIECE



ADJUSTABLE TEMPLES



CO-INJECTED TEMPLES



DIELECTRIC



DUAL PANE LENS



FOAM PADDED OPTIONS



INCLUDES STRAP



OVER THE SPEC



CUSTOM LOGO



READER OPTIONS



RATCHETING TEMPLES



RUBBER NOSEPIECE



RUBBER TIPS



VENTED FRAME



POLARIZED OPTIONS



ANTI-FOG OPTIONS



H2X OPTIONS



H2MAX OPTIONS



INFARED OPTIONS

## H2MAX Anti-fog Coating

The innovative technology behind H2MAX creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleanings without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humid conditions, it also adds a layer to the lens that is abrasion and chemical resistant. The H2MAX anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g weight. H2MAX passes ANSI/ISEA Z87.1-2020 standards, CE/UKCA standards for N and K, and Canadian certification CAN/CSA Z94.3-20.


## H2X Anti-fog Coating

H2X provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, H2X will continue to be effective because the coating is bonded to the lenses. The H2X anti-fog coating is made from non-hazardous environmental components. Coating is waterproof with excellent scratch resistance. H2X passes ANSI/ISEA Z87.1-2020 standards and Canadian certification CAN/CSA Z94.3-20.

# FRAMELESS

## Ztek®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



### Lens and Temples | 18 Variations

- S2510S Clear
- S2510ST Clear **H2X AF**
- S2514S 1.5 IR Filter
- S2515S Coffee
- S2520S Gray
- S2520ST Gray **H2X AF**
- S2530S Amber
- S2540S Orange
- S2550SF\* 5.0 IR Filter
- S2560S Infinity Blue
- S2560SF\* 3.0 IR Filter
- S2560ST Infinity Blue **H2X AF**
- S2565S Purple Haze
- S2570S Silver Mirror
- S2575S Blue Mirror
- S2580S I/O Mirror
- S2590S Gold Mirror
- S25ARCS Arc – 1.5 IR Filter

## Mini Ztek

### Lens and Temples | 8 Variations

- S2510SN Clear
- S2510SNT Clear **H2X AF**
- S2517SN Pink
- S2520SN Gray
- S2530SN Amber
- S2560SN Infinity Blue
- S2575SN Blue Mirror
- S2580SN I/O Mirror



ZTEK



MINI ZTEK



Mini Ztek is about 6% smaller than the Ztek.

S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.


S25ARCS is great for use under the welding helmet – allowing welder to see work clearly without suffering “welder’s flash burn” from surrounding welders.

Reader options on page 24.

\*Not approved for CAN/CSA Z94.3-20

## Provoq®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



### Lens and Temples | 11 Variations

- S7210S Clear
- S7210ST Clear AF
- S7220S Gray
- S7220ST Gray AF
- S7230S Amber
- S7255S\* Multi-Color Mirror
- S7260S Infinity Blue
- S7270S Silver Mirror
- S7275S Blue Mirror
- S7280S I/O Mirror
- S7280ST\* I/O Mirror AF



\*Not approved for CAN/CSA Z94.3-20



SBGR96



SBG with  
Foam Padding

## Endeavor® Plus

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



RUBBER  
NOSEPIECE



DIELECTRIC



CO-INJECTED  
TEMPLES



ADJUSTABLE  
NOSEPIECE



FOAM PADDED  
OPTIONS



H2X  
OPTIONS



H2MAX  
OPTIONS



CUSTOM  
LOGO

### Black and Gray Temples | 5 Variations

- SBG9610S Clear
- SBG9610ST Clear **H2X** AF
- SBG9620S Gray
- SBG9620ST Gray **H2X** AF
- SBG9680S I/O Mirror

### Black and Green Temples | 4 Variations

- SBGR9610S Clear
- SBGR9610ST Clear **H2X** AF
- SBGR9620S Gray
- SBGR9680S I/O Mirror



SBG96



SBP96

### Black and Gray Temples with Foam Padding | 2 Variations

- SBG9610STMFP Clear **H2MAX** AF
- SBG9620STMFP Gray **H2MAX** AF

### Black and Green Temples with Foam Padding | 2 Variations

- SBGR9610STMFP Clear **H2MAX** AF
- SBGR9620STMFP Gray **H2MAX** AF

### Black and Pink Temples | 2 Variations

- SBP9610S Clear
- SBP9610ST Clear **H2X** AF



INTRUDER



S41 with Foam Padding

## Intruder®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



FOAM PADDED  
OPTIONS



READER  
OPTIONS



ANTI-FOG  
OPTIONS



H2MAX  
OPTIONS



CUSTOM  
LOGO

### Lens and Temples | 13 Variations

● S4110S	Clear
● S4110ST	Clear AF
● S4110STM	Clear <b>H2MAX</b> AF
● S4110SUC*	Uncoated Clear
● S4120S	Gray
● S4120ST	Gray AF
● S4120STM	Gray <b>H2MAX</b> AF
● S4130S	Amber
● S4160S	Infinity Blue
● S4170S	Silver Mirror
● S4175S*	Blue Mirror
● S4180S	I/O Mirror
● S4180ST*	I/O Mirror AF

### Foam Padded Frame | 3 Variations

● S4110STFP*	Clear AF
● S4120STFP*	Gray AF
● S4180STFP*	I/O Mirror AF



SB41



SN41



SR41

### Black Temples | 1 Variation

● SB4110S	Clear
-----------	-------

### Blue Temples | 1 Variation

● SN4110S	Clear
-----------	-------

### Red Temples | 1 Variation

● SR4110S	Clear
-----------	-------



MINI INTRUDER

**i** Reader options on page 24.

\*Not approved for CAN/CSA Z94.3-20

## Mini Intruder

ANSI/ISEA Z87.1-2020

### Lens and Temples | 2 Variations

● S4110SN	Clear
● S4120SN	Gray

**i** Mini Intruder is about 8% smaller than the Intruder.

\*Not approved for CAN/CSA Z94.3-20

## Intruder and Mini Intruder Multi-Colors

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20

### Multi-Color Temples | 2 Variations

● S4110SMP	Clear (Intruder)
● S4110SNMP*	Clear (Mini Intruder)

**i** Sold in dozen quantity only. Comes with six assorted colors: red, blue, green, purple, orange and black.







## Atoka®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



RUBBER TIPS



ANTI-FOG OPTIONS



H2X OPTIONS



CUSTOM LOGO

### Lens and Temples | 6 Variations

- S9110S Clear
- S9110ST Clear **H2X AF**
- S9120S Gray
- S9120ST Gray **H2X AF**
- S9180S I/O Mirror
- S9180ST I/O Mirror AF



## Alair®

ANSI/ISEA Z87.1-2020



H2X OPTIONS



CUSTOM LOGO

### Lens and Temples | 7 Variations

- S3210S Clear
- S3210ST Clear **H2X AF**
- S3220S Gray
- S3260S Infinity Blue
- S3270S Silver Mirror
- S3275S Blue Mirror
- S3280S I/O Mirror



## Legacy®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



INFRA-RED OPTIONS



H2MAX OPTIONS



CUSTOM LOGO

### Lens and Temples | 8 Variations

- S10910S Clear
- S10910STM Clear **H2MAX AF**
- S10920S Gray
- S10920STM Gray **H2MAX AF**
- S10925S Light Gray
- S10925STM Light Gray **H2MAX AF**
- S10950SF 5.0 IR Filter
- S10960SF 3.0 IR Filter



## Neshoba™

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



H2X OPTIONS



H2MAX OPTIONS



CUSTOM LOGO

### Black Temples | 7 Variations

- S9710S Clear
- S9710ST Clear **H2X AF**
- S9710STM Clear **H2MAX AF**
- S9720S Gray
- S9720ST Gray **H2X AF**
- S9720STM Gray **H2MAX AF**
- S9780S I/O Mirror


# HALF FRAME



SB 18

## Venture II®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20 | MIL-PRF-32432



### Black Frame | 15 Variations

- |             |                     |            |               |
|-------------|---------------------|------------|---------------|
| ● SB1810S   | Clear               | ● SB1870S  | Silver Mirror |
| ● SB1810ST  | Clear <b>H2X AF</b> | ● SB1875S  | Blue Mirror   |
| ● SB1820S   | Gray                | ● SB1880S  | I/O Mirror    |
| ● SB1820ST  | Gray <b>H2X AF</b>  | ● SB1880ST | I/O Mirror AF |
| ● SB1830S   | Amber               | ● SB1890S  | Gold Mirror   |
| ● SB1835S   | Sun Block Bronze    |            |               |
| ● SB1840S   | Orange              |            |               |
| ● SB1850SF* | 5.0 IR Filter       |            |               |
| ● SB1860S   | Infinity Blue       |            |               |
| ● SB1860SF* | 3.0 IR Filter       |            |               |

### Metallic Blue Frame | 3 Variations

- |             |            |
|-------------|------------|
| ● SMB1810S* | Clear      |
| ● SMB1820S* | Gray       |
| ● SMB1880S* | I/O Mirror |



SMB18

### Slate Gray Frame | 1 Variation

- |             |       |
|-------------|-------|
| ● SSG1810S* | Clear |
|-------------|-------|

**i** Reader options on page 24.



SSG18

\*Not approved for CAN/CSA Z94.3-20

## Venture 3®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20 |  
MIL-PRF-32432



ADJUSTABLE  
NOSEPIECE



ADJUSTABLE  
TEMPLES




CO-INJECTED  
TEMPLES



BALLISTIC



VENTED  
FRAME



H2X  
OPTIONS



H2MAX  
OPTIONS



CUSTOM  
LOGO

### Black Frame | 9 Variations

● SB5710D	Clear	● SB5730D	Amber
● SB5710DT	Clear <b>H2X AF</b>	● SB5760D	Infinity Blue
● SB5710DTM	Clear <b>H2MAX AF</b>	● SB5770D	Silver Mirror
● SB5720D	Gray	● SB5780D	I/O Mirror
● SB5720DT	Gray <b>H2X AF</b>		



## Sitecore™

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



RUBBER  
NOSEPIECE




ADJUSTABLE  
TEMPLES



RATCHETING  
TEMPLES



H2MAX  
OPTIONS



CUSTOM  
LOGO

### Black and Gray Frame | 6 Variations

● SBG10110D	Clear
● SBG10110DTM	Clear <b>H2MAX AF</b>
● SBG10120D	Gray
● SBG10120DTM	Gray <b>H2MAX AF</b>
● SBG10130D	Amber
● SBG10180D	I/O Mirror

### Gray and Lime Frame | 5 Variations

● SGL10110D	Clear
● SGL10110DTM	Clear <b>H2MAX AF</b>
● SGL10120D	Gray
● SGL10120DTM	Gray <b>H2MAX AF</b>
● SGL10180D	I/O Mirror



SGL101



SBG101

## Rendezvous®

ANSI/ISEA Z87.1-2020 |  
MIL-PRF-32432



ADJUSTABLE  
NOSEPIECE



ADJUSTABLE  
TEMPLES




BALLISTIC



RATCHETING  
TEMPLES



H2X  
OPTIONS



CUSTOM  
LOGO

### Black Frame | 6 Variations

● SB2810S	Clear
● SB2810ST	Clear <b>H2X AF</b>
● SB2820S	Gray
● SB2820ST	Gray <b>H2X AF</b>
● SB2830S	Amber
● SB2880S	I/O Mirror

### Crystal Gray Frame | 1 Variation

● SCG2810ST	Clear <b>H2X AF</b>
-------------	---------------------



SCG28



SB28



SBL86

## Ever-Lite®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



### Black Frame | 19 Variations

- |             |                            |             |                               |
|-------------|----------------------------|-------------|-------------------------------|
| ● SB8610D   | Clear                      | ● SB8650SF* | 5.0 IR Filter                 |
| ● SB8610DT  | Clear <b>H2X AF</b>        | ● SB8660D   | Infinity Blue                 |
| ● SB8610DTM | Clear <b>H2MAX AF</b>      | ● SB8660DT  | Infinity Blue <b>H2X AF</b>   |
| ● SB8620D   | Gray                       | ● SB8660DTM | Infinity Blue <b>H2MAX AF</b> |
| ● SB8620DT  | Gray <b>H2X AF</b>         | ● SB8660SF* | 3.0 IR Filter                 |
| ● SB8620DTM | Gray <b>H2MAX AF</b>       | ● SB8665D   | Ice Blue Mirror               |
| ● SB8623D   | Dark Gray                  | ● SB8680D   | I/O Mirror                    |
| ● SB8623DT  | Dark Gray <b>H2X AF</b>    | ● SB8680DT  | I/O Mirror AF                 |
| ● SB8624D   | Photochromic               |             |                               |
| ● SB8625DTM | Light Gray <b>H2MAX AF</b> |             |                               |
| ● SB8630D   | Amber                      |             |                               |

### Black and Lime Frame | 2 Variations

- |              |                       |
|--------------|-----------------------|
| ● SBL8610DTM | Clear <b>H2MAX AF</b> |
| ● SBL8620DTM | Gray <b>H2MAX AF</b>  |

**i** Reader options on page 23.

Photochromic lenses change from clear to dark after exposure to direct UV light. Lenses change from dark to clear after removal from UV light.



\*Not approved for CAN/CSA Z94.3-20

# PMXTREME®

ANSI/ISEA Z87.1-2020



RUBBER NOSEPIECE



RUBBER TIPS




ANTI-FOG OPTIONS



READER OPTIONS



INCLUDES STRAP



CUSTOM LOGO

## Black Frame with Cord | 11 Variations

- SB6310SP Clear
- SB6310STP Clear AF
- SB6320SP Gray
- SB6320STP Gray AF
- SB6330SP Amber
- SB6345SP Ice Orange Mirror
- SB6360SP Infinity Blue
- SB6370SP Silver Mirror
- SB6375SP Blue Mirror
- SB6376SP Smoke Green Mirror
- SB6380SP I/O Mirror

## Camo Frame with Cord | 2 Variations

- SCM6318STP Sandstone Bronze AF
- SCM6320STP Gray AF

## Red Frame with Cord | 1 Variation

- SR6320SP Gray



SCM63



SR63



SB63

# Integra®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20




ADJUSTABLE TEMPLES



ANTI-FOG OPTIONS



INFRARED OPTIONS



CUSTOM LOGO

## Black Frame | 5 Variations

- SB410S Clear
- SB410ST Clear AF
- SB420S Gray
- SB450SF\* 5.0 IR Filter
- SB460SF\* 3.0 IR Filter

## Blue Frame | 1 Variation

- SN410S Clear

## Red Frame | 1 Variation

- SR410S Clear

## Red, White and Blue Frame | 1 Variation

- SNWR410S Clear



SB4



SN4



SR4



SNWR4

\*Not approved for CAN/CSA Z94.3-20

# FULL FRAME

## Goliath®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



CO-INJECTED  
TEMPLES



POLARIZED  
OPTIONS



H2X  
OPTIONS



CUSTOM  
LOGO

### Black Frame | 9 Variations

- SB5610D Clear
- SB5610DT Clear **H2X** AF
- SB5620D Gray
- SB5620DT Gray **H2X** AF
- SB5621D **Polarized** Gray
- SB5645D Ice Orange Mirror
- SB5665D Ice Blue Mirror
- SB5670D Silver Mirror
- SB5680D I/O Mirror

### White Frame | 2 Variations

- SW5655D Sky Red Mirror
- SW5665D Ice Blue Mirror



SW56



SB56

## Zone II®

ANSI/ISEA Z87.1-2020



RUBBER  
NOSEPIECE



RUBBER  
TIPS



CUSTOM  
LOGO

### Matte Black Frame | 4 Variations

- SB3310E Clear
- SB3320E Gray
- SB3365E Ice Blue Mirror
- SB3380E I/O Mirror



SB33

### Silver Frame | 5 Variations

- SS3320E Gray
- SS3345E Ice Orange Mirror
- SS3365E Ice Blue Mirror
- SS3370E Silver Mirror
- SS3375E Blue Mirror



SS33

## Exeter®

ANSI/ISEA Z87.1-2020



RUBBER  
NOSEPIECE



CO-INJECTED  
TEMPLES



H2X  
OPTIONS



ANTI-FOG  
OPTIONS



CUSTOM  
LOGO

### Glossy Black Frame | 5 Variations

- SB5110DT Clear **H2X** AF
- SB5120DT Gray **H2X** AF
- SB5133DT Shooter's Amber **H2X** AF
- SB5155DT Sky Red Mirror
- SB5175DT Blue Mirror AF





SBRF104

# Velar™

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



## Black Frame | 3 Variations

- SB104100 Clear
- SB104200 Gray
- SB10465D Ice Blue Mirror

## Black and Red Frame | 1 Variation

- SBRF10445D Ice Orange Mirror

## White and Blue Frame | 1 Variation

- SWBL10465D Ice Blue Mirror

## White and Red Frame | 1 Variation

- SWR10455D Sky Red Mirror



SB104



SWBL104



SWR104

## Fyxate™

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



DIELECTRIC



FOAM PADDED  
OPTIONS



RUBBER  
NOSEPIECE



RUBBER  
TIPS



H2X  
OPTIONS



H2MAX  
OPTIONS



INCLUDES  
STRAP

### Black Temples | 5 Variations

- SB 10210S Clear
- SB 10210ST Clear **H2X** AF
- SB 10220S Gray
- SB 10220ST Gray **H2X** AF
- SB 10280S I/O Mirror

### Lime Temples with Foam Padding | 2 Variations

- SBL10210STMFP Clear **H2MAX** AF
- SBL10220STMFP Gray **H2MAX** AF

### Black Temples with Foam Padding | 3 Variations

- SB 10210STMFP Clear **H2MAX** AF
- SB 10220STMFP Gray **H2MAX** AF
- SB 10225STMFP Light Gray **H2MAX** AF



SBL102 with  
Foam Padding



SB 102



SB 102 with  
Foam Padding

## Proximity®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



FOAM PADDED



CO-INJECTED  
TEMPLES



AF  
ANTI-FOG  
OPTIONS



H2X  
OPTIONS



H2MAX  
OPTIONS



CUSTOM  
LOGO

### Black Frame | 6 Variations

- SB9310ST Clear **H2X** AF
- SB9310STM Clear **H2MAX** AF
- SB9323ST Dark Gray **H2X** AF
- SB9323STM Dark Gray **H2MAX** AF
- SB9330ST Amber **H2X** AF
- SB9380ST I/O Mirror AF

### Black and Lime Frame | 2 Variations

- SBL9310STM Clear **H2MAX** AF
- SBL9323STM Dark Gray **H2MAX** AF



SB93



SBL93





I-FORCE

I-FORCE SLIM

## I-Force®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20 | MIL-PRF-32432 | ASTM F2879-19



VENTED FRAME



FOAM PADDED



DUAL PANE LENS



DIELECTRIC



AIRSOFT



BALLISTIC



ANTI-FOG OPTIONS



H2X OPTIONS



INCLUDES STRAP



CUSTOM LOGO

### Black Frame | 4 Variations

- SB7010SDT Clear Dual Pane **H2X** AF
- SB7020SDT Gray Dual Pane **H2X** AF
- SB7030SDT Amber Dual Pane **H2X** AF
- SB7080SDT I/O Mirror Dual Pane AF

## I-Force® Slim

### Black Frame | 3 Variations

- SB7010SDNT Clear Dual Pane **H2X** AF
- SB7020SDNT Gray Dual Pane **H2X** AF
- SB7080SDNT I/O Mirror Dual Pane AF

**i** I-Force Slim is about 6% smaller than the I-Force.

Interchangeable temple and strap.

## Crossover™

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20 |  
MIL-PRF-32432



VENTED  
FRAME



ANTI-FOG  
OPTIONS



H2X  
OPTIONS



INCLUDES  
STRAP



CUSTOM  
LOGO

### Black and Gray Frame | 3 Variations

- SBG10610DT Clear **H2X** AF
- SBG10620DT Gray **H2X** AF
- SBG10680DT I/O Mirror AF



SBG106



SGL106

### Gray and Lime Frame | 1 Variation

- SGL10610DT Clear **H2X** AF

## Isotope™

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20 |  
MIL-PRF-32432



RUBBER  
NOSEPIECE



DIELECTRIC



ADJUSTABLE  
TEMPLES



ANTI-FOG  
OPTIONS



H2MAX  
OPTIONS



PASSES  
**D3**  
DROPLET AND  
SPLASH TEST



PASSES  
**D4**  
DUST TEST



BALLISTIC



INCLUDES  
STRAP

### Black Frame | 3 Variations

- GB9410STM Clear **H2MAX** AF
- GB9420STM Gray **H2MAX** AF
- GB9430STM Amber **H2MAX** AF



**i** Interchangeable temple  
and strap.

## Highlander™ Plus

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20 |  
MIL-PRF-32432



VENTED  
FRAME



FOAM PADDED



ANTI-FOG  
OPTIONS



H2X  
OPTIONS



BALLISTIC



INCLUDES  
STRAP



CUSTOM  
LOGO

### Black and Gray Frame | 5 Variations

- SBG5010DT Clear **H2X** AF
- SBG5020DT Gray **H2X** AF
- SBG5030DT Amber **H2X** AF
- SBG5055DT Sky Red Mirror AF
- SBG5080DT I/O Mirror AF



# V2G®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20 |  
MIL-PRF-32432



VENTED FRAME



FOAM PADDED



RATCHETING TEMPLES



BALLISTIC



IR  
INFARED OPTIONS



AF  
ANTI-FOG OPTIONS



H2X  
OPTIONS



H2MAX  
OPTIONS



READER  
OPTIONS



CUSTOM  
LOGO

## Black Frame | 8 Variations

- GB1810ST Clear **H2X** AF
- GB1810STM Clear **H2MAX** AF
- GB1820ST Gray **H2X** AF
- GB1820STM Gray **H2MAX** AF
- GB1830ST Amber **H2X** AF
- GB1850SFT\* 5.0 IR Filter **H2X** AF
- GB1860SFT\* 3.0 IR Filter **H2X** AF
- GB1880ST I/O Mirror AF



\*Not approved for CAN/CSA Z94.3-20

**i** Interchangeable temple and strap.

# V2G-Plus®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20 |  
MIL-PRF-32432



DUAL PANE  
LENS



DIELECTRIC



AIRSOFT




BALLISTIC



PASSES  
**D3**  
DROPLET AND  
SPLASH TEST



H2X  
OPTIONS



CUSTOM  
LOGO

## Black Body with Strap | 2 Variations

- GB6410SDT Clear Dual Pane **H2X** AF
- GB6420SDT Gray Dual Pane **H2X** AF



# Torser™

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



DIELECTRIC



H2MAX  
OPTIONS



PASSES  
**D3**  
DROPLET AND  
SPLASH TEST



PASSES  
**D4**  
DUST TEST



PASSES  
**D5**  
FINE DUST  
TEST



CUSTOM  
LOGO

## Black Body | 2 Variations

- GB10010TM Clear **H2MAX** AF
- GB10025TM Light Gray **H2MAX** AF





## Capstone® Shield

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20 | MIL-PRF-32432



DUAL PANE LENS



DROPLET AND SPLASH TEST



DUST TEST



H2X OPTIONS



INFARED OPTIONS



BALLISTIC



OVER THE SPEC

### Lens and Shield | 5 Variations

- GG504TSHIELD Clear **H2X** AF
- GG504DTSHIELD Clear Dual Pane **H2X** AF
- GG504TSHIELDIR3\* 3.0 IR Filter **H2X** AF
- GG504TSHIELDIR5\* 5.0 IR Filter **H2X** AF
- GG524TSHIELD Gray **H2X** AF



## Capstone Face Shield and Strap

CAPSHIELD

Ratcheting shield includes strap and clips allowing the user to add to either of the Capstone 500 Series goggles // Sold as a replacement shield for GG504TSHIELD and GG504DTSHIELD



## Disposable Capstone Shield Visors

VPACK6

Pack of 6 clear disposable, tear-off visors, suitable for high dust or muddy working environments

**i** Only the goggles for GG504TSHIELDIR3 and GG504TSHIELDIR5 contain IR dye. Due to the nature of the vented holes, the shield is green tinted and does not contain the IR resin.

\*Not approved for CAN/CSA Z94.3-20



## G201 Series

ANSI/ISEA Z87.1-2020



ANTI-FOG  
OPTIONS

Clear Body with Black Strap | 2 Variations

- G 201 Clear
- G 201T Clear AF



## G205 Series

ANSI/ISEA Z87.1-2020



PASSES  
D3  
DROPLET AND  
SPLASH TEST



ANTI-FOG  
OPTIONS

Clear Body with Black Strap | 2 Variations

- G 205 Clear
- G 205T Clear AF



## G3 Series

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



DIELECTRIC



PASSES  
D3  
DROPLET AND  
SPLASH TEST



PASSES  
D4  
DUST TEST



H2X  
OPTIONS



OVER THE  
SPEC

Tinted Body with Black Strap | 2 Variations

- G 304\* Clear
- G 304T Clear H2X AF

Tinted Body with Neoprene Strap | 1 Variation

- G 304TN\* Clear H2X AF

\*Not approved for CAN/CSA Z94.3-20



## G4 Series

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



FOAM PADDED



PASSES  
D3  
DROPLET AND  
SPLASH TEST



PASSES  
D4  
DUST TEST



H2X  
OPTIONS



OVER THE  
SPEC

Tinted Body with Black Strap | 1 Variation

- G 404T Clear H2X AF



## G7 Series

ANSI/ISEA Z87.1-2020



PASSES  
D3  
DROPLET AND  
SPLASH TEST



PASSES  
D4  
DUST TEST



ANTI-FOG  
OPTIONS

Gray Body with Black Strap | 2 Variations

- G 704T Clear AF
- G 724T Gray AF



### Cappture™

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



Lens and Temples | 3 Variations

- S9910ST      Clear **H2X** AF
- S9910STM      Clear **H2MAX** AF
- S9920ST      Gray **H2X** AF

### Cappture Pro

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



Rubber Gasket with Strap | 2 Variations

- GG9910TM      Clear **H2MAX** AF
- GG9920TM      Gray **H2MAX** AF



### Cappture Plus

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



Rubber Gasket with Temples | 2 Variations

- S9910STMGRG      Clear **H2MAX** AF
- S9920STMGRG      Gray **H2MAX** AF



## OTS®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



ADJUSTABLE  
TEMPLES



RATCHETING  
TEMPLES



H2X  
OPTIONS



OVER THE  
SPEC



INFARED  
OPTIONS



CUSTOM  
LOGO

### Black Temples | 6 Variations

- S3510SJ Clear
- S3510STJ Clear **H2X** AF
- S3520SJ Gray
- S3550SFJ\* 5.0 IR Filter
- S3560SFJ\* 3.0 IR Filter
- S3580SJ I/O Mirror



OTS

## OTS® XL

### Black Temples | 3 Variations

- S7510SJ Clear
- S7510STJ Clear **H2X** AF
- S7520SJ Gray

**i** OTS XL is about 9% larger than the OTS. OTS fits over frames up to 137mm x 44mm. OTS XL fits over frames up to 151mm x 49mm.



OTS XL

\*Not approved for CAN/CSA Z94.3-20

## Solo®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



OVER THE  
SPEC



CUSTOM  
LOGO

### Lens and Temples | 3 Variations

- S510S Clear
- S510SJ\* Clear Jumbo
- S520S\* Gray

**i** Only S510SJ is designed to be used over prescription spectacles.



\*Not approved for CAN/CSA Z94.3-20

## Emerge®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



### Black Frame | 3 Variations

- SB7910DRX Clear Rx
- SB7910D15\* Clear +1.5 Mag
- SB7910D20\* Clear +2.0 Mag

### Translucent Gray Frame | 3 Variations

- SG7910DRX Clear Rx
- SG7910D15\* Clear +1.5 Mag
- SG7910D20\* Clear +2.0 Mag



SG79



SB79

**i** Rx options accommodate a +3 to -3 diopter lens and must be presented to your optometrist in order to be fitted with prescription lenses.

Ask your Pyramex Rep about EmERGE IR options.

\*Not approved for CAN/CSA Z94.3-20

## Emerge® Plus

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



### Translucent Gray Frame | 7 Variations

- SG9810R15 Clear +1.5 Mag
- SG9810R20 Clear +2.0 Mag
- SG9810R25 Clear +2.5 Mag
- SG9810R30 Clear +3.0 Mag
- SG9820R15\* Gray +1.5 Mag
- SG9820R20\* Gray +2.0 Mag
- SG9820R25\* Gray +2.5 Mag



\*Not approved for CAN/CSA Z94.3-20

## Ever-Lite® Readers

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



### Black Frame | 7 Variations

- SB8610R15TM Clear **H2MAX AF** +1.5 Mag
- SB8610R20TM Clear **H2MAX AF** +2.0 Mag
- SB8610R25TM Clear **H2MAX AF** +2.5 Mag
- SB8610R30TM Clear **H2MAX AF** +3.0 Mag
- SB8620R15TM Gray **H2MAX AF** +1.5 Mag
- SB8620R20TM Gray **H2MAX AF** +2.0 Mag
- SB8620R25TM Gray **H2MAX AF** +2.5 Mag





## Venture II® Readers

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20




RUBBER NOSEPIECE




ADJUSTABLE TEMPLES



READER OPTIONS



H2X OPTIONS



CUSTOM LOGO

### Black Frame | 18 Variations

● SB1810R10	Clear	+1.0 Mag	● SB1830R15*	Amber	+1.5 Mag	● SB1880R15	I/O Mirror	+1.5 Mag
● SB1810R15	Clear	+1.5 Mag	● SB1830R20*	Amber	+2.0 Mag	● SB1880R20	I/O Mirror	+2.0 Mag
● SB1810R15T	Clear H2X AF	+1.5 Mag	● SB1830R25*	Amber	+2.5 Mag	● SB1880R25	I/O Mirror	+2.5 Mag
● SB1810R20	Clear	+2.0 Mag						
● SB1810R20T	Clear H2X AF	+2.0 Mag						
● SB1810R25	Clear	+2.5 Mag						
● SB1810R25T	Clear H2X AF	+2.5 Mag						
● SB1810R30	Clear	+3.0 Mag						
● SB1820R15	Gray	+1.5 Mag						
● SB1820R20	Gray	+2.0 Mag						
● SB1820R25	Gray	+2.5 Mag						
● SB1820R30	Gray	+3.0 Mag						



\*Not approved for CAN/CSA Z94.3-20

## Ztek® Readers

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



RUBBER TIPS



READER OPTIONS



INFARED OPTIONS



CUSTOM LOGO

### Lens and Temples | 8 Variations

● S2510R15	Clear	+1.5 Mag
● S2510R20	Clear	+2.0 Mag
● S2510R25	Clear	+2.5 Mag
● S2514R15*	1.5 IR Filter	+1.5 Mag
● S2514R20*	1.5 IR Filter	+2.0 Mag
● S2520R15*	Gray	+1.5 Mag
● S2520R20*	Gray	+2.0 Mag
● S2520R25*	Gray	+2.5 Mag



**i** S2514R is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

\*Not approved for CAN/CSA Z94.3-20

## Intruder® Readers

ANSI/ISEA Z87.1-2020



READER OPTIONS




CUSTOM LOGO

### Lens and Temples | 3 Variations

● S4110R15	Clear	+1.5 Mag
● S4110R20	Clear	+2.0 Mag
● S4110R25	Clear	+2.5 Mag



# GLOVES



<b>SYNTHETIC</b>	<b>27</b>
<b>NITRILE</b>	<b>29</b>
<b>LATEX</b>	<b>32</b>
<b>POLYURETHANE</b>	<b>33</b>
<b>INSULATED DIPPED</b>	<b>34</b>
<b>LEATHER PALMS</b>	<b>35</b>
<b>LEATHER DRIVERS</b>	<b>36</b>
<b>ARC FLASH</b>	<b>38</b>
<b>INSULATED DRIVERS</b>	<b>38</b>

## STANDARDS

- ANSI/ISEA 105

---

- ANSI/ISEA 138-2019

---

- NFPA 70E ARC FLASH

---


- CE/UKCA EN 388:2016

---

- CE/UKCA EN 407:2020

---

- CE/UKCA EN ISO 21420:2020



## GAUGE

The gauge of the liner is the number of rows of stitches per inch. A glove with a higher gauge will fit better and have more dexterity + tactile feel.



## FULL GLOVE COLLECTION AND COMPARISON CHARTS

Visit the Core Products landing page to download comparison charts and view the entirety of the Pyramex glove line.



## FEATURE ICONS

The icons below and in the following pages represent some of the most requested features for safety gloves.



## LEATHER TYPES



**Cowhide**  
Great value + Durability

**Goatskin**  
Strong + Comfortable


**Pigskin**  
Soft + Breathable

## GRAIN VS SPLIT LEATHER

**Grain Leather**  
Taken from the outer layer of the hide + Provides products that are soft, smooth, and flexible.

**Split Leather**  
Leather that remains after the outer layer has been removed + Coarser, more resistant to abrasion, and repels water more effectively.

## DIPPED COATING TYPES



**Latex**  
Flexibility in extreme temps + Tear resistant + Suited for wet and dry conditions

**Nitrile**  
Latex alternative + Absorbs oil + Outstanding grip

**Polyurethane**  
Value work glove + Low particulate shed + Touch sensitivity with dexterity

**HPT**  
Soft coating repels liquids + Provides secure grip in wet or dry conditions

# SYNTHETIC | GENERAL PURPOSE



## GL104HT

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 4  
EN388 – ABRASION 4 | CUT 1 | TEAR 2 | PUNCTURE 1 |  
CUT TDM-100 X



GL104HT S – 3XL



## GL105HT

ANSI/ISEA 105 – ABRASION 3 | PUNCTURE 2  
EN388 – ABRASION 3 | CUT 1 | TEAR 2 | PUNCTURE 1 |  
CUT TDM-100 X



GL105HT S – 3XL



CUT A6

## GL105CHT

ANSI/ISEA 105 – CUT A6 | ABRASION 3 | PUNCTURE 4  
EN388 – ABRASION 2 | CUT X | TEAR 2 | PUNCTURE 2 | CUT  
TDM-100 F



GL105CHT S – 3XL  
TOUCHSCREEN HANGTAG


# SYNTHETIC | IMPACT UTILITY



IMPACT 1

## GL202HT

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 5  
ANSI/ISEA 138 – IMPACT 1  
EN388 – ABRASION 4 | CUT 1 | TEAR 1 | PUNCTURE 2 |  
CUT TDM-100 X | IMPACT P



GL202HT S – 3XL



## GL204HT

ANSI/ISEA 105 – ABRASION 4 | PUNCTURE 5  
EN388 – ABRASION 3 | CUT 1 | TEAR 2 | PUNCTURE 1 |  
CUT TDM-100 X | IMPACT P




GL204HT S – 3XL



CUT A6

## GL204CHT

ANSI/ISEA 105 – CUT A6 | ABRASION 4 | PUNCTURE 4  
EN388 – ABRASION 3 | CUT X | TEAR 2 | PUNCTURE 1 |  
CUT TDM-100 F | IMPACT P



GL204CHT S – 3XL

# SYNTHETIC | HIGH PERFORMANCE



## GL805HT

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 3  
 ANSI/ISEA 138 – IMPACT 2  
 EN388 – ABRASION 4 | CUT 1 | TEAR 1 | PUNCTURE 2 |  
 CUT TDM-100 X | IMPACT P



## GL806HT

ANSI/ISEA 105 – CUT A2 | ABRASION 4 | PUNCTURE 4  
 ANSI/ISEA 138 – IMPACT 2  
 EN388 – ABRASION 2 | CUT 1 | TEAR 4 | PUNCTURE 3 |  
 CUT TDM-100 X | IMPACT P



## GL807CHT

ANSI/ISEA 105 – CUT A5 | ABRASION 6 | PUNCTURE 4  
 ANSI/ISEA 138 – IMPACT 2  
 EN388 – ABRASION 3 | CUT X | TEAR 2 | PUNCTURE 2 |  
 CUT TDM-100 F | IMPACT P



# CORDED COTTON PALM



GOOD

## GL808

ANSI/ISEA 105 – CUT A2 | ABRASION 2 | PUNCTURE 2  
 ANSI/ISEA 138 – IMPACT 2  
 EN388 – ABRASION 1 | CUT 2 | TEAR 4 | PUNCTURE 1 |  
 CUT TDM-100 B | IMPACT P



BETTER

## GL803C

ANSI/ISEA 105 – CUT A2 | ABRASION 1 | PUNCTURE 3  
 ANSI/ISEA 138 – IMPACT 1  
 EN388 – ABRASION 1 | CUT 1 | TEAR 2 | PUNCTURE 1 |  
 CUT TDM-100 B | IMPACT P





GOOD

## GL614

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2  
 EN388 – ABRASION 4 | CUT 1 | TEAR 2 | PUNCTURE 1 |  
 CUT TDM-100 X



GL614 S – 2XL



BETTER

## GL615

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2  
 EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
 CUT TDM-100 X



GL615 S – 2XL  
 GL615HT S – 2XL (Hangtag)



BEST

## GL601

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2  
 EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
 CUT TDM-100 X



GL601 XS – 3XL  
 GL601DP XS – 3XL (Dotted Palm)



## GL605

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2  
 EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
 CUT TDM-100 X



GL605 S – 2XL



## GL617

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2  
 EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
 CUT TDM-100 X



GL617 S – 2XL  
 GL617DP S – 2XL (Dotted Palm)



CUT A2

CUT A3

### GL618

### GL619C

### GL606DPC

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2  
EN388 – ABRASION 4 | CUT 1 | TEAR 2 | PUNCTURE 1 |  
CUT TDM-100 X

ANSI/ISEA 105 – CUT A2 | ABRASION 6 | PUNCTURE 3  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 B

ANSI/ISEA 105 – CUT A3 | ABRASION 6 | PUNCTURE 4  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 C



GL618 S – 2XL



GL606DPC XS – 3XL  
GL606DPCVP S – 2XL (Vend Pack)



CUT A4

GOOD



CUT A4

BETTER



CUT A5

### GL620C

### GL613C

### GL621C

ANSI/ISEA 105 – CUT A4 | ABRASION 6 | PUNCTURE 3  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 D

ANSI/ISEA 105 – CUT A4 | ABRASION 5 | PUNCTURE 3  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 D

ANSI/ISEA 105 – CUT A5 | ABRASION 6 | PUNCTURE 3  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 E



GL620C S – 2XL

GL613C XS – 3XL

GL621C S – 2XL




## NITRILE | 13G



CUT A4

### GL603C5

ANSI/ISEA 105 – CUT A4 | ABRASION 4 | PUNCTURE 4  
 EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 | CUT  
 TDM-100 D



GL603C5 XS – 3XL  
 GL603C5HT XS – 3XL (Hangtag)  
 GL603DPC5 S – 2XL (Dotted Palm)



CUT A4

### GL604C5

ANSI/ISEA 105 – CUT A4 | ABRASION 6 | PUNCTURE 3  
 EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 | CUT  
 TDM-100 D



GL604C5 S – 2XL



CUT A6

### GL608C

ANSI/ISEA 105 – CUT A6 | ABRASION 4 | PUNCTURE 4  
 EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 | CUT  
 TDM-100 F




GL608C S – 2XL





**GL609C**

ANSI/ISEA 105 – CUT A6 | ABRASION 6 | PUNCTURE 4  
 ANSI/ISEA 138 – IMPACT 2  
 EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |  
 CUT TDM-100 E | IMPACT P



GL609C S – 3XL



**GL610C**

ANSI/ISEA 105 – CUT A6 | ABRASION 6 | PUNCTURE 4  
 ANSI/ISEA 138 – IMPACT 2  
 EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |  
 CUT TDM-100 E | IMPACT P



GL610C S – 3XL

LATEX



**GL503**

ANSI/ISEA 105 – ABRASION 4 | PUNCTURE 3  
 EN388 – ABRASION 3 | CUT 2 | TEAR 4 | PUNCTURE 2 |  
 CUT TDM-100 X  
 EN407 – CONTACT HEAT 2



GL503 S – 2XL  
 GL503HT S – 2XL (Hangtag)  
 GL503VP S – XL (Vend Pack)



**GL502**

ANSI/ISEA 105 – ABRASION 4 | PUNCTURE 2  
 EN388 – ABRASION 3 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
 CUT TDM-100 X



GL502 S – 2XL



# POLYURETHANE | NON-CUT



GOOD

## GL406

ANSI/ISEA 105 – ABRASION 3 | PUNCTURE 2  
EN388 – ABRASION 3 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
CUT TDM-100 X



POLYURETHANE



13g



ABRASION



PUNCTURE

GL406

XS – 3XL



BETTER

## GL401

ANSI/ISEA 105 – ABRASION 3 | PUNCTURE 2  
EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
CUT TDM-100 X



POLYURETHANE



13g



ABRASION



PUNCTURE



HANGTAG  
OPTIONS

GL401

XS – 3XL

GL401HT

XS – 3XL (Hangtag)

GL401VP

S – 2XL (Vend Pack)

# POLYURETHANE | CUT



GOOD

## GL403C

ANSI/ISEA 105 – CUT A2 | ABRASION 2 | PUNCTURE 3  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 B



POLYURETHANE



13g



ABRASION



CUT



PUNCTURE

GL403C

S – 2XL



BETTER

## GL402C5

ANSI/ISEA 105 – CUT A4 | ABRASION 3 | PUNCTURE 4  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |  
CUT TDM-100 D



POLYURETHANE



13g



ABRASION



CUT



PUNCTURE



HANGTAG  
OPTIONS

GL402C5

XS – 3XL

GL402C5HT

XS – 3XL (Hangtag)





CUT A2

## GL901

ANSI/ISEA 105 – CUT A2 | ABRASION 3 | PUNCTURE 2  
 EN388 – ABRASION 3 | CUT 2 | TEAR 3 | PUNCTURE 1 | CUT  
 TDM-100 X  
 EN511 – CONTACT COLD 2



INSULATED



HPT



ABRASION



CUT



PUNCTURE



WATER RESISTANT

GL901

S – 2XL



CUT A2

## GL505

ANSI/ISEA 105 – CUT A2 | ABRASION 4 | PUNCTURE 2  
 EN388 – ABRASION 3 | CUT 2 | TEAR 3 | PUNCTURE 1 | CUT  
 TDM-100 X  
 EN511 – CONTACT COLD 2



INSULATED



SANDY SMOOTH LATEX



ABRASION



CUT



PUNCTURE



WATER RESISTANT

GL505

S – 2XL



CUT A4

## GL507C

ANSI/ISEA 105 – CUT A4 | ABRASION 5 | PUNCTURE 4  
 EN388 – ABRASION 3 | CUT X | TEAR 4 | PUNCTURE 3 | CUT  
 TDM-100 D  
 EN511 – CONTACT COLD 2



INSULATED



SANDY SMOOTH LATEX



ABRASION



CUT



PUNCTURE



WATER RESISTANT

GL507C

S – 2XL



CUT A6

IMPACT 2

## GL612C

ANSI/ISEA 105 – CUT A6 | ABRASION 6 | PUNCTURE 4  
 ANSI/ISEA 138 – IMPACT 2  
 EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 | CUT  
 TDM-100 E | IMPACT P  
 EN511 – CONTACT COLD 2



INSULATED



SANDY NITRILE



ABRASION



CUT



IMPACT



PUNCTURE

GL612C

S – 2XL

**i** The GL901 has a 15G outer liner and 7G inner liner. The GL505, GL507C, and GL612C have a 13G outer liner and 10G inner liner.

# SELECT SPLIT LEATHER PALMS



**GL1001W**



COWHIDE LEATHER



HANGTAG OPTIONS

GL1001W L – 2XL  
GL1001WHT L – XL (Hangtag)



**GL1006W**



COWHIDE LEATHER

GL1006W L – XL



**GL1002W**



COWHIDE LEATHER



HANGTAG OPTIONS

GL1002W L – XL  
GL1002WHT L – XL (Hangtag)



# PREMIUM SPLIT LEATHER PALM



**GL1010W**

ANSI/ISEA 105 – CUT A2 | ABRASION 6 | PUNCTURE 5  
ANSI/ISEA 105 – CONTACT HEAT 2



COWHIDE LEATHER



ABRASION



CONTACT HEAT



CUT



PUNCTURE

GL1010W S – 2XL

**i** Kevlar® stitching

# PREMIUM GRAIN LEATHER PALMS



**GL1003W**



COWHIDE LEATHER

GL1003W L – XL



**GL1004W**



COWHIDE LEATHER

GL1004W L – XL



**GL2001K**



COWHIDE LEATHER



HANGTAG OPTIONS

GL2001K S-2XL  
GL2001KHT S-2XL (Hangtag)



**GL2002K**



COWHIDE LEATHER



HIGH VISIBILITY

GL2002K S-2XL



**GL3011K**



GOATSKIN LEATHER

GL3011K S-2XL

SELECT GRAIN DRIVERS

PREMIUM SPLIT/GRAIN DRIVERS



**GL2004K**



COWHIDE LEATHER

GL2004K S-3XL



**GL2003K**



COWHIDE LEATHER



HIGH VISIBILITY

GL2003K S-2XL



**GL2005K**



COWHIDE LEATHER

GL2005K S-2XL



**GL2008K**



COWHIDE LEATHER



Kevlar® stitching

GL2008K S-3XL



## PREMIUM GRAIN CUT DRIVERS



CUT A5  
IMPACT 2

### GL3006CKB

ANSI/ISEA 105-2016 – CUT A5 | ABRASION 4 | PUNCTURE 4  
ANSI/ISEA 138 – IMPACT 2  
EN388 – ABRASION 3 | CUT X | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 F | IMPACT P



GL3006CKB S – 2XL



CUT A6

### GL3007CK

ANSI/ISEA 105-2016 – CUT A6 | ABRASION 4 | PUNCTURE 4  
EN388 – ABRASION 2 | CUT X | TEAR 4 | PUNCTURE 2 | CUT  
TDM-100 F



GL3007CK S – 2XL



CUT A7  
IMPACT 1

### GL3004CW

ANSI/ISEA 105-2016 – CUT A7 | ABRASION 4 | PUNCTURE 5  
ANSI/ISEA 138 – IMPACT 1  
EN388 – ABRASION 3 | CUT X | TEAR 4 | PUNCTURE 3 |  
CUT TDM-100 F | IMPACT P



GL3004CW S – 3XL


# PREMIUM GRAIN ARC FLASH DRIVERS



CUT A4  
IMPACT 2

## GL3009CKB

ANSI/ISEA 105-2016 – CUT A4 | ABRASION 3 | PUNCTURE 3  
ANSI/ISEA 138 – IMPACT 2  
EN388 – ABRASION 2 | CUT X | TEAR 2 | PUNCTURE 1 |  
CUT TDM-100 E | IMPACT P  
NFPA 70E ARC FLASH – CATEGORY 4 (47 cal/cm<sup>2</sup>)




GL3009CKB S – 2XL  Kevlar® stitching



CUT A5

## GL3010CK

ANSI/ISEA 105-2016 – CUT A5 | ABRASION 4 | PUNCTURE 4  
EN388 – ABRASION1 | CUT X | TEAR 3 | PUNCTURE 2 |  
CUT TDM-100 E  
NFPA 70E ARC FLASH – CATEGORY 4 (41 cal/cm<sup>2</sup>)



GL3010CK S – 2XL


# INSULATED DRIVERS



CUT A5  
IMPACT 2

## GL3006CKFB

ANSI/ISEA 105-2016 – CUT A5 | ABRASION 4 | PUNCTURE 4  
ANSI/ISEA 138 – IMPACT 2



GL3006CKFB S – 2XL



## GL2006K



GL2006K S – 2XL




## GL4003K



GL4003K S – 2XL

# WORK WEAR



<b>COOLING</b>	<b>41</b>
<b>VESTS</b>	<b>41</b>
<b>SHIRTS</b>	<b>44</b>
<b>LIGHTWEIGHT SERIES</b>	<b>45</b>
<b>HOODIES</b>	<b>46</b>
<b>JACKETS</b>	<b>47</b>
<b>PARKAS</b>	<b>48</b>



## STANDARDS

ANSI/ISEA 107-2020

AATCC 127 Waterproof Standard

CAN/CSA Z96-2015

## BACKGROUND OPTIONS

The main difference between the colors comes when taking the complexity of the wearer's background into consideration. High-visibility lime is often perceived as brighter, making it ideal for urban environments where it stands out against concrete or other gray locations. On the other hand, high-visibility orange is commonly used for road work. It mimics the same orange used in recognizable traffic cones and road construction signs. It also stands out among the green in heavy foliage areas, making it perfect for hunters or outdoor enthusiasts. Black reflective work wear is intended for off-road use only, often indoors or in more controlled environments. An advantage it has over lime and orange is that the black fabric hides dirt, oil, and grease.

## SINGLE VS. CONTRASTING TAPE


Reflective tape is used on high-visibility garments to help with their overall visibility. Its purpose is to reflect light, adding greater conspicuity to any garment. The more tape that exists against the fluorescent background, the more the garment will stand out. Contrasting tape allows for a high-visibility garment to stand out even more against a complex background by being an additional element likely to grab our attention.

## UPF RATED

Ultraviolet Protection Factor is the rating system used for apparel. UPF gauges a fabric's effectiveness against Ultraviolet A (UVA) and Ultraviolet B (UVB) light. For example, a material with a UPF rating between 40 - 50+ will reduce your skin's UV radiation exposure by 97.5% to 98% in areas where the fabric covers the skin.

## FEATURE ICONS

The icons below and in the following pages represent some of the most requested features for hi-vis work wear.



## FULL WORK WEAR COLLECTION AND COMPARISON CHARTS

Visit the Core Products landing page to download comparison charts and view the entirety of the Pyramex work wear line.



# COOLING



## Cooling Towels



C1 Series

Dimensions: 26" x 17"

- C140 Orange
- C160 Blue

Dimensions: 26" x 8.5"

- C260 Blue



C2 Series

## CNB12PK Series Cooling Bandanas

- CNB12PKB Blue Paisley
- CNB12PKFLG American Flag
- CNB12PKR Red Paisley
- CNB12PKRB Royal Blue

# VESTS



## RV12 Series

NON-RATED

 MESH MATERIAL	 HOOK & LOOP	 CUSTOM LOGO	<table border="1" data-bbox="386 1675 477 1743"> <tr> <th colspan="2">POCKETS</th> </tr> <tr> <td>1 OUT</td> <td>0 IN</td> </tr> </table>	POCKETS		1 OUT	0 IN
POCKETS							
1 OUT	0 IN						

- RV1227 S-M, L-XL, 2XL-3XL, 4XL-5XL
- RV1235 S-M, L-XL, 2XL-3XL, 4XL-5XL
- RV1265 S-M, L-XL, 2XL-3XL, 4XL-5XL
- RV1270 S-M, L-XL, 2XL-3XL, 4XL-5XL



## RCZ21 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2  
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2

 MESH MATERIAL	 ZIPPER CLOSURE	 CUSTOM LOGO	<table border="1" data-bbox="872 1701 971 1768"> <tr> <th colspan="2">POCKETS</th> </tr> <tr> <td>1 OUT</td> <td>1 IN</td> </tr> </table>	POCKETS		1 OUT	1 IN
POCKETS							
1 OUT	1 IN						

- RCZ2110 M-5XL
- RCZ2120 M-5XL



## RVZ21 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2

 MESH MATERIAL	 ZIPPER CLOSURE	 CUSTOM LOGO	<table border="1" data-bbox="1360 1675 1474 1743"> <tr> <th colspan="2">POCKETS</th> </tr> <tr> <td>1 OUT</td> <td>1 IN</td> </tr> </table>	POCKETS		1 OUT	1 IN
POCKETS							
1 OUT	1 IN						

- RVZ2110 S-5XL
- RVZ2120 S-5XL



## RVHL29 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



- RVHL2910 S-3XL
- RVHL2920 S-3XL



## RVZ22 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



- RVZ2210 S-5XL
- RVZ2220 S-5XL



## RVZ23 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



- RVZ2310 S-5XL
- RVZ2320 S-5XL



## RVZ24 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2




- RVZ2410 S-5XL
- RVZ2420 S-5XL



## RVZ24CP Series

ANSI/ISEA 107-2020 TYPE R CLASS 2




- RVZ2410CP S-5XL
- RVZ2411CP S-5XL (TYPE O CLASS 1)
- RVZ2420CP S-5XL
- RVZ2427CP S-5XL (NON-RATED)
- RVZ2435CP S-5XL (NON-RATED)
- RVZ2465CP S-5XL (NON-RATED)



## RVZ46B Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



- RVZ4610B S-5XL



## RVZF61 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



POCKETS	
7 OUT	2 IN



VIEW OUR  
WOMEN'S PPE  
COLLECTION



TABLET POCKET


RVZF6110 S-2XL

**i** Size small does not have a black bottom.



## RVZ31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3




POCKETS	
2 OUT	4 IN

RVZ3110 S-5XL  
RVZ3120 S-5XL

## RVZ36 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



POCKETS	
4 OUT	0 IN

RVZ3610 S-5XL  
RVZ3620 S-5XL

## RVZ37B Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



POCKETS	
5 OUT	2 IN

RVZ3710B S-5XL



## RCLTS31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3  
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2



SOLID MATERIAL



UPF RATED



CUSTOM LOGO

POCKETS	
1 OUT	0 IN

● RCLTS3110

M-5XL

● RCLTS3120

M-5XL

● RCLTS3111

S-5XL (TYPE O CLASS 1)  
(CLASS 1 LEVEL 2)



## RLTS31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



SOLID MATERIAL



UPF RATED



CUSTOM LOGO

POCKETS	
1 OUT	0 IN

● RLTS3110

S-5XL

**i** Available in non-stripped version -  
RLTS3110NS (M-5XL) NON-RATED



## RLTS31B Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



SOLID MATERIAL



UPF RATED



CUSTOM LOGO

POCKETS	
1 OUT	0 IN

● RLTS3110B

M-5XL

● RLTS3120B

M-5XL



## RTS21 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



SOLID MATERIAL



UPF RATED



CUSTOM LOGO

POCKETS	
1 OUT	0 IN

● RTS2110

S-5XL

● RTS2120

S-5XL

**i** Available in non-stripped version -  
RTS2110NS (M-5XL) NON-RATED



## RTS21B Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



SOLID MATERIAL



UPF RATED



CUSTOM LOGO

POCKETS	
1 OUT	0 IN

● RTS2110B

S-4XL/5XL

● RTS2120B

S-4XL/5XL

# LIGHTWEIGHT SERIES FOR YEAR-ROUND WEAR



## RLP1 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



● RLP110 S-5XL



## RLP1NS Series

NON-RATED



● RLP110NS S-5XL



## RLPH1 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



● RLP110 S-5XL  
● RLP120 S-5XL



## RLPH1NS Series

NON-RATED



● RLP110NS S-5XL  
● RLP112NS S-5XL  
● RLP120NS S-5XL



CELL PHONE POCKET



## RCSZH33 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3  
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2



- RCSZH3310 M-5XL
- RCSZH3320 M-5XL
- RCSZH3311 M-5XL (TYPE O CLASS 1) (CLASS 1 LEVEL 2)



## RSSH32 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3




- RSSH3210 S-5XL

**i** Available in tall size - RSSH32T (S-5XL)



## RSZH32 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



- RSZH3210 S-5XL



## RSZH34 Series

ANSI/ISEA 107-2020 TYPE O CLASS 1



- RSZH3411 S-5XL

# JACKETS



## RCJ32 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3  
ANSI/ISEA 107-2020 AATCC 127  
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2



- RCJ3210 M-5XL
- RCJ3220 M-5XL



## RJ31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3  
ANSI/ISEA 107-2020 AATCC 127



- RJ3110 S-5XL
- RJ3120 S-5XL



## RJ32 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3  
ANSI/ISEA 107-2020 AATCC 127



- RJ3210 S-6XL

**i** Available in tall size - RJ32T (S-5XL)







## RCP32 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3  
 ANSI/ISEA 107-2020 AATCC 127  
 CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2



SOLID MATERIAL



ZIPPER CLOSURE



WATERPROOF



CUSTOM LOGO

POCKETS	
4 OUT	1 IN

- RCP3210 M-5XL
- RCP3220 M-5XL



## RP31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3  
 ANSI/ISEA 107-2020 AATCC 127



SOLID MATERIAL



ZIPPER CLOSURE



WATERPROOF



CUSTOM LOGO

POCKETS	
5 OUT	3 IN

- RP3110 M-5XL
- RP3120 M-5XL



## RPB35 Series

ANSI/ISEA 107-2020 TYPE O CLASS 1  
 ANSI/ISEA 107-2020 AATCC 127



SOLID MATERIAL



ZIPPER CLOSURE



WATERPROOF




CUSTOM LOGO

POCKETS	
3 OUT	2 IN

- RPB3511 S-5XL

# HEADGEAR




<b>RIDGELINE<sup>®</sup></b>	<b>51</b>
<b>RIDGELINE XR7<sup>®</sup></b>	<b>53</b>
<b>SL SERIES</b>	<b>54</b>
<b>FACESHIELDS/ ADAPTERS</b>	<b>55</b>
<b>SUNSHADES</b>	<b>56</b>
<b>BUMP CAP</b>	<b>56</b>

## STANDARDS

ANSI/ISEA Z89.1-2014 (R2019) (Hard Hats)

ANSI/ISEA Z87.1-2020 (Brackets and Face Shields)

ANSI/ISEA Z87.1-2020 + (Polycarbonate Face Shields)

 Certified Model - CAN/CSA Z94.1-2015 (R2020)

## OUR HEADGEAR BRANDS



Head protection is essential in many workplaces. Our headgear is designed to provide high-performance and quality protection. We offer a range of options to meet your specific needs, including the stylish Ridgeline, the innovative XR7, and the classic SL Series.



SL SERIES

## FULL HEADGEAR COLLECTION AND COMPARISON CHARTS

Visit the Core Products landing page to download comparison charts and view the entirety of the Pyramex headgear line.



## FEATURE ICONS

The icons below and in the following pages represent some of the most requested features for safety headgear.



ABS MATERIAL



HIGH DENSITY POLYETHYLENE



VENTED OPTIONS



LOW PROFILE



REVERSE ORIENTATION



UNIVERSAL SLOTS



CUSTOM LOGO




UPF RATED



INCLUDES STRAP




 Ask your Pyramex Rep about accessories for your headgear.



## Ridgeline® Cap Style

ANSI/ISEA Z89.1-2014  
CAN/CSA Z94.1-20



### 4-Point Ratchet | 15 Variations

- HP44110 White
- HP44110C White
- HP44112 Gray
- HP44113 Slate Gray
- HP44120 Red
- HP44130 Yellow
- HP44130C Yellow
- HP44131 Hi-vis Lime
- HP44131C Hi-vis Lime
- HP44135 Green
- HP44141 Hi-vis Orange
- HP44160 Blue
- HP44162 Light Blue
- HP44165C Dark Blue
- HP44170 Pink



NON-VENTED

VENTED

HYDRO DIPPED

### Vented 4-Point Ratchet | 7 Variations

- HP44110V White
- HP44112V Gray
- HP44120V Red
- HP44130V Yellow
- HP44131V Hi-vis Lime
- HP44141V Hi-vis Orange
- HP44160V Blue

### 6-Point Ratchet | 7 Variations

- HP46110 White
- HP46120 Red
- HP46130 Yellow
- HP46131 Hi-vis Lime
- HP46135 Green
- HP46141 Hi-vis Orange
- HP46160 Blue



### 4-Point Ratchet Hydro Dipped | 10 Variations

- HP44116 Matte White Graphite Pattern
- HP44116C Matte White Graphite Pattern
- HP44116S Shiny White Graphite Pattern
- HP44117 Matte Black Graphite Pattern
- HP44117C Matte Black Graphite Pattern
- HP44117S Shiny Black Graphite Pattern
- HP44118 Matte Copper Pattern
- HP44119 Realtree AP® (Matte)
- HP44121 Matte Red Pattern
- HP44122 Matte Blue Pattern

### Vented 4-Point Ratchet Hydro Dipped | 2 Variations

- HP44116SV Shiny White Graphite Pattern
- HP44117V Matte Black Graphite Pattern



**i** HP44110C | HP44116C | HP44117C | HP44130C | HP44131C | HP44165C

Ridgeline Cap Style with side clips to meet CSA standards.

**i** Ask your Pyramex Rep about Ridgeline® Bump Cap options.



NON-VENTED



VENTED



HYDRO DIPPED

## Ridgeline® Full Brim

ANSI/ISEA Z89.1-2014  
CAN/CSA Z94.1-20



ABS MATERIAL



VENTED OPTIONS



UNIVERSAL SLOTS



CUSTOM LOGO

### 4-Point Ratchet | 11 Variations

- HP54110 White
- HP54111 Black
- HP54112 Gray
- HP54113 Slate Gray
- HP54120 Red
- HP54130 Yellow
- HP54131 Hi-vis Lime
- HP54135 Green
- HP54141 Hi-vis Orange
- HP54160 Blue
- HP54170 Pink

### Vented 4-Point Ratchet | 7 Variations

- HP54110V White
- HP54111V Black
- HP54113V Slate Gray
- HP54130V Yellow
- HP54131V Hi-vis Lime
- HP54141V Hi-vis Orange
- HP54160V Blue

### 6-Point Ratchet | 5 Variations

- HP56110 White
- HP56120 Red
- HP56130 Yellow
- HP56135 Green
- HP56160 Blue

### 4-Point Ratchet Hydro Dipped | 9 Variations

- HP54116 Matte White Graphite Pattern
- HP54116S Shiny White Graphite Pattern
- HP54117 Matte Black Graphite Pattern
- HP54117S Shiny Black Graphite Pattern
- HP54118 Matte Copper Pattern
- HP54119 Realtree AP® (Matte)
- HP54121 Matte Red Pattern
- HP54122 Matte Blue Pattern
- HP54123 Matte Silver Graphite Pattern

### Vented 4-Point Ratchet Hydro Dipped | 1 Variations

- HP54117V Matte Black Graphite Pattern (Vented)

**i** Universal slots only available on vented options.



## Ridgeline XR7®

ANSI/ISEA Z89.1-2014



### 6-Point Ratchet | 7 Variations

- HP76110 White
- HP76113 Slate Gray
- HP76120 Red
- HP76130 Yellow
- HP76131 Hi-vis Lime
- HP76140 Orange
- HP76160 Blue

### 6-Point Ratchet Hydro Dipped | 2 Variations

- HP76116 White Graphite Pattern
- HP76117 Black Graphite Pattern




Ridgeline XR7® safety helmets meet the following standards: ANSI/ISEA Z89.1-2020 Type 1 and EN 12492 Shock Absorption (Clause 4.2.1.1-Vertical; 4.2.1.2-Front; 4.2.1.3-Side; 4.2.1.4-Rear)

Reflective stickers included inside the Ridgeline XR7 box.

# SL SERIES HARD HATS

## SL Series Cap Style

ANSI/ISEA Z89.1-2014  
CAN/CSA Z94.1-20



### 4-Point Ratchet | 13 Variations

- HP14110 White
- HP14111 Black
- HP14112 Gray
- HP14120 Red
- HP14130 Yellow
- HP14131 Hi-vis Lime
- HP14135 Green
- HP14140 Orange
- HP14141 Hi-vis Orange
- HP14160 Blue
- HP14162 Light Blue
- HP14165 Dark Blue
- HP14170 Pink

### 6-Point Ratchet | 7 Variations

- HP16110 White
- HP16120 Red
- HP16130 Yellow
- HP16135 Green
- HP16140 Orange
- HP16141 Hi-vis Orange
- HP16160 Blue

### 4-Point Snap Lock | 8 Variations

- HP14010 White
- HP14020 Red
- HP14030 Yellow
- HP14031 Hi-vis Lime
- HP14035 Green
- HP14040 Orange
- HP14060 Blue
- HP14062 Light Blue

### 6-Point Snap Lock | 5 Variations

- HP16010 White
- HP16020 Red
- HP16030 Yellow
- HP16035 Green
- HP16040 Orange



## SL Series Full Brim

ANSI/ISEA Z89.1-2014  
CAN/CSA Z94.1-20



### 4-Point Ratchet | 10 Variations

- HP24110 White
- HP24111 Black
- HP24120 Red
- HP24130 Yellow
- HP24131 Hi-vis Lime
- HP24135 Green
- HP24140 Orange
- HP24141 Hi-vis Orange
- HP24160 Blue
- HP24162 Light Blue

### 6-Point Ratchet | 6 Variations

- HP26110 White
- HP26120 Red
- HP26130 Yellow
- HP26135 Green
- HP26140 Orange
- HP26160 Blue





## Polyethylene Face Shield

ANSI/ISEA Z87.1-2020

S1010

**i** Shown with HGBR - sold separately.



## Polycarbonate Face Shield

ANSI/ISEA Z87.1-2020 +

S1020

**i** Shown with HGBR - sold separately.



## Ridgeline® Ratchet Headgear

ANSI/ISEA Z87.1-2020

HGBR



## Ridgeline® Cap Style Adapter

ANSI/ISEA Z87.1-2020

HHABCMR

**i** Shown with Ridgeline® hard hat and CM6010 earmuff - sold separately.



## SL Series Cap Style Adapter

ANSI/ISEA Z87.1-2020

HHABCMS

**i** Shown with SL Series hard hat and CM6010 earmuff - sold separately.

## Aluminum Cap Style Adapter

ANSI/ISEA Z87.1-2020

HHAA



## Aluminum Full Brim Adapter

ANSI/ISEA Z87.1-2020

HHAAW





# SUNSHADES



## HPESHADE

NON-RATED



UPF RATED

● HPESHADE10 Hi-vis Lime



## HPSHADE Series

NON-RATED

- HPSHADE10 White
- HPSHADE30 Hi-vis Lime
- HPSHADE40 Hi-vis Orange
- HPSHADE60 Blue



## HPXR7SHADE

NON-RATED

● HPXR7SHADE30 Hi-vis Lime

# BUMP CAP



## Baseball Bump Cap

NON-RATED



ABS MATERIAL

- HP50011 Black
- HP50031 Hi-vis Lime
- HP50041 Hi-vis Orange
- HP50065 Navy



**i** ABS material in bump cap shell only.

# WELDING



HELMETS

58

## STANDARDS

ANSI/ISEA Z87.1-2020

CE/UKCA EN175: 1997 (Shells)

CE/UKCA EN379: 2009 (Filters)

CE/UKCA EN166: 2001 (Cover Plates)

CAN/CSA Z94.3-20

## AUTO-DARKENING HELMETS

Auto-darkening helmets are designed for maximum efficiency and maximum safety. They are designed to darken instantaneously at the light of a welding torch and clear up when the torch is turned off. The variable shade is intended to eliminate the process of lifting and lowering the helmet to see. Because an inactive lens often rests at either shade 3 or 4, seeing and starting the arc while still staying protected is easy. Auto-darkening helmets run off of solar power and batteries. These helmets are suitable for all types of electro-weldings: covered electrodes, MIG/MAG, TIG/WIG, plasma welding, cutting and laser welding (only selected models with two shade ranges, i.e.5-8 and 9-13), except for gas welding. Pyramex recommends Duracell® DL2450 replacement lithium coin battery for WHAM30 and Duracell® DL2032 for WHAM10.

## IR EYEWEAR

IR options available in: Ztek, Venture II, Ever-Lite, Integra, V2G, Capstone Shield, OTS. See Eyewear section for more details.



## FULL WELDING COLLECTION

Visit the Core Products landing page to view the entirety of the Pyramex welding line.



## WHAM30 Series

ANSI/ASA Z87.1-2020 |  
CAN/CSA Z94.3-20

9-13 stepless variable shade // 3.858" x 3.425" [98 x 87 mm] view area // Manual internal controls // Superior comfort with pivot style headgear // Made of high-impact resistant nylon // Four independent arc sensors in a staggered design to deliver the most reliable arc detection // Cutting and grinding modes // High speed lens 1/30,000 second // Powered by solar cells and replaceable lithium-battery // Includes magnification lens holder // Fully adjustable nylon suspension

-  WHAM3030AE American Eagle
-  WHAM3030FL Flame
-  WHAM3030FM Fire Metal
-  WHAM3030GB Glossy Black



## WHAM1020 Series

ANSI/ASA Z87.1-2020 |  
CE/UKCA EN175:1997

9-13 stepless variable shade // Manual external/internal controls // Superior comfort with pivot style headgear // Made of high-impact resistant nylon // Four independent arc sensors in a staggered design to deliver the most reliable arc detection // Grinding and welding modes // High speed lens 1/30,000 second // 5 amps and below TIG rating // Powered by solar cells and replaceable lithium-battery // Includes magnification lens holder // Fully adjustable nylon suspension


-  WHAM1020MB Matte Black



**i** Ask your Pyramex Rep about the Leadhead accessories and replacement parts.

WHHADP Welding Helmet Hard Hat Adapter is shown with a Ridgeline hard hat – sold separately.

# HEARING



EARPLUGS	60
ELECTRONIC EARMUFF	60
CAP MOUNTED EARMUFF	60
PASSIVE EARMUFFS	61

## STANDARDS

ANSI/ASA S3.19-1974

CE/UKCA EN 352:2020

CAN/CSA Z94.2-2014(R2019)

## NRR (ANSI)

Noise Reduction Rating (NRR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn.

## SNR (CE/UKCA)

Single Number Rating (SNR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn. SNR also rates hearing protection by the noise environments in three categories: high-frequency (H), mid-frequency (M), and low-frequency (L).

## FEATURE ICONS

The icons below and in the following pages represent some of the most requested features for hearing protection.



DIELECTRIC



AUX  
JACK



BLUETOOTH  
CAPABILITY



RAPID NOISE  
SUPPRESSION



DISPOSABLE  
EARPLUGS




METAL  
DETECTABLE



CUSTOM  
LOGO

## FULL HEARING COLLECTION

Visit the Core Products landing page to view the entirety of the Pyramex hearing line.



# EARPLUGS



NRR 32dB

SNR 38dB

## DP1000

ANSI/ASA S3.19-1974 |  
CE/UKCA EN 352:2020



DISPOSABLE  
EARPLUGS



NRR 31dB

SNR 37dB

## DP1001

ANSI/ASA S3.19-1974 |  
CE/UKCA EN 352:2020



DISPOSABLE  
EARPLUGS



NRR 30dB

SNR 37dB

## DPD1001

ANSI/ASA S3.19-1974 |  
CE/UKCA EN 352:2020



DISPOSABLE  
EARPLUGS



METAL  
DETECTABLE

# ELECTRONIC EARMUFF



NRR 26dB



VENTUREGEAR

## Amp BT™

ANSI/ASA S3.19-1974



AUX  
JACK



BLUETOOTH  
CAPABILITY



RAPID NOISE  
SUPPRESSION

● VGPME30BT Black

● VGPME31BT Desert Tan

● VGPME32BT Urban Gray

**i** Amp BT™ is a VG packaged product.

# CAP MOUNTED EARMUFF



NRR 22dB

## CM60 Series

ANSI/ASA S3.19-1974



DIELECTRIC



CUSTOM  
LOGO

● CM6010 Gray

**i** Fits Cap Style hard hats - sold separately. Ask your Pyramex Rep about Full Brim options.



# PASSIVE EARMUFFS



NRR 26dB

## PPM1 Series

ANSI/ASA S3.19-1974 |  
CAN/CSA Z94.2-2014



DIELECTRIC



CUSTOM  
LOGO

- PPM110 Black



NRR 27dB

SNR 30.4dB

## PM30 Series

ANSI/ASA S3.19-1974 |  
CE/UKCA EN 352:2020



CUSTOM  
LOGO

- PM3010 Black
- PM3011 Gray
- PM3022 OD Green
- PM3031 Hi-vis Lime



NRR 25dB

SNR 30dB

## PM80 Series

ANSI/ASA S3.19-1974 |  
CE/UKCA EN 352:2020



CUSTOM  
LOGO

- PM8010 Gray
- PM8031 Hi-vis Lime
- PM8041 Hi-vis Orange



NRR 24dB

## PM90 Series

ANSI/ASA S3.19-1974



CUSTOM  
LOGO

- PM9010 Black



FRAMELESS EYEWEAR	ALAIR®	ATOKA®	ENDEAVOR® PLUS	INTRUDER®	LEGACY®	NESHOBA™	PROVOQ®	ZTEK®
<b>RATINGS</b>	ANSI/ISEA Z87.1-2020 +	X	X	X	X	X	X	X
	CAN/CSA Z94.3-2020	X	X	X	X	X	X	X
<b>COLORS</b>	Blue Mirror, Clear, Gray, Infinity Blue, I/O Mirror, Silver Mirror	Clear, Gray, I/O Mirror	Clear, Gray, I/O Mirror	Amber, Blue Mirror, Clear, Gray, Infinity Blue, I/O Mirror, Silver Mirror	Clear, Gray, Light Gray, 3.0 IR, 5.0 IR	Clear, Gray, I/O Mirror	Amber, Blue Mirror, Clear, Gray, Multi-Color Mirror, Infinity Blue, I/O Mirror, Silver Mirror	1.5 IR, 3.0 IR, 5.0 IR, Amber, Arc 1.5 IR, Blue Mirror, Clear, Coffee, Gold Mirror, Gray, Infinity Blue, I/O Mirror, Orange, Purple Haze, Silver Mirror
	Same as Lens	Same as Lens	Black/Gray, Black/Green, Black/Pink	Same as Lens, Black, Blue, Red	Same as Lens	Black	Same as Lens	Same as Lens
<b>AF</b>	X	X	X	-	-	X	-	X
	-	-	X	X	X	X	-	-
	-	X	-	X	-	-	X	-
<b>FEATURES</b>	-	-	X	-	-	-	-	-
	-	-	X	-	-	-	-	-
	X	X	X	X	X	X	X	X
	-	-	X	-	-	-	-	-
	-	-	X	-	-	-	X	-
	-	X	-	-	-	-	X	X
<b>OPTIONS</b>	-	-	X	X	-	-	-	-
	-	-	-	-	X	-	-	X
	-	-	-	X	-	-	-	X
	-	-	-	X	-	-	-	X
	-	-	-	X	-	-	-	X
<b>CORE PRODUCTS PAGE</b>	Page 08	Page 08	Page 06	Page 07	Page 08	Page 08	Page 05	Page 05



HALF FRAME EYEWEAR	EVER-LITE®	INTEGRA®	PMXTREME®	RENDEZVOUS®	SITECORE™	VENTURE II®	VENTURE 3®
ANSI/ISEA Z87.1-2020 +	X	X	X	X	X	X	X
CAN/CSA Z94.3-2020	X	X	-	-	X	X	X
CE/UKCA EN 166	X	X	X	X	X	X	X
MIL-PRF-32432	-	-	-	X	-	X	X
LENS COLORS	3.0 IR, 5.0 IR, Amber, Clear, Gray, Dark Gray, Ice Blue Mirror, Infinity Blue, I/O Mirror, Light Gray	3.0 IR, 5.0 IR, Clear, Gray	Amber, Blue Mirror, Clear, Gray, Ice Orange Mirror, Infinity Blue, I/O Mirror, Sandstone Bronze, Silver Mirror, Smoke Green Mirror	Amber, Clear, Gray, I/O Mirror	Amber, Clear, Gray, I/O Mirror	3.0 IR, 5.0 IR, Amber, Blue Mirror, Clear, Gray, Gold Mirror, Infinity Blue, I/O Mirror, Orange, Silver Mirror, Sun Block Bronze	Amber, Clear, Gray, Infinity Blue, I/O Mirror, Silver Mirror
FRAME COLORS	Black, Black/Lime	Black, Blue, Red, Red/White/Blue	Black, Camo, Red	Black, Crystal Gray	Black/Gray, Gray/Lime	Black, Metallic Blue, Slate Gray	Black
H2X ANTI-FOG	X	-	-	X	-	X	X
H2MAX ANTI-FOG	X	-	-	-	X	-	X
STANDARD ANTI-FOG	X	X	X	-	-	X	-
ADJUSTABLE NOSEPIECE	-	-	-	X	-	-	X
ADJUSTABLE TEMPLES	-	X	-	X	X	X	X
CO-INJECTED TEMPLES	X	-	-	-	-	-	X
CUSTOM LOGO	X	X	-	X	X	X	X
INCLUDES STRAP	-	-	X	-	-	-	-
RATCHETING TEMPLES	-	-	-	X	X	-	-
RUBBER NOSEPIECE	X	-	X	-	X	X	-
RUBBER TEMPLE TIPS	-	-	X	-	-	-	-
VENTED FRAME	-	-	-	-	-	-	X
PHOTOCHROMIC	X	-	-	-	-	-	-
IR	X	X	-	-	-	X	-
READER	X	-	X	-	-	X	-
CORE PRODUCTS PAGE	Page 1.1	Page 1.2	Page 1.2	Page 1.0	Page 1.0	Page 09	Page 10





	EXETER®	GOLIATH®	VELAR™	ZONE II®
<b>RATINGS</b>				
ANSI/ISEA Z87.1-2020 +	X	X	X	X
CAN/CSA Z94.3-2020	-	X	X	-
CE/UKCA EN 166	X	X	X	X
<b>COLORS</b>	Blue Mirror, Clear, Gray, Shooter's Amber, Sky Red Mirror	Clear, Gray, Ice Blue Mirror, Ice Orange Mirror, I/O Mirror, Silver Mirror, Sky Red Mirror	Clear, Gray, Ice Blue Mirror, Ice Orange Mirror, Sky Red Mirror	Blue Mirror, Clear, Gray, Ice Blue Mirror, Ice Orange Mirror, I/O Mirror, Silver Mirror
<b>COLORS</b>	Glossy Black	Black, White	Black, Black/Red, White/Blue, White/Red	Matte Black, Silver
<b>AF</b>				
H2X ANTI-FOG	X	X	-	-
STANDARD ANTI-FOG	X	-	-	-
<b>FEATURES</b>				
CO-INJECTED TEMPLES	X	X	X	-
CUSTOM LOGO	X	X		X
RUBBER NOSEPIECE	X	-	X	X
RUBBER TEMPLE TIPS	-	-	-	X
<b>POLARIZED</b>	-	X	-	-
<b>CORE PRODUCTS PAGE</b>	Page 13	Page 13	Page 14	Page 13



SEALED EYEWEAR	CROSSOVR™	FYXATE™	HIGHLANDER™ PLUS	I-FORCE®	ISOTOPE™	PROXIMITY®	TORSER™	V2G®	V2G-PLUS®
ANSI/ISEA Z87.1-2020 +	X	X	X	X	X	X	X	X	X
D3: Droplet and Splash Test	-	-	-	-	X	-	X	-	X
D4: Dust Test	-	-	-	-	X	-	X	-	-
D5: Fine Dust Test	-	-	-	-	-	-	X	-	-
CAN/CSA Z94.3-2020	X	X	X	X	X	X	X	X	X
CE/UKCA EN 166	X	-	X	X	X	X	X	X	X
MIL-PRF-32432	-	-	X	X	X	-	-	X	X
ASTM F2879-19	-	-	-	X	-	-	-	-	X
LENS COLORS	Clear, Gray, I/O Mirror	Clear, Gray, I/O Mirror, Light Gray	Amber, Clear, Gray, I/O Mirror, Sky Red Mirror	Amber, Clear, Gray, I/O Mirror	Amber, Clear, Gray, I/O Mirror	Amber, Clear, Dark Gray, I/O Mirror	Clear, Light Gray	3.0 IR, 5.0 IR, Amber, Clear, Gray, I/O Mirror	Clear, Gray
FRAME COLORS	Black/Gray, Gray/Lime	Black, Lime	Black/Gray	Black	Black	Black, Black/Lime	Black	Black	Black
H2X ANTI-FOG	X	X	X	X	-	X	-	X	X
H2MAX ANTI-FOG	-	X	-	-	X	X	X	X	-
STANDARD ANTI-FOG	X	-	X	X	X	X	-	X	-
ADJUSTABLE TEMPLES	-	-	-	-	X	-	-	-	-
CO-INJECTED TEMPLES	-	-	-	-	-	X	-	-	-
CUSTOM LOGO	X	-	X	X	-	X	-	X	X
DIELECTRIC	-	X	-	X	X	-	X	-	X
DUAL PANE LENS	-	-	-	X	-	-	-	-	X
FOAM PADDING	-	X	X	X	-	X	-	X	-
INTERCHANGE TEMPLE-/STRAP	-	-	-	X	X	-	-	X	-
INCLUDES STRAP	X	X	X	X	X	-	-	X	-
RATCHETING TEMPLES	-	-	-	-	-	-	-	X	-
RUBBER NOSEPIECE	-	X	-	-	X	-	-	-	-
RUBBER TEMPLE TIPS	-	X	-	-	-	-	-	-	-
VENTED FRAME	X	-	X	X	-	-	-	X	-
IR	-	-	-	-	-	-	-	X	-
READER	-	-	-	-	-	-	-	X	-
SLIM	-	-	-	X	-	-	-	-	-
CORE PRODUCTS PAGE	Page 17	Page 15	Page 17	Page 16	Page 17	Page 15	Page 18	Page 18	Page 18



GOGGLES		CAPSTONE® SHIELD	G201 SERIES	G205 SERIES	G3 SERIES	G4 SERIES	G7 SERIES
RATINGS	ANSI/ISEA Z87.1-2020 +	X	X	X	X	X	X
	D3: Droplet and Splash Test	X	-	X	X	X	X
	D4: Dust Test	X	-	-	X	X	X
	CAN/CSA Z94.3-2020	X	-	-	X	X	-
	CE/UKCA EN 166	X	-	X	X	-	X
	MIL-PRF-32432	X	-	-	-	-	-
COLORS	LENS COLORS	3.0 IR, 5.0 IR, Clear, Gray	Clear	Clear	Clear	Clear	Clear, Gray
	BODY COLORS	Same as Shield	Clear	Clear	Tinted	Tinted	Gray
AF	H2X ANTI-FOG	X	-	-	X	X	-
	STANDARD ANTI-FOG	-	X	X	-	-	X
FEATURES	DIELECTRIC	-	-	-	X	-	-
	DUAL PANE	X	-	-	-	-	-
	FOAM PADDING	-	-	-	-	X	-
	NEOPRENE STRAP	-	-	-	X	-	-
	OVER THE SPEC	X	-	-	X	X	-
IR	X	-	-	-	-	-	-
CORE PRODUCTS PAGE		Page 19	Page 20	Page 20	Page 20	Page 20	Page 20



OVER THE SPEC		CAPSTONE® SHIELD	CAPTURE™	CAPTURE PLUS	CAPTURE PRO	G3 SERIES	G4 SERIES	OTS®	SOLO®
RATINGS	ANSI/ISEA Z87.1-2020 +	X	X	X	X	X	X	X	X
	D3: Droplet and Splash Test	X	-	-	X	X	X	-	-
	D4: Dust Test	X	-	-	X	X	X	-	-
	CAN/CSA Z94.3-2020	X	X	X	X	X	X	X	X
	CE/UKCA EN 166	X	X	X	X	X	-	X	X
MIL-PRF-32432	X	-	-	-	-	-	-	-	-
COLORS	LENS COLORS	3.0 IR, 5.0 IR, Clear, Gray	Clear, Gray	Clear, Gray	Clear, Gray	Clear	Clear	3.0 IR, 5.0 IR, Clear, Gray, I/O Mirror	Clear, Gray
	BODY COLORS	Same as Shield	Same as Lens	Black	Black	Tinted	Tinted	Black	Same as Lens
AF	H2X ANTI-FOG	X	X	-	-	X	X	X	-
	H2MAX ANTI-FOG	-	X	X	X	-	-	-	-
FEATURES	ADJUSTABLE TEMPLES	-	-	-	-	-	-	X	-
	CUSTOM LOGO	-	X	X	-	-	-	X	X
	DIELECTRIC	-	X	X	X	X	-	-	-
	DUAL PANE	X	-	-	-	-	-	-	-
	FOAM PADDING	-	-	-	-	-	X	-	-
	INCLUDES STRAP	-	-	X	-	-	-	-	-
	OVER THE SPEC	X	X	X	X	X	X	X	Only S510J Fits Over the Spec
	RATCHETING TEMPLES	-	-	-	-	-	-	X	-
OPTIONS	IR	X	-	-	-	-	-	X	-
	XL	-	-	-	-	-	-	X	-
CORE PRODUCTS PAGE		Page 19	Page 21			Page 20	Page 20	Page 22	Page 22



READERS	EMERGE®	EMERGE® PLUS	EVER-LITE®	INTRUDER®	VENTURE II®	ZTEK®
ANSI/ISEA Z87.1-2020 +	X	X	X	X	X	X
CAN/CSA Z94.3-2020	X	X	X	-	X	X
CE/UKCA EN 166	X	-	-	-	X	X
LENS COLORS	Clear	Clear, Gray	Clear, Gray	Clear	Amber, Clear, Gray, I/O Mirror	1.5 IR, Clear, Gray
MAG	Rx, +1.5, +2.0	+1.5, +2.0, +2.5, +3.0	+1.5, +2.0, +2.5, +3.0	+1.5, +2.0, +2.5	+1.0, +1.5, +2.0, +2.5, +3.0	+1.5, +2.0, +2.5
FRAME COLORS	Black, Translucent Gray	Translucent Gray	Black	Same as Lens	Black	Same as Lens
H2X ANTI-FOG	-	-	-	-	X	-
H2MAX ANTI-FOG	-	-	X	-	-	-
ADJUSTABLE TEMPLES	-	-	-	-	X	-
CO-INJECTED TEMPLES	-	-	X	-	-	-
CUSTOM LOGO	X	X	X	X	X	X
RUBBER NOSEPIECE	X	X	X	-	X	-
RUBBER TEMPLE TIPS	-	X	-	-	-	X
IR	-	-	-	-	-	X
CORE PRODUCTS PAGE	Page 23	Page 23	Page 23	Page 24	Page 24	Page 24



SYNTHETIC GLOVES	GL103HT	GL104HT	GL105HT	GL105CHT	GL202HT	GL203HT	GL204HT	GL204CHT	GL805HT	GL806HT	GL807HT	GL807CHT
	GENERAL PURPOSE				IMPACT UTILITY				HIGH PERFORMANCE			
RATINGS	ANSI CUT	A1	A1	360° CUT A6	N/A	N/A	N/A	360° CUT A6	N/A	A2	N/A	180° CUT A5
	ANSI IMPACT	N/A	N/A	N/A	Level 1	N/A	N/A	N/A	Level 2	Level 2	Level 2	Level 2
	ANSI ABRASION	3	6	3	6	6	4	4	6	4	6	6
	ANSI PUNCTURE	2	4	2	4	5	2	4	3	4	2	4
	EN 388	3121X	4121X	3121X	2X22F	4112XP	2131XP	3121XP	3X21FP	4112XP	2143XP	2121XP
CONSTRUCTION	PALM	Synthetic Leather	Genuine Leather	Synthetic Leather	Genuine Leather	Silicone	PVC Palm Patch	PVC Palm Patch	Genuine Leather	PVC	Silicone + PVC Patch	Silicone + PVC Patch
	CUFF	Slip-on	Hook + Loop	Hook + Loop	Hook + Loop	Hook + Loop	Hook + Loop	Hook + Loop	Neoprene	Neoprene	Neoprene	Neoprene
	SIZING	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL
TOUCHSCREEN	Yes	No	Yes	Yes	No	No	Yes	Yes	No	No	No	No
HANGTAG	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CORE PRODUCTS PAGE	N/A	Page 27	Page 27	Page 27	Page 27	N/A	Page 27	Page 27	Page 28	Page 28	N/A	Page 28



NITRILE NON-CUT		GL601	GL617	GL615	GL605	GL614	
		MICRO-FOAM				SANDY SMOOTH	SMOOTH
RATINGS	ANSI ABRASION	6*	6	6	6	6	
	ANSI PUNCTURE	2	2	2	2	2	
	EN 388	4131X	4131X	4131X	4131X	4121X	
CONSTRUCTION	DIP COVERAGE	Palm + Fingers	Palm, Fingers + Knuckles	Palm + Fingers	Full	Palm + Fingers	
	LINER	Nylon + Spandex 15G	Nylon + Spandex 15G	Nylon + Spandex 15G	Polyester 15G	Polyester 13G	
	SIZING	XS-3XL	S-2XL	S-2XL	S-2XL	S-2XL	
DOTTED PALM OPTION		GL601DP XS-3XL	GL617DP S-2XL	No	No	No	
REINFORCED THUMB		GL601DP	GL617DP	No	Yes	No	
WATER RESISTANT		No	No	No	Yes	No	
HANGTAG		No	No	GL615HT S-2XL	No	No	
CORE PRODUCTS PAGE							



18G NITRILE		GL618	GL619C	GL606DPC	GL620C	GL613C	GL621C
MICRO-FOAM							
RATINGS	ANSI CUT	N/A	A2	A3	A4	A4	A5
	ANSI ABRASION	6	6	6	6	5	6
	ANSI PUNCTURE	2	3	4	3	3	3
	EN 388	N/A	N/A	4X42C	N/A	4X42D	N/A
CONSTRUCTION	DIP COVERAGE	Palm + Fingers	Palm + Fingers	Palm + Fingers	Palm + Fingers	Palm + Fingers	Palm + Fingers
	LINER	Nylon 18G	HPPE 18G	HPPE 18G	HPPE 18G	HPPE 18G	HPPE 18G
	SIZING	S-2XL	S-2XL	XS-3XL	S-2XL	XS-3XL	S-2XL
TOUCHSCREEN	Yes	Yes	No	Yes	Yes	Yes	Yes
DOTTED PALM	No	No	Yes	No	No	No	No
REINFORCED THUMB	Yes	Yes	Yes	Yes	Yes	Yes	Yes
VEND PACK	No	No	GL606DPCVP S-2XL	No	No	No	No
CORE PRODUCTS PAGE							

**I** The GL618, GL619C, GL620C, and GL621C are new to the line and their standards and information are subject to change.





13G NITRILE		GL603C5	GL608C	GL604C5	GL609C	GL610C
		MICRO-FOAM			SANDY	
RATINGS	ANSI CUT	A4	A6	A4	A6	A6
	ANSI ABRASION	4	4	6	6	6
	ANSI PUNCTURE	4	4	3	4	4
	ANSI IMPACT	N/A	N/A	N/A	2	2
	EN 388	4X43D	4X43F	4X43D	4X43EP	4X43EP
CONSTRUCTION	DIP COVERAGE	Palm + Fingers	Palm + Fingers	Palm + Fingers	Palm + Fingers	Palm, Fingers + Knuckles
	LINER	HPPE 13G	HPPE 13G	HPPE 13G	HPPE 13G	HPPE 13G
	SIZING	XS-3XL	S-2XL	S-2XL	S-3XL	S-3XL
TOUCHSCREEN	No	No	No	No	No	Yes
DOTTED PALM OPTION	GL603DPC5 S-2XL	No	No	No	No	No
REINFORCED THUMB	GL603DPC5	No	No	No	Yes	Yes
HANGTAG	GL603C5HT XS-3XL	No	No	No	No	No
CORE PRODUCTS PAGE	Page 31	Page 31	Page 31	Page 31	Page 32	Page 32



LATEX & POLYURETHANE		GL503	GL502	GL406	GL401	GL403C	GL402C5
POLYURETHANE		CRINKLE LATEX	SANDY SMOOTH LATEX	POLYURETHANE			
RATINGS	ANSI CUT	A1	A1	A1	A1	A2	A4
	ANSI ABRASION	4	4	3	3	2	3
	ANSI PUNCTURE	3	2	2	2	3	4
	EN 388	3242X	3131X	3131X	4131X	4X42B	4X43D
	EN 407	Contact Heat 2	N/A	N/A	N/A	N/A	N/A
CONSTRUCTION	DIP COVERAGE	Palm + Fingers	Full	Palm + Fingers	Palm + Fingers	Palm + Fingers	Palm + Fingers
	LINER	Polyester 10G	Nylon 13G	Polyester 13G	Nylon 13G	HPPE 13G	HPPE 13G
	SIZING	S-2XL	S-2XL	XS-3XL	XS-3XL	S-2XL	XS-3XL
TOUCH SENSITIVITY	No	No	Yes	Yes	Yes	Yes	Yes
LOW PARTICULATE SHED	No	No	Yes	Yes	Yes	Yes	Yes
WATER RESISTANT	No	Yes	No	No	No	No	No
HANGTAG/VEND PACK	GL503HT (Hangtag) S-2XL GL503VP (Vend) S-XL	No	No	No	GL401HT (Hangtag) XS-3XL GL401VP (Vend) S-2XL	No	GL402C5HT (Hangtag) XS-3XL
CORE PRODUCTS PAGE	Page 32	Page 32	Page 33	Page 33	Page 33	Page 33	Page 33



INSULATED DIPPED		GL901	GL505	GL507C	GL612C
		HPT	SANDY/SMOOTH LATEX		
		A2	A2	A4	A6
ANSI CUT		3	4	5	6
ANSI ABRASION		2	2	4	4
ANSI PUNCTURE		N/A	N/A	N/A	2
ANSI IMPACT		3231X	3231X	3X43D	4X43EP
EN 388		Contact Cold 2	Contact Cold 2	Contact Cold 2	Contact Cold 2
EN 511		Palm + Fingers	Full	Full	Palm + Fingers
DIP COVERAGE		Nylon 15G	Polyester 13G	HPPE 13G	HPPE 13G
OUTER LINER		Acrylic Terry 7G	Acrylic 10G	Acrylic 10G	Acrylic 10G
INNER LINER		S-2XL	S-2XL	S-2XL	S-2XL
SIZING		Yes	Yes	Yes	No
WATER RESISTANT		Page 34	Page 34	Page 34	Page 34
CORE PRODUCTS PAGE					

RATINGS

CONSTRUCTION



LEATHER PALMS		GL1001W	GL1006W	GL1002W	GL1003W	GL1004W	GL1010W	
		SELECT				PREMIUM		
CONSTRUCTION	LEATHER	Split Cowhide	Split Cowhide	Split Cowhide	Grain Cowhide	Grain Cowhide	Split Cowhide	
	THUMB	Wing	Wing	Wing	Wing	Wing	Wing	
	CUFF	Rubberized Safety Cuff	Rubberized Safety Cuff	Rubberized Gauntlet Cuff	Rubberized Safety Cuff	Rubberized Gauntlet Cuff	Rubberized Safety Cuff	
	SIZING	L-2XL	L-XL	L-XL	L-XL	L-XL	S-2XL	
KEVLAR STITCHING	No	No	No	No	No	No	Yes	
HANGTAG	GL1001WHT L-XL	No	GL1002WHT L-XL	No	No	No	No	
DOUBLE PALM	No	Yes	No	No	No	No	No	
CORE PRODUCTS PAGE		Page 35						



	GL2001K		GL2002K		GL3011K		GL2004K		GL2003K		GL4003K		GL2008K	
	VALUE						SELECT						PREMIUM	
<b>LEATHER DRIVERS</b>	Grain Cowhide	Grain Cowhide	Grain Cowhide	Grain Goatskin	Grain Cowhide	Grain Cowhide	Grain Cowhide	Grain Cowhide	Grain Cowhide	Grain Pigskin	Grain Pigskin	Split/Grain Cowhide	Split/Grain Cowhide	Split/Grain Cowhide
<b>CONSTRUCTION</b>	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone
	Unlined	Unlined	Unlined	Unlined	Unlined	Unlined	Unlined	Unlined	Unlined	Fleece	Fleece	Unlined	Unlined	Unlined
<b>SIZING</b>	S-2XL	S-2XL	S-2XL	S-2XL	S-2XL	S-2XL	S-3XL	S-2XL	S-2XL	S-2XL	S-2XL	S-3XL	S-3XL	S-3XL
<b>KEVLAR STICHING</b>	No	No	No	No	No	No	No	No	No	No	No	No	No	Yes
<b>HANGTAG</b>	GL2001KHT S-2XL	No	No	No	No	No	No	No	No	No	No	No	No	No
<b>PALM PATCH</b>	No	No	No	No	No	No	No	No	No	Yes	Yes	No	No	No
<b>HI-VIS</b>	No	Yes	No	No	No	No	No	No	Yes	No	No	No	No	No
<b>CORE PRODUCTS PAGE</b>	Page 36													

77 CUT AND IMPACT LEATHER DRIVERS



CUT AND IMPACT LEATHER DRIVERS		GL3006CK	GL3006CKB	GL3007CK	GL3007CKB	GL3009CKB	GL3010CK	GL3004CW	
		HPPE 360° CUT LINER				PARA-ARAMID 360° CUT LINER			
RATINGS	ANSI CUT	A5	A5	A6	A6	A4	A5	A7	
	ANSI IMPACT	N/A	2	N/A	2	2	N/A	1	
	ANSI ABRASION	4	4	4	4	3	4	4	
	ANSI PUNCTURE	4	4	4	4	3	4	5	
	EN 388	3X42F	3X42FP	2X42F	2X42FP	2X21EP	1X32E	3X43FP	
	ARC FLASH	N/A	N/A	N/A	N/A	4	4	N/A	
	CAL/CM²	N/A	N/A	N/A	N/A	47	41	N/A	
CONSTRUCTION	LEATHER	Premium Grain Goatskin	Premium Grain Goatskin	Premium Grain Goatskin	Premium Grain Goatskin	Premium Grain Goatskin	Premium Grain Goatskin	Premium Grain Goatskin	
	THUMB	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Wing	
	SIZING	S-2XL	S-2XL	S-2XL	S-3XL	S-2XL	S-2XL	S-3XL	
OIL & WATER RESISTANT	No	No	No	No	Yes	Yes	No		
KEVLAR STITCHING	No	No	No	No	Yes	Yes	No		
CORE PRODUCTS PAGE	N/A	Page 37	Page 37	N/A	Page 38	Page 38	Page 37		



INSULATED LEATHER DRIVERS		GL2006K		GL4003K		GL3006CKF		GL3006CKBF	
		VALUE		SELECT		PREMIUM			
RATINGS	ANSI CUT	N/A	N/A	N/A	N/A	A5	A5	A5	A5
	ANSI IMPACT	N/A	N/A	N/A	N/A	N/A	N/A	2	2
	ANSI ABRASION	N/A	N/A	N/A	N/A	4	4	4	4
	ANSI PUNCTURE	N/A	N/A	N/A	N/A	4	4	4	4
CONSTRUCTION	LEATHER	Grain Cowhide	Grain Pigskin	Grain Pigskin	Grain Pigskin	Grain Goatskin	Grain Goatskin	Grain Goatskin	Grain Goatskin
	THUMB	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone
	LINER	Fleece	Fleece	Fleece	Fleece	HPPE + Fleece	HPPE + Fleece	HPPE + Fleece	HPPE + Fleece
	SIZING	S-2XL	S-2XL	S-2XL	S-2XL	S-2XL	S-2XL	S-2XL	S-2XL
CORE PRODUCTS PAGE		Page 38	Page 38	Page 38	Page 38	N/A	N/A	Page 38	Page 38



HEADGEAR	RIDGELINE®					RIDGELINE XR7®			SL SERIES	
	CAP STYLE	HYDRO DIPPED CAP STYLE	FULL BRIM	HYDRO DIPPED FULL BRIM	SAFETY HELMET	HYDRO DIPPED SAFETY HELMET	CAP STYLE	FULL BRIM		
<b>RATINGS</b>	ANSI/ISEA Z89.1-2020									
	With Clip	With Clip	X	X	X	X	X	X	X	X
	-	-	-	-	X	X	-	-	-	-
<b>SHELL</b>	Blue, Dark Blue, Gray, Green, Hi-vis Lime, Hi-vis Orange, Light Blue, Pink, Red, Slate Gray, White, Yellow	Matte Graphite Pattern: Black, Blue, Copper, Realtree AP®, Red, White Shiny Graphite Pattern: Black, White	Black, Blue, Gray, Green, Hi-vis Lime, Hi-vis Orange, Pink, Red, Slate Gray, White, Yellow	Matte Graphite Pattern: Black, Blue, Copper, Realtree AP®, Red, Silver, White Shiny Graphite Pattern: Black, White	Blue, Hi-vis Lime, Orange, Red, Slate Gray, White, Yellow	Black Graphite Pattern, White Graphite Pattern	Black, Blue, Dark Blue, Gray, Green, Hi-vis Lime, Hi-vis Orange, Light Blue, Orange, Pink, Red, White, Yellow	Black, Blue, Green, Lime, Hi-vis Orange, Light Blue, Red, White, Yellow		
	X	X	X	X	X	X	X	X	X	X
	-	-	-	-	X	X	X	X	X	X
<b>SUSPENSION</b>	X	X	X	X	X	X	X	X	X	X
	-	-	-	-	-	-	-	-	-	-
	X	X	X	X	X	X	X	X	X	X
	-	-	-	-	-	-	-	-	-	-
<b>FEATURES</b>	X	X	X	X	X	X	X	X	X	X
	X	X	X	X	X	X	X	X	X	X
	X	X	X	X	X	X	X	X	X	X
	X	X	X	X	X	X	X	X	X	X
<b>VENTED</b>	X	X	X	X	X	X	X	X	X	X
<b>CORE PRODUCTS PAGE</b>	Page 51	Page 51	Page 52	Page 52	Page 53	Page 53	Page 54	Page 54	Page 54	Page 54










OUTERWEAR		RCSZH33	RSSH32	RSZH32	RSZH34	RCJ32	RJ31	RJ32	RCP32	RP31	RPB35		
		HOODIES					JACKETS					PARKAS	
RATINGS	ANSI/ISEA 107 Type R Class 3 (Hi-vis) Type O Class 1 (Black)	Type R Class 3	Type R Class 3	Type R Class 3	Type O Class 1	Type R Class 3	Type R Class 3	Type R Class 3	Type R Class 3	Type R Class 3	Type R Class 3	Type O Class 1	
	ANSI/ISEA 107: AATCC 127	-	-	-	-	X	X	X	X	X	X	X	
	CAN/CSA Z96 Class 2 Level 2 (Hi-vis) Class 1 Level 2 (Black)	-	-	-	-	Class 2 Level 2	Class 2 Level 2	Class 2 Level 2	Class 2 Level 2	Class 2 Level 2	Class 2 Level 2	Class 2 Level 2	
CONSTRUCTION	SIZE RANGE	M - 5XL	S - 5XL	S - 5XL	S - 5XL	M - 5XL	S - 5XL	S - 5XL Tall S - 5XL	M - 5XL	M - 5XL	M - 5XL	S - 5XL	
	CLOSURE	Zipper	Pull Over	Zipper	Zipper	Zipper	Zipper	Zipper	Zipper	Zipper	Zipper	Zipper with Hook + Loop Storm Flap	
	TAPE	Contrasting	Single	Single	Contrasting	Contrasting	Single	Single	Contrasting	Single	Single	Contrasting	
	INTERIOR	Polyester	Polyester	Polyester	Polyester	Quilted Lining	Polyester	Quilted Lining	Quilted Lining	Quilted Lining	Polyester	Quilted Lining	
	COLORS	Black, Lime, Orange	Lime	Lime	Black	Lime, Orange	Lime, Orange	Lime	Lime	Lime, Orange	Lime, Orange	Black	
POCKETS	TOTAL	4	1	2	2	5	8	5	5	8	5	5	
	OUTSIDE	4	1	2	2	4	5	4	4	5	5	3	
	INSIDE	-	-	-	-	1	3	1	1	3	3	2	
FEATURES	CLEAR CHEST	X	-	-	-	X	X	X	X	X	X	-	
	BLACK BOTTOM	X	X	X	X	X	X	X	X	X	X	X	
	CUSTOM LOGO	X	X	X	X	X	X	X	X	X	X	X	
	WATERPROOF	-	-	-	-	X	X	X	X	X	X	X	
	WEATHER RESISTANT	X	X	X	X	-	-	-	-	-	-	-	
	ZIP-OUT	-	-	-	-	-	-	-	-	-	-	-	
	HOOD	Detachable, Drawstring	Drawstring	Drawstring	Drawstring	Concealed	Concealed, Detachable	Concealed	Concealed	Concealed	Polar Fleece	Concealed, Detachable	
	D-RING	-	-	-	-	-	-	-	-	-	-	X	
	MIC TABS	2	-	-	-	2	2	2	2	2	2	2	
	OTHER	Teflon™ Treated	Tall Sizing Available	-	-	-	-	-	Tall Sizing Available	-	-	-	Teflon™ Treated
CORE PRODUCTS PAGE		Page 46					Page 47					Page 48	





SHIRTS		RTS21	RTS21NS	RTS21B	RCLTS31	RLTS31	RLTS31NS	RLTS31B
		SHORT SLEEVE SHIRTS			LONG SLEEVE SHIRTS			
RATINGS	ANSI/ISEA 107	Type R, Class 2	Non-Rated	Type R Class 2	Type R Class 3 (Lime, Orange) Type O Class 1 (Black)	Type R Class 3	Non-Rated	Type R Class 2
	CAN/CSA Z96				Class 2 Level 2 (Lime, Orange) Class 1 Level 2 (Black)			
CONSTRUCTION	SIZE RANGE	S - 5XL	M - 5XL	S - 4XL/5XL	M - 5XL (Lime, Orange) S - 5XL (Black)	S - 5XL	M - 5XL	M - 5XL
	TAPE	Single	-	Single	Contrasting	Single	-	Single
FEATURES	COLORS	Lime, Orange	Lime	Lime, Orange	Lime, Orange, Black	Lime	Lime	Lime, Orange
	POCKETS	1	1	1	1	1	1	1
CORE PRODUCTS PAGE	CUSTOM LOGO	X	X	X	X	X	X	X
	UPF 30+	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	MOISTURE-WICKING	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	BLACK BOTTOM	-	-	Yes	-	-	-	Yes
Page 44								



**THERE'S MORE TO SEE  
AT PYRAMEX.COM**

CORE PRODUCTS\_0124